



Agency Niceville Police Department

S/N 80-001310

Date In 6/24/2022      DI Completion Date 06-24-2022

☐ Ship   ☒ P/U   ☐ H/D   ☐ CMI   ☐ EE

## Calibration Adjustment

By \_\_\_\_\_

### Barometric Pressure Gauge

ID #

☐ Post Calibration Adjustment Stability Checks

Notes/Suggested Service:

## Department Inspection

By IS

Barometric Pressure ID# 30793

|            |                 |
|------------|-----------------|
| Gauge 1009 | Instrument 1008 |
|------------|-----------------|

Mouth Alcohol Solution Lot # 2022-A

Acetone Stock Solution Lot # 2021-C

## Attachments

- |                                                                                                                                                                                                                       |                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> Form 41<br><input checked="" type="checkbox"/> Stability Checks<br><input checked="" type="checkbox"/> Calibration Certificate<br><input type="checkbox"/> Calibration Adjustment | <input type="checkbox"/> Post-Stability Checks<br><input type="checkbox"/> Flow Calibration<br><input type="checkbox"/> Form 40<br><input type="checkbox"/> Other |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|

- ☒ Instrument Complies with Chapter 11D-8, FAC
  - ☐ Instrument Does Not Comply with Chapter 11D-8, FAC
  - ☒ Return to/Place into Evidentiary Use
  - ☐ Remain Out of Evidentiary Use
  - ☒ Conduct an Agency Inspection Before: Evidentiary Use

Taylor  
Gutschow

Digitally signed by Taylor  
Gutschow  
Date: 2022.06.24 15:42:35  
+04'00'

Tech Review / Date

Admin Review / Date 04'00'

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: NICEVILLE PD

Time of Inspection: 14:32

Date of Inspection: 06/24/2022

Serial Number: 80-001310

Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202201C<br>Exp: 01/11/2024 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202201D<br>Exp: 01/18/2024 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202201E<br>Exp: 01/18/2024 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG113403<br>Exp: 05/14/2023 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.048                                                          | 0.077                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.079                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.199                                                          | 0.079                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.199                                                          | 0.080                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.199                                                          | 0.080                                                                           |
| 0.000                            | 0.047                                                          | 0.078                                                          | 0.198                                                          | 0.081                                                                           |
| 0.000                            | 0.047                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.047                                                          | 0.079                                                          | 0.197                                                          | 0.080                                                                           |

|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0007 | 0.0004 | 0.0006 | 0.0005 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0005 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Israel Soto*

ISRAEL SOTO

Signature and Printed Name

06/24/2022  
Date

| Type of Test     | Serial Number | Agency                      | Date      | Performed By |
|------------------|---------------|-----------------------------|-----------|--------------|
| Stability Checks | 80-001310     | Niceville Police Department | 6/24/2022 | PN           |

| 0.05g/210L     | 0.08g/210L     | 0.20g/210L     | DGS 0.08g/210L |
|----------------|----------------|----------------|----------------|
| 0.047 to 0.053 | 0.077 to 0.083 | 0.194 to 0.206 | 0.077 to 0.083 |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>NICEVILLE PD<br/>Intoxilyzer - Alcohol Analyzer<br/>Model: 8000<br/>06/24/2022<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 12:56</p> <p>Control Test 0.048 12:57</p> <p>Air Blank 0.000 12:57</p> <p>Control Test 0.048 12:57</p> <p>Air Blank 0.000 12:58</p> <p>Control Test 0.048 12:59</p> <p>Air Blank 0.000 12:59</p> <p>Control Test 0.048 13:00</p> <p>Average 0.0480</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p> <p>Operator's Signature</p> | <p>NICEVILLE PD<br/>Intoxilyzer - Alcohol Analyzer<br/>Model: 8000<br/>06/24/2022<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 13:00</p> <p>Control Test 0.077 13:01</p> <p>Air Blank 0.000 13:02</p> <p>Control Test 0.077 13:02</p> <p>Air Blank 0.000 13:03</p> <p>Control Test 0.077 13:04</p> <p>Air Blank 0.000 13:04</p> <p>Control Test 0.077 13:04</p> <p>Average 0.0770</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p> <p>Operator's Signature</p> | <p>NICEVILLE PD<br/>Intoxilyzer - Alcohol Analyzer<br/>Model: 8000<br/>06/24/2022<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 13:05</p> <p>Control Test 0.197 13:06</p> <p>Air Blank 0.000 13:06</p> <p>Control Test 0.197 13:07</p> <p>Air Blank 0.000 13:07</p> <p>Control Test 0.196 13:08</p> <p>Air Blank 0.000 13:08</p> <p>Control Test 0.196 13:08</p> <p>Average 0.1967</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.2936</p> <p>Operator's Signature</p> | <p>NICEVILLE PD<br/>Intoxilyzer - Alcohol Analyzer<br/>Model: 8000<br/>06/24/2022<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 13:10</p> <p>Control Test 0.080 13:10</p> <p>Air Blank 0.000 13:11</p> <p>Control Test 0.080 13:11</p> <p>Air Blank 0.000 13:11</p> <p>Control Test 0.080 13:12</p> <p>Air Blank 0.000 13:12</p> <p>Control Test 0.080 13:12</p> <p>Average 0.0800</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p> <p>Operator's Signature</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|               |
|---------------|
| Comments: N/A |
|---------------|



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001310, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                     |                                |       |
|-------------------|---------------------|--------------------------------|-------|
| Serial Number:    | <u>80-001310</u>    | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>NICEVILLE PD</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>06/24/2022</u>   | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>14:32</u>        | 0.200 g/ 210 L                 | 0.007 |
|                   |                     | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Israel Soto  
Soto  
Date: 2022.06.24  
15:38:32 -04'00'

06/24/2022

Date

ISRAEL SOTO,

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

Department Inspector

Service • Integrity • Respect • Quality