

INSTRUMENT PROCESSING SHEET

Agency Naval Air Station Key West

S/N 80-002170

Flor Law

lorida Dep aw Enforce		e In <u>11/</u>	21/2022	DI	Completion	n Date 11/28/2022	Ship	□P/U	□H/D	□смі	DEE
Intake	By Di	ERR	Quality C	heck	s By DERF	Date 11/28/2022	Flow Calib	ration By		Date_	
M Annual			Breath Tube Screen				Flow Column #				
☐ Registration			Replace External O-Rin					min – 17n			
Return fro	om CMI / EE		Instrument Set Up Veri			ified	1	/min – 53			
Visual Inspection:			R-Value 214			CONTRACTOR AND ADDRESS OF THE PARTY OF THE P		/min – 10			
Case	Handle				cation (L/s)		☐ R-Value				
	Dry Gas Sh	elf	Flow Column # ATP101				☐ Post Calibration Verification (L/s)				
Feet	Breath Tub		32 mm <u>0.156</u>			(.139169) Flow Column #_		nn #	(.139169)		4.50\
Ports	Screws Tig	ht	36 mm <u>0.175</u>			(.156190)	32 mm			(.139	169)
Other Fauin	ment/ Accessories:		53 mm 0.242			(.228278)	36 mm			(.156	190)
	rd Printer Cab		103 mm 0.515			(.447547)	53 mm			(.228	2/0) 2/7)
	12V DC Cal		■ Barometric Pressure C Gauge ID # 28199			neck	103 mm			(.447	547)
	,		Stabili	-							
140103.		-	Simulato		Serial #	Lot #/Exp	D.C			D.	
		-			ochidi ii		Maintenar			Ву	
	THE RESERVE OF THE PROPERTY OF	***************************************	0.050		MP6286	202201C	☐ Battery☐ Dry Gas			coment	
					WII 0200	01/11/2024	☐ Breath 1				
			0.080		MP6287	202201D	Other_				
			0.000			01/18/2024	- Other				
***			0.200		MP6288	202201E					
-					WII 0200	01/18/2024					
			0.080 DO	GS	N/A	00521080A2					
					STATE OF THE PERSON NAMED AND	02/05/2023					Market State of the State of th
Calibration /	AND DESCRIPTION OF THE PARTY OF			B	Y	Department Inspec				By DEF	RR
	Pressure Gauge		ID #	1		Barometric Pressure	AL ANNA SIZE AMERICAN				
Simulator	Serial #	Lot#	the state of the same of the same of	Ex	piration	Gauge <u>1017</u>		strument	1013		
0.000			N/A N/A		N/A	Mouth Alcohol Solution Lot # 2021-D					
0.040						And the second s	k Solution Lot # 2021-C		SEW STATE OF		
0.100						Simulator		Serial N	The second secon	201	
0.200						0.000 Interferent	MP6284 MP6285				
0.300						0.050	MP6286				
0.080 DGS	N/A					0.080		-2	MP62		
Post Calib	ration Adjustment	Stability	y Checks			0.200			MP62	288	
	Serial #			Exp	oiration	Attachments	Lon				
0.050			CONTRACTOR OF SAME AND ADDRESS OF SAME AND ADD			Form 41	NFA			y Checks	
0.080	\					Stability Checks		Capacita of Disputation	Calibra	tion	
0.200						Calibration Cert		☐ Form			
0.080 DGS	N/A					☐ Calibration Adju	ustment	☐ Othe	er		
Notes/Sugg	ested Service:					Instrument Co					AC .
	AND THE PARTY OF T			***************************************		Return to/Plac					
**************************************				Remain Out of Evidentiary Use							
						Conduct an Agency Inspection Before Evidentiary Use				se	
						Phil Nicodemo Digitally signed by Phil Neodemo Israel Soto Digitally signed by Israel Soto Date: 2022.11.30 08:32:25-05:00'					

Admin Review / Date

Tech Review / Date



Calibration Certificate

Florida Department of Law Enforcement Alcohol Testing Program 4700 Terminal Drive, Suite 1 Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number <u>80-002170</u>, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-002170	UNCERTAINTY* ±	
Owning Agency:	NAS KEY WEST	0.050 g/ 210 L	0.004
Calibration Date:	11/28/2022	0.080 g/ 210 L	0.004
Calibration Time:	<u>09:32</u>	0.200 g/ 210 L	0.007
		0.080 g/210 L Dry Gas Control	0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within \pm 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full,

without written approval of the Florida Department of

Law Enforcement Alcohol Testing Program.

11/28/2022

Date

VID É REYÉS-RIVERA,

Department Inspector

FDLE/ATP Form 69 December 2021
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: NAS KEY WEST

Time of Inspection: 09:32

Date of Inspection: 11/28/2022

Serial Number: 80-002170

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check			Date and/or Time Adjusted		
(Pre-Inspection): OK	Yes				No
Minimum Sample Volume			Barometric Pressure Sensor		
Check: OK	Yes		Check: OK	Yes	
Alcohol Free Subject			Mouth Alcohol Test:		
Test: 0.000	Yes		Slope Not Met	Yes	
Interferent Detect Test:			Diagnostic Check		
Interferent Detect	Yes		(Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:00521080A2 Exp: 02/05/2023
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.079	0.200	0.078
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.080	0.199	0.078
Standard Deviations	0.000	0.0003	0.0003	0.0000

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5

The above instrument complies (X) does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

11/28/2022 Date

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-002170	Naval Air Station Key West	11/28/2022	DERR #//
				24000

day 1

- 14 m

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L /		
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206 1	0.077 to 0.083 📈		
		fi fi	*		
N=5 KET wEBT Intoxilyzer - Picorol Analyzer Model 8080 SN 80-802170 11 / 28 / 2020 Software: 8100.27	NAS NEW GEST (Intext Sysen - Alcohol Analyzer Mudel Side (I) Os 6003 Schulatet 8003.27	Nas KSM LEST Intoxilyzer = 91conol Analyzer Madel 8000 SN 80-882179 1172872322 Software: 8182.27	MAE KEr wEST Intoxilyzen - Alconol Analyzen Model 8000 Sh 80-862173 11/28/2822 Softwane: 8188.27		
Test 512.14 778	Test, grants The	Test. g/2:Cu Time	Test grZEQL Mita		
### 31ank	Ain Blank 0.000 07:08 Control Test 0.079 07:09 Bir Blank 0.000 07:09 Control Test 0.079 07:10 Ain Blank 0.000 07:11 Control Test 0.073 07:11 Ain Blank 0.000 07:12 Control Test 0.073 07:11 Ain Blank 0.000 07:12 Control Test 0.073 Ain Blank 0.000 07:12 Control Test 0.073 Rel Std Deu(%) 0.0000	Air Blank 5.300 67:13 Control Test 8.199 07:14 Air Blank 8.000 67:14 Control Test 8.199 67:15 Air Blank 8.000 67:16 Control Test 8.200 67:16 Air Blank 8.000 97:17 Control Test 8.300 97:17 Control Test Stats Auenage 8.1993 Std Deu 8.8006 Rel Std Dau(%) 9.2896	### ##################################		
Sperator's St yp atuse	üpenatonis Signature	Sperator's Signature	Operator's Signature		