



INSTRUMENT PROCESSING SHEET

Agency FHP Troop CS/N 80-006632Florida Department of
Law EnforcementDate In 8/19/2022 DI Completion Date 8/29/2022☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By TDG	Quality Checks	By TDG	Date <u>8/29/2022</u>	Flow Calibration	By	Date																																			
☒ Annual ☐ Registration ☒ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>230</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.152</u> (.139 - .169) 36 mm <u>0.167</u> (.156 - .190) 53 mm <u>0.234</u> (.228 - .278) 103 mm <u>0.484</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>68639</u> ☒ Stability Checks			Flow Column # _____ ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																					
				<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP5092</td><td>202201C 01/11/2024</td></tr><tr><td>0.080</td><td>MP5093</td><td>202201D 01/18/2024</td></tr><tr><td>0.200</td><td>MP5094</td><td>202201E 01/18/2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>00521080A2 02/05/2023</td></tr></tbody></table>	Simulator	Serial #	Lot #/Exp	0.050	MP5092	202201C 01/11/2024	0.080	MP5093	202201D 01/18/2024	0.200	MP5094	202201E 01/18/2024	0.080 DGS	N/A	00521080A2 02/05/2023	<table border="1"><thead><tr><th>Maintenance</th><th>By</th></tr></thead><tbody><tr><td>☐ Battery Replacement</td><td></td></tr><tr><td>☐ Dry Gas Regulator Replacement</td><td></td></tr><tr><td>☐ Breath Tube Replacement</td><td></td></tr><tr><td>☐ Other _____</td><td></td></tr><tr><td>_____</td><td></td></tr><tr><td>_____</td><td></td></tr><tr><td>_____</td><td></td></tr><tr><td>_____</td><td></td></tr><tr><td>_____</td><td></td></tr></tbody></table>			Maintenance	By	☐ Battery Replacement		☐ Dry Gas Regulator Replacement		☐ Breath Tube Replacement		☐ Other _____		_____		_____		_____		_____		_____	
Simulator	Serial #	Lot #/Exp																																								
0.050	MP5092	202201C 01/11/2024																																								
0.080	MP5093	202201D 01/18/2024																																								
0.200	MP5094	202201E 01/18/2024																																								
0.080 DGS	N/A	00521080A2 02/05/2023																																								
Maintenance	By																																									
☐ Battery Replacement																																										
☐ Dry Gas Regulator Replacement																																										
☐ Breath Tube Replacement																																										
☐ Other _____																																										

Calibration Adjustment By _____				Department Inspection By TDG _____																																						
Barometric Pressure Gauge _____ ID # _____				Barometric Pressure ID# <u>28199</u>																																						
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>				Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Gauge <u>1014</u> Instrument <u>1014</u> Mouth Alcohol Solution Lot # <u>2021-D</u> Acetone Stock Solution Lot # <u>2021-C</u>										
Simulator	Serial #	Lot #	Expiration																																							
0.000		N/A	N/A																																							
0.040																																										
0.100																																										
0.200																																										
0.300																																										
0.080 DGS	N/A																																									
☐ Post Calibration Adjustment Stability Checks				<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP5095</td></tr><tr><td>Interferent</td><td>SD3966</td></tr><tr><td>0.050</td><td>MP5092</td></tr><tr><td>0.080</td><td>MP5093</td></tr><tr><td>0.200</td><td>MP5094</td></tr></tbody></table>				Simulator	Serial Number	0.000	MP5095	Interferent	SD3966	0.050	MP5092	0.080	MP5093	0.200	MP5094																							
Simulator	Serial Number																																									
0.000	MP5095																																									
Interferent	SD3966																																									
0.050	MP5092																																									
0.080	MP5093																																									
0.200	MP5094																																									
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>				Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Attachments ☒ Form 41 ☐ Post-Stability Checks ☒ Stability Checks ☐ Flow Calibration ☒ Calibration Certificate ☐ Form 40 ☐ Calibration Adjustment ☐ Other _____																		
Simulator	Serial #	Lot #	Expiration																																							
0.050																																										
0.080																																										
0.200																																										
0.080 DGS	N/A																																									
Notes/Suggested Service: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____				☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use 2022.08. 30 11:49:14 04:00																																						
David Eliezer Reyes-Rivera				Tech Review / Date _____ Admin. Review / Date _____																																						

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-00 6632	FHP	08/29/2022	TDG <i>ML</i>

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
✓	✓	✓	✓
FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006632 08/29/2022 Software: 8100.27 Test g/210L Time Air Blank 0.000 13:33 Control Test 0.051 13:34 Air Blank 0.000 13:34 Control Test 0.050 13:35 Air Blank 0.000 13:36 Control Test 0.050 13:36 Air Blank 0.000 13:37 Control Test Stats Average 0.0503 Std Dev 0.0006 Rel Std Dev(%) 1.1471	FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006632 08/29/2022 Software: 8100.27 Test g/210L Time Air Blank 0.000 13:41 Control Test 0.080 13:42 Air Blank 0.000 13:43 Control Test 0.080 13:43 Air Blank 0.000 13:44 Control Test 0.080 13:45 Air Blank 0.000 13:45 Control Test Stats Average 0.0800 Std Dev 0.0000 Rel Std Dev(%) 0.0000	FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006632 08/29/2022 Software: 8100.27 Test g/210L Time Air Blank 0.000 13:27 Control Test 0.201 13:27 Air Blank 0.000 13:28 Control Test 0.200 13:29 Air Blank 0.000 13:29 Control Test 0.200 13:30 Air Blank 0.000 13:30 Control Test Stats Average 0.2003 Std Dev 0.0006 Rel Std Dev(%) 0.2882	<i>DGS</i> FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006632 08/29/2022 Software: 8100.27 Test g/210L Time Air Blank 0.000 13:21 Control Test 0.080 13:21 Air Blank 0.000 13:22 Control Test 0.080 13:22 Air Blank 0.000 13:23 Control Test 0.081 13:23 Air Blank 0.000 13:24 Control Test Stats Average 0.0803 Std Dev 0.0006 Rel Std Dev(%) 0.7187
<i>ML</i> Operator's Signature	<i>ML</i> Operator's Signature	<i>ML</i> Operator's Signature	<i>ML</i> Operator's Signature

Comments:

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FL HIGHWAY PATROL
Time of Inspection: 15:56

Date of Inspection: 08/29/2022

Serial Number: 80-006632
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:00521080A2 Exp: 02/05/2023
/ 0.000	0.051	0.080	0.200	0.080
/ 0.000	0.050	0.080	0.200	0.080
/ 0.000	0.050	0.080	0.199	0.080
/ 0.000	0.051	0.080	0.199	0.080
/ 0.000	0.051	0.080	0.199	0.080
/ 0.000	0.051	0.081	0.200	0.080
/ 0.000	0.051	0.080	0.199	0.081
/ 0.000	0.051	0.080	0.199	0.080
/ 0.000	0.051	0.081	0.199	0.081
/ 0.000	0.051	0.081	0.199	0.081

Standard Deviations	0.0004	0.0004	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

00: Ambient Fail: UNK. AIRED OUT ROOM AND REPEATED.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

08/29/2022
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006632, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006632</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>FL HIGHWAY PATROL</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>08/29/2022</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>15:56</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.


08/29/2022 Date
TAYLOR D GUTSCHOW,
Department Inspector

FDLE/ATP Form 69 December 2021
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality



INSTRUMENT PROCESSING SHEET

Agency FHP Troop CS/N 80-006632Florida Department of
Law EnforcementDate In 1/31/2022 DI Completion Date 2/2/2022☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By TDG	Quality Checks	By TDG	Date <u>2/2/2022</u>	Flow Calibration	By	Date																																								
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: <u>AI reports the 0.08 ARS read Outside Tolerance on the last Agency Inspection. ARS was within acceptable range for other instruments.</u>		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>227</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.156</u> (.139 - .169) 36 mm <u>0.164</u> (.156 - .190) 53 mm <u>0.242</u> (.228 - .278) 103 mm <u>0.515</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>68639</u> ☒ Stability Checks		Flow Column # _____ ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																											
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5092</td> <td>202010A 10/05/2022</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> <td>202010B 10/05/2022</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> <td>202010D 10/06/2022</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG115904 06/08/2023</td> </tr> </tbody> </table>		Simulator	Serial #	Lot #/Exp	0.050	MP5092	202010A 10/05/2022	0.080	MP4864	202010B 10/05/2022	0.200	MP5094	202010D 10/06/2022	0.080 DGS	N/A	AG115904 06/08/2023																													
Simulator	Serial #	Lot #/Exp																																													
0.050	MP5092	202010A 10/05/2022																																													
0.080	MP4864	202010B 10/05/2022																																													
0.200	MP5094	202010D 10/06/2022																																													
0.080 DGS	N/A	AG115904 06/08/2023																																													
Calibration Adjustment By _____		Department Inspection By TDG _____																																													
Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Barometric Pressure ID# <u>28663</u> Gauge <u>1019</u> Instrument <u>1018</u> Mouth Alcohol Solution Lot # <u>2021-B</u> Acetone Stock Solution Lot # <u>2020-A</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>SD3963</td> </tr> <tr> <td>Interferent</td> <td>SD1017</td> </tr> <tr> <td>0.050</td> <td>MP5092</td> </tr> <tr> <td>0.080</td> <td>MP4864</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> </tr> </tbody> </table>		Simulator	Serial Number	0.000	SD3963	Interferent	SD1017	0.050	MP5092	0.080	MP4864	0.200	MP5094		
Simulator	Serial #	Lot #	Expiration																																												
0.000		N/A	N/A																																												
0.040																																															
0.100																																															
0.200																																															
0.300																																															
0.080 DGS	N/A																																														
Simulator	Serial Number																																														
0.000	SD3963																																														
Interferent	SD1017																																														
0.050	MP5092																																														
0.080	MP4864																																														
0.200	MP5094																																														
☐ Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Attachments ☒ Form 41 ☐ Post-Stability Checks ☒ Stability Checks ☐ Flow Calibration ☒ Calibration Certificate ☒ Form 40 ☐ Calibration Adjustment ☒ Other <u>Extra 0.05 Stability</u>																									
Simulator	Serial #	Lot #	Expiration																																												
0.050																																															
0.080																																															
0.200																																															
0.080 DGS	N/A																																														
Notes/Suggested Service: <u>No "Control Outside Tolerance" observed during Department Inspection. May be a sim issue. If needed, a field visit can be conducted in the future to determine the source of the "Control Outside Tolerance" messages (TDG)</u>		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																													
		Richard A Williams Digitally signed by Richard A Williams Date: 2022.02.03 16:43:56 -0500		03 21:31:28 -0500																																											
		Tech Review / Date		Admin Review / Date																																											

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: FL HIGHWAY PATROL
Time of Inspection: 12:15

Date of Inspection: 02/02/2022

Serial Number: 80-006632
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:

Number of Simulators Used: _____

Remarks:

BYPASSED AI TO OPERATE INSTRUMENT

Not determined ^{mg} 2/2/2022

The above instrument complies (☒) does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Taylor D Gutschow

TAYLOR D GUTSCHOW

Signature and Printed Name

02/02/2022
Date

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-006632	FHP	02/02/2022	TDG ML

0.05g/210L		0.08g/210L		0.20g/210L		DGS 0.08g/210L																																																																																																																																																	
0.047 to 0.053		0.077 to 0.083		0.194 to 0.206		0.077 to 0.083																																																																																																																																																	
✓		✓		✓		✓																																																																																																																																																	
FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006632 02/02/2022 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:28</td></tr><tr><td>Control Test</td><td>0.050</td><td>12:28</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:29</td></tr><tr><td>Control Test</td><td>0.050</td><td>12:30</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:30</td></tr><tr><td>Control Test</td><td>0.050</td><td>12:31</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:31</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0500</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> ML Operator's Signature		Test	g/210L	Time	Air Blank	0.000	12:28	Control Test	0.050	12:28	Air Blank	0.000	12:29	Control Test	0.050	12:30	Air Blank	0.000	12:30	Control Test	0.050	12:31	Air Blank	0.000	12:31	Control Test Stats			Average	0.0500		Std Dev	0.0000		Rel Std Dev(%)	0.0000		FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006632 02/02/2022 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:01</td></tr><tr><td>Control Test</td><td>0.078</td><td>13:02</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:03</td></tr><tr><td>Control Test</td><td>0.079</td><td>13:03</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:04</td></tr><tr><td>Control Test</td><td>0.079</td><td>13:04</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:05</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0787</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr></tbody></table> ML Operator's Signature		Test	g/210L	Time	Air Blank	0.000	13:01	Control Test	0.078	13:02	Air Blank	0.000	13:03	Control Test	0.079	13:03	Air Blank	0.000	13:04	Control Test	0.079	13:04	Air Blank	0.000	13:05	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339		FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006632 02/02/2022 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:54</td></tr><tr><td>Control Test</td><td>0.198</td><td>12:55</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:56</td></tr><tr><td>Control Test</td><td>0.199</td><td>12:56</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:57</td></tr><tr><td>Control Test</td><td>0.198</td><td>12:57</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:58</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.1983</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2911</td><td></td></tr></tbody></table> ML Operator's Signature		Test	g/210L	Time	Air Blank	0.000	12:54	Control Test	0.198	12:55	Air Blank	0.000	12:56	Control Test	0.199	12:56	Air Blank	0.000	12:57	Control Test	0.198	12:57	Air Blank	0.000	12:58	Control Test Stats			Average	0.1983		Std Dev	0.0006		Rel Std Dev(%)	0.2911		065 FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006632 02/02/2022 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:33</td></tr><tr><td>Control Test</td><td>0.079</td><td>12:34</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:34</td></tr><tr><td>Control Test</td><td>0.080</td><td>12:35</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:35</td></tr><tr><td>Control Test</td><td>0.079</td><td>12:35</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:36</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0793</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr></tbody></table> ML Operator's Signature		Test	g/210L	Time	Air Blank	0.000	12:33	Control Test	0.079	12:34	Air Blank	0.000	12:34	Control Test	0.080	12:35	Air Blank	0.000	12:35	Control Test	0.079	12:35	Air Blank	0.000	12:36	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	12:28																																																																																																																																																					
Control Test	0.050	12:28																																																																																																																																																					
Air Blank	0.000	12:29																																																																																																																																																					
Control Test	0.050	12:30																																																																																																																																																					
Air Blank	0.000	12:30																																																																																																																																																					
Control Test	0.050	12:31																																																																																																																																																					
Air Blank	0.000	12:31																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.0500																																																																																																																																																						
Std Dev	0.0000																																																																																																																																																						
Rel Std Dev(%)	0.0000																																																																																																																																																						
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	13:01																																																																																																																																																					
Control Test	0.078	13:02																																																																																																																																																					
Air Blank	0.000	13:03																																																																																																																																																					
Control Test	0.079	13:03																																																																																																																																																					
Air Blank	0.000	13:04																																																																																																																																																					
Control Test	0.079	13:04																																																																																																																																																					
Air Blank	0.000	13:05																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.0787																																																																																																																																																						
Std Dev	0.0006																																																																																																																																																						
Rel Std Dev(%)	0.7339																																																																																																																																																						
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	12:54																																																																																																																																																					
Control Test	0.198	12:55																																																																																																																																																					
Air Blank	0.000	12:56																																																																																																																																																					
Control Test	0.199	12:56																																																																																																																																																					
Air Blank	0.000	12:57																																																																																																																																																					
Control Test	0.198	12:57																																																																																																																																																					
Air Blank	0.000	12:58																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.1983																																																																																																																																																						
Std Dev	0.0006																																																																																																																																																						
Rel Std Dev(%)	0.2911																																																																																																																																																						
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	12:33																																																																																																																																																					
Control Test	0.079	12:34																																																																																																																																																					
Air Blank	0.000	12:34																																																																																																																																																					
Control Test	0.080	12:35																																																																																																																																																					
Air Blank	0.000	12:35																																																																																																																																																					
Control Test	0.079	12:35																																																																																																																																																					
Air Blank	0.000	12:36																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.0793																																																																																																																																																						
Std Dev	0.0006																																																																																																																																																						
Rel Std Dev(%)	0.7277																																																																																																																																																						

Comments:

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-00 6632	FHP	02/02/2022	TDG MK

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to 0.083
0.077 to 0.083	0.077 to 0.083	0.077 to 0.083	0.077 to

Comments:

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FL HIGHWAY PATROL
Time of Inspection: 15:34

Date of Inspection: 02/02/2022

Serial Number: 80-006632
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202010A Exp: 10/05/2022	0.08g/210L Test (g/210L) Lot#:202010B Exp: 10/05/2022	0.20g/210L Test (g/210L) Lot#:202010D Exp: 10/06/2022	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG115904 Exp: 06/08/2023
0.000	0.049	0.079	0.198	0.079
0.000	0.049	0.079	0.198	0.079
0.000	0.049	0.079	0.198	0.080
0.000	0.049	0.078	0.198	0.079
0.000	0.049	0.079	0.198	0.079
0.000	0.049	0.079	0.198	0.080
0.000	0.049	0.079	0.198	0.080
0.000	0.049	0.079	0.198	0.080
0.000	0.050	0.079	0.198	0.081
0.000	0.049	0.079	0.198	0.080


Standard Deviations	0.0003	0.0003	0.0000	0.0006
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

02/02/2022
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-0006632, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-0006632</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>FL HIGHWAY PATROL</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>02/02/2022</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>15:34</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

02/02/2022

Date

Taylor D Gutschow

TAYLOR D GUTSCHOW,

Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality