



INSTRUMENT PROCESSING SHEET

Agency Manatee CSOS/N 80-006634Florida Department of
Law EnforcementDate In 5/9/2022DI Completion Date 5/27/2022☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By TDG	Quality Checks	By TDG	Date 5/10/2022	Flow Calibration	By	Date																												
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: Picked up during field visit on 5/9 (TDG)		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>233</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.167</u> (.139 - .169) 36 mm <u>0.183</u> (.156 - .190) 53 mm <u>0.253</u> (.228 - .278) 103 mm <u>0.507</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>68639</u> ☒ Stability Checks			☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																														
		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202201C 01/11/2024</td></tr><tr><td>0.080</td><td>MP6287</td><td>202201D 01/18/2024</td></tr><tr><td>0.200</td><td>MP6288</td><td>202201E 01/18/2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG115904 06/08/2023</td></tr></tbody></table>	Simulator	Serial #	Lot #/Exp	0.050	MP6286	202201C 01/11/2024	0.080	MP6287	202201D 01/18/2024	0.200	MP6288	202201E 01/18/2024	0.080 DGS	N/A	AG115904 06/08/2023																		
Simulator	Serial #	Lot #/Exp																																	
0.050	MP6286	202201C 01/11/2024																																	
0.080	MP6287	202201D 01/18/2024																																	
0.200	MP6288	202201E 01/18/2024																																	
0.080 DGS	N/A	AG115904 06/08/2023																																	
Calibration Adjustment		By TDG		Department Inspection			By TDG																												
Barometric Pressure Gauge <u>1013</u> ID # <u>28199</u>				Barometric Pressure ID# <u>26932</u>																															
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>SD1014</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP4863</td><td>21070</td><td>03/04/2023</td></tr><tr><td>0.100</td><td>MP4864</td><td>21080</td><td>03/08/2023</td></tr><tr><td>0.200</td><td>MP5097</td><td>20510</td><td>12/03/2022</td></tr><tr><td>0.300</td><td>SD1015</td><td>21030</td><td>02/02/2023</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>00521080A2</td><td>02/05/2023</td></tr></tbody></table>		Simulator	Serial #	Lot #	Expiration	0.000	SD1014	N/A	N/A	0.040	MP4863	21070	03/04/2023	0.100	MP4864	21080	03/08/2023	0.200	MP5097	20510	12/03/2022	0.300	SD1015	21030	02/02/2023	0.080 DGS	N/A	00521080A2	02/05/2023			Gauge <u>1016</u> Instrument <u>1015</u> Mouth Alcohol Solution Lot # <u>2021-B</u> Acetone Stock Solution Lot # <u>2021-C</u>			
Simulator	Serial #	Lot #	Expiration																																
0.000	SD1014	N/A	N/A																																
0.040	MP4863	21070	03/04/2023																																
0.100	MP4864	21080	03/08/2023																																
0.200	MP5097	20510	12/03/2022																																
0.300	SD1015	21030	02/02/2023																																
0.080 DGS	N/A	00521080A2	02/05/2023																																
☒ Post Calibration Adjustment Stability Checks				<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP4863</td></tr><tr><td>Interferent</td><td>SD3966</td></tr><tr><td>0.050</td><td>MP5092</td></tr><tr><td>0.080</td><td>MP5093</td></tr><tr><td>0.200</td><td>MP5094</td></tr></tbody></table>			Simulator	Serial Number	0.000	MP4863	Interferent	SD3966	0.050	MP5092	0.080	MP5093	0.200	MP5094			Attachments ☒ Form 41 ☒ Post-Stability Checks ☒ Stability Checks ☐ Flow Calibration ☒ Calibration Certificate ☐ Form 40 ☒ Calibration Adjustment ☐ Other _____														
Simulator	Serial Number																																		
0.000	MP4863																																		
Interferent	SD3966																																		
0.050	MP5092																																		
0.080	MP5093																																		
0.200	MP5094																																		
Notes/Suggested Service: <u>Instrument failed baro pressure check during Quality Checks (the gauge read 1017 and the instrument read 1006). Corrected w/ optical. (TDG)</u>				☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																															
				Israel Soto Digitally signed by Israel Soto Date: 2022.05.27 14:05:38 +0400			27 15:44:53																												
				Tech Review / Date			Admin Review / Date																												

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-00 6634	Manatee CSO	05/10/2022	TDG MK

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																																
✓	✓	✓	✓																																																																																																																																																
MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:54</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:56</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.049</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:58</td></tr><tr><td>Average</td><td>0.0497</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>1.1625</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:54	Air Blank	0.050	Control Test	10:55	Air Blank	0.000	Control Test	10:55	Air Blank	0.050	Control Test	10:56	Air Blank	0.000	Control Test	10:57	Air Blank	0.049	Control Test	10:57	Air Blank	0.000	Control Test	10:58	Average	0.0497	Std Dev	0.0006	Rel Std Dev(%)	1.1625	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:02</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.078</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Average</td><td>0.0787</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:02	Air Blank	0.079	Control Test	11:03	Air Blank	0.000	Control Test	11:03	Air Blank	0.079	Control Test	11:04	Air Blank	0.000	Control Test	11:04	Air Blank	0.078	Control Test	11:05	Air Blank	0.000	Control Test	11:05	Average	0.0787	Std Dev	0.0006	Rel Std Dev(%)	0.7339	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:11</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Average</td><td>0.1990</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:10	Air Blank	0.199	Control Test	11:10	Air Blank	0.000	Control Test	11:11	Air Blank	0.199	Control Test	11:12	Air Blank	0.000	Control Test	11:12	Air Blank	0.199	Control Test	11:13	Air Blank	0.000	Control Test	11:13	Average	0.1990	Std Dev	0.0000	Rel Std Dev(%)	0.0000	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Average</td><td>0.0800</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:49	Air Blank	0.080	Control Test	10:49	Air Blank	0.000	Control Test	10:50	Air Blank	0.080	Control Test	10:50	Air Blank	0.000	Control Test	10:51	Air Blank	0.080	Control Test	10:51	Air Blank	0.000	Control Test	10:51	Average	0.0800	Std Dev	0.0000	Rel Std Dev(%)	0.0000
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:54																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:56																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.049																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:58																																																																																																																																																		
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:02																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.078																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:11																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Average	0.1990																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:54</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:56</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.049</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:58</td></tr><tr><td>Average</td><td>0.0497</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>1.1625</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:54	Air Blank	0.050	Control Test	10:55	Air Blank	0.000	Control Test	10:55	Air Blank	0.050	Control Test	10:56	Air Blank	0.000	Control Test	10:57	Air Blank	0.049	Control Test	10:57	Air Blank	0.000	Control Test	10:58	Average	0.0497	Std Dev	0.0006	Rel Std Dev(%)	1.1625	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:02</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.078</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Average</td><td>0.0787</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:02	Air Blank	0.079	Control Test	11:03	Air Blank	0.000	Control Test	11:03	Air Blank	0.079	Control Test	11:04	Air Blank	0.000	Control Test	11:04	Air Blank	0.078	Control Test	11:05	Air Blank	0.000	Control Test	11:05	Average	0.0787	Std Dev	0.0006	Rel Std Dev(%)	0.7339	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:11</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Average</td><td>0.1990</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:10	Air Blank	0.199	Control Test	11:10	Air Blank	0.000	Control Test	11:11	Air Blank	0.199	Control Test	11:12	Air Blank	0.000	Control Test	11:12	Air Blank	0.199	Control Test	11:13	Air Blank	0.000	Control Test	11:13	Average	0.1990	Std Dev	0.0000	Rel Std Dev(%)	0.0000	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Average</td><td>0.0800</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:49	Air Blank	0.080	Control Test	10:49	Air Blank	0.000	Control Test	10:50	Air Blank	0.080	Control Test	10:50	Air Blank	0.000	Control Test	10:51	Air Blank	0.080	Control Test	10:51	Air Blank	0.000	Control Test	10:51	Average	0.0800	Std Dev	0.0000	Rel Std Dev(%)	0.0000
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:54																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:56																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.049																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:58																																																																																																																																																		
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:02																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.078																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:11																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Average	0.1990																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:54</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:56</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.049</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:58</td></tr><tr><td>Average</td><td>0.0497</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>1.1625</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:54	Air Blank	0.050	Control Test	10:55	Air Blank	0.000	Control Test	10:55	Air Blank	0.050	Control Test	10:56	Air Blank	0.000	Control Test	10:57	Air Blank	0.049	Control Test	10:57	Air Blank	0.000	Control Test	10:58	Average	0.0497	Std Dev	0.0006	Rel Std Dev(%)	1.1625	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:02</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.078</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Average</td><td>0.0787</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:02	Air Blank	0.079	Control Test	11:03	Air Blank	0.000	Control Test	11:03	Air Blank	0.079	Control Test	11:04	Air Blank	0.000	Control Test	11:04	Air Blank	0.078	Control Test	11:05	Air Blank	0.000	Control Test	11:05	Average	0.0787	Std Dev	0.0006	Rel Std Dev(%)	0.7339	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:11</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Average</td><td>0.1990</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:10	Air Blank	0.199	Control Test	11:10	Air Blank	0.000	Control Test	11:11	Air Blank	0.199	Control Test	11:12	Air Blank	0.000	Control Test	11:12	Air Blank	0.199	Control Test	11:13	Air Blank	0.000	Control Test	11:13	Average	0.1990	Std Dev	0.0000	Rel Std Dev(%)	0.0000	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Average</td><td>0.0800</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:49	Air Blank	0.080	Control Test	10:49	Air Blank	0.000	Control Test	10:50	Air Blank	0.080	Control Test	10:50	Air Blank	0.000	Control Test	10:51	Air Blank	0.080	Control Test	10:51	Air Blank	0.000	Control Test	10:51	Average	0.0800	Std Dev	0.0000	Rel Std Dev(%)	0.0000
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:54																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:56																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.049																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:58																																																																																																																																																		
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:02																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.078																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:11																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Average	0.1990																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:54</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:56</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.049</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:58</td></tr><tr><td>Average</td><td>0.0497</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>1.1625</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:54	Air Blank	0.050	Control Test	10:55	Air Blank	0.000	Control Test	10:55	Air Blank	0.050	Control Test	10:56	Air Blank	0.000	Control Test	10:57	Air Blank	0.049	Control Test	10:57	Air Blank	0.000	Control Test	10:58	Average	0.0497	Std Dev	0.0006	Rel Std Dev(%)	1.1625	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:02</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.078</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Average</td><td>0.0787</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:02	Air Blank	0.079	Control Test	11:03	Air Blank	0.000	Control Test	11:03	Air Blank	0.079	Control Test	11:04	Air Blank	0.000	Control Test	11:04	Air Blank	0.078	Control Test	11:05	Air Blank	0.000	Control Test	11:05	Average	0.0787	Std Dev	0.0006	Rel Std Dev(%)	0.7339	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:11</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Average</td><td>0.1990</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:10	Air Blank	0.199	Control Test	11:10	Air Blank	0.000	Control Test	11:11	Air Blank	0.199	Control Test	11:12	Air Blank	0.000	Control Test	11:12	Air Blank	0.199	Control Test	11:13	Air Blank	0.000	Control Test	11:13	Average	0.1990	Std Dev	0.0000	Rel Std Dev(%)	0.0000	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Average</td><td>0.0800</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:49	Air Blank	0.080	Control Test	10:49	Air Blank	0.000	Control Test	10:50	Air Blank	0.080	Control Test	10:50	Air Blank	0.000	Control Test	10:51	Air Blank	0.080	Control Test	10:51	Air Blank	0.000	Control Test	10:51	Average	0.0800	Std Dev	0.0000	Rel Std Dev(%)	0.0000
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:54																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:56																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.049																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:58																																																																																																																																																		
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:02																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.078																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:11																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Average	0.1990																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:54</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:56</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.049</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:58</td></tr><tr><td>Average</td><td>0.0497</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>1.1625</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:54	Air Blank	0.050	Control Test	10:55	Air Blank	0.000	Control Test	10:55	Air Blank	0.050	Control Test	10:56	Air Blank	0.000	Control Test	10:57	Air Blank	0.049	Control Test	10:57	Air Blank	0.000	Control Test	10:58	Average	0.0497	Std Dev	0.0006	Rel Std Dev(%)	1.1625	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:02</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.078</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Average</td><td>0.0787</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:02	Air Blank	0.079	Control Test	11:03	Air Blank	0.000	Control Test	11:03	Air Blank	0.079	Control Test	11:04	Air Blank	0.000	Control Test	11:04	Air Blank	0.078	Control Test	11:05	Air Blank	0.000	Control Test	11:05	Average	0.0787	Std Dev	0.0006	Rel Std Dev(%)	0.7339	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:11</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Average</td><td>0.1990</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:10	Air Blank	0.199	Control Test	11:10	Air Blank	0.000	Control Test	11:11	Air Blank	0.199	Control Test	11:12	Air Blank	0.000	Control Test	11:12	Air Blank	0.199	Control Test	11:13	Air Blank	0.000	Control Test	11:13	Average	0.1990	Std Dev	0.0000	Rel Std Dev(%)	0.0000	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Average</td><td>0.0800</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:49	Air Blank	0.080	Control Test	10:49	Air Blank	0.000	Control Test	10:50	Air Blank	0.080	Control Test	10:50	Air Blank	0.000	Control Test	10:51	Air Blank	0.080	Control Test	10:51	Air Blank	0.000	Control Test	10:51	Average	0.0800	Std Dev	0.0000	Rel Std Dev(%)	0.0000
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:54																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:56																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.049																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:58																																																																																																																																																		
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:02																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.078																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:11																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Average	0.1990																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:54</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:56</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.049</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:58</td></tr><tr><td>Average</td><td>0.0497</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>1.1625</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:54	Air Blank	0.050	Control Test	10:55	Air Blank	0.000	Control Test	10:55	Air Blank	0.050	Control Test	10:56	Air Blank	0.000	Control Test	10:57	Air Blank	0.049	Control Test	10:57	Air Blank	0.000	Control Test	10:58	Average	0.0497	Std Dev	0.0006	Rel Std Dev(%)	1.1625	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:02</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.078</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Average</td><td>0.0787</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:02	Air Blank	0.079	Control Test	11:03	Air Blank	0.000	Control Test	11:03	Air Blank	0.079	Control Test	11:04	Air Blank	0.000	Control Test	11:04	Air Blank	0.078	Control Test	11:05	Air Blank	0.000	Control Test	11:05	Average	0.0787	Std Dev	0.0006	Rel Std Dev(%)	0.7339	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:11</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:13</td></tr><tr><td>Average</td><td>0.1990</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:10	Air Blank	0.199	Control Test	11:10	Air Blank	0.000	Control Test	11:11	Air Blank	0.199	Control Test	11:12	Air Blank	0.000	Control Test	11:12	Air Blank	0.199	Control Test	11:13	Air Blank	0.000	Control Test	11:13	Average	0.1990	Std Dev	0.0000	Rel Std Dev(%)	0.0000	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:49</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:50</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.080</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:51</td></tr><tr><td>Average</td><td>0.0800</td></tr><tr><td>Std Dev</td><td>0.0000</td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:49	Air Blank	0.080	Control Test	10:49	Air Blank	0.000	Control Test	10:50	Air Blank	0.080	Control Test	10:50	Air Blank	0.000	Control Test	10:51	Air Blank	0.080	Control Test	10:51	Air Blank	0.000	Control Test	10:51	Average	0.0800	Std Dev	0.0000	Rel Std Dev(%)	0.0000
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:54																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:56																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.049																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:58																																																																																																																																																		
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:02																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.078																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:11																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:13																																																																																																																																																		
Average	0.1990																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:49																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:50																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.080																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:51																																																																																																																																																		
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:54</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:55</td></tr><tr><td>Air Blank</td><td>0.050</td></tr><tr><td>Control Test</td><td>10:56</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.049</td></tr><tr><td>Control Test</td><td>10:57</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>10:58</td></tr><tr><td>Average</td><td>0.0497</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>1.1625</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	10:54	Air Blank	0.050	Control Test	10:55	Air Blank	0.000	Control Test	10:55	Air Blank	0.050	Control Test	10:56	Air Blank	0.000	Control Test	10:57	Air Blank	0.049	Control Test	10:57	Air Blank	0.000	Control Test	10:58	Average	0.0497	Std Dev	0.0006	Rel Std Dev(%)	1.1625	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:02</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.079</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.078</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:05</td></tr><tr><td>Average</td><td>0.0787</td></tr><tr><td>Std Dev</td><td>0.0006</td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:02	Air Blank	0.079	Control Test	11:03	Air Blank	0.000	Control Test	11:03	Air Blank	0.079	Control Test	11:04	Air Blank	0.000	Control Test	11:04	Air Blank	0.078	Control Test	11:05	Air Blank	0.000	Control Test	11:05	Average	0.0787	Std Dev	0.0006	Rel Std Dev(%)	0.7339	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 05/10/2022 Software: 8100.27 Test <table><thead><tr><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:11</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.000</td></tr><tr><td>Control Test</td><td>11:12</td></tr><tr><td>Air Blank</td><td>0.199</td></tr><tr><td>Control Test</td><td>11:1</td></tr></tbody></table>	g/210L	Time	Air Blank	0.000	Control Test	11:10	Air Blank	0.199	Control Test	11:10	Air Blank	0.000	Control Test	11:11	Air Blank	0.199	Control Test	11:12	Air Blank	0.000	Control Test	11:12	Air Blank	0.199	Control Test	11:1																																															
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:54																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:55																																																																																																																																																		
Air Blank	0.050																																																																																																																																																		
Control Test	10:56																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.049																																																																																																																																																		
Control Test	10:57																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	10:58																																																																																																																																																		
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:02																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:03																																																																																																																																																		
Air Blank	0.079																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:04																																																																																																																																																		
Air Blank	0.078																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:05																																																																																																																																																		
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
g/210L	Time																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:10																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:11																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.000																																																																																																																																																		
Control Test	11:12																																																																																																																																																		
Air Blank	0.199																																																																																																																																																		
Control Test	11:1																																																																																																																																																		

Operator's Signature

Operator's Signature

Operator's Signature

Operator's Signature

<<<< CHANNEL 2 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 1.5340 (-0.0040)
 Sample #2 = 1.5460 (-0.0010)
 Sample #3 = 1.5560 (0.0070)
 Sample #4 = 1.5480 (0.0050)
 Avg % Abs = 1.5500 (0.0037)
 STD DEV = 0.0033 (0.0042)
 REL STD DEV = 0.341 (113.545)

INDIAN COUNTY SD
 Intoxilyzer - Alconal Analyzer
 Model 8000
 05/16/2022
 SN 80-006534
 10:03:45

Auto Calibration
 Max Power Res Value = 63
 Auto Range Res Value = 42

Sol Value = 0.100 g/210L ***
 Fit Value = 0.4762 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12437, Sum Io = 12937
 <<<< CHANNEL 1 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 1.8000 (-0.0070)
 Sample #2 = 1.8020 (0.0070)
 Sample #3 = 1.7390 (0.0370)
 Sample #4 = 1.7820 (0.0270)
 Avg % Abs = 1.7743 (0.0237)
 STD DEV = 0.0322 (0.0153)
 REL STD DEV = 1.814 (64.543)

Sol Value = 0.000 g/210L ***
 Fit Value = 0.0000 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12457, Sum Io = 12947
 <<<< CHANNEL 1 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 0.0150 (-0.0070)
 Sample #2 = 0.0160 (0.0160)
 Sample #3 = 0.0150 (0.0350)
 Sample #4 = 0.0510 (0.0450)
 Avg % Abs = 0.0273 (0.0320)
 STD DEV = 0.0205 (0.0147)
 REL STD DEV = 75.007 (46.034)

<<<< CHANNEL 2 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 3.5930 (-0.0220)
 Sample #2 = 3.6040 (-0.0160)
 Sample #3 = 3.5610 (0.0120)
 Sample #4 = 3.6000 (-0.0040)
 Avg % Abs = 3.5683 (-0.0027)
 STD DEV = 0.0238 (0.0140)
 REL STD DEV = 0.662 (526.783)

Sol Value = 0.200 g/210L ***
 Fit Value = 0.9524 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12430, Sum Io = 12937
 <<<< CHANNEL 1 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 3.4020 (0.0090)
 Sample #2 = 3.3710 (0.0240)
 Sample #3 = 3.3980 (0.0130)
 Sample #4 = 3.4320 (0.0190)
 Avg % Abs = 3.4003 (0.0187)
 STD DEV = 0.0306 (0.0055)
 REL STD DEV = 0.899 (29.505)

Sol Value = 0.040 g/210L ***
 Fit Value = 0.1905 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12445, Sum Io = 12941
 <<<< CHANNEL 1 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 0.7140 (0.0090)
 Sample #2 = 0.7360 (0.0190)
 Sample #3 = 0.7250 (0.0220)
 Sample #4 = 0.7440 (0.0370)
 Avg % Abs = 0.7350 (0.0260)
 STD DEV = 0.0095 (0.0056)
 REL STD DEV = 1.298 (37.091)

<<<< CHANNEL 2 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 6.7870 (0.0150)
 Sample #2 = 6.7510 (0.1380)
 Sample #3 = 6.7720 (0.1160)
 Sample #4 = 6.7810 (0.1200)
 Avg % Abs = 6.7680 (0.0247)
 STD DEV = 0.0154 (0.0117)
 REL STD DEV = 0.227 (47.509)

Sol Value = 0.300 g/210L ***
 Fit Value = 1.4286 mg/l %%%
 Samples Taken = 4, Discarded = 1
 Sum Io = 12423, Sum Io = 12932
 <<<< CHANNEL 1 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 4.9390 (-0.1050)
 Sample #2 = 4.9310 (0.0270)
 Sample #3 = 4.9440 (0.0380)
 Sample #4 = 4.9810 (0.0350)
 Avg % Abs = 4.9520 (0.0333)
 STD DEV = 0.0259 (0.0057)
 REL STD DEV = 0.524 (17.059)

<<<< CHANNEL 2 >>>>
 Sample % Abs (% Abs Ref)
 Sample #1 = 9.7040 (-0.0150)
 Sample #2 = 9.6910 (0.0130)
 Sample #3 = 9.7180 (0.0020)
 Sample #4 = 9.7450 (0.0060)
 Avg % Abs = 9.7180 (0.0070)
 STD DEV = 0.0270 (0.0056)
 REL STD DEV = 0.278 (79.539)

Optical Calibration	
SN:	80-006534
Agency:	Manatee CSO
Date:	05/16/2022
Quadratic Fit:	+/- 0.002g/210L ✓
By:	TDG mlc

***** AUTO CAL DATA *****
 <<<< CHANNEL 1 >>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.027
 Std Dev = 0.02 Rel Std Dev = 75.01
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 0.735
 Std Dev = 0.01 Rel Std Dev = 1.30
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 1.774
 Std Dev = 0.03 Rel Std Dev = 1.81
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 3.400
 Std Dev = 0.03 Rel Std Dev = 0.90
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 4.952
 Std Dev = 0.03 Rel Std Dev = 0.52
 Zero Order Coef = -71.62
 First Order Coef = 2639.48
 Second Order Coef = 52.62
 Standard Deviation = 10.700225

<<<< CHANNEL 2 >>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.119
 Std Dev = 0.02 Rel Std Dev = 13.88
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 1.550
 Std Dev = 0.01 Rel Std Dev = 0.34
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 3.588
 Std Dev = 0.02 Rel Std Dev = 0.66
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 6.768
 Std Dev = 0.02 Rel Std Dev = 0.23
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 9.718
 Std Dev = 0.03 Rel Std Dev = 0.28
 Zero Order Coef = -156.55
 First Order Coef = 1302.33
 Second Order Coef = 18.91
 Standard Deviation = 1.746986

<<<< CHANNEL 1 >>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.000
 Std Dev = 0.000
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 0.040
 Std Dev = 0.100
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 0.200
 Std Dev = 0.300
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 0.000
 Std Dev = 0.000
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 0.000
 Std Dev = 0.000

***** AUTO CAL DATA *****
 <<<< CHANNEL 1 >>>>
 Sol Val = 0.0000 mg/l or 0.000 g/210L
 % Abs = 0.027
 Std Dev = 0.02 Rel Std Dev = 75.01
 Sol Val = 0.1905 mg/l or 0.040 g/210L
 % Abs = 0.735
 Std Dev = 0.01 Rel Std Dev = 1.30
 Sol Val = 0.4762 mg/l or 0.100 g/210L
 % Abs = 1.774
 Std Dev = 0.03 Rel Std Dev = 1.81
 Sol Val = 0.9524 mg/l or 0.200 g/210L
 % Abs = 3.400
 Std Dev = 0.03 Rel Std Dev = 0.90
 Sol Val = 1.4286 mg/l or 0.300 g/210L
 % Abs = 4.952
 Std Dev = 0.03 Rel Std Dev = 0.52
 Zero Order Coef = -71.62
 First Order Coef = 2639.48
 Second Order Coef = 52.62
 Standard Deviation = 10.700225

***** CHANNEL 1 *****
 Sample #1 = 3323.00
 Sample #2 = 3362.00
 Sample #3 = 3393.00
 Sample #4 = 3317.00
 Average Result = 3357.3333
 STD DEV = 38.2143
 REL STD DEV = 1.138

***** CHANNEL 2 *****
 Sample #1 = 3234.00
 Sample #2 = 3228.00
 Sample #3 = 3236.00
 Sample #4 = 3243.00
 Average Result = 3235.6667
 STD DEV = 7.5056
 REL STD DEV = 0.232

 Dry Gas H2O Adjust Results *****
 Barometric Pressure = 1013
 3 um H2O Adjust (mg/l*10,000) = 452
 9 um H2O Adjust (mg/l*10,000) = 574
 ***** AUTO CAL PASS *****

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities (Post-Cal)	80-00 6634	Manatee CSO	05/16/2022	TDG MK

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
MANATEE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 05/16/2022 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:09 Control Test 0.049 11:10 Air Blank 0.000 11:10 Control Test 0.049 11:11 Air Blank 0.000 11:12 Control Test 0.049 11:12 Air Blank 0.000 11:13 Control Test Stats Average 0.0490 Std Dev 0.0000 Rel Std Dev(%) 0.0000 Operator's Signature 	MANATEE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 05/16/2022 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:28 Control Test 0.080 11:29 Air Blank 0.000 11:30 Control Test 0.079 11:31 Air Blank 0.000 11:31 Control Test 0.078 11:32 Air Blank 0.000 11:32 Control Test Stats Average 0.0790 Std Dev 0.0010 Rel Std Dev(%) 1.2658 Operator's Signature 	MANATEE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 05/16/2022 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:19 Control Test 0.199 11:20 Air Blank 0.000 11:20 Control Test 0.199 11:21 Air Blank 0.000 11:21 Control Test 0.198 11:22 Air Blank 0.000 11:23 Control Test Stats Average 0.1987 Std Dev 0.0006 Rel Std Dev(%) 0.2906 Operator's Signature 	MANATEE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 05/16/2022 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:04 Control Test 0.080 11:04 Air Blank 0.000 11:05 Control Test 0.079 11:05 Air Blank 0.000 11:05 Control Test 0.080 11:06 Air Blank 0.000 11:06 Control Test Stats Average 0.0797 Std Dev 0.0006 Rel Std Dev(%) 0.7247 Operator's Signature 

Comments:

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: MANATEE COUNTY SO
Time of Inspection: 12:02

Date of Inspection: 05/27/2022

Serial Number: 80-006634
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG115904 Exp: 06/08/2023
0.000	0.048	0.078	0.198	0.079
0.000	0.049	0.078	0.198	0.079
0.000	0.049	0.078	0.198	0.079
0.000	0.048	0.078	0.198	0.079
0.000	0.049	0.078	0.198	0.079
0.000	0.048	0.078	0.198	0.079
0.000	0.048	0.078	0.199	0.079
0.000	0.048	0.078	0.198	0.080
0.000	0.048	0.078	0.199	0.079
0.000	0.049	0.078	0.199	0.079


Standard Deviations	0.0005	0.0000	0.0004	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

05/27/2022
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006634, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006634</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>MANATEE COUNTY SO</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>05/27/2022</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>12:02</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.



05/27/2022

Date

TAYLOR D GUTSCHOW,

Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality