

INSTRUMENT PROCESSING SHEET

	Age	ncy Bro	oward Co	unty	Sheriff's Of	Office S/N 80-007373					
Florida Dep Law Enforce		e In <u>2/1</u>	7/2022	D	I Completion	Date <u>2/21/2022</u>	🗆 Ship	□P/U	■H/D	□смі	□ EE
Intake	By	ERR	Quality	Check	S By DERR	Date 2/21/2022	Flow Calibi	ration I	Зу	_ Date_	
■ Annual □ Registrati		416	■ Breat	h Tub	e Screen ternal O-Rin		Flow Column # □ 5L/min – 17mm				
	om CMI / EE		■ Instru ■ R-Val		t Set Up Veri 37	fied	☐ 15L/min – 53mm ☐ 30L/min – 103mm				
Visual Inspe					cation (L/s)		☐ R-Value				
■ Case	Handle				# ATP106		☐ Post Cali			tion (L/s)	
Keyboard						(.139169)	Flow Colum	nn#			
Feet	Breath Tul		36 mn	n 0.1	71	(.156190)	32 mm	\ <u></u>		(.139	169)
Ports Screws Tight					246	(.228278)	36 mm (.156190)				
Other Equipment/ Accessories:			53 mm <u>0.246</u> (.228278) 103 mm <u>0.503</u> (.447547)				53 mm		%	(.228	278)
■ Power cord □ Printer Cable					Pressure Ch		103 mm			(.447	547)
☐ Static Bag	g 🔲 12V DC Ca	ble	Gauge II) # 28	3663				50		
Notes:			■ Stabil				Į.				
A CONTRACTOR PROPERTY.			Simulat		Serial #	Lot #/Exp	Maintenan	ce		Ву	
			0.050		MP6286	202010A 10/05/2022	☐ Battery I☐ Dry Gas			cement	
			0.080			202010B	☐ Breath Tube Replacement				
	-				MP6287	10/05/2022	Other_				•
			0.200		MDCOOO	202010D					-
			0.000.000		MP6288	10/06/2022					
			0.080 DGS		N/A	AG115904					
						06/08/2023					
	Adjustment			В	у	Department Inspec				By DEF	RR
	Pressure Gauge		ID #	_		Barometric Pressure ID# 68639					
Simulator	Serial #	Lot#		Ex	piration	Gauge 1024 Instrument 1023 Instrument 2021-D					
0.000			N/A		N/A						
0.040							ution Lot # 2021-C				
0.100						Simulator		Serial Number			
0.200						0.000 Interferent			MP6		
0.300						0.050	MP628 MP628				
0.080 DGS	N/A		7			0.080			MP6		
D Post Calib	ration Adjustment	Ctobilit	v Charles			0.200			MP6	288	
Simulator	Serial #		y Checks	F.,	-1	Attachments			on the later	glavy tuga	OF STREET
0.050	Serial #	Lot #		EX	piration	Form 41	A PER LA CONTRACTOR DE	D Pos	t-Stabilit	ty Checks	
0.080		-		+ -					w Calibra		
Annual Control		-		-		Stability ChecksCalibration Certificate		☐ For		1000	
0.200 0.080 DGS N/A				-		☐ Calibration Adj		Oth			
	ested Service:			_		☐ Instrument Col ☐ Instrument Do ☐ Return to/Plac	es Not Comp e into Eviden	ly with itiary U	Chapter		AC
1						Remain Out of Conduct an Ag			ore Evide	ntiary U	se
2					_	Richard A Williams Date: 2022.02.21 15:3			01	D:17:50	
						Tech Review / Da	ate	Admir		5'P®ate	

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: BROWARD COUNTY SO Time of Inspection: 13:23 Serial Number: 80-007373

Date of Inspection: 02/21/2022

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	ИО
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	THE STATE OF THE S
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202010A Exp: 10/05/2022	0.08g/210L Test (g/210L) Lot#:202010B Exp: 10/05/2022	0.20g/210L Test (g/210L) Lot#:202010D Exp: 10/06/2022	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG115904 Exp: 06/08/2023
0.000	0.049	0.079	0.198	0.080
0.000	0.049	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.049	0.080	0.199	0.080
0.000	0.049	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.080	0.199	0.080
				*
Standard Deviations	0.0005	0.0003	0.0003	0.0000

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0002 Number of Simulators Used: 5

Remarks:

The above instrument complies (X) does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

DAVID E REYES-RIVERA

02/21/2022 Date



Calibration Certificate

Florida Department of Law Enforcement Alcohol Testing Program 4700 Terminal Drive, Suite 1 Ft. Myers, FL 33907

, manufactured by CMI, Inc. was calibrated in accordance with This is to certify the calibration of Intoxilyzer 8000 serial number 80-007373 FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-007373	UNCERTAINTY* ±	
Owning Agency:	BROWARD COUNTY SO	0.050 g/ 210 L	0.004
Calibration Date:	02/21/2022	0.080 g/210 L	0.004
Calibration Time:	13:23	0.200 g/210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3)

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards. Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full,

without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Date

02/21/2022

DAVID É'REÝES-RIVERA, Department Inspector

Service · Integrity · Respect · Quality

Issuing Authority: Alcohol Testing Program

FDLE/ATP Form 69 December 2021

Page 1 of 1

				П			
Performed By	R OW		10L	783	SN 80-007373	Time	11:18 11:19 11:19 11:19 11:20 11:20
Perf	DERR	į	DGS 0.08g/210L	0.077 to 0.083	ohol Analyz	g/210L	sst 0.000 0.000 est 0.000 0.000 est Stats 0.079 0.0006 Dev(X) 0.7247
	2022		٥		BROWARD COUNTY SO Intoxilyzer - Alcomodel 8000 02721/2022 Software: 8100.27	Test	Air Blank Control Test Rir Blank Control Test Rir Blank Control Test Rir Blank Control Test Rir Blank Control Test Ric Blank Control Test Ric Std Dev () () () () () () () () () () () () ()
Date	2/21/2022		\	Z	107373	Time	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			0.20g/210L	0.194 to 0.206	oho] Analyzer SN 80-007373	g/210L	Fest 0.199 K 0.000 Fest 0.198 K 0.000 Fest 5.198 K
			0.3	0.19	BROWHRD COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8010 SOY21/2022 Software: 8100.27	Test	Rir Blank Control Test Rir Blank Control Test Rir Blank Control Test Rir Blank Control Test Average Std Dev Rel Std Dev(%) Rel Std Dev(%)
	9						
	nty Sheriff's Office		7	83	ser SN 80-007373	Time	
>	d Cou		0.08g/210L	0.077 to 0.083	ohol Analyz	g/210L	Test 0.000 Test 0.000 Rest 0.000 Rest Stats 0.006 Dev(X) 0.7339 Operator's Signature
er Agency	-			0	BROWARD COUNTY SO Intoxilyzer - Alc Model 800 02/21/2022 Software: 8100.27	Test	Air Blank Control Test Air Blank Control Test Air Blank Control Test Ontrol Te
Serial Number	80-007373		,	2		Time	200000000000000000000000000000000000000
S	8		7.)53	er . SN 80-007373		
			0.05g/210L	0.047 to 0.053	ohol Analyz	g/210L	Test 0.000 K 0.049 K 0.049 K 0.000 Test 0.049 K 0.000 Test Stats Dev(%) 0.0000 Test Signature
Type of Test	Stabilities			9	BROWARD COUNTY SO Intoxilyzer - Alc Model 8010 02/21/2022 Software: 8100.27	Test	Air Blank Control Test Air Blank Control Test Air Blank Control Test Average Std Dev Rel Std Dev(%) Rel Std Dev(%)



INSTRUMENT PROCESSING SHEET

Agency Broward County Sheriff's Office S/N 80-007373

Florida Department of Date In 10/13/2022 DI Completion Date 10/17/2022 Ship DP/U DH/D DCMI DEE Law Enforcement

Intoko		prop. I						
Intake	Ву	DERR	Quality Che		Date 10/17/2022	Flow Calil	bration By	Date
Annual			Breath To	ube Screen		Flow Colu	ımn #	
☐ Registra			Replace I	External O-Rir	igs		/min – 17mm	
Return f	from CMI / EE		Instrume	nt Set Up Ver	ified		L/min – 53mm	
Vieual Inon	- market and				ERR 10/17/22		L/min – 103mm	
Visual Insp				ification (L/s)	101.1126			
Case	Handle			n # ATP101			e	
Keyboar					/ / / / / / / / / / / / / / / / / / / /		alibration Verifica	tion (L/s)
Feet	Breath Tu	ıbe	32 mm <u>0</u>		(.139169)	Flow Column #		
Ports	Screws Tip	ght	36 mm <u>0</u>		(.156190)	32 mm	Marie Constant of the Constant	(.139169)
Other Faul	pment/ Accessories		53 mm <u>0</u>	.246	(.228278)	36 mm		(.156190)
	ord Printer Ca		103 mm <u>0</u>	.511	(.447547)	53 mm	-	(.228278)
			Barometr	ric Pressure Cl	neck			
Static Ba	ag 🔲 12V DC Ca	able	Gauge ID #2	28199				(
Notes:	A Commence of the Commence of		Stability (Checks				
	,		Simulator	Serial #	Lot #/Exp	10.20.20.20.20.20.20.20.20.20.20.20.20.20		
				Joine, ,	Locii/Exp		nce	Ву
			0.050	MECOOC	202201C		Replacement	
				MP6286	01/11/2024	Dry Gas	Regulator Repla	cement
			0.080		202201D	☐ Breath	Tube Replacemen	nt
				MP6287	01/18/2024			
			0.200					
			0.200	MP6288	202201E	2		
				0200	01/18/2024			-
			0.080 DGS	N/A	00521080A2	-		
-					02/05/2023	-	**************************************	
Calibration	Adjustment			Ву	Department Inspect	ion		By DERR
	Pressure Gauge		ID#		Barometric Pressure)	By DEKK
Simulator		Lot#		vanionations				
0.000	JCHai #		I/A	xpiration	Gauge 1013			
0.040			I/A	N/A	Mouth Alcohol Solut			
0.100	,				Acetone Stock Solut	ion Lot # 2	021-C	
					Simulator		Serial Number	
0.200					0.000		MP62	
0.300					Interferent		MP62	
0.080 DGS	N/A				0.050		MP62	
					0.080		MP62	
	oration Adjustment	Stability (Checks				MP62	.88
Simulator	Serial #	Lot#	Ex	piration	Attachments			
0.050					Form 41		☐ Post-Stability	/ Checks
0.080					Stability Checks	(☐ Flow Calibrat	
0.200					Calibration Certi	ficate	☐ Form 40	
0.080 DGS	N/A	-			☐ Calibration Adjust		Other	
0.000 DG5	IN/A	<u> </u>			- Canbration Auju.	strient	- Other	
Notes/Sugg	ested Service: Tec	ch cours	11) 00/0/	II al T	Instrument Com	plies with f	hanter 11D 0 EA	C
Discord	19st four of s	CONSOL	W MOTER 1	mat L	☐ Instrument Doe			
D Value	2 1:00 01 11	Durk	Jumber 17	me				.1D-8, FAC
and	re-submitted	DEA	ry check		Return to/Place			
	1 C - Sybin (Med)	. DER	c 10/12/	22	Remain Out of E			
					Conduct an Age	ncy Inspecti	on Before Evider	itiary Use
				5				
			7		Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2022.10.17 13:26:43 -4	Israe	I Soto Digitally s Date: 202	igned by Israel Soto 2.10.17 13:46:44 -04'00'
					Tech Review / Dat	e	Admin Review	/ Date



Calibration Certificate

Florida Department of Law Enforcement Alcohol Testing Program 4700 Terminal Drive, Suite 1 Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007373, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-007373	UNCERTAINTY* ±	
Owning Agency:	BROWARD COUNTY SO	0.050 g/ 210 L	0.004
Calibration Date:	10/17/2022	0.080 g/ 210 L	0.004
Calibration Time:	<u>10:45</u>	$0.200~{ m g}/210~{ m L}$	0.007
		0.080 g/210 L Dry Gas Control	0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within \pm 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full.

without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

10/17/2022 Date

DAVID E REYES-RIVERA

Department Inspector

FDLE/ATP Form 69 December 2021 Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: BROWARD COUNTY SO Time of Inspection: 10:45

Date of Inspection: 10/17/2022

Serial Number: 80-007373

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check			Date and/or Time Adjusted		
(Pre-Inspection): OK	Yes			Yes	
Minimum Sample Volume			Barometric Pressure Sensor		
Check: OK	Yes		Check: OK	Yes	
Alcohol Free Subject			Mouth Alcohol Test:		
Test: 0.000	Yes		Slope Not Met	Yes	
Interferent Detect Test:			Diagnostic Check		
Interferent Detect	Yes		(Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:00521080A2
0.000	0.040	0.070	0.100	Exp: 02/05/2023
0.000	0.049	0.079	0.199	0.081
0.000	0.049	0.079	0.200	0.081
0.000	0.049	0.079	0.200	0.080
0.000	0.049	0.079	0.199	0.080
0.000	0.049	0.078	0.199	0.080
0.000	0.049	0.079	0.200	0.080
0.000	0.050	0.079	0.200	0.080
0.000	0.050	0.079	0.199	0.080
0.000	0.049	0.079	0.199	0.080
0.000	0.050	0.079	0.200	0.080
Standard Deviations	0.0004	0.0003	0.0005	0.0004

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

Time-Date changed. HAD 24 HOUR FORMAT

The	above	instrument	complies	(X)	does not	comply	() with Chapt	er 11D-8	, F	AC.
-----	-------	------------	----------	---	---	---	----------	--------	---	--------------	----------	-----	-----

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

DAVID E REYES-RIVERA

10/17/2022 Date

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-007373	Broward County Sheriff's Office	10/17/2022	DEDD / 44
			10/11/2022	DERR PAR

0.05g/210L		0.08g/210L /	0.20g/210L /	DGS 0.08g/210L		
0.047 to 0.053		0.077 to 0.083	0.194 to 0.206 V	0.077 to 0.083		
				/		
BROWARD COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007 10/17/2022 Software: 8100.27	7373	BROWARD COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007373 10/17/2022 Software: 8100.27	BROWARD COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007373 10/17/2022 Software: 8100.27	BROWARD COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007373 10/17/2022 Software: 8100.27		
Test g/210L	Time	Test g/210L - Time	Test g/210L Time	Test g/210L Time		
Control Test 0.049 Air Blank 0.000 Control Test 0.049 Air Blank 0.000 Control Test 0.049	18:21 18:22 18:23 18:23 18:23 18:24 18:25	Air Blank 0.000 18:26 Control Test 0.079 18:26 Air Blank 0.000 18:27 Control Test 0.079 18:28 Air Blank 0.000 18:28 Control Test 0.079 18:29 Air Blank 0.000 18:29 Control Test 5.000 18:29 Control Test Stats Average 0.0790 Std Dev 0.0000 Rel Std Dev(%) 0.0000	Air Blank 0.000 18:31 Control Test 0.199 18:31 Air Blank 0.000 18:32 Control Test 0.199 18:32 Air Blank 0.000 18:33 Control Test 0.199 18:34 Air Blank 0.000 18:34 Control Test 0.199 18:34 Control Test Stats Average 0.1990 Std Dev 0.0000 Rel Std Dev(%) 0.0000	Air Blank 0.000 18:35 Control Test 0.081 18:36 Air Blank 0.000 18:36 Control Test 0.080 18:36 Air Blank 0.000 18:37 Control Test 0.080 18:37 Air Blank 0.000 18:38 Control Test Stats Average 0.0803 Std Dev 0.0006 Rel Std Dev(%) 0.7187		
Operator's Signature		Operator's Signature	Operator's Signature	Operator's Signature		