

## **Return Material Authorization**

Ship to: ☒ CMI, Inc.

☐ Enforcement Electronics

Shipment to repair facility authorized by: Cesar Correa on 1/17/2023

Items Returned: Instrument ☒ Supplies ☐ Other ☐ Describe: \_\_\_\_\_

Instrument Model: Intoxilyzer 8000 Serial Number: 80-002463

Bill to Address: Hialeah Police Department

Ship to address: FDLE FMROC

ATTN: Cesar Correa

ATTN: David Reyes-Rivera

5555 E 8<sup>th</sup> Ave

4700 Terminal Drive Suite 1

Hialeah, FL 33013

Fort Myers, FL 33907

Reason for Return: Instrument does not turn on.

**Please choose one of the following options:**

☐ 1. I \_\_\_\_\_, authorize all repairs.

☐ 2. I \_\_\_\_\_, authorize repairs up to \$\_\_\_\_\_.

☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Cesar Correa

Phone #: 305 953-5215 Email: ccorrea@hialeahfl.gov

ATP Contact Name: David Reyes-Rivera ATP Email: DavidReyes@fdle.state.fl.us

# Florida Department of Law Enforcement Alcohol Testing Program

## AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: HIALEAH PD

Time of Inspection: 10:35

Date of Inspection: 12/14/2023

Serial Number: 80-002463

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK	Yes	
Alcohol Free Subject Test: 0.000	Yes	
Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes	
Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303J Exp: 03/28/2025	0.08g/210L Test (g/210L) Lot#:202307A Exp: 07/11/2025	0.20g/210L Test (g/210L) Lot#:202206C Exp: 06/15/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:402370890 Exp: 05/09/2025
0.000	0.048	0.077	0.000 / 0.198	0.077
0.000	0.048	0.078	0.000 / 0.199	0.077
0.000	0.048	0.078	0.000 / 0.199	0.077

Number of Simulators Used: 5

Remarks:

SPOKE TO FDLE TAYLOR, RINSED SIMULATOR, PUT NEW SOLUTION, *Turned on simulator, waited 30 minutes, and retested.*

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Jose Montero Jr #1703*

JOSE MONTERO

Signature and Printed Name

12/14/2023  
Date