



Agency Valparaiso PD

S/N 80-000742

Date In 11-29-2023 DI Completion Date 11-29-2023 ☐Ship ☒P/U ☐H/D ☐CMI ☐EE

29 IS 11-29-2023

| Intake                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | By IS    | Quality Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | By IS | Date | 11-27-2023 | Flow Calibration                                                                                                                                                                                                                                                                                                                                                                                           | By        | Date  |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|--------|---------|------------|-------|--------|---------|------------|-------|--------|---------|------------|-----------|-----|----------|------------|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: _____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____ |          | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>215</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP-105</u><br>32 mm <u>0.160</u> (.139 - .169)<br>36 mm <u>0.171</u> (.156 - .190)<br>53 mm <u>0.238</u> (.228 - .278)<br>103 mm <u>0.496</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>30793</u><br><input checked="" type="checkbox"/> Stability Checks |       |      |            | Flow Column # _____<br><input type="checkbox"/> 5L/min – 17mm<br><input type="checkbox"/> 15L/min – 53mm<br><input type="checkbox"/> 30L/min – 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          | <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td rowspan="2">0.050</td> <td rowspan="2">MP6291</td> <td>202303K</td> </tr> <tr> <td>03-29-2025</td> </tr> <tr> <td rowspan="2">0.080</td> <td rowspan="2">MP6292</td> <td>202303L</td> </tr> <tr> <td>03-29-2025</td> </tr> <tr> <td rowspan="2">0.200</td> <td rowspan="2">MP6293</td> <td>202304C</td> </tr> <tr> <td>04-05-2025</td> </tr> <tr> <td rowspan="2">0.080 DGS</td> <td rowspan="2">N/A</td> <td>AG229803</td> </tr> <tr> <td>10-25-2024</td> </tr> </tbody> </table>                                             |       |      | Simulator  | Serial #                                                                                                                                                                                                                                                                                                                                                                                                   | Lot #/Exp | 0.050 | MP6291 | 202303K | 03-29-2025 | 0.080 | MP6292 | 202303L | 03-29-2025 | 0.200 | MP6293 | 202304C | 04-05-2025 | 0.080 DGS | N/A | AG229803 | 10-25-2024 |  |  | <b>Maintenance</b> By _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____<br>_____<br>_____<br>_____<br>_____ |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Serial # | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |       |      |            |                                                                                                                                                                                                                                                                                                                                                                                                            |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP6291   | 202303K                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |      |            |                                                                                                                                                                                                                                                                                                                                                                                                            |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          | 03-29-2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |       |      |            |                                                                                                                                                                                                                                                                                                                                                                                                            |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP6292   | 202303L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |      |            |                                                                                                                                                                                                                                                                                                                                                                                                            |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          | 03-29-2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |       |      |            |                                                                                                                                                                                                                                                                                                                                                                                                            |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP6293   | 202304C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |      |            |                                                                                                                                                                                                                                                                                                                                                                                                            |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          | 04-05-2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |       |      |            |                                                                                                                                                                                                                                                                                                                                                                                                            |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | N/A      | AG229803                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |      |            |                                                                                                                                                                                                                                                                                                                                                                                                            |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          | 10-25-2024                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |       |      |            |                                                                                                                                                                                                                                                                                                                                                                                                            |           |       |        |         |            |       |        |         |            |       |        |         |            |           |     |          |            |  |  |                                                                                                                                                                                                                                                                       |  |  |

| Calibration Adjustment                                                                                                                                 |          |       |            | By _____   |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|------------|------------|--|
| Barometric Pressure Gauge _____                                                                                                                        |          |       |            | ID # _____ |  |
| Simulator                                                                                                                                              | Serial # | Lot # | Expiration |            |  |
| 0.000                                                                                                                                                  |          | N/A   | N/A        |            |  |
| 0.040                                                                                                                                                  |          |       |            |            |  |
| 0.100                                                                                                                                                  |          |       |            |            |  |
| 0.200                                                                                                                                                  |          |       |            |            |  |
| 0.300                                                                                                                                                  |          |       |            |            |  |
| 0.080 DGS                                                                                                                                              | N/A      |       |            |            |  |
| <input type="checkbox"/> Post Calibration Adjustment Stability Checks                                                                                  |          |       |            |            |  |
| Simulator                                                                                                                                              | Serial # | Lot # | Expiration |            |  |
| 0.050                                                                                                                                                  |          |       |            |            |  |
| 0.080                                                                                                                                                  |          |       |            |            |  |
| 0.200                                                                                                                                                  |          |       |            |            |  |
| 0.080 DGS                                                                                                                                              | N/A      |       |            |            |  |
| Notes/Suggested Service: _____<br>Admin Review: Corrected date for Quality Checks. IS 11-29-2023<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____ |          |       |            |            |  |

  

| Department Inspection                                                                                                                                                                                                                                                                                                                                                                           |               | By IS _____                                                                                                                                                             |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Barometric Pressure ID# 30793                                                                                                                                                                                                                                                                                                                                                                   |               |                                                                                                                                                                         |  |
| Gauge 1023                                                                                                                                                                                                                                                                                                                                                                                      |               | Instrument 1022                                                                                                                                                         |  |
| Mouth Alcohol Solution Lot # 2023-A                                                                                                                                                                                                                                                                                                                                                             |               |                                                                                                                                                                         |  |
| Acetone Stock Solution Lot # 2022-B                                                                                                                                                                                                                                                                                                                                                             |               |                                                                                                                                                                         |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                       | Serial Number |                                                                                                                                                                         |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                           | MP6289        |                                                                                                                                                                         |  |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                     | MP6290        |                                                                                                                                                                         |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                           | MP6291        |                                                                                                                                                                         |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                           | MP6292        |                                                                                                                                                                         |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                           | MP6293        |                                                                                                                                                                         |  |
| <b>Attachments</b>                                                                                                                                                                                                                                                                                                                                                                              |               |                                                                                                                                                                         |  |
| <input checked="" type="checkbox"/> Form 41<br><input checked="" type="checkbox"/> Stability Checks<br><input checked="" type="checkbox"/> Calibration Certificate<br><input type="checkbox"/> Calibration Adjustment                                                                                                                                                                           |               | <input type="checkbox"/> Post-Stability Checks<br><input type="checkbox"/> Flow Calibration<br><input type="checkbox"/> Form 40<br><input type="checkbox"/> Other _____ |  |
| <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use |               |                                                                                                                                                                         |  |
| Benjamin Siddoway<br><small>Digitally signed by Benjamin Siddoway<br/>Date: 2023.11.29 10:00:47 -05'00'</small>                                                                                                                                                                                                                                                                                 |               | Phil Nicodemo<br><small>Digitally signed by Phil Nicodemo<br/>Date: 2023.11.29 10:16:48 -05'00'</small>                                                                 |  |
| Tech Review / Date _____                                                                                                                                                                                                                                                                                                                                                                        |               | Admin Review / Date _____                                                                                                                                               |  |

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: VALPARAISO PD

Serial Number: 80-000742

Time of Inspection: 08:51

Date of Inspection: 11/29/2023

Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202303K<br>Exp: 03/29/2025 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202303L<br>Exp: 03/29/2025 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202304C<br>Exp: 04/05/2025 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG229803<br>Exp: 10/25/2024 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.049                                                          | 0.080                                                          | 0.199                                                          | 0.079                                                                           |
| 0.000                            | 0.049                                                          | 0.080                                                          | 0.200                                                          | 0.080                                                                           |
| 0.000                            | 0.050                                                          | 0.080                                                          | 0.200                                                          | 0.079                                                                           |
| 0.000                            | 0.050                                                          | 0.080                                                          | 0.200                                                          | 0.079                                                                           |
| 0.000                            | 0.050                                                          | 0.081                                                          | 0.199                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.081                                                          | 0.200                                                          | 0.079                                                                           |
| 0.000                            | 0.050                                                          | 0.081                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.050                                                          | 0.081                                                          | 0.200                                                          | 0.079                                                                           |
| 0.000                            | 0.049                                                          | 0.081                                                          | 0.199                                                          | 0.079                                                                           |
| 0.000                            | 0.050                                                          | 0.081                                                          | 0.200                                                          | 0.079                                                                           |

|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0005 | 0.0005 | 0.0007 | 0.0004 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0005 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Israel Soto*

ISRAEL SOTO

Signature and Printed Name

11/29/2023  
Date

## Stability Checks

UALPARAISO PD  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000742  
11/29/2023  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 06:45 |
| Control Test       | 0.051  | 06:46 |
| Air Blank          | 0.000  | 06:47 |
| Control Test       | 0.050  | 06:47 |
| Air Blank          | 0.000  | 06:48 |
| Control Test       | 0.050  | 06:48 |
| Air Blank          | 0.000  | 06:49 |
| Control Test Stats |        |       |
| Average            | 0.0503 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 1.1471 |       |

Operator's Signature

UALPARAISO PD  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000742  
11/29/2023  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 06:50 |
| Control Test       | 0.080  | 06:51 |
| Air Blank          | 0.000  | 06:51 |
| Control Test       | 0.080  | 06:52 |
| Air Blank          | 0.000  | 06:52 |
| Control Test       | 0.081  | 06:53 |
| Air Blank          | 0.000  | 06:53 |
| Control Test Stats |        |       |
| Average            | 0.0803 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7187 |       |

Operator's Signature

UALPARAISO PD  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000742  
11/29/2023  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 06:55 |
| Control Test       | 0.200  | 06:55 |
| Air Blank          | 0.000  | 06:56 |
| Control Test       | 0.199  | 06:56 |
| Air Blank          | 0.000  | 06:57 |
| Control Test       | 0.200  | 06:58 |
| Air Blank          | 0.000  | 06:58 |
| Control Test Stats |        |       |
| Average            | 0.1997 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.2892 |       |

Operator's Signature

UALPARAISO PD  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000742  
11/29/2023  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 07:00 |
| Control Test       | 0.081  | 07:00 |
| Air Blank          | 0.000  | 07:01 |
| Control Test       | 0.081  | 07:01 |
| Air Blank          | 0.000  | 07:02 |
| Control Test       | 0.081  | 07:02 |
| Air Blank          | 0.000  | 07:02 |
| Control Test Stats |        |       |
| Average            | 0.0810 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

Operator's Signature



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000742, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                      |                                |       |
|-------------------|----------------------|--------------------------------|-------|
| Serial Number:    | <u>80-000742</u>     | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>VALPARAISO PD</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>11/29/2023</u>    | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>08:51</u>         | 0.200 g/ 210 L                 | 0.007 |
|                   |                      | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

**Israel Soto**  
Soto  
Date: 2023.11.29  
09:57:17 -05'00'

**11/29/2023**

Date

**ISRAEL SOTO,**  
Department Inspector

FDLE/ATP Form 69 March 2022  
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality