

INSTRUMENT PROCESSING SHEET

Agency Bradford County SO S/N80-001291

Florida Department of Law Enforcement

Date In 11-29-2023 DI Completion Date N/A

□Ship □P/U □H/D ■CMI □EE

| Intake By AL | L Quality C | Checks By BS | Date 12/4/2023 | Flow Calibra | tion By Date | | |
|---------------------------------|-------------------|--|-----------------------|-----------------|---------------------------------------|--|--|
| Annual | | Tube Screen | | | n# | | |
| ☐ Registration | | ce External O-Rir | ngs | | in – 17mm | | |
| Return from CMI / EE | | ment Set Up Ver | _ | 1 | | | |
| - Return nom elvir/ EE | | R-Value 214 | | | ☐ 15L/min – 53mm ☐ 30L/min – 103mm | | |
| Visual Inspection: | | erification (L/s) | | | | | |
| Case Handle Flow Column # ATP10 | | | | | ration Verification (L/s) | | |
| ■ Keyboard ■ Dry Gas She | ilt I | | | | , | | |
| ■ Feet ■ Breath Tube | | | (.139169) | Flow Column | 1#(130160) | | |
| ■ Ports ■ Screws Tigh | | | (.156190) | | (.139169) | | |
| Other Equipment/ Accessories: | | | (.228278) | | (.156190) | | |
| Power cord Printer Cabl | | | (.447547) | | (.228278) | | |
| ■ Static Bag □ 12V DC Cab | . Daioiii | ■ Barometric Pressure Check Gauge ID # 28427 | | 103 mm | (.447547) | | |
| _ | Gauge ID | | | | | | |
| Notes: | Stabilit | _ | · · | | | | |
| | Simulato | or Serial # | Lot #/Exp | Maintenance | е Ву | | |
| | 0.050 | | 202303K | ☐ Battery Re | eplacement | | |
| | 0.050 | MP5088 | 3/29/2025 | ☐ Dry Gas R | egulator Replacement | | |
| | 0.080 | | 202303L | ☐ Breath Tu | be Replacement | | |
| | 0.000 | MP5089 | 3/29/2025 | ☐ Other | | | |
| | 0.200 | | 202304C | | | | |
| | 0.200 | MP5090 | 4/5/2025 | | | | |
| | 0.080 DG | GS N/A | | | | | |
| | 0.080 DG | JS N/A | AG325603 9/13/2025 | | _ | | |
| Colibuation Adjustment | | Dv | | tion | Dv | | |
| Calibration Adjustment | 10.4 | Ву | Department Inspec | | Ву | | |
| Barometric Pressure Gauge | ID # | F in a bin o | Barometric Pressure | | | | |
| Simulator Serial # | Lot # | Expiration N/A | _ | | rument | | |
| 0.040 | IN/A | N/A | Acetone Stock Solut | | | | |
| | | | | | Carried Niversham | | |
| 0.100 | | | Simulator 0.000 | 2 | Serial Number | | |
| 0.200 | | | Interferent | | | | |
| 0.300 | | | 0.050 | | | | |
| 0.080 DGS N/A | | | 0.080 | | | | |
| ☐ Post Calibration Adjustment S | Stability Chacks | | 0.200 | | | | |
| Simulator Serial # | Lot # | Expiration | Attachments | | | | |
| 0.050 | LOT # | Expiration | ☐ Form 41 | | ☐ Post-Stability Checks | | |
| 0.080 | | | Stability Checks | | ☐ Flow Calibration | | |
| 0.200 | | | ☐ Calibration Cert | | Form 40 | | |
| | | | ☐ Calibration Adju | | Other Form 51 | | |
| 0.080 DGS N/A | | | - Cambration Aug | Johnson | Totale Territor | | |
| Notes/Suggested Service: In sta | bility checks, in | strument | ☐ Instrument Cor | mplies with Ch | apter 11D-8, FAC | | |
| pump did not blow through si | | | | - | with Chapter 11D-8, FAC | | |
| 0.000. Pump can turn on by | | | ☐ Return to/Place | e into Evidenti | iary Use | | |
| problem needs diagnosis. So | | | Remain Out of | | • | | |
| | | | - | | n Before Evidentiary Use | | |
| | | | = conduct an Age | | | | |
| - | | | | | | | |
| | | | | | | | |
| | | | Tech Review / Da | ate 2 | Admin Review / Date | | |

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: BRADFORD COUNTY SO Time of Inspection: 09:24

Date of Inspection: 12/04/2023

Serial Number: 80-001291 Software: 8100.27

| Check or Test | YES | NO |
|---|-----|-----|
| Date and/or Time Adjusted | | 110 |
| | | No |
| Diagnostic Check (Pre-Inspection): OK | | |
| Alcohol Free Subject Test: 0.000 | | No |
| Alcohol Free Subject Test: 0.000 | | |
| Mouth Alcohol Test: Slope Not Met | | No |
| Model Alcohol Test: Slope Not Met | | |
| Interferent Detect Test: Interferent Detect | | No |
| interierent Detect Test: Interierent Detect | | |
| Diagnostic Check (Post-Inspection): OK | | No |
| pragnostic check (Post-Inspection): OK | | |
| | | No |

| Alcohol Free Test (g/210L) | 0.05g/210L Test (g/210L) Lot#: Exp: | 0.08g/210L Test | Lot#: | 0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp: |
|----------------------------------|--|-----------------|-------|--|
| | | | | |

| Number | of | Simulators | Used: | |
|---------|----|------------|-------|--|
| Remarks | 3: | | | |

COMPLIANCE NOT DETERMINED, BYPASS AI TO OPERATE

| N/A compliance | not | determined |
|----------------|-----|------------|
|----------------|-----|------------|

The above instrument complies (X) does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

BENJAMIN W SIDDOWAY

12/04/2023 Date

BRADFORD COUNTY SO Intoxilyzer - Alcohol Analyzer SN 80-001291 12/04/2023 Software: 8100.27

| Test | g/210L | Time |
|-------------------|--------|-------|
| | | |
| Air Blank | 0.000 | 10:13 |
| Control Test | 0.000 | 10:14 |
| Air Blank | 0.000 | 10:14 |
| Control Test | 0.000 | 10:15 |
| Air Blank | 0.000 | 10:15 |
| Control Test | 0.000 | 10:16 |
| Air Blank | 0.000 | 10:16 |
| Control Test Stat | ts | |
| Average | 0.0000 | |
| Std Dev | 0.0000 | |
| Rel Std Dev(%) | 0.0000 | |



Stability Checks

BRADFORD COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 12/04/2023 Software: 8100.27

| Test | g/210L | Time |
|--|--|--|
| Air Blank Control Test Air Blank Control Test Air Blank Control Test Air Blank | 0.000 0.000 0.000 0.000 0.000 0.000 | 10:26 10:27 10:28 10:28 10:28 10:29 |
| Control Test Sta Average Std Dev Rel Std Dev(%) | ts 0.0000 0.0000 0.0000 | |

BRADFORD COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001291 12/04/2023 Software: 8100.27

| Test | g/210L | Time |
|------------------|--------|-------|
| Air Blank | 0.000 | 12:35 |
| Control Test | 0.000 | 12:36 |
| Air Blank | 0.000 | 12:36 |
| Control Test | 0.000 | 12:37 |
| Air Blank | 0.000 | 12:37 |
| Control Test | 0.000 | 12:38 |
| Air Blank | 0.000 | 12:38 |
| Control Test Sta | ts | |
| Average | 0.0000 | |
| Std Dev | 0.0000 | |
| Rel Std Deu(%) | 0,0000 | |

√Operator's Signature

BRADFORD COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001291

12/04/2023

Software: 8100.27

| Test | g/210L | Time |
|--|---|--|
| Air Blank Control Test Sta | 0.000 0.078 0.000 0.078 0.000 0.078 0.000 | 13: 29 13: 29 13: 30 13: 30 13: 31 13: 31 |
| Auerage Std Deu Rel Std Deu(%) | 0.0780 0.0000 0.0000 | |

DGS

Return Material Authorization

| 9 | Ship to: | | | | |
|--|--|--|--|--|--|
| | ☐ Enforcement Electronics | | | | |
| Shipment to repair facility authorized by: Jayso | on Levy on 12/5/2023 | | | | |
| | | | | | |
| | S □ Other □ Describe: | | | | |
| Instrument Model: Intoxilyzer 8000 Serial Number: 80-001291 | | | | | |
| | | | | | |
| Bill To Address: Jayson Levy | Ship to Address: FDLE Off-Site Mail Facility | | | | |
| Bradford County SO | c/o Florida Dept of Law Enforcement | | | | |
| Bradiord County 30 | Alcohol Testing Program | | | | |
| | 813 B Lake Bradford Road | | | | |
| | | | | | |
| | Tallahassee, FL 32304 | | | | |
| | | | | | |
| Reason for Return: | | | | | |
| Instrument is not blowing through simulator to | nerform stability check Pump can turn on | | | | |
| manually by keyboard in DVM, but will not blow to simulator. | | | | | |
| | to simulateri | | | | |
| | _ | | | | |
| | | | | | |
| Disease shapes and of the following entires | | | | | |
| Please choose one of the following options: | <u>.</u> | | | | |
| ☐ 1. I, authorize | e all repairs. | | | | |
| ☐ 2. I, authorize | e repairs up to \$ | | | | |
| ☑ 3. I require an estimate <u>BEFORE</u> any repart | airs will be authorized and/ or conducted. | | | | |
| Please contact: Name: Jayson Levy | | | | | |
| Phone #: 352-339-0143 E | mail: motorman190@gmail.com | | | | |
| | ATP Email: BenjaminSiddoway@fdle.state.fl.us | | | | |

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

| Agency: Bradford Coun Time of Inspection: | | Dat | te of Insp | ection: n/a | | | Number: 80 e: 8100.27 | -001291 |
|--|--------------------------------------|------------|---|---------------|--|--------|---|------------|
| Check or Test | | YES | NO | Check o | r Test | | YES | NO |
| Diagnostic Check | | 120 | 1.10 | | l/or Time Adjust | -ed | 120 | |
| (Pre-Inspection) | | | | Date and | ,, 01 11 1 | ca | | |
| Minimum Sample V | | | 1 | Rarometr | ic Pressure Ser | ISOT | - | |
| Check: OK | OTUME | | | Check: 0 | | 1501 | | |
| Alcohol Free Sub | iect | | | ***** | cohol Test: | _ | | |
| Test: 0.000 | Jecc | | | Slope No | | | | |
| Interferent Dete | ct Test: | | - | | ic Check | | | |
| Interferent Dete | | | | | spection): OK | | | |
| Intelletent Dete | | | | (1050 111 | spection, on | | | |
| Alcohol Free Test (g/210L) | 0.05g/210L (g/210L) Lot#: Exp: | Test | 0.08g/210I (g/210L) Lot#: Exp: | . Test | 0.20g/210L Test (g/210L) Lot#: Exp: |] | 0.08 g/2101 Dry Gas Sto (g/210L) Lot#: Exp: | |
| | | | | | | | - | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Shandand Davishiana | | | | | | | | |
| Standard Deviations | | | | | | | | |
| Average Standard Devis | ation of 0.05 | , 0.08 and | i 0.20 g/21 | OL Tests: _ | Number of | Simul | ators Used | : |
| This instrument did not re | eceive a 2023 I | Department | Inspection. I | t was sent to | repair and did not retu | ım wit | thin the caler | ndar year. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| The above instrument of | complies (|) does | not comply | () W | vith Chapter 11D-8, | FAC. | | |
| I certify that I perfo | ormed this in | spection i | in accordan | ce with the | provisions of Chap | pter | 11D-8, FAC | |
| Berg | 4 500 | long | _ | Benjamin | | | | |
| | | // Si | ignature an | d Printed N | lame | | | |

12/27/2023 Date