



INSTRUMENT PROCESSING SHEET

Agency Lee CSOS/N 80-001722Florida Department of
Law EnforcementDate In 06/14/2023 DI Completion Date 06/23/2023☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By TDG	Quality Checks	By TDG	Date <u>06/14/2023</u>	Flow Calibration	By TDG	Date <u>06/14/2023</u>																																										
<input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____		<input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>128</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.125*</u> (.139 - .169) 36 mm <u>0.144*</u> (.156 - .190) 53 mm <u>0.226*</u> (.228 - .278) 103 mm <u>0.503</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>26932</u> <input checked="" type="checkbox"/> Stability Checks			Flow Column # <u>ATP101</u> <input checked="" type="checkbox"/> 5L/min - 17mm <input checked="" type="checkbox"/> 15L/min - 53mm <input checked="" type="checkbox"/> 30L/min - 103mm <input checked="" type="checkbox"/> R-Value <u>128</u> <input checked="" type="checkbox"/> Post Calibration Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.144</u> (.139 - .169) 36 mm <u>0.156</u> (.156 - .190) 53 mm <u>0.230</u> (.228 - .278) 103 mm <u>0.503</u> (.447 - .547)																																												
		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP5094</td><td>202201C 01/11/2024</td></tr><tr><td>0.080</td><td>MP5095</td><td>202201D 01/18/2024</td></tr><tr><td>0.200</td><td>MP5096</td><td>202201E 01/18/2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG223802 08/26/2024</td></tr></tbody></table>			Simulator	Serial #	Lot #/Exp	0.050	MP5094	202201C 01/11/2024	0.080	MP5095	202201D 01/18/2024	0.200	MP5096	202201E 01/18/2024	0.080 DGS	N/A	AG223802 08/26/2024	<table border="1"><thead><tr><th colspan="2">Maintenance</th><th>By</th></tr></thead><tbody><tr><td><input type="checkbox"/> Battery Replacement</td><td></td><td></td></tr><tr><td><input type="checkbox"/> Dry Gas Regulator Replacement</td><td></td><td></td></tr><tr><td><input type="checkbox"/> Breath Tube Replacement</td><td></td><td></td></tr><tr><td><input type="checkbox"/> Other</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table>			Maintenance		By	<input type="checkbox"/> Battery Replacement			<input type="checkbox"/> Dry Gas Regulator Replacement			<input type="checkbox"/> Breath Tube Replacement			<input type="checkbox"/> Other														
Simulator	Serial #	Lot #/Exp																																															
0.050	MP5094	202201C 01/11/2024																																															
0.080	MP5095	202201D 01/18/2024																																															
0.200	MP5096	202201E 01/18/2024																																															
0.080 DGS	N/A	AG223802 08/26/2024																																															
Maintenance		By																																															
<input type="checkbox"/> Battery Replacement																																																	
<input type="checkbox"/> Dry Gas Regulator Replacement																																																	
<input type="checkbox"/> Breath Tube Replacement																																																	
<input type="checkbox"/> Other																																																	
Calibration Adjustment				Department Inspection																																													
By _____				By <u>TDG</u>																																													
Barometric Pressure Gauge ID # _____				Barometric Pressure ID# <u>26932</u>																																													
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>				Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Gauge <u>1017</u> Instrument <u>1014</u> Mouth Alcohol Solution Lot # <u>2021-D</u> Acetone Stock Solution Lot # <u>2022-B</u>																	
Simulator	Serial #	Lot #	Expiration																																														
0.000		N/A	N/A																																														
0.040																																																	
0.100																																																	
0.200																																																	
0.300																																																	
0.080 DGS	N/A																																																
<input type="checkbox"/> Post Calibration Adjustment Stability Checks				<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP5092</td></tr><tr><td>Interferent</td><td>MP5093</td></tr><tr><td>0.050</td><td>MP5094</td></tr><tr><td>0.080</td><td>MP5095</td></tr><tr><td>0.200</td><td>MP5096</td></tr></tbody></table>				Simulator	Serial Number	0.000	MP5092	Interferent	MP5093	0.050	MP5094	0.080	MP5095	0.200	MP5096																														
Simulator	Serial Number																																																
0.000	MP5092																																																
Interferent	MP5093																																																
0.050	MP5094																																																
0.080	MP5095																																																
0.200	MP5096																																																
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>				Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Attachments <input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40 <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____																									
Simulator	Serial #	Lot #	Expiration																																														
0.050																																																	
0.080																																																	
0.200																																																	
0.080 DGS	N/A																																																
Notes/Suggested Service: *Flow values were outside the nominal range. Performed a flow cal adjustment. (TDG) _____ _____ _____ _____ _____ _____ _____ _____ _____ _____				<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use																																													
Israel Soto <small>Digitally signed by Israel Soto Date: 2023.06.26 07:31:27 +0400</small>				Phil Nicodemo <small>Digitally signed by Phil Nicodemo Date: 2023.06.26 13:55:15 -0400</small>																																													
Tech Review / Date _____				Admin Review / Date _____																																													

Flow Calibration

80-001722

06/14/2023

ML

LEE COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001722
06/14/2023
Software: 8100.27

Flow Rate Calibration*****

1: Rate (Liters/min) = 5

SQRT(Diff) = 6.242

2: Rate (Liters/min) = 15

SQRT(Diff) = 11.531

3: Rate (Liters/min) = 30

SQRT(Diff) = 20.949

Dependent Data Scale Factor = 100000 L/min

Independent Data Scale Factor = 256

Rounded Slope = 659

Rounded Intercept = -511291

Correlation = 0.99895

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-001722	Lee CSO	06/14/2023	TDG MK

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
✓	✓	✓	✓
<p>LEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001722 06/14/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 14:58 Control Test 0.051 14:59 Air Blank 0.000 14:59 Control Test 0.049 15:00 Air Blank 0.000 15:01 Control Test 0.049 15:01 Air Blank 0.000 15:02 Control Test Stats Average 0.0497 Std Dev 0.0012 Rel Std Dev(%) 2.3249</p>	<p>LEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001722 06/14/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 15:05 Control Test 0.077 15:06 Air Blank 0.000 15:06 Control Test 0.078 15:07 Air Blank 0.000 15:07 Control Test 0.077 15:08 Air Blank 0.000 15:09 Control Test Stats Average 0.0773 Std Dev 0.0006 Rel Std Dev(%) 0.7466</p>	<p>LEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001722 06/14/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 15:11 Control Test 0.198 15:12 Air Blank 0.000 15:12 Control Test 0.198 15:13 Air Blank 0.000 15:14 Control Test 0.197 15:14 Air Blank 0.000 15:15 Control Test Stats Average 0.1977 Std Dev 0.0006 Rel Std Dev(%) 0.2921</p>	<p>LEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-001722 06/14/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 15:17 Control Test 0.079 15:17 Air Blank 0.000 15:17 Control Test 0.079 15:18 Air Blank 0.000 15:18 Control Test 0.080 15:19 Air Blank 0.000 15:19 Control Test Stats Average 0.0793 Std Dev 0.0006 Rel Std Dev(%) 0.7277</p>
<p>Operator's Signature</p>	<p>Operator's Signature</p>	<p>Operator's Signature</p>	<p>Operator's Signature</p>

Comments:

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: LEE COUNTY SO
Time of Inspection: 11:42

Date of Inspection: 06/23/2023

Serial Number: 80-001722
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG223802 Exp: 08/26/2024
/ 0.000	0.049	0.079	0.198	0.079
/ 0.000	0.049	0.079	0.199	0.079
/ 0.000	0.049	0.079	0.198	0.078
/ 0.000	0.050	0.078	0.198	0.078
/ 0.000	0.049	0.079	0.199	0.078
/ 0.000	0.049	0.078	0.199	0.078
/ 0.000	0.049	0.079	0.199	0.079
/ 0.000	0.050	0.079	0.199	0.079
/ 0.000	0.050	0.079	0.199	0.079
/ 0.000	0.050	0.079	0.199	0.079

Standard Deviations	0.0005	0.0004	0.0004	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

00: Ambient Fail. UNK. ALLOWED TO AIR OUT AND REPEATED.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

06/23/2023
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001722, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001722</u>	UNCERTAINTY* \pm	
Owning Agency:	<u>LEE COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>06/23/2023</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>11:42</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 December 2021
Issuing Authority: Alcohol Testing Program

06/23/2023

Date

Taylor D Guttschow
TAYLOR D GUTTSCHOW,

Department Inspector

Service • Integrity • Respect • Quality