

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: CHARLOTTE COUNTY SO
Time of Inspection: 11:04

Date of Inspection: 05/03/2023

Serial Number: 80-001739
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:

Number of Simulators Used: _____

Remarks:

AI NOT CONDUCTED. BYPASSED TO BRING OUT OF DISABLED MODE.

Not determined ^{MG} *5/3/2023*

The above instrument complies (☒) does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Taylor D Gutschow

TAYLOR D GUTSCHOW

Signature and Printed Name

05/03/2023
Date

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-001739	Charlotte CSO	05/03/2023	TDG MK

0.05g/210L		0.08g/210L		0.20g/210L		DGS 0.08g/210L																																																																																																													
0.047 to 0.053	✓	0.077 to 0.083	✓	0.194 to 0.206	✓	0.077 to 0.083	✓	≤0.003 of Wet	✓																																																																																																										
<p>Printed to external printer. Results in range. Will attach.</p> <p>MK 5/3/2023</p>		<p>CHARLOTTE COUNTY SO Intoxilyzer - Alcotest Analyzer Model 8000 05/03/2023 Software: 8100.27</p> <p>SN 80-001739</p> <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:09</td></tr><tr><td>Control Test</td><td>0.079</td><td>12:10</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:10</td></tr><tr><td>Control Test</td><td>0.078</td><td>12:11</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:11</td></tr><tr><td>Control Test</td><td>0.079</td><td>12:12</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:13</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0787</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr></tbody></table> <p>Operator's Signature MK</p>		Test	g/210L	Time	Air Blank	0.000	12:09	Control Test	0.079	12:10	Air Blank	0.000	12:10	Control Test	0.078	12:11	Air Blank	0.000	12:11	Control Test	0.079	12:12	Air Blank	0.000	12:13	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339		<p>CHARLOTTE COUNTY SO Intoxilyzer - Alcotest Analyzer Model 8000 05/03/2023 Software: 8100.27</p> <p>SN 80-001739</p> <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:16</td></tr><tr><td>Control Test</td><td>0.200</td><td>12:16</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:17</td></tr><tr><td>Control Test</td><td>0.200</td><td>12:17</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:18</td></tr><tr><td>Control Test</td><td>0.199</td><td>12:19</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:19</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.1997</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2892</td><td></td></tr></tbody></table> <p>Operator's Signature MK</p>		Test	g/210L	Time	Air Blank	0.000	12:16	Control Test	0.200	12:16	Air Blank	0.000	12:17	Control Test	0.200	12:17	Air Blank	0.000	12:18	Control Test	0.199	12:19	Air Blank	0.000	12:19	Control Test Stats			Average	0.1997		Std Dev	0.0006		Rel Std Dev(%)	0.2892		<p>CHARLOTTE COUNTY SO Intoxilyzer - Alcotest Analyzer Model 8000 05/03/2023 Software: 8100.27</p> <p>SN 80-001739</p> <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:21</td></tr><tr><td>Control Test</td><td>0.079</td><td>12:21</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:22</td></tr><tr><td>Control Test</td><td>0.080</td><td>12:22</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:22</td></tr><tr><td>Control Test</td><td>0.080</td><td>12:23</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:23</td></tr><tr><td colspan="3">Control Test Stats</td></tr><tr><td>Average</td><td>0.0797</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7247</td><td></td></tr></tbody></table> <p>Operator's Signature MK</p>		Test	g/210L	Time	Air Blank	0.000	12:21	Control Test	0.079	12:21	Air Blank	0.000	12:22	Control Test	0.080	12:22	Air Blank	0.000	12:22	Control Test	0.080	12:23	Air Blank	0.000	12:23	Control Test Stats			Average	0.0797		Std Dev	0.0006		Rel Std Dev(%)	0.7247	
Test	g/210L	Time																																																																																																																	
Air Blank	0.000	12:09																																																																																																																	
Control Test	0.079	12:10																																																																																																																	
Air Blank	0.000	12:10																																																																																																																	
Control Test	0.078	12:11																																																																																																																	
Air Blank	0.000	12:11																																																																																																																	
Control Test	0.079	12:12																																																																																																																	
Air Blank	0.000	12:13																																																																																																																	
Control Test Stats																																																																																																																			
Average	0.0787																																																																																																																		
Std Dev	0.0006																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																		
Test	g/210L	Time																																																																																																																	
Air Blank	0.000	12:16																																																																																																																	
Control Test	0.200	12:16																																																																																																																	
Air Blank	0.000	12:17																																																																																																																	
Control Test	0.200	12:17																																																																																																																	
Air Blank	0.000	12:18																																																																																																																	
Control Test	0.199	12:19																																																																																																																	
Air Blank	0.000	12:19																																																																																																																	
Control Test Stats																																																																																																																			
Average	0.1997																																																																																																																		
Std Dev	0.0006																																																																																																																		
Rel Std Dev(%)	0.2892																																																																																																																		
Test	g/210L	Time																																																																																																																	
Air Blank	0.000	12:21																																																																																																																	
Control Test	0.079	12:21																																																																																																																	
Air Blank	0.000	12:22																																																																																																																	
Control Test	0.080	12:22																																																																																																																	
Air Blank	0.000	12:22																																																																																																																	
Control Test	0.080	12:23																																																																																																																	
Air Blank	0.000	12:23																																																																																																																	
Control Test Stats																																																																																																																			
Average	0.0797																																																																																																																		
Std Dev	0.0006																																																																																																																		
Rel Std Dev(%)	0.7247																																																																																																																		

Comments:

CHARLOTTE COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001739
05/03/2023
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:01
Control Test	0.049	12:02
Air Blank	0.000	12:02
Control Test	0.049	12:03
Air Blank	0.000	12:04
Control Test	0.049	12:04
Air Blank	0.000	12:05
Control Test Stats		
Average	0.0490	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	



Operator's Signature

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: CHARLOTTE COUNTY SO
Time of Inspection: 13:09

Date of Inspection: 05/04/2023

Serial Number: 80-001739
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG223802 Exp: 08/26/2024
0.000	0.050	0.079	0.200	0.081
0.000	0.050	0.079	0.200	0.080
0.000	0.050	0.079	0.200	0.081
0.000	0.050	0.079	0.200	0.081
0.000	0.050	0.079	0.200	0.081
0.000	0.050	0.079	0.200	0.081
0.000	0.050	0.079	0.200	0.080
0.000	0.050	0.079	0.200	0.080
0.000	0.050	0.079	0.200	0.080
0.000	0.050	0.079	0.200	0.080
0.000	0.050	0.079	0.200	0.080


Standard Deviations	0.0000	0.0000	0.0000	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



Signature and Printed Name

TAYLOR D GUTSCHOW

05/04/2023
Date



Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001739, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001739</u>	UNCERTAINTY* \pm
Owning Agency:	<u>CHARLOTTE COUNTY SO</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>05/04/2023</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>13:09</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.



05/04/2023

Date

TAYLOR D GUTSCHOW,

Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality