

INSTRUMENT PROCESSING SHEET

Agency Hialeah PD

S/N 80-002463

Date In <u>06/02/2023</u> DI Completion Date <u>06/08/2023</u> ■Ship □P/U □H/D □CMI □EE Florida Department of Law Enforcement Date 06/08/2023 Intake By TDG Quality Checks By TDG Flow Calibration By Date Breath Tube Screen Flow Column # Annual Registration Replace External O-Rings **5**L/min – 17mm Return from CMI / EE Instrument Set Up Verified □ 15L/min – 53mm R-Value 118 □ 30L/min – 103mm Visual Inspection: Flow Verification (L/s) R-Value Case Handle Post Calibration Verification (L/s) Flow Column # ATP104 Dry Gas Shelf Keyboard Flow Column #____ 32 mm 0.164 (.139 - .169) Feet Breath Tube 32 mm _____ (.139 - .169) 36 mm 0.179 (.156 - .190) Ports Screws Tight 53 mm 0.250 (.228 - .278) 36 mm _____(.156 - .190) Other Equipment/ Accessories: 103 mm 0.511 (.447 - .547) 53 mm _____ (.228 - .278) Power cord Printer Cable Barometric Pressure Check 103 mm _____ (.447 - .547) Static Bag 12V DC Cable Gauge ID # 26932 Stability Checks Notes: ____ Serial # Simulator Lot #/Exp Maintenance By_ Battery Replacement 0.050 202201C MP6286 Dry Gas Regulator Replacement 01/11/2024 Breath Tube Replacement (0.080 202201D MP4864 Other ______ 01/18/2024 0.200 202201E MP6288 01/18/2024 0.080 DGS N/A AG223802 (TDG 06/09/2023) -06/08/2024-08/26/2024 By TDG **Calibration Adjustment** By__ Department Inspection **Barometric Pressure Gauge** ID # Barometric Pressure ID# 26932 Gauge <u>1006</u> Instrument <u>1009</u> Simulator | Serial # Lot# Expiration 0.000 N/A Mouth Alcohol Solution Lot # 2021-D N/A 0.040 A 10 Acetone Stock Solution Lot # 2022-B Simulator 0.100 Serial Number 0.000 MP6284 0.200 Interferent MP6285 0.300 0.050 MP6286 0.080 DGS N/A 0.080 MP4864 0.200 MP6288 Post Calibration Adjustment Stability Checks **Attachments** Simulator Serial # Lot # Expiration Form 41 Post-Stability Checks 0.050 0.080 Stability Checks □ Flow Calibration Calibration Certificate Form 40 0.200 Calibration Adjustment Other____ 0.080 DGS N/A Instrument Complies with Chapter 11D-8, FAC Notes/Suggested Service: ____ Instrument Does Not Comply with Chapter 11D-8, FAC Tech Review: Corrected DGS expiration date in Stabilities. (TDG 06/09/2023) Return to/Place into Evidentiary Use Remain Out of Evidentiary Use Conduct an Agency Inspection Before Evidentiary Use Israel Soto Date: 2023.06.09 16:01:50 -04:00 Date: 2023.06.09 16:01:50 -04:00 Tech Review / Date Admin Review / Date

FDLE/ATP Form 48 January 2022 Issuing Authority: Alcohol Testing Program PRINTED COPIES UNCONTROLLED For Internal ATP Use ONLY

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: HIALEAH PD Time of Inspection: 09:06

Date of Inspection: 06/08/2023

Serial Number: 80-002463 Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		NO
		No
Alcohol Free Subject Test: 0.000		
		No
Mouth Alcohol Test: Slope Not Met		
		No
Interferent Detect Test: Interferent Detect		
		No
Diagnostic Check (Post-Inspection): OK		
		No

Alcohol Free Test	0.05g/210L Test (g/210L)	0.08g/210L Test (g/210L)	0.20g/210L Test (g/210L)	0.08 g/210L Dry Gas Std Test
(g/210L)	Lot#:	Lot#:	Lot#:	(g/210L)
	Exp:	Exp:	Exp:	Lot#:
		11 P		Exp:
		/		

Number of Simulators Used:

Remarks:

AI NOT CONDUCTED. BYPASSED TO BRING OUT OF DISABLED MODE.

Not determined 06108/2023

The above instrument complies (X) does not comply (

) with Chapter 11D-8, FAC.

I certify	that	: I	hold	а	valid	Florida	Depa	rtme	nt of	Law	Enf	orcement	Agency	/ Inspector	Permit	and	that	Ι
performed	this	ins	specti	on	in aco	cordance	with	the	provi	sions	of	Chapter	11D-8,	FAC.				

Jay on Alterental	TAYLC	DR D GUTSCHOW	
	Signature and Printed Name		
	06/08/2023		

Date

Performed By 7023 TDG NV-	DGS 0.08g/210L 0.083 20.003 of Wet	HIALEAH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-002463 Software: 8100.27 Software: 8100.27 G6/08/2023 : Software: 8100.27 Fest g/210L Time Fir Blank 0.000 09:53 Control Test 0.078 09:53 Control Test 0.078 09:53 Control Test 0.078 09:53 Control Test Stats Control Test Stats	Derator's Signature
Date 04 15	DC 0.077 to 0.083	a rc rc 2 8 8	
	0.20g/210L 0.194 to 0.206	HiALEAH PD Intoxi:yzer - Alcohol Analyzer Model 8000 SN 80-002463 06/08/2023 Software: 8100.27 Test g/210L Tir Test g/210L Tir Air Blank 0.000 Air Blank 0.000 Air Blank 0.000 Air Blank 0.000 ID: Rir Blank 0.000 ID: Rir Blank 0.000 Rir Rir Ri Rir Rir Rir Rir Rir Rir Rir R	Dperator's Signature
umber Agency 2463 Higlegh PD	0.08g/210L 0.077 to 0.083	HIALEAH PD Intoxilyzer - Alcohol Analyzer Model 800 SN 80-002463 06/08/2023 Software: 8101.27 Test g/210L Time Fir Blank 0.000 10:09 Air Blank 0.000 10:09 Air Blank 0.000 10:09 Air Blank 0.000 10:01 Auerage 0.077 Rei Stats 0.000 Rei Stats Auerage 0.0770 Rei Sta Deu(2) 0.000	Operator's Signature
Type of TestSerial NumberStabilities80-00 2식(, 3	0.05g/210L 0.047 to 0.053	HIALEAH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-002463 06/08/2023 Software: 8100.27 Test g/210L Time Test g/210L Time Model 8000 100 International Test 0.000 10:02 Alf Blank 0.000 10:03 Alf Blank 0.000 10:03 A	Operator's Signature Comments:

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HIALEAH PD Time of Inspection: 12:13

Date of Inspection: 06/08/2023

Serial Number: 80-002463 Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	10er
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG223802 Exp: 08/26/2024
0.000	0.047	0.077	0.200	0.078
0.000	0.047	0.077	0.200	0.078
0.000	0.048	0.077	0.199	0.078
0.000	0.048	0.077	0.199	0.078
0.000	0.048	0.077	0.199	0.078
0.000	0.048	0.077	0.199	0.078
0.000	0.048	0.077	0.199	0.079
0.000	0.048	0.077	0.199	0.078
0.000	0.048	0.077	0.199	0.078
0.000	0.048	0.077	0.199	0.078
		1	>	
Standard Deviations	0.0004	0.0000	0.0004	0.0003

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0002 Number of Simulators Used: 5

Remarks:

The above instrument complies (X) does not comply (

) with Chapter 11D-8, FAC.

TAYLOR D GUTSCHOW

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

06/08/2023 Date

	Florida Department of Law Enforcement Alcohol Testing Program 4700 Terminal Drive, Suite 1 Ft. Myers, FL 33907	, manufactured by CMI, Inc. was calibrated in accordance with	UNCERTAINTY* ± 0 L 0.004 0 L 0.004	0.200 g/ 210 L 0.080 g/ 210 L Dry Gas Control 0.005	ceater, of the target alcohol concentration.	red and certified these CRMs in accordance	meters calibrated by Precision Metrology in	er. The supplier of dry gas standard controls	Department Inspector Page 1 of 1		
а	alibration Certificate	- 23 E	UN 0.050 g/ 210 L 0.080 g/ 210 L	0.200 g/ 210 0.080 g/ 210	All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3). The instrument results before and after any adjustment are found in the associated pre and post stability checks.	repared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance	Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.	Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of 06/08/2023 06/08/2023 Date TAYLOR D GUTSCHOW .	Depal Service • Integrity • Respect • Quality		
	ANAB ANAB ANAB Ansi national Accreditation Board A C C R E D I T E D FORENCE CAUBBATION CABORATION	This is to certify the calibration of Intoxilyzer 8000 serial number <u>80-002463</u> FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.	Serial Number:80-002463Owning Agency:HIALEAH PDCalibration Date:06/08/2023	Calibration Time: 12:13	All results are reported in g/ 210 L. Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 c *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3) The instrument results before and after any adjustment are found in the associated pre and post s	TRACEABILITY INFORMATION This instrument was calibrated using solutions prepared with ISO 17034 and ISO/ IEC 17025 Standards.	Simulator temperatures are traceable to NIST. Simulator accordance with ISO/ IEC 17025 standards.	Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accr prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of 06/08/2023 Law Enforcement Alcohol Testing Program.	FDLE/ATP Form 69 December 2021 Issuing Authority: Alcohol Testing Program		а ^н Л
		T F	й О О	Ü	Th * B A	TT TT Wi	Sir acc		FD	аж б	

*