



## INSTRUMENT PROCESSING SHEET

Agency Fort Lauderdale PD

S/N 80-006939

Florida Department of  
Law Enforcement

Date In 06/02/2023 DI Completion Date 06/08/2023

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

| Intake   | By TDG        | Quality Checks   | By TDG     | Date 06/08/2023  | Flow Calibration   | By       | Date       |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
|--|---------------|--|------------|--|--|----------|------------|-----------|---------------|-----------------------|--------|-------------|-----------------------|-------|--------|-----------------------|-----------|-------|------------------------|--|-----|--|--|--|--|--|--|-----------|-----|--|--|--|--|--|--|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input checked="" type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: _____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____ |               | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value 213<br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # ATP104<br>32 mm 0.152 (.139 - .169)<br>36 mm 0.175 (.156 - .190)<br>53 mm 0.238 (.228 - .278)<br>103 mm 0.503 (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # 26932<br><input checked="" type="checkbox"/> Stability Checks |            |  | Flow Column # _____<br><input type="checkbox"/> 5L/min - 17mm<br><input type="checkbox"/> 15L/min - 53mm<br><input type="checkbox"/> 30L/min - 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
|  |               |  |            | <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202201C<br/>01/11/2024</td></tr><tr><td>0.080</td><td>MP4864</td><td>202201D<br/>01/18/2024</td></tr><tr><td>0.200</td><td>MP6288</td><td>202201E<br/>01/18/2024</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG223802<br/>08/26/2024</td></tr></tbody></table> | Simulator  | Serial # | Lot #/Exp  | 0.050     | MP6286        | 202201C<br>01/11/2024 | 0.080  | MP4864      | 202201D<br>01/18/2024 | 0.200 | MP6288 | 202201E<br>01/18/2024 | 0.080 DGS | N/A   | AG223802<br>08/26/2024 | <b>Maintenance</b> By _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____<br>_____<br>_____<br>_____<br>_____<br>_____ |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| Simulator  | Serial #      | Lot #/Exp  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.050  | MP6286        | 202201C<br>01/11/2024  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.080  | MP4864        | 202201D<br>01/18/2024  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.200  | MP6288        | 202201E<br>01/18/2024  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.080 DGS  | N/A           | AG223802<br>08/26/2024   |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| <b>Calibration Adjustment</b> By _____   |               |  |            | <b>Department Inspection</b> By TDG _____  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| Barometric Pressure Gauge ID # _____   |               |  |            | Barometric Pressure ID# 26932  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>   |               |  |            | Simulator  | Serial #   | Lot #    | Expiration | 0.000     |               | N/A                   | N/A    | 0.040       |                       |       |        | 0.100                 |           |       |                        | 0.200  |     |  |  | 0.300  |  |  |  | 0.080 DGS | N/A |  |  | Gauge 1006 Instrument 1009<br>Mouth Alcohol Solution Lot # 2021-D<br>Acetone Stock Solution Lot # 2022-B |  |  |  |
| Simulator  | Serial #      | Lot #  | Expiration |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.000  |               | N/A  | N/A        |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.040  |               |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.100  |               |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.200  |               |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.300  |               |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.080 DGS  | N/A           |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| <input type="checkbox"/> Post Calibration Adjustment Stability Checks  |               |  |            | <table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP4864</td></tr><tr><td>0.200</td><td>MP6288</td></tr></tbody></table>  |  |          |            | Simulator | Serial Number | 0.000                 | MP6284 | Interferent | MP6285                | 0.050 | MP6286 | 0.080                 | MP4864    | 0.200 | MP6288                 |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| Simulator  | Serial Number |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.000  | MP6284        |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| Interferent  | MP6285        |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.050  | MP6286        |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.080  | MP4864        |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.200  | MP6288        |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>   |               |  |            | Simulator  | Serial #   | Lot #    | Expiration | 0.050     |               |                       |        | 0.080       |                       |       |        | 0.200                 |           |       |                        | 0.080 DGS  | N/A |  |  | <b>Attachments</b><br><input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks<br><input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration<br><input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40<br><input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____ |  |  |  |           |     |  |  |  |  |  |  |
| Simulator  | Serial #      | Lot #  | Expiration |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.050  |               |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.080  |               |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.200  |               |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| 0.080 DGS  | N/A           |  |            |  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| Notes/Suggested Service: _____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____  |               |  |            | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use              |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| Israel Soto<br><small>Digitally signed by Israel Soto<br/>Date: 2023.06.08 14:39:09<br/>+0400</small>  |               |  |            | Phil Nicodemo<br><small>Digitally signed by Phil<br/>Nicodemo<br/>Date: 2023.06.09 13:16:53 -0400</small>  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |
| Tech Review / Date   |               |  |            | Admin Review / Date  |  |          |            |           |               |                       |        |             |                       |       |        |                       |           |       |                        |  |     |  |  |  |  |  |  |           |     |  |  |  |  |  |  |



| Type of Test | Serial Number | Agency             | Date       | Performed By  |
|--------------|---------------|--------------------|------------|---------------|
| Stabilities  | 80-006939     | Port Lauderdale PD | 06/08/2023 | TDG <i>MG</i> |

| 0.05g/210L   | 0.08g/210L   | 0.20g/210L   | DGS 0.08g/210L   |
|--|--|--|--|
| 0.047 to 0.053   | 0.077 to 0.083   | 0.194 to 0.206   | 0.077 to 0.083   |
| ✓  | ✓  | ✓  | ✓  |
| <p>FORT LAUDERDALE PD<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000<br/>06/08/2023<br/>SN 80-006939<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:39</p> <p>Control Test 0.049 09:39</p> <p>Air Blank 0.000 09:40</p> <p>Control Test 0.049 09:40</p> <p>Air Blank 0.000 09:41</p> <p>Control Test 0.049 09:42</p> <p>Air Blank 0.000 09:42</p> <p>Control Test Stats</p> <p>Average 0.0490</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p> | <p>FORT LAUDERDALE PD<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000<br/>06/08/2023<br/>SN 80-006939<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:48</p> <p>Control Test 0.079 09:49</p> <p>Air Blank 0.000 09:49</p> <p>Control Test 0.079 09:50</p> <p>Air Blank 0.000 09:50</p> <p>Control Test 0.079 09:51</p> <p>Air Blank 0.000 09:52</p> <p>Control Test Stats</p> <p>Average 0.0790</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p> | <p>FORT LAUDERDALE PD<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000<br/>06/08/2023<br/>SN 80-006939<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:54</p> <p>Control Test 0.200 09:55</p> <p>Air Blank 0.000 09:56</p> <p>Control Test 0.200 09:56</p> <p>Air Blank 0.000 09:57</p> <p>Control Test 0.200 09:58</p> <p>Air Blank 0.000 09:58</p> <p>Control Test Stats</p> <p>Average 0.2000</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p> | <p><i>DGS</i></p> <p>FORT LAUDERDALE PD<br/>Intoxilyzer - Alcohol Analyzer<br/>Model 8000<br/>06/08/2023<br/>SN 80-006939<br/>Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 09:59</p> <p>Control Test 0.078 10:00</p> <p>Air Blank 0.000 10:00</p> <p>Control Test 0.078 10:01</p> <p>Air Blank 0.000 10:01</p> <p>Control Test 0.079 10:02</p> <p>Air Blank 0.000 10:02</p> <p>Control Test Stats</p> <p>Average 0.0783</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.7370</p> |
| <p><i>MG</i></p> <p>Operator's Signature</p>   | <p><i>MG</i></p> <p>Operator's Signature</p>   | <p><i>MG</i></p> <p>Operator's Signature</p>   | <p><i>MG</i></p> <p>Operator's Signature</p>   |

Comments:

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FORT LAUDERDALE PD  
Time of Inspection: 11:54

Date of Inspection: 06/08/2023

Serial Number: 80-006939  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|--|-----|----|---|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202201C<br>Exp: 01/11/2024 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202201D<br>Exp: 01/18/2024 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202201E<br>Exp: 01/18/2024 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG223802<br>Exp: 08/26/2024 |
|----------------------------------|--|--|--|---|
| 0.000                            | 0.049  | 0.079  | 0.200  | 0.078   |
| 0.000                            | 0.050  | 0.079  | 0.200  | 0.078   |
| 0.000                            | 0.050  | 0.079  | 0.200  | 0.078   |
| 0.000                            | 0.050  | 0.079  | 0.201  | 0.078   |
| 0.000                            | 0.050  | 0.079  | 0.201  | 0.078   |
| 0.000                            | 0.050  | 0.079  | 0.200  | 0.078   |
| 0.000                            | 0.050  | 0.079  | 0.200  | 0.078   |
| 0.000                            | 0.049  | 0.079  | 0.201  | 0.078   |
| 0.000                            | 0.050  | 0.079  | 0.200  | 0.078   |
| 0.000                            | 0.050  | 0.079  | 0.201  | 0.079   |


|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0004 | 0.0000 | 0.0005 | 0.0003 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.


I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

  
\_\_\_\_\_  
Signature and Printed Name

TAYLOR D GUTSCHOW

06/08/2023  
Date





# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
4700 Terminal Drive, Suite 1  
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006939, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                           |                                      |
|-------------------|---------------------------|--------------------------------------|
| Serial Number:    | <u>80-006939</u>          | UNCERTAINTY* $\pm$                   |
| Owning Agency:    | <u>FORT LAUDERDALE PD</u> | 0.050 g/ 210 L 0.004                 |
| Calibration Date: | <u>06/08/2023</u>         | 0.080 g/ 210 L 0.004                 |
| Calibration Time: | <u>11:54</u>              | 0.200 g/ 210 L 0.007                 |
|                   |                           | 0.080 g/ 210 L Dry Gas Control 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.  
\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.  
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

  
TAYLOR D GUTSCHOW,  
Department Inspector

Date  
06/08/2023

FDLE/ATP Form 69 December 2021  
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality