



INSTRUMENT PROCESSING SHEET

Agency Groveland PD

S/N 80-007252

Florida Department of Law Enforcement

Date In 08/07/2023 DI Completion Date 08/14/2023

Ship  P/U  H/D  CMI  EE

<b>Intake</b> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Return from CMI / EE  Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight  Other Equipment/ Accessories: <input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable  Notes: Also shipped with a DGS regulator valve	<b>Quality Checks</b> By TDG _____ Date <u>08/14/2023</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>232</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.167</u> (.139 - .169) 36 mm <u>0.187</u> (.156 - .190) 53 mm <u>0.257</u> (.228 - .278) 103 mm <u>0.519</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>26932</u> <input checked="" type="checkbox"/> Stability Checks	<b>Flow Calibration</b> By _____ Date _____ Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)															
	<table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5094</td> <td>202201C 01/11/2024</td> </tr> <tr> <td>0.080</td> <td>MP5095</td> <td>202201D 01/18/2024</td> </tr> <tr> <td>0.200</td> <td>MP5096</td> <td>202201E 01/18/2024</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG223802 08/26/2024</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP5094	202201C 01/11/2024	0.080	MP5095	202201D 01/18/2024	0.200	MP5096	202201E 01/18/2024	0.080 DGS	N/A	AG223802 08/26/2024	<b>Maintenance</b> By _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____
Simulator	Serial #	Lot #/Exp															
0.050	MP5094	202201C 01/11/2024															
0.080	MP5095	202201D 01/18/2024															
0.200	MP5096	202201E 01/18/2024															
0.080 DGS	N/A	AG223802 08/26/2024															

<b>Calibration Adjustment</b> By _____ Barometric Pressure Gauge _____ ID # _____ <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			<b>Department Inspection</b> By TDG _____ Barometric Pressure ID# <u>26932</u> Gauge <u>1017</u> Instrument <u>1016</u> Mouth Alcohol Solution Lot # <u>2021-D</u> Acetone Stock Solution Lot # <u>2022-B</u> <table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5092</td> </tr> <tr> <td>Interferent</td> <td>MP5093</td> </tr> <tr> <td>0.050</td> <td>MP5094</td> </tr> <tr> <td>0.080</td> <td>MP5095</td> </tr> <tr> <td>0.200</td> <td>MP5096</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP5092	Interferent	MP5093	0.050	MP5094	0.080	MP5095	0.200	MP5096
Simulator	Serial #	Lot #	Expiration																																																										
0.000		N/A	N/A																																																										
0.040																																																													
0.100																																																													
0.200																																																													
0.300																																																													
0.080 DGS	N/A																																																												
Simulator	Serial #	Lot #	Expiration																																																										
0.050																																																													
0.080																																																													
0.200																																																													
0.080 DGS	N/A																																																												
Simulator	Serial Number																																																												
0.000	MP5092																																																												
Interferent	MP5093																																																												
0.050	MP5094																																																												
0.080	MP5095																																																												
0.200	MP5096																																																												
	<b>Attachments</b> <input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40 <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____																																																												

Notes/Suggested Service: _____ _____ _____ _____	<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use
Benjamin Siddoway Digitally signed by Benjamin Siddoway Date: 2023.08.14 14:22:16 -0400	Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2023.08.18 12:51:58 -0400
Tech Review / Date _____	Admin Review / Date _____

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-007252	Groveland PD	08/14/2023	TDG MG

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083

<p>GROVELAND PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007252 08/14/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 10:40</p> <p>Control Test 0.047 10:40</p> <p>Air Blank 0.000 10:41</p> <p>Control Test 0.048 10:42</p> <p>Air Blank 0.000 10:42</p> <p>Control Test 0.048 10:43</p> <p>Air Blank 0.000 10:43</p> <p>Control Test Stats</p> <p>Average 0.0477</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 1.2112</p> <p>Operator's Signature <i>MG</i></p>	<p>GROVELAND PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007252 08/14/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 10:46</p> <p>Control Test 0.078 10:47</p> <p>Air Blank 0.000 10:47</p> <p>Control Test 0.078 10:48</p> <p>Air Blank 0.000 10:48</p> <p>Control Test 0.077 10:49</p> <p>Air Blank 0.000 10:50</p> <p>Control Test Stats</p> <p>Average 0.0777</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.7434</p> <p>Operator's Signature <i>MG</i></p>	<p>GROVELAND PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007252 08/14/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 10:54</p> <p>Control Test 0.198 10:55</p> <p>Air Blank 0.000 10:55</p> <p>Control Test 0.198 10:56</p> <p>Air Blank 0.000 10:56</p> <p>Control Test 0.199 10:57</p> <p>Air Blank 0.000 10:58</p> <p>Control Test Stats</p> <p>Average 0.1983</p> <p>Std Dev 0.0006</p> <p>Rel Std Dev(%) 0.2911</p> <p>Operator's Signature <i>MG</i></p>	<p>GROVELAND PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007252 08/14/2023 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 10:28</p> <p>Control Test 0.077 10:28</p> <p>Air Blank 0.000 10:29</p> <p>Control Test 0.077 10:29</p> <p>Air Blank 0.000 10:30</p> <p>Control Test 0.077 10:30</p> <p>Air Blank 0.000 10:31</p> <p>Control Test Stats</p> <p>Average 0.0770</p> <p>Std Dev 0.0000</p> <p>Rel Std Dev(%) 0.0000</p> <p>Operator's Signature <i>MG</i></p>
--	--	--	--

**Comments:**

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: GROVELAND PD  
Time of Inspection: 12:55

Date of Inspection: 08/14/2023

Serial Number: 80-007252  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG223802 Exp: 08/26/2024
0.000	0.048	0.077	0.198	0.078
0.000	0.048	0.077	0.198	0.077
0.000	0.048	0.078	0.198	0.078
0.000	0.048	0.078	0.199	0.078
0.000	0.048	0.077	0.199	0.078
0.000	0.048	0.077	0.198	0.077
0.000	0.048	0.077	0.199	0.077
0.000	0.048	0.077	0.199	0.078
0.000	0.048	0.077	0.199	0.078
0.000	0.048	0.077	0.199	0.078

Standard Deviations	0.0000	0.0004	0.0005	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (  ) does not comply (  ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

  
 \_\_\_\_\_  
 Signature and Printed Name

TAYLOR D GUTSCHOW

08/14/2023  
 Date



Florida Department of Law Enforcement  
 Alcohol Testing Program  
 4700 Terminal Drive, Suite 1  
 Ft. Myers, FL 33907

# Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007252, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-007252</u>	UNCERTAINTY* ±	
Owning Agency:	<u>GROVELAND PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>08/14/2023</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>12:55</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.  
 Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.  
 \*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).  
 The instrument results before and after any adjustment are found in the associated pre and post stability checks.

### TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.  
 This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

*Taylor D Gutschow*  
 TAYLOR D GUTSCHOW,  
 Department Inspector

08/14/2023  
 Date

FDLE/ATP Form 69 December 2021  
 Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality



# INSTRUMENT PROCESSING SHEET

Agency Groveland PDS/N 80-007252Florida Department of  
Law EnforcementDate In 12/21/2022 DI Completion Date 01/24/2023 Ship  P/U  H/D  CMI  EE

Intake	By TDG	Quality Checks	By TDG	Date <u>01/09/2023</u>	Flow Calibration	By	Date																																																																																																						
<input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE  Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight  Other Equipment/ Accessories: <input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable  Notes: <u>AI reports a dry gas leak and sent a replacement valve purchased from CMI</u>		<input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>238</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.148</u> (.139 - .169) 36 mm <u>0.167</u> (.156 - .190) 53 mm <u>0.246</u> (.228 - .278) 103 mm <u>0.507</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>68639</u> <input checked="" type="checkbox"/> Stability Checks			Flow Column # _____ <input type="checkbox"/> 5L/min – 17mm <input type="checkbox"/> 15L/min – 53mm <input type="checkbox"/> 30L/min – 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																																																																																								
				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5092</td> <td>202201C 01/11/2024</td> </tr> <tr> <td>0.080</td> <td>MP5093</td> <td>202201D 01/18/2024</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> <td>202201E 01/18/2024</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>00521080A2 02/05/2023</td> </tr> </tbody> </table>		Simulator	Serial #	Lot #/Exp	0.050	MP5092	202201C 01/11/2024	0.080	MP5093	202201D 01/18/2024	0.200	MP5094	202201E 01/18/2024	0.080 DGS	N/A	00521080A2 02/05/2023	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Maintenance</th> <th>By TDG</th> </tr> </thead> <tbody> <tr> <td> <input type="checkbox"/> Battery Replacement  <input checked="" type="checkbox"/> Dry Gas Regulator Replacement  <input type="checkbox"/> Breath Tube Replacement  <input checked="" type="checkbox"/> Other <u>Tank sensor tare</u> </td> <td></td> </tr> <tr> <td colspan="2"> <u>Replaced dry gas regulator and tared tank sensor prior to Quality Checks on 1/9. (TDG)</u> </td> </tr> </tbody> </table>		Maintenance	By TDG	<input type="checkbox"/> Battery Replacement <input checked="" type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input checked="" type="checkbox"/> Other <u>Tank sensor tare</u>		<u>Replaced dry gas regulator and tared tank sensor prior to Quality Checks on 1/9. (TDG)</u>																																																																																		
Simulator	Serial #	Lot #/Exp																																																																																																											
0.050	MP5092	202201C 01/11/2024																																																																																																											
0.080	MP5093	202201D 01/18/2024																																																																																																											
0.200	MP5094	202201E 01/18/2024																																																																																																											
0.080 DGS	N/A	00521080A2 02/05/2023																																																																																																											
Maintenance	By TDG																																																																																																												
<input type="checkbox"/> Battery Replacement <input checked="" type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input checked="" type="checkbox"/> Other <u>Tank sensor tare</u>																																																																																																													
<u>Replaced dry gas regulator and tared tank sensor prior to Quality Checks on 1/9. (TDG)</u>																																																																																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Calibration Adjustment</th> <th>By</th> </tr> </thead> <tbody> <tr> <td>Barometric Pressure Gauge _____ ID # _____</td> <td></td> </tr> <tr> <td> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td colspan="2"> <input type="checkbox"/> Post Calibration Adjustment Stability Checks           <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td colspan="2"> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Department Inspection</th> <th>By TDG</th> </tr> </thead> <tbody> <tr> <td>Barometric Pressure ID# <u>28663</u></td> <td></td> </tr> <tr> <td>Gauge <u>1021</u> Instrument <u>1019</u></td> <td></td> </tr> <tr> <td>Mouth Alcohol Solution Lot # <u>2021-D</u></td> <td></td> </tr> <tr> <td>Acetone Stock Solution Lot # <u>2021-C</u></td> <td></td> </tr> <tr> <td> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5095</td> </tr> <tr> <td>Interferent</td> <td>MP5097</td> </tr> <tr> <td>0.050</td> <td>MP5092</td> </tr> <tr> <td>0.080</td> <td>MP5093</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td colspan="2"> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input type="checkbox"/> Form 40  <input type="checkbox"/> Other _____             </td> </tr> </tbody> </table> </td> </tr> </tbody> </table> </td> <td colspan="2"> <p>Notes/Suggested Service: <u>Detected a dry gas leak on 1/23 after the regulator valve had been replaced. Conducted successful Department Inspection on 1/24. Will return instrument/regulators to agency but advise to send to CMI to evaluate the leak. (TDG)</u></p> </td> <td colspan="2"> <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC  <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC  <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use  <input type="checkbox"/> Remain Out of Evidentiary Use  <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use         </td> </tr> <tr> <td colspan="4">           Israel Soto <small>Digitally signed by Israel Soto Date: 2023.02.17 07:39:42 -05'00'</small> </td> <td colspan="4">           Phil Nicodemmo <small>Digitally signed by Phil Nicodemmo Date: 2023.02.17 10:48:06 -05'00'</small> </td> </tr> <tr> <td colspan="4">Tech Review / Date</td> <td colspan="4">Admin Review / Date</td> </tr> </tbody> </table>				Calibration Adjustment	By	Barometric Pressure Gauge _____ ID # _____		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A				<input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Department Inspection</th> <th>By TDG</th> </tr> </thead> <tbody> <tr> <td>Barometric Pressure ID# <u>28663</u></td> <td></td> </tr> <tr> <td>Gauge <u>1021</u> Instrument <u>1019</u></td> <td></td> </tr> <tr> <td>Mouth Alcohol Solution Lot # <u>2021-D</u></td> <td></td> </tr> <tr> <td>Acetone Stock Solution Lot # <u>2021-C</u></td> <td></td> </tr> <tr> <td> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5095</td> </tr> <tr> <td>Interferent</td> <td>MP5097</td> </tr> <tr> <td>0.050</td> <td>MP5092</td> </tr> <tr> <td>0.080</td> <td>MP5093</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td colspan="2"> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input type="checkbox"/> Form 40  <input type="checkbox"/> Other _____             </td> </tr> </tbody> </table> </td> </tr> </tbody> </table>		Department Inspection	By TDG	Barometric Pressure ID# <u>28663</u>		Gauge <u>1021</u> Instrument <u>1019</u>		Mouth Alcohol Solution Lot # <u>2021-D</u>		Acetone Stock Solution Lot # <u>2021-C</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5095</td> </tr> <tr> <td>Interferent</td> <td>MP5097</td> </tr> <tr> <td>0.050</td> <td>MP5092</td> </tr> <tr> <td>0.080</td> <td>MP5093</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP5095	Interferent	MP5097	0.050	MP5092	0.080	MP5093	0.200	MP5094		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input type="checkbox"/> Form 40  <input type="checkbox"/> Other _____             </td> </tr> </tbody> </table>		Attachments	<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input type="checkbox"/> Other _____	<p>Notes/Suggested Service: <u>Detected a dry gas leak on 1/23 after the regulator valve had been replaced. Conducted successful Department Inspection on 1/24. Will return instrument/regulators to agency but advise to send to CMI to evaluate the leak. (TDG)</u></p>		<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use		Israel Soto <small>Digitally signed by Israel Soto Date: 2023.02.17 07:39:42 -05'00'</small>				Phil Nicodemmo <small>Digitally signed by Phil Nicodemmo Date: 2023.02.17 10:48:06 -05'00'</small>				Tech Review / Date				Admin Review / Date			
Calibration Adjustment	By																																																																																																												
Barometric Pressure Gauge _____ ID # _____																																																																																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A																																																																																			
Simulator	Serial #	Lot #	Expiration																																																																																																										
0.000		N/A	N/A																																																																																																										
0.040																																																																																																													
0.100																																																																																																													
0.200																																																																																																													
0.300																																																																																																													
0.080 DGS	N/A																																																																																																												
<input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Department Inspection</th> <th>By TDG</th> </tr> </thead> <tbody> <tr> <td>Barometric Pressure ID# <u>28663</u></td> <td></td> </tr> <tr> <td>Gauge <u>1021</u> Instrument <u>1019</u></td> <td></td> </tr> <tr> <td>Mouth Alcohol Solution Lot # <u>2021-D</u></td> <td></td> </tr> <tr> <td>Acetone Stock Solution Lot # <u>2021-C</u></td> <td></td> </tr> <tr> <td> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5095</td> </tr> <tr> <td>Interferent</td> <td>MP5097</td> </tr> <tr> <td>0.050</td> <td>MP5092</td> </tr> <tr> <td>0.080</td> <td>MP5093</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> </tr> </tbody> </table> </td> <td></td> </tr> <tr> <td colspan="2"> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input type="checkbox"/> Form 40  <input type="checkbox"/> Other _____             </td> </tr> </tbody> </table> </td> </tr> </tbody> </table>		Department Inspection	By TDG	Barometric Pressure ID# <u>28663</u>		Gauge <u>1021</u> Instrument <u>1019</u>		Mouth Alcohol Solution Lot # <u>2021-D</u>		Acetone Stock Solution Lot # <u>2021-C</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5095</td> </tr> <tr> <td>Interferent</td> <td>MP5097</td> </tr> <tr> <td>0.050</td> <td>MP5092</td> </tr> <tr> <td>0.080</td> <td>MP5093</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP5095	Interferent	MP5097	0.050	MP5092	0.080	MP5093	0.200	MP5094		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input type="checkbox"/> Form 40  <input type="checkbox"/> Other _____             </td> </tr> </tbody> </table>		Attachments	<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input type="checkbox"/> Other _____	<p>Notes/Suggested Service: <u>Detected a dry gas leak on 1/23 after the regulator valve had been replaced. Conducted successful Department Inspection on 1/24. Will return instrument/regulators to agency but advise to send to CMI to evaluate the leak. (TDG)</u></p>		<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use																																																							
Simulator	Serial #	Lot #	Expiration																																																																																																										
0.050																																																																																																													
0.080																																																																																																													
0.200																																																																																																													
0.080 DGS	N/A																																																																																																												
Department Inspection	By TDG																																																																																																												
Barometric Pressure ID# <u>28663</u>																																																																																																													
Gauge <u>1021</u> Instrument <u>1019</u>																																																																																																													
Mouth Alcohol Solution Lot # <u>2021-D</u>																																																																																																													
Acetone Stock Solution Lot # <u>2021-C</u>																																																																																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5095</td> </tr> <tr> <td>Interferent</td> <td>MP5097</td> </tr> <tr> <td>0.050</td> <td>MP5092</td> </tr> <tr> <td>0.080</td> <td>MP5093</td> </tr> <tr> <td>0.200</td> <td>MP5094</td> </tr> </tbody> </table>	Simulator	Serial Number	0.000	MP5095	Interferent	MP5097	0.050	MP5092	0.080	MP5093	0.200	MP5094																																																																																																	
Simulator	Serial Number																																																																																																												
0.000	MP5095																																																																																																												
Interferent	MP5097																																																																																																												
0.050	MP5092																																																																																																												
0.080	MP5093																																																																																																												
0.200	MP5094																																																																																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               <input type="checkbox"/> Post-Stability Checks  <input type="checkbox"/> Flow Calibration  <input type="checkbox"/> Form 40  <input type="checkbox"/> Other _____             </td> </tr> </tbody> </table>		Attachments	<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input type="checkbox"/> Other _____																																																																																																										
Attachments																																																																																																													
<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input type="checkbox"/> Other _____																																																																																																													
Israel Soto <small>Digitally signed by Israel Soto Date: 2023.02.17 07:39:42 -05'00'</small>				Phil Nicodemmo <small>Digitally signed by Phil Nicodemmo Date: 2023.02.17 10:48:06 -05'00'</small>																																																																																																									
Tech Review / Date				Admin Review / Date																																																																																																									

Type of Test	Serial Number	Agency	Date	Performed By
Stabilities	80-007252	Graveland PD	01/09/2023	TDG MC

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083	≤0.003 of Wet																																																																																																																																																
<p>GROVELAND PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007252 01/09/2023 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:26</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:27</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:28</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:29</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0490</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p>MC Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	12:26	Control Test	0.049	12:26	Air Blank	0.000	12:27	Control Test	0.049	12:28	Air Blank	0.000	12:28	Control Test	0.049	12:29	Air Blank	0.000	12:29	Control Test Stats			Average	0.0490		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>GROVELAND PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007252 01/09/2023 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:33</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:34</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:34</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:35</td></tr> <tr><td>Control Test</td><td>0.078</td><td>12:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:36</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0787</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr> </tbody> </table> <p>MC Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	12:33	Control Test	0.079	12:33	Air Blank	0.000	12:34	Control Test	0.079	12:34	Air Blank	0.000	12:35	Control Test	0.078	12:36	Air Blank	0.000	12:36	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339		<p>GROVELAND PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007252 01/09/2023 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:40</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:40</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:41</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:42</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:43</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1987</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2906</td><td></td></tr> </tbody> </table> <p>MC Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	12:40	Control Test	0.199	12:40	Air Blank	0.000	12:41	Control Test	0.198	12:42	Air Blank	0.000	12:42	Control Test	0.199	12:43	Air Blank	0.000	12:43	Control Test Stats			Average	0.1987		Std Dev	0.0006		Rel Std Dev(%)	0.2906		<p style="text-align: center;">DGS</p> <p>GROVELAND PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007252 01/09/2023 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>11:39</td></tr> <tr><td>Control Test</td><td>0.079</td><td>11:39</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:40</td></tr> <tr><td>Control Test</td><td>0.080</td><td>11:40</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:41</td></tr> <tr><td>Control Test</td><td>0.079</td><td>11:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:41</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> <p>MC Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	11:39	Control Test	0.079	11:39	Air Blank	0.000	11:40	Control Test	0.080	11:40	Air Blank	0.000	11:41	Control Test	0.079	11:41	Air Blank	0.000	11:41	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277		
Test	g/210L	Time																																																																																																																																																		
Air Blank	0.000	12:26																																																																																																																																																		
Control Test	0.049	12:26																																																																																																																																																		
Air Blank	0.000	12:27																																																																																																																																																		
Control Test	0.049	12:28																																																																																																																																																		
Air Blank	0.000	12:28																																																																																																																																																		
Control Test	0.049	12:29																																																																																																																																																		
Air Blank	0.000	12:29																																																																																																																																																		
Control Test Stats																																																																																																																																																				
Average	0.0490																																																																																																																																																			
Std Dev	0.0000																																																																																																																																																			
Rel Std Dev(%)	0.0000																																																																																																																																																			
Test	g/210L	Time																																																																																																																																																		
Air Blank	0.000	12:33																																																																																																																																																		
Control Test	0.079	12:33																																																																																																																																																		
Air Blank	0.000	12:34																																																																																																																																																		
Control Test	0.079	12:34																																																																																																																																																		
Air Blank	0.000	12:35																																																																																																																																																		
Control Test	0.078	12:36																																																																																																																																																		
Air Blank	0.000	12:36																																																																																																																																																		
Control Test Stats																																																																																																																																																				
Average	0.0787																																																																																																																																																			
Std Dev	0.0006																																																																																																																																																			
Rel Std Dev(%)	0.7339																																																																																																																																																			
Test	g/210L	Time																																																																																																																																																		
Air Blank	0.000	12:40																																																																																																																																																		
Control Test	0.199	12:40																																																																																																																																																		
Air Blank	0.000	12:41																																																																																																																																																		
Control Test	0.198	12:42																																																																																																																																																		
Air Blank	0.000	12:42																																																																																																																																																		
Control Test	0.199	12:43																																																																																																																																																		
Air Blank	0.000	12:43																																																																																																																																																		
Control Test Stats																																																																																																																																																				
Average	0.1987																																																																																																																																																			
Std Dev	0.0006																																																																																																																																																			
Rel Std Dev(%)	0.2906																																																																																																																																																			
Test	g/210L	Time																																																																																																																																																		
Air Blank	0.000	11:39																																																																																																																																																		
Control Test	0.079	11:39																																																																																																																																																		
Air Blank	0.000	11:40																																																																																																																																																		
Control Test	0.080	11:40																																																																																																																																																		
Air Blank	0.000	11:41																																																																																																																																																		
Control Test	0.079	11:41																																																																																																																																																		
Air Blank	0.000	11:41																																																																																																																																																		
Control Test Stats																																																																																																																																																				
Average	0.0793																																																																																																																																																			
Std Dev	0.0006																																																																																																																																																			
Rel Std Dev(%)	0.7277																																																																																																																																																			

**Comments:**

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: GROVELAND PD  
Time of Inspection: 14:53

Date of Inspection: 01/24/2023

Serial Number: 80-007252  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202201C Exp: 01/11/2024	0.08g/210L Test (g/210L) Lot#:202201D Exp: 01/18/2024	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:00521080A2 Exp: 02/05/2023
0.000	0.048	0.077	0.197	0.078
0.000	0.049	0.077	0.197	0.078
0.000	0.048	0.077	0.198	0.078
0.000	0.049	0.077	0.198	0.078
0.000	0.048	0.077	0.198	0.078
0.000	0.048	0.077	0.197	0.078
0.000	0.048	0.077	0.198	0.078
0.000	0.048	0.077	0.198	0.078
0.000	0.048	0.077	0.198	0.078
0.000	0.048	0.077	0.198	0.078
0.000	0.048	0.077	0.198	0.078

Standard Deviations	0.0004	0.0000	0.0004	0.0000
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0002 Number of Simulators Used: 5

Remarks:

The above instrument complies (  ) does not comply (  ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

01/24/2023  
Date



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
4700 Terminal Drive, Suite 1  
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007252 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-007252</u>	UNCERTAINTY* ±	
Owning Agency:	<u>GROVELAND PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>01/24/2023</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>14:53</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after an adjustment are found in the associated pre and post stability checks.

### TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

01/24/2023

Date

TAYLOR D GUTSCHOW,  
Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality