



Agency Franklin County Sheriff's Office

S/N 80-000952

Date In 7/13/2023

DI Completion Date 08-08-2023

Sh

☐ P/U

☐ H/D

Intake	By	BS	Quality Checks	By	BS	Date	8/8/2023	Flow Calibration	By	BS	Date														
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____			☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>215</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP102</u> 32 mm <u>0.156</u> (.139 - .169) 36 mm <u>0.171</u> (.156 - .190) 53 mm <u>0.242</u> (.228 - .278) 103 mm <u>0.511</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>28421</u> ☒ Stability Checks					Flow Column # _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																	
			<table border="1"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5088</td> <td>202303K 3/29/2025</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> <td>202303L 3/29/2025</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>202304C 4/5/2025</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>06723080A5 4/5/2025</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP5088	202303K 3/29/2025	0.080	MP5089	202303L 3/29/2025	0.200	MP5090	202304C 4/5/2025	0.080 DGS	N/A	06723080A5 4/5/2025					Maintenance By _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____ _____ _____ _____ _____ _____		
Simulator	Serial #	Lot #/Exp																							
0.050	MP5088	202303K 3/29/2025																							
0.080	MP5089	202303L 3/29/2025																							
0.200	MP5090	202304C 4/5/2025																							
0.080 DGS	N/A	06723080A5 4/5/2025																							

Calibration Adjustment		By _____	
Barometric Pressure Gauge _____		ID # _____	
Simulator	Serial #	Lot #	Expiration
0.000		N/A	N/A
0.040			
0.100			
0.200			
0.300			
0.080 DGS	N/A		

☐ Post Calibration Adjustment Stability Checks

Simulator	Serial #	Lot #	Expiration
0.050			
0.080			
0.200			
0.080 DGS	N/A		

Notes/Suggested Service: AI notes that modem gets no dial tone. Modem diagnostic test result OK. BS

Instrument displays "No dial tone" on working phone line. Sending instrument to repair. IS

Department Inspection		By IS _____	
Barometric Pressure ID# 30793			
Gauge 1013	Instrument 1008		
Mouth Alcohol Solution Lot # 2023-A			
Acetone Stock Solution Lot # 2022-B			

Simulator	Serial Number
0.000	MP6289
Interferent	MP6290
0.050	MP6291
0.080	MP6292
0.200	MP6293

Attachments	
☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Calibration Adjustment	☐ Post-Stability Checks ☐ Flow Calibration ☐ Form 40 ☒ Other Form 51

☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☐ Return to/Place into Evidentiary Use ☒ Remain Out of Evidentiary Use ☐ Conduct an Agency Inspection Before Evidentiary Use
--

Taylor
Gutschow
Digitally signed by Taylor Gutschow
Date: 2024.01.25 09:42:06 -05'00'

Phil Nicodemo
Digitally signed by Phil Nicodemo
Date: 2024.01.25 11:51:49 -05'00'

Tech Review / Date _____

Admin Review / Date _____

Stability Checks

FRANKLIN COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000952
08/08/2023
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:42
Control Test	0.049	08:42
Air Blank	0.000	08:43
Control Test	0.050	08:44
Air Blank	0.000	08:44
Control Test	0.049	08:45
Air Blank	0.000	08:45
Control Test Stats		
Average	0.0493	
Std Dev	0.0006	
Rel Std Dev(%)	1.1703	

Benjamin Siddle
Operator's Signature

FRANKLIN COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000952
08/08/2023
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:20
Control Test	0.080	08:20
Air Blank	0.000	08:21
Control Test	0.079	08:21
Air Blank	0.000	08:22
Control Test	0.080	08:23
Air Blank	0.000	08:23
Control Test Stats		
Average	0.0797	
Std Dev	0.0006	
Rel Std Dev(%)	0.7247	

Benjamin Siddle
Operator's Signature

FRANKLIN COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000952
08/08/2023
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:30
Control Test	0.202	08:30
Air Blank	0.000	08:31
Control Test	0.200	08:31
Air Blank	0.000	08:32
Control Test	0.200	08:33
Air Blank	0.000	08:33
Control Test Stats		
Average	0.2007	
Std Dev	0.0012	
Rel Std Dev(%)	0.5754	

Benjamin Siddle
Operator's Signature

FRANKLIN COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000952
08/08/2023
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:35
Control Test	0.079	08:35
Air Blank	0.000	08:36
Control Test	0.079	08:36
Air Blank	0.000	08:36
Control Test	0.078	08:37
Air Blank	0.000	08:37
Control Test Stats		
Average	0.0787	
Std Dev	0.0006	
Rel Std Dev(%)	0.7339	

DGS

Benjamin Siddle
Operator's Signature

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT – INTOXILYZER 8000

Agency: FRANKLIN COUNTY SO
Time of Inspection: 15:09

Date of Inspection: 08/08/2023

Serial Number: 80-000952
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202201E Exp: 01/18/2024	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:06723080A5 Exp: 04/05/2025
0.000	0.049	0.081	0.203	0.078
0.000	0.050	0.080	0.203	0.079
0.000	0.049	0.080	0.202	0.078
0.000	0.049	0.080	0.203	0.078
0.000	0.050	0.080	0.203	0.078
0.000	0.049	0.080	0.203	0.078
0.000	0.050	0.080	0.202	0.078
0.000	0.050	0.080	0.203	0.079
0.000	0.049	0.079	0.203	0.078
0.000	0.049	0.080	0.203	0.078


Standard Deviations	0.0005	0.0004	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

 ISRAEL SOTO
Signature and Printed Name

08/08/2023
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road.
Suite B1032
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000952, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000952</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>FRANKLIN COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>08/08/2023</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>15:09</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Israel Soto
Soto
Date: 2023.08.08 16:09:16
-04'00'

Date

ISRAEL SOTO,
Department Inspector

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Return Material Authorization

Ship to: ☒ CMI, Inc.

☐ Enforcement Electronics

Shipment to repair facility authorized by: Fred Hening on 11-29-2023

Items Returned: Instrument ☒ Supplies ☐ Other ☐ Describe: _____

Instrument Model: Intoxilyzer 8000 Serial Number: 80-000952

Bill To Address:

Franklin County Sheriff's Office

Florida

Ship to Address:

FDLE Off-Site Mail Facility

c/o Florida Dept of Law Enforcement

Alcohol Testing Program

813 B Lake Bradford Road

Tallahassee, FL 32304

Reason for Return:

Instrument continually displays "No Dial Tone" when trying to upload via a working phone
line.

Please choose one of the following options:

☐ 1. I _____, authorize all repairs.

☐ 2. I _____, authorize repairs up to \$_____.

☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Fred Hening

Phone #: 850-445-8001 Email: fredrickhening@flhsmv.gov

ATP Contact Name: Israel Soto ATP Email: IsraelSoto@fdle.state.fl.us