



INSTRUMENT PROCESSING SHEET

Agency Hialeah PDS/N 80-000876Florida Department of
Law EnforcementDate In 05/09/2024 DI Completion Date 06/06/2024☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By TDG Date <u>05/17/2024</u>		Quality Checks By TDG Date <u>05/17/2024</u>		Flow Calibration By TDG Date <u>05/17/2024</u>																																																															
☒ Annual ☐ Registration ☒ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☒ Power cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____ _____ _____ _____ _____		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>130</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.140</u> (.139 - .169) 36 mm <u>0.156</u> (.156 - .190) 53 mm <u>0.226*</u> (.228 - .278) 103 mm <u>0.464</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>26932</u> ☒ Stability Checks <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202303K 03/29/2025</td></tr><tr><td>0.080</td><td>MP6287</td><td>202303L 03/29/2025</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C 04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>01923080A3 02/05/2025</td></tr></tbody></table>		Simulator	Serial #	Lot #/Exp	0.050	MP6286	202303K 03/29/2025	0.080	MP6287	202303L 03/29/2025	0.200	MP6288	202304C 04/05/2025	0.080 DGS	N/A	01923080A3 02/05/2025	Flow Column # <u>ATP106</u> ☒ 5L/min - 17mm ☒ 15L/min - 53mm ☒ 30L/min - 103mm ☒ R-Value <u>132</u> ☒ Post Calibration Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.156</u> (.139 - .169) 36 mm <u>0.164</u> (.156 - .190) 53 mm <u>0.234</u> (.228 - .278) 103 mm <u>0.496</u> (.447 - .547) Maintenance By _____ Date _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____ _____ _____ _____ _____																																																
Simulator	Serial #	Lot #/Exp																																																																	
0.050	MP6286	202303K 03/29/2025																																																																	
0.080	MP6287	202303L 03/29/2025																																																																	
0.200	MP6288	202304C 04/05/2025																																																																	
0.080 DGS	N/A	01923080A3 02/05/2025																																																																	
Calibration Adjustment By TDG				Department Inspection By TDG																																																															
Barometric Pressure Gauge <u>1012</u> ID # <u>28199</u> <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP5097</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP5098</td><td>23400</td><td>10/24/2025</td></tr><tr><td>0.100</td><td>MP5099</td><td>23390</td><td>10/17/2025</td></tr><tr><td>0.200</td><td>MP5100</td><td>23340</td><td>09/18/2025</td></tr><tr><td>0.300</td><td>MP5101</td><td>23070</td><td>03/06/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5</td><td>04/05/2025</td></tr></tbody></table> ☒ Post Calibration Adjustment Stability Checks <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202303K</td><td>03/29/2025</td></tr><tr><td>0.080</td><td>MP6287</td><td>202303L</td><td>03/29/2025</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C</td><td>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG222203</td><td>08/10/2024</td></tr></tbody></table>				Simulator	Serial #	Lot #	Expiration	0.000	MP5097	N/A	N/A	0.040	MP5098	23400	10/24/2025	0.100	MP5099	23390	10/17/2025	0.200	MP5100	23340	09/18/2025	0.300	MP5101	23070	03/06/2025	0.080 DGS	N/A	06723080A5	04/05/2025	Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202303K	03/29/2025	0.080	MP6287	202303L	03/29/2025	0.200	MP6288	202304C	04/05/2025	0.080 DGS	N/A	AG222203	08/10/2024	Barometric Pressure ID# <u>26932</u> Gauge <u>1011</u> Instrument <u>1011</u> Mouth Alcohol Solution Lot # <u>2023-A</u> Acetone Stock Solution Lot # <u>2023-B</u> <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP6287</td></tr><tr><td>0.200</td><td>MP6288</td></tr></tbody></table> Attachments <table border="1" style="width:100%"><tr><td>☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Calibration Adjustment</td><td>☒ Post-Stability Checks ☒ Flow Calibration ☒ Form 40 ☐ Other _____</td></tr></table> ☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2024.05.07 12:00:18 -0400 Shayla Platt Digitally signed by Shayla Platt Date: 2024.06.12 07:20:40 -0400 Tech Review / Date _____ Admin Review / Date _____		Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288	☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Calibration Adjustment	☒ Post-Stability Checks ☒ Flow Calibration ☒ Form 40 ☐ Other _____
Simulator	Serial #	Lot #	Expiration																																																																
0.000	MP5097	N/A	N/A																																																																
0.040	MP5098	23400	10/24/2025																																																																
0.100	MP5099	23390	10/17/2025																																																																
0.200	MP5100	23340	09/18/2025																																																																
0.300	MP5101	23070	03/06/2025																																																																
0.080 DGS	N/A	06723080A5	04/05/2025																																																																
Simulator	Serial #	Lot #	Expiration																																																																
0.050	MP6286	202303K	03/29/2025																																																																
0.080	MP6287	202303L	03/29/2025																																																																
0.200	MP6288	202304C	04/05/2025																																																																
0.080 DGS	N/A	AG222203	08/10/2024																																																																
Simulator	Serial Number																																																																		
0.000	MP6284																																																																		
Interferent	MP6285																																																																		
0.050	MP6286																																																																		
0.080	MP6287																																																																		
0.200	MP6288																																																																		
☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Calibration Adjustment	☒ Post-Stability Checks ☒ Flow Calibration ☒ Form 40 ☐ Other _____																																																																		
Notes/Suggested Service: *Flow value was outside the nominal range. (TDG) _____ Conducted discretionary optical cal adjustment. (TDG) _____ _____ _____ _____																																																																			

Flow Cal Adjust DLC

HIALEAH PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000676
05/17/2024
Software: 8100.27

Flow Rate Calibration*****

1: Rate (Liters/min) = 5

SQRT(Diff) = 6.555

2: Rate (Liters/min) = 15

SQRT(Diff) = 11.445

3: Rate (Liters/min) = 30

SQRT(Diff) = 20.949

Dependent Data Scale Factor = 100000 L/min

Independent Data Scale Factor = 256

Rounded Slope = 670

Rounded Intercept = -560131

Correlation = 0.99759

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083																																																																																																																																																
HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:03</td></tr><tr><td>Control Test</td><td>0.048</td><td>14:03</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:04</td></tr><tr><td>Control Test</td><td>0.047</td><td>14:05</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:05</td></tr><tr><td>Control Test</td><td>0.048</td><td>14:06</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:06</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0477</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.2112</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:03	Control Test	0.048	14:03	Air Blank	0.000	14:04	Control Test	0.047	14:05	Air Blank	0.000	14:05	Control Test	0.048	14:06	Air Blank	0.000	14:06	Control Test Stats			Average	0.0477		Std Dev	0.0006		Rel Std Dev(%)	1.2112		HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:39</td></tr><tr><td>Control Test</td><td>0.079</td><td>14:39</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:39</td></tr><tr><td>Control Test</td><td>0.078</td><td>14:40</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:41</td></tr><tr><td>Control Test</td><td>0.078</td><td>14:41</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:42</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0783</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7370</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:39	Control Test	0.079	14:39	Air Blank	0.000	14:39	Control Test	0.078	14:40	Air Blank	0.000	14:41	Control Test	0.078	14:41	Air Blank	0.000	14:42	Control Test Stats			Average	0.0783		Std Dev	0.0006		Rel Std Dev(%)	0.7370		HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:42</td></tr><tr><td>Control Test</td><td>0.198</td><td>13:43</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:43</td></tr><tr><td>Control Test</td><td>0.195</td><td>13:44</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:45</td></tr><tr><td>Control Test</td><td>0.194</td><td>13:46</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:46</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.1957</td><td></td></tr><tr><td>Std Dev</td><td>0.0021</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.0639</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	13:42	Control Test	0.198	13:43	Air Blank	0.000	13:43	Control Test	0.195	13:44	Air Blank	0.000	13:45	Control Test	0.194	13:46	Air Blank	0.000	13:46	Control Test Stats			Average	0.1957		Std Dev	0.0021		Rel Std Dev(%)	1.0639		HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:03																																																																																																																																																	
Control Test	0.048	14:03																																																																																																																																																	
Air Blank	0.000	14:04																																																																																																																																																	
Control Test	0.047	14:05																																																																																																																																																	
Air Blank	0.000	14:05																																																																																																																																																	
Control Test	0.048	14:06																																																																																																																																																	
Air Blank	0.000	14:06																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0477																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.2112																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:39																																																																																																																																																	
Control Test	0.079	14:39																																																																																																																																																	
Air Blank	0.000	14:39																																																																																																																																																	
Control Test	0.078	14:40																																																																																																																																																	
Air Blank	0.000	14:41																																																																																																																																																	
Control Test	0.078	14:41																																																																																																																																																	
Air Blank	0.000	14:42																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0783																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7370																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:42																																																																																																																																																	
Control Test	0.198	13:43																																																																																																																																																	
Air Blank	0.000	13:43																																																																																																																																																	
Control Test	0.195	13:44																																																																																																																																																	
Air Blank	0.000	13:45																																																																																																																																																	
Control Test	0.194	13:46																																																																																																																																																	
Air Blank	0.000	13:46																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1957																																																																																																																																																		
Std Dev	0.0021																																																																																																																																																		
Rel Std Dev(%)	1.0639																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:54</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7059</td><td></td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.000	14:54	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7059		065 ARC N slm slm HIALERH PD Intoxilyzer - Alcotest Analyzer Model 8000 05/17/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:52</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:52</td></tr><tr><td>Control Test</td><td>0.082</td><td>14:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:53</td></tr><tr><td>Control Test</td><td>0.081</td><td>14:54</td></tr><tr><td>Air Blank</td><td>0.00</td></tr></tbody></table>	Test	g/210L	Time	Air Blank	0.000	14:52	Control Test	0.081	14:52	Air Blank	0.000	14:52	Control Test	0.082	14:53	Air Blank	0.000	14:53	Control Test	0.081	14:54	Air Blank	0.00													
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.000	14:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7059																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.081	14:52																																																																																																																																																	
Air Blank	0.000	14:52																																																																																																																																																	
Control Test	0.082	14:53																																																																																																																																																	
Air Blank	0.000	14:53																																																																																																																																																	
Control Test	0.081	14:54																																																																																																																																																	
Air Blank	0.00																																																																																																																																																		

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: HIALEAH PD
Time of Inspection: 09:21

Date of Inspection: 06/06/2024

Serial Number: 80-000876
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:

Number of Simulators Used: _____

Remarks:

AI NOT CONDUCTED. BYPASSED TO BRING OUT OF DISABLED MODE.

Not determined *06/06/2024*

The above instrument complies (☒) does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Taylor D Gutschow

TAYLOR D GUTSCHOW

Signature and Printed Name

06/06/2024
Date

HIALER PD
Intoxilizer - Alcohol Analyzer
Model 8000
06/06/2024
SN 80-000876
09:27:22

Auto Calibration
Max Power Res Value = 85
Auto Range Res Value = 53

Sol Value = 0.000 g/210L ***
Fit value = 0.0000 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12558, Sum Io = 13473
<<<<< CHANNEL 1 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.0800 (-0.0170)
Sample #2 = 0.0950 (0.0240)
Sample #3 = 0.0760 (0.0160)
Sample #4 = 0.0650 (0.0540)
Avg % Abs = 0.0787 (0.0313)
STD DEV = 0.0152 (0.0200)
REL STD DEV = 19.292 (63.936)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.0990 (-0.0180)
Sample #2 = 0.0980 (0.0050)
Sample #3 = 0.1070 (0.0010)
Sample #4 = 0.0990 (0.0010)
Avg % Abs = 0.1013 (0.0023)
STD DEV = 0.0049 (0.0023)
REL STD DEV = 4.868 (98.974)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12552, Sum Io = 13470
<<<<< CHANNEL 1 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.8390 (-0.0110)
Sample #2 = 0.8330 (-0.0050)
Sample #3 = 0.7810 (0.0090)
Sample #4 = 0.8090 (0.0370)
Avg % Abs = 0.8077 (0.0137)
STD DEV = 0.0260 (0.0214)
REL STD DEV = 3.222 (156.478)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 1.5260 (-0.0120)
Sample #2 = 1.4730 (0.0340)
Sample #3 = 1.4860 (0.0250)
Sample #4 = 1.4760 (0.0470)
Avg % Abs = 1.4783 (0.0353)
STD DEV = 0.0068 (0.0111)
REL STD DEV = 0.460 (31.303)

Sol Value = 0.100 g/210L ***
Fit value = 0.4762 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12553, Sum Io = 13470
<<<<< CHANNEL 1 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 1.9170 (-0.0060)
Sample #2 = 1.8750 (0.0840)
Sample #3 = 1.8470 (0.0770)
Sample #4 = 1.8470 (0.1120)
Avg % Abs = 1.8563 (0.0910)
STD DEV = 0.0162 (0.0185)
REL STD DEV = 0.871 (20.352)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 3.5660 (0.0010)
Sample #2 = 3.4900 (0.1150)
Sample #3 = 3.4810 (0.1090)
Sample #4 = 3.4540 (0.1330)
Avg % Abs = 3.4750 (0.1190)
STD DEV = 0.0187 (0.0125)
REL STD DEV = 0.539 (10.496)

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12546, Sum Io = 13463
<<<<< CHANNEL 1 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 3.6770 (-0.0140)
Sample #2 = 3.5950 (0.0470)
Sample #3 = 3.5820 (0.1020)
Sample #4 = 3.5730 (0.1110)
Avg % Abs = 3.5833 (0.0967)
STD DEV = 0.0111 (0.0346)
REL STD DEV = 0.309 (39.976)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 6.8390 (-0.0260)
Sample #2 = 6.6700 (0.1450)
Sample #3 = 6.6450 (0.1810)
Sample #4 = 6.6550 (0.1700)
Avg % Abs = 6.6567 (0.1653)
STD DEV = 0.0126 (0.0184)
REL STD DEV = 0.189 (11.158)

Sol Value = 0.300 g/210L ***
Fit value = 1.4286 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12542, Sum Io = 13462
<<<<< CHANNEL 1 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 5.3930 (-0.0280)
Sample #2 = 5.2850 (0.1280)
Sample #3 = 5.2560 (0.1270)
Sample #4 = 5.3190 (0.1100)
Avg % Abs = 5.2867 (0.1217)
STD DEV = 0.0315 (0.0101)
REL STD DEV = 0.596 (8.315)

<<<<< CHANNEL 2 >>>>>
Sample % Abs (% Abs Ref)
Sample #1 = 9.9690 (0.0140)
Sample #2 = 9.7570 (0.2710)
Sample #3 = 9.7290 (0.2830)
Sample #4 = 9.7860 (0.2760)
Avg % Abs = 9.7573 (0.2767)
STD DEV = 0.0285 (0.0060)
REL STD DEV = 0.292 (2.179)

Sol Value = 0.020 g/210L ***
Fit value = 0.03 Rel Std Dev = 0.29
Zero Order Coef = -153.04
First Order Coef = 1384.95
Second Order Coef = 9.80
Standard Deviation = 16.938416

***** AUTO CAL DATA *****
<<<<< CHANNEL 1 >>>>>
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.079
Std Dev = 0.02 Rel Std Dev = 19.29
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 0.808
Std Dev = 0.03 Rel Std Dev = 3.22
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 1.856
Std Dev = 0.02 Rel Std Dev = 0.87
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 3.583
Std Dev = 0.01 Rel Std Dev = 0.31
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 5.287
Std Dev = 0.03 Rel Std Dev = 0.60
Zero Order Coef = -236.24
First Order Coef = 2655.61
Second Order Coef = 17.11
Standard Deviation = 17.037874

<<<<< CHANNEL 2 >>>>>
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.101
Std Dev = 0.00 Rel Std Dev = 4.87
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.478
Std Dev = 0.01 Rel Std Dev = 0.46
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.475
Std Dev = 0.02 Rel Std Dev = 0.54
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.657
Std Dev = 0.01 Rel Std Dev = 0.19
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.757
Std Dev = 0.03 Rel Std Dev = 0.29
Zero Order Coef = -153.04
First Order Coef = 1384.95
Second Order Coef = 9.80
Standard Deviation = 16.938416

Solution Stats Quadratic Fit Chan 2
Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 -0.0013
0.040 0.040 -0.0002
0.100 0.100 -0.0003
0.200 0.200 0.0005
0.300 0.300 -0.0002

Sol Value = 0.000 g/210L ***
Fit value = 0.3810 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 3185.00
Sample #2 = 3291.00
Sample #3 = 3305.00
Sample #4 = 3281.00
Average Result = 3252.3333
STD DEV = 12.6623
REL STD DEV = 0.385

***** CHANNEL 2 *****
Sample #1 = 3415.00
Sample #2 = 3429.00
Sample #3 = 3441.00
Sample #4 = 3423.00
Average Result = 3431.0000
STD DEV = 9.1652
REL STD DEV = 0.267

Dry Gas H2O Adjust Results *****
Barometric Pressure = 1011
3 um H2O Adjust (mg/l*10,000) = 517
9 um H2O Adjust (mg/l*10,000) = 378
***** AUTO CAL PASS *****

Solution Stats Quadratic Fit Chan 1
Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0004
0.040 -0.041 -0.0005
0.100 0.100 -0.0000
0.200 0.200 0.0003
0.300 0.300 -0.0001

Optical Calibration
Adjustment
By: TDG

Post-Cal Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
✓	✓	✓	✓
0.003 of Wet	0.003 of Wet	0.003 of Wet	0.003 of Wet
✓	✓	✓	✓
HiLEAH PD Intoxilyzer - Alcohol Analyzer Model 8000 06/06/2024 Software: 8100.27 SN 80-000876 Test g/210L Time Air Blank 0.000 10:31 Control Test 0.051 10:31 Air Blank 0.000 10:32 Control Test 0.050 10:33 Air Blank 0.000 10:33 Control Test 0.050 10:34 Air Blank 0.000 10:35 Control Test Stats Average 0.0503 Std Dev 0.0006 Rel Std Dev(%) 1.1471	HiLEAH PD Intoxilyzer - Alcohol Analyzer Model 8000 06/06/2024 Software: 8100.27 SN 80-000876 Test g/210L Time Air Blank 0.000 10:50 Control Test 0.081 10:51 Air Blank 0.000 10:51 Control Test 0.081 10:52 Air Blank 0.000 10:53 Control Test 0.081 10:53 Air Blank 0.000 10:54 Control Test Stats Average 0.0810 Std Dev 0.0000 Rel Std Dev(%) 0.0000	HiLEAH PD Intoxilyzer - Alcohol Analyzer Model 8000 06/06/2024 Software: 8100.27 SN 80-000876 Test g/210L Time Air Blank 0.000 10:42 Control Test 0.202 10:43 Air Blank 0.000 10:44 Control Test 0.202 10:44 Air Blank 0.000 10:45 Control Test 0.200 10:46 Air Blank 0.000 10:47 Control Test Stats Average 0.2007 Std Dev 0.0012 Rel Std Dev(%) 0.5754	HiLEAH PD Intoxilyzer - Alcohol Analyzer Model 8000 06/06/2024 Software: 8100.27 SN 80-000876 Test g/210L Time Air Blank 0.000 10:25 Control Test 0.080 10:25 Air Blank 0.000 10:25 Control Test 0.082 10:26 Air Blank 0.000 10:26 Control Test 0.081 10:26 Air Blank 0.000 10:27 Control Test Stats Average 0.0810 Std Dev 0.0010 Rel Std Dev(%) 1.2346
Operator's Signature 	Operator's Signature 	Operator's Signature 	Operator's Signature 

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HIALEAH PD
Time of Inspection: 14:09

Date of Inspection: 06/06/2024

Serial Number: 80-000876
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG222203 Exp: 08/10/2024
0.000	0.051	0.081	0.202	0.082
0.000	0.051	0.081	0.201	0.081
0.000	0.051	0.081	0.202	0.083
0.000	0.051	0.081	0.203	0.082
0.000	0.051	0.081	0.202	0.081
0.000	0.051	0.081	0.202	0.082
0.000	0.051	0.081	0.202	0.082
0.000	0.051	0.081	0.202	0.081
0.000	0.052	0.081	0.202	0.082
0.000	0.051	0.081	0.202	0.082


Standard Deviations	0.0003	0.0000	0.0004	0.0006
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

06/06/2024
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000876, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000876</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>HIALEAH PD</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>06/06/2024</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>14:09</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/06/2024

Date

Taylor D Gutschow

TAYLOR D GUTSCHOW,

Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality