



INSTRUMENT PROCESSING SHEET

Agency Fort Myers PDS/N 80-000914Florida Department of
Law EnforcementDate In 09/24/2024DI Completion Date 09/27/2024☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By TDG	Date	Quality Checks	By TDG	Date	Flow Calibration	By	Date																																								
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: <u>Dropped off.</u>		<u>09/24/2024</u>	☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>141</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.148</u> (.139 - .169) 36 mm <u>0.160</u> (.156 - .190) 53 mm <u>0.230</u> (.228 - .278) 103 mm <u>0.507</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>26932</u> ☒ Stability Checks		<u>09/24/2024</u>	Flow Column # _____ ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																										
			<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202303K 03/29/2025</td></tr><tr><td>0.080</td><td>MP6287</td><td>202303L 03/29/2025</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C 04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>01923080A3 02/05/2025</td></tr></tbody></table>	Simulator	Serial #	Lot #/Exp	0.050	MP6286	202303K 03/29/2025	0.080	MP6287	202303L 03/29/2025	0.200	MP6288	202304C 04/05/2025	0.080 DGS	N/A	01923080A3 02/05/2025																														
Simulator	Serial #	Lot #/Exp																																														
0.050	MP6286	202303K 03/29/2025																																														
0.080	MP6287	202303L 03/29/2025																																														
0.200	MP6288	202304C 04/05/2025																																														
0.080 DGS	N/A	01923080A3 02/05/2025																																														
Calibration Adjustment			By <u>TDG</u>		Department Inspection																																											
Barometric Pressure Gauge <u>28199</u> ID # <u>1012</u>					Barometric Pressure ID# <u>26932</u> Gauge <u>1009</u> Instrument <u>1009</u> Mouth Alcohol Solution Lot # <u>2023-A</u> Acetone Stock Solution Lot # <u>2023-B</u>																																											
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP5097</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP5098</td><td>23400</td><td>10/24/2025</td></tr><tr><td>0.100</td><td>MP5099</td><td>23390</td><td>10/17/2025</td></tr><tr><td>0.200</td><td>MP5100</td><td>24080</td><td>02/13/2026</td></tr><tr><td>0.300</td><td>MP5101</td><td>23070</td><td>03/06/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5</td><td>04/05/2025</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.000	MP5097	N/A	N/A	0.040	MP5098	23400	10/24/2025	0.100	MP5099	23390	10/17/2025	0.200	MP5100	24080	02/13/2026	0.300	MP5101	23070	03/06/2025	0.080 DGS	N/A	06723080A5	04/05/2025			<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP6287</td></tr><tr><td>0.200</td><td>MP6288</td></tr></tbody></table>				Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288
Simulator	Serial #	Lot #	Expiration																																													
0.000	MP5097	N/A	N/A																																													
0.040	MP5098	23400	10/24/2025																																													
0.100	MP5099	23390	10/17/2025																																													
0.200	MP5100	24080	02/13/2026																																													
0.300	MP5101	23070	03/06/2025																																													
0.080 DGS	N/A	06723080A5	04/05/2025																																													
Simulator	Serial Number																																															
0.000	MP6284																																															
Interferent	MP6285																																															
0.050	MP6286																																															
0.080	MP6287																																															
0.200	MP6288																																															
☒ Post Calibration Adjustment Stability Checks					Attachments																																											
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202303K</td><td>03/29/2025</td></tr><tr><td>0.080</td><td>MP6287</td><td>202303L</td><td>03/29/2025</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C</td><td>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>01923080A3</td><td>02/05/2025</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202303K	03/29/2025	0.080	MP6287	202303L	03/29/2025	0.200	MP6288	202304C	04/05/2025	0.080 DGS	N/A	01923080A3	02/05/2025			☒ Form 41 ☒ Post-Stability Checks ☒ Stability Checks ☐ Flow Calibration ☒ Calibration Certificate ☐ Form 40 ☒ Calibration Adjustment ☐ Other _____																							
Simulator	Serial #	Lot #	Expiration																																													
0.050	MP6286	202303K	03/29/2025																																													
0.080	MP6287	202303L	03/29/2025																																													
0.200	MP6288	202304C	04/05/2025																																													
0.080 DGS	N/A	01923080A3	02/05/2025																																													
Notes/Suggested Service:					☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																											
					Phil Digitally signed by Phil Nicodemo Date: 2024.10.01 08:03:43 -0400 Shayla Platt Digitally signed by Shayla Platt Date: 2024.10.02 11:23:54 -0400																																											
					Tech Review / Date Admin Review / Date																																											

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083																																																																																																																																																
FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 09/24/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:56</td></tr><tr><td>Control Test</td><td>0.049</td><td>14:57</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:57</td></tr><tr><td>Control Test</td><td>0.050</td><td>14:58</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:58</td></tr><tr><td>Control Test</td><td>0.049</td><td>14:59</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:00</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0493</td><td></td></tr><tr><td>Std Dev</td><td>0.0005</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.1703</td><td></td></tr></tbody></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	14:56	Control Test	0.049	14:57	Air Blank	0.000	14:57	Control Test	0.050	14:58	Air Blank	0.000	14:58	Control Test	0.049	14:59	Air Blank	0.000	15:00	Control Test Stats			Average	0.0493		Std Dev	0.0005		Rel Std Dev(%)	1.1703		FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 09/24/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>15:06</td></tr><tr><td>Control Test</td><td>0.079</td><td>15:06</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:07</td></tr><tr><td>Control Test</td><td>0.079</td><td>15:08</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:08</td></tr><tr><td>Control Test</td><td>0.079</td><td>15:09</td></tr><tr><td>Air Blank</td><td>0.000</td><td>15:09</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0790</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	15:06	Control Test	0.079	15:06	Air Blank	0.000	15:07	Control Test	0.079	15:08	Air Blank	0.000	15:08	Control Test	0.079	15:09	Air Blank	0.000	15:09	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000		FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 09/24/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:21</td></tr><tr><td>Control Test</td><td>0.198</td><td>14:22</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:23</td></tr><tr><td>Control Test</td><td>0.198</td><td>14:23</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:24</td></tr><tr><td>Control Test</td><td>0.198</td><td>14:25</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:25</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.1980</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	14:21	Control Test	0.198	14:22	Air Blank	0.000	14:23	Control Test	0.198	14:23	Air Blank	0.000	14:24	Control Test	0.198	14:25	Air Blank	0.000	14:25	Control Test Stats			Average	0.1980		Std Dev	0.0000		Rel Std Dev(%)	0.0000		FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 09/24/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>14:26</td></tr><tr><td>Control Test</td><td>0.077</td><td>14:26</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:27</td></tr><tr><td>Control Test</td><td>0.076</td><td>14:27</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:28</td></tr><tr><td>Control Test</td><td>0.077</td><td>14:28</td></tr><tr><td>Air Blank</td><td>0.000</td><td>14:29</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0767</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7531</td><td></td></tr></tbody></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	14:26	Control Test	0.077	14:26	Air Blank	0.000	14:27	Control Test	0.076	14:27	Air Blank	0.000	14:28	Control Test	0.077	14:28	Air Blank	0.000	14:29	Control Test Stats			Average	0.0767		Std Dev	0.0006		Rel Std Dev(%)	0.7531	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:56																																																																																																																																																	
Control Test	0.049	14:57																																																																																																																																																	
Air Blank	0.000	14:57																																																																																																																																																	
Control Test	0.050	14:58																																																																																																																																																	
Air Blank	0.000	14:58																																																																																																																																																	
Control Test	0.049	14:59																																																																																																																																																	
Air Blank	0.000	15:00																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0493																																																																																																																																																		
Std Dev	0.0005																																																																																																																																																		
Rel Std Dev(%)	1.1703																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:06																																																																																																																																																	
Control Test	0.079	15:06																																																																																																																																																	
Air Blank	0.000	15:07																																																																																																																																																	
Control Test	0.079	15:08																																																																																																																																																	
Air Blank	0.000	15:08																																																																																																																																																	
Control Test	0.079	15:09																																																																																																																																																	
Air Blank	0.000	15:09																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0790																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:21																																																																																																																																																	
Control Test	0.198	14:22																																																																																																																																																	
Air Blank	0.000	14:23																																																																																																																																																	
Control Test	0.198	14:23																																																																																																																																																	
Air Blank	0.000	14:24																																																																																																																																																	
Control Test	0.198	14:25																																																																																																																																																	
Air Blank	0.000	14:25																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1980																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	14:26																																																																																																																																																	
Control Test	0.077	14:26																																																																																																																																																	
Air Blank	0.000	14:27																																																																																																																																																	
Control Test	0.076	14:27																																																																																																																																																	
Air Blank	0.000	14:28																																																																																																																																																	
Control Test	0.077	14:28																																																																																																																																																	
Air Blank	0.000	14:29																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0767																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7531																																																																																																																																																		

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083																																				
Inadvertently ran the 0.20 Stability Test a second time. Results within acceptable range. ML 09/24/2024	#2 FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 09/24/2024 Software: 8.00.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>14:41</td></tr> <tr><td>Control Test</td><td>0.199</td><td>14:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:42</td></tr> <tr><td>Control Test</td><td>0.197</td><td>14:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:43</td></tr> <tr><td>Control Test</td><td>0.198</td><td>14:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:44</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1980</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.5051</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	14:41	Control Test	0.199	14:41	Air Blank	0.000	14:42	Control Test	0.197	14:43	Air Blank	0.000	14:43	Control Test	0.198	14:44	Air Blank	0.000	14:44	Control Test Stats			Average	0.1980		Std Dev	0.0010		Rel Std Dev(%)	0.5051		✓	≤0.003 of Wet
Test	g/210L	Time																																					
Air Blank	0.000	14:41																																					
Control Test	0.199	14:41																																					
Air Blank	0.000	14:42																																					
Control Test	0.197	14:43																																					
Air Blank	0.000	14:43																																					
Control Test	0.198	14:44																																					
Air Blank	0.000	14:44																																					
Control Test Stats																																							
Average	0.1980																																						
Std Dev	0.0010																																						
Rel Std Dev(%)	0.5051																																						
Operator's Signature 																																							

```

<<<< CHANNEL 2 >>>>
Sample      % Abs      (% Abs Ref)
Sample #1 = 7.0510   [-0.0170]
Sample #2 = 7.0260   [0.0010]
Sample #3 = 7.0120   [0.0190]
Sample #4 = 7.0120   [0.0150]
Aug % Abs = 7.0167 [0.0117]
STD DEV = 0.0081 [0.0095]
REF STD DEV = 0.115 [0.014]

```

PORT WYERS PD
Intoxilyzer - Alcotest Analyzer
Model 8000
SN 80-000914
09/25/2024
09:46:17

```
REL STD DEV = 0.115 (81.014)
-----
Sol Value = 0.300 g/210L ***
Fit value = 1.4286 mg/L ****
Samples Taken = 4, Discarded = 1
Sum Io = 12491, Num Io = 14215
<<<< CHANNEL 1 >>>>
Sample      % Abs      (% Abs Ref)
Sample #1 = 5.6530 (-0.0210)
Sample #2 = 5.6430 (-0.0130)
Sample #3 = 5.6610 (-0.0050)
Sample #4 = 5.6440 (-0.0040)
Avg % Abs = 5.6493 (0.0013)
STD DEV = 0.0101 (0.0101)
REL STD DEV = 0.179 (758.699)
```

```

09:46:10
Auto Calibration
Max Power Res value = 47
Auto Range Res Value = 31

501 Value = 0.000 g/210L ***
Fit value = 0.0000 mg/l %44%
Samples Taken = 4, Discarded = 1
Sum To = 12498, Sum To = 14226

<<<<< CHANNEL 1 >>>>>

Sample      % Abs      (% Abs Ref)
Sample #1 = 0.1360      (-0.0160)
Sample #2 = 0.1230      (0.0390)
Sample #3 = 0.1670      (0.0250)
Sample #4 = 0.1300      (0.0430)
Aug % Abs = 0.1400 (0.0357)
STD DEV = 0.0236 (0.0095)
REF STD DEV = 16.888 (26.500)

```

```

Sample #1 = 10.0400 (0.0070)
Avg % Abs = 5.6493 (0.0013)
STD DEV = 0.0101 (0.0101)
REL STD DEV = 0.179 (758.699)
-----
<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 10.3100 (-0.0120)
Sample #2 = 10.2800 (0.0330)
Sample #3 = 10.2930 (0.0270)
Sample #4 = 10.2730 (0.0270)
Avg % Abs = 10.2820 (0.0250)
STD DEV = 0.0101 (0.0035)
REL STD DEV = 0.099 (11.945)

```

```

Sample #1 = 0.1300      [0.0390]
Sample #2 = 0.1230      [0.0390]
Sample #3 = 0.1670      [0.0250]
Sample #4 = 0.1300      [0.0430]
Aug & Pds = 0.1400    [0.0357]
STD DEV = 0.0236      [0.0095]
REL STD DEV = 16.888  [26.500]
-----
<<<< CHANNEL 2 >>>>
Sample    % Pds    (% Pds Ref)
Sample #1 = 0.1290    (-0.0030)
Sample #2 = 0.1400    (0.0140)
Sample #3 = 0.1530    (0.0080)
Sample #4 = 0.1320    (0.0290)
Aug & Pds = 0.1417    (0.0170)
STD DEV = 0.0106      (0.0108)
REL STD DEV = 7.481   (63.627)

```

Sample #2 = 10.2800 (0.0330)
 Sample #3 = 10.2930 (0.0270)
 Sample #4 = 10.2730 (0.0270)
 Avg. % AOS = 10.2820 (0.0290)
 STD DEV = 0.0101 (0.0035)
 REL STD DEV = 0.099 (1.945)

```

<<<< CHANNEL 2 >>>>
Sample      % Abs      (% Abs Ref)
Sample #1 = 0.1290      (-0.0030)
Sample #2 = 0.1400      (0.0140)
Sample #3 = 0.1530      (0.0080)
Sample #4 = 0.1320      (0.0290)
Avg % Abs = 0.1417      (0.0170)
STD DEV = 0.0106      (0.0108)
REL STD DEV = 7.481      (63.627)
-----
Sol Value = 0.040 g/210L ***
Fit Value = 0.1905 mg/L %%%%
Samples Taken = 4, Discarded = 1
Sum to = 12491, Num to = 14221

<<<< CHANNEL 1 >>>>
Sample      % Abs      (% Abs Ref)
Sample #1 = 0.8940      (0.0020)
Sample #2 = 0.9080      (0.0120)
Sample #3 = 0.8910      (0.0210)
Sample #4 = 0.9130      (0.0070)
Avg % Abs = 0.9040      (0.0133)
STD DEV = 0.0115      (0.0071)
REL STD DEV = 1.276      (53.209)

```

Std Dev = 0.01 Rel Std Dev = 0.10
Zero Order Coef = -204.08
First Order Coef = 1315.73
Second Order Coef = 9.23
Standard Deviation = 29.551880

Solution Stats Quadratic Fit Chan 1			
Act	Fit	Residual	
g/210L	g/210L	g/210L	
0.000	-0.000	0.0005	
0.040	0.040	-0.0003	
0.100	0.101	-0.0008	
0.200	0.199	0.0010	
0.300	0.300	-0.0003	

Optical Calibration Adjustment

Bv: TDG

Post-Cal Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																																
✓ FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 09/25/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>11:14</td></tr><tr><td>Control Test</td><td>0.049</td><td>11:15</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:15</td></tr><tr><td>Control Test</td><td>0.050</td><td>11:16</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:17</td></tr><tr><td>Control Test</td><td>0.050</td><td>11:17</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:18</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0497</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.1625</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	11:14	Control Test	0.049	11:15	Air Blank	0.000	11:15	Control Test	0.050	11:16	Air Blank	0.000	11:17	Control Test	0.050	11:17	Air Blank	0.000	11:18	Control Test Stats			Average	0.0497		Std Dev	0.0006		Rel Std Dev(%)	1.1625		✓ FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 09/25/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>11:23</td></tr><tr><td>Control Test</td><td>0.080</td><td>11:23</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:24</td></tr><tr><td>Control Test</td><td>0.080</td><td>11:25</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:25</td></tr><tr><td>Control Test</td><td>0.080</td><td>11:26</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:26</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0800</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	11:23	Control Test	0.080	11:23	Air Blank	0.000	11:24	Control Test	0.080	11:25	Air Blank	0.000	11:25	Control Test	0.080	11:26	Air Blank	0.000	11:26	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000		✓ FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 09/25/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>11:07</td></tr><tr><td>Control Test</td><td>0.197</td><td>11:07</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:08</td></tr><tr><td>Control Test</td><td>0.198</td><td>11:08</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:09</td></tr><tr><td>Control Test</td><td>0.197</td><td>11:10</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:10</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.1973</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2926</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	11:07	Control Test	0.197	11:07	Air Blank	0.000	11:08	Control Test	0.198	11:08	Air Blank	0.000	11:09	Control Test	0.197	11:10	Air Blank	0.000	11:10	Control Test Stats			Average	0.1973		Std Dev	0.0006		Rel Std Dev(%)	0.2926		✓ FORT MYERS PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000914 09/25/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>11:02</td></tr><tr><td>Control Test</td><td>0.081</td><td>11:02</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:02</td></tr><tr><td>Control Test</td><td>0.080</td><td>11:03</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:03</td></tr><tr><td>Control Test</td><td>0.081</td><td>11:04</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:04</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0807</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7157</td><td></td></tr></tbody></table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	11:02	Control Test	0.081	11:02	Air Blank	0.000	11:02	Control Test	0.080	11:03	Air Blank	0.000	11:03	Control Test	0.081	11:04	Air Blank	0.000	11:04	Control Test Stats			Average	0.0807		Std Dev	0.0006		Rel Std Dev(%)	0.7157	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:14																																																																																																																																																	
Control Test	0.049	11:15																																																																																																																																																	
Air Blank	0.000	11:15																																																																																																																																																	
Control Test	0.050	11:16																																																																																																																																																	
Air Blank	0.000	11:17																																																																																																																																																	
Control Test	0.050	11:17																																																																																																																																																	
Air Blank	0.000	11:18																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:23																																																																																																																																																	
Control Test	0.080	11:23																																																																																																																																																	
Air Blank	0.000	11:24																																																																																																																																																	
Control Test	0.080	11:25																																																																																																																																																	
Air Blank	0.000	11:25																																																																																																																																																	
Control Test	0.080	11:26																																																																																																																																																	
Air Blank	0.000	11:26																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:07																																																																																																																																																	
Control Test	0.197	11:07																																																																																																																																																	
Air Blank	0.000	11:08																																																																																																																																																	
Control Test	0.198	11:08																																																																																																																																																	
Air Blank	0.000	11:09																																																																																																																																																	
Control Test	0.197	11:10																																																																																																																																																	
Air Blank	0.000	11:10																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1973																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2926																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	11:02																																																																																																																																																	
Control Test	0.081	11:02																																																																																																																																																	
Air Blank	0.000	11:02																																																																																																																																																	
Control Test	0.080	11:03																																																																																																																																																	
Air Blank	0.000	11:03																																																																																																																																																	
Control Test	0.081	11:04																																																																																																																																																	
Air Blank	0.000	11:04																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0807																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7157																																																																																																																																																		

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FORT MYERS PD
Time of Inspection: 15:21

Date of Inspection: 09/27/2024

Serial Number: 80-000914
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:01923080A3 Exp: 02/05/2025
0.000	0.050	0.080	0.197	0.080
0.000	0.050	0.079	0.198	0.080
0.000	0.050	0.080	0.198	0.080
0.000	0.050	0.080	0.198	0.081
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.080	0.198	0.080
0.000	0.051	0.080	0.199	0.080
0.000	0.051	0.080	0.198	0.080
0.000	0.051	0.081	0.198	0.080
0.000	0.051	0.080	0.198	0.079

Standard Deviations	0.0005	0.0004	0.0005	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.


I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

09/27/2024
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000914, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000914</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>FORT MYERS PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>09/27/2024</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>15:21</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

09/27/2024

Date

TAYLOR D GUTSCHOW,
Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality