



## INSTRUMENT PROCESSING SHEET

Agency Franklin County SOS/N 80-000953Florida Department of  
Law EnforcementDate In 07/31/2024 DI Completion Date 8/13/2024☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

| <b>Intake</b> By <u>ALL</u> Date <u>07/31/2024</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               | <b>Quality Checks</b> By <u>DA</u> Date <u>08/08/24</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |            | <b>Flow Calibration</b> By _____ Date _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|------------|--------|-----------------------|-------|--------|-----------------------|-------|--------|-----------------------|-----------|-----|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|-----------|----------|-------|------------|-------|--|--|--|-------|--|--|--|-------|--|--|--|-----------|-----|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|---------------|-------|--------|-------------|--------|-------|--------|-------|--------|-------|--------|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br>Notes: <u>dropoff, with DGS attached</u>                                                                                                                                                                       |               | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>174</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP103</u><br>32 mm <u>0.140</u> (.139 - .169)<br>36 mm <u>0.160</u> (.156 - .190)<br>53 mm <u>0.234</u> (.228 - .278)<br>103 mm <u>0.496</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>28663</u><br><input checked="" type="checkbox"/> Stability Checks |            | <input type="checkbox"/> Flow Column # _____<br><input type="checkbox"/> 5L/min – 17mm<br><input type="checkbox"/> 15L/min – 53mm<br><input type="checkbox"/> 30L/min – 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547)                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |               | <table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr><tr><td>0.050</td><td>MP5088</td><td>202303K<br/>03/29/2025</td></tr><tr><td>0.080</td><td>MP5089</td><td>202303L<br/>03/29/2025</td></tr><tr><td>0.200</td><td>MP5090</td><td>202304C<br/>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5<br/>04/05/2025</td></tr></table>                                                                                                                                                                                                                                                   |            | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Serial # | Lot #/Exp | 0.050      | MP5088 | 202303K<br>03/29/2025 | 0.080 | MP5089 | 202303L<br>03/29/2025 | 0.200 | MP5090 | 202304C<br>04/05/2025 | 0.080 DGS | N/A | 06723080A5<br>04/05/2025 | <b>Maintenance</b> By _____ Date _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____ |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Serial #      | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | MP5088        | 202303K<br>03/29/2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | MP5089        | 202303L<br>03/29/2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | MP5090        | 202304C<br>04/05/2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | N/A           | 06723080A5<br>04/05/2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| <b>Calibration Adjustment</b> By _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | <b>Department Inspection</b> By <u>PN</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Barometric Pressure Gauge _____ ID # _____<br><table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></table><br><input type="checkbox"/> Post Calibration Adjustment Stability Checks<br><table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></table> |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Serial # | Lot #     | Expiration | 0.000  |                       | N/A   | N/A    | 0.040                 |       |        |                       | 0.100     |     |                          |                                                                                                                                                                                                                                              | 0.200 |  |  |  | 0.300 |  |  |  | 0.080 DGS | N/A |  |  | Simulator | Serial # | Lot # | Expiration | 0.050 |  |  |  | 0.080 |  |  |  | 0.200 |  |  |  | 0.080 DGS | N/A |  |  | Barometric Pressure ID# <u>28427</u><br>Gauge <u>1012</u> Instrument <u>1012</u><br>Mouth Alcohol Solution Lot # <u>2024-A</u><br>Acetone Stock Solution Lot # <u>2023-B</u><br><table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial Number</th></tr><tr><td>0.000</td><td>MP5086</td></tr><tr><td>Interferent</td><td>MP5087</td></tr><tr><td>0.050</td><td>MP5088</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></table> |  | Simulator | Serial Number | 0.000 | MP5086 | Interferent | MP5087 | 0.050 | MP5088 | 0.080 | MP5089 | 0.200 | MP5090 |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Serial #      | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Expiration |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | N/A        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | N/A           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Serial #      | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Expiration |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | N/A           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Serial Number |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | MP5086        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | MP5087        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | MP5088        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | MP5089        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | MP5090        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
| Notes/Suggested Service: _____<br>_____<br>_____<br>_____<br>_____<br>_____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | <b>Attachments</b><br><input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks<br><input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration<br><input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40<br><input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____                                                                                                                                                                                                                                                                                                                                                                                                                              |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use<br><div style="display: flex; justify-content: space-between;"><div>Taylor Gutschow<br/><small>Digitally signed by Taylor Gutschow<br/>Date: 2024.08.22 11:58:17 -0400</small></div><div>Shayla Platt<br/><small>Digitally signed by Shayla Platt<br/>Date: 2024.08.22 14:57:27 -0400</small></div></div> <div style="display: flex; justify-content: space-between;"><div>Tech Review / Date</div><div>Admin Review / Date</div></div> |          |           |            |        |                       |       |        |                       |       |        |                       |           |     |                          |                                                                                                                                                                                                                                              |       |  |  |  |       |  |  |  |           |     |  |  |           |          |       |            |       |  |  |  |       |  |  |  |       |  |  |  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |           |               |       |        |             |        |       |        |       |        |       |        |

# Stability Checks 80-000953 8/8/24 DA

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
08/08/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 08:59 |
| Control Test       | 0.051  | 09:00 |
| Air Blank          | 0.000  | 09:00 |
| Control Test       | 0.050  | 09:01 |
| Air Blank          | 0.000  | 09:01 |
| Control Test       | 0.050  | 09:02 |
| Air Blank          | 0.000  | 09:03 |
| Control Test Stats |        |       |
| Average            | 0.0503 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 1.1471 |       |



Operator's Signature

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
08/08/2024  
Software: 8100.27


| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:10 |
| Control Test       | 0.079  | 09:11 |
| Air Blank          | 0.000  | 09:11 |
| Control Test       | 0.079  | 09:12 |
| Air Blank          | 0.000  | 09:13 |
| Control Test       | 0.079  | 09:13 |
| Air Blank          | 0.000  | 09:14 |
| Control Test Stats |        |       |
| Average            | 0.0750 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |



Operator's Signature

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
08/08/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:15 |
| Control Test       | 0.199  | 09:16 |
| Air Blank          | 0.000  | 09:17 |
| Control Test       | 0.198  | 09:17 |
| Air Blank          | 0.000  | 09:18 |
| Control Test       | 0.198  | 09:19 |
| Air Blank          | 0.000  | 09:19 |
| Control Test Stats |        |       |
| Average            | 0.1983 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.2911 |       |




Operator's Signature

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
08/08/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:21 |
| Control Test       | 0.079  | 09:22 |
| Air Blank          | 0.000  | 09:22 |
| Control Test       | 0.080  | 09:23 |
| Air Blank          | 0.000  | 09:23 |
| Control Test       | 0.081  | 09:23 |
| Air Blank          | 0.000  | 09:24 |
| Control Test Stats |        |       |
| Average            | 0.0800 |       |
| Std Dev            | 0.0010 |       |
| Rel Std Dev(%)     | 1.2500 |       |

DGS



Operator's Signature

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FRANKLIN COUNTY SO  
Time of Inspection: 15:48

Date of Inspection: 08/13/2024

Serial Number: 80-000953  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202303K<br>Exp: 03/29/2025 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202303L<br>Exp: 03/29/2025 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202304C<br>Exp: 04/05/2025 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:06723080A5<br>Exp: 04/05/2025 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.196                                                          | 0.080                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.196                                                          | 0.079                                                                             |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.197                                                          | 0.080                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.196                                                          | 0.079                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.197                                                          | 0.079                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.197                                                          | 0.079                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.080                                                                             |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.197                                                          | 0.080                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.079                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.197                                                          | 0.079                                                                             |
| Standard Deviations              | 0.0000                                                         | 0.0004                                                         | 0.0007                                                         | 0.0005                                                                            |

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



PHIL NICODEMO

Signature and Printed Name

08/13/2024  
Date



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000953, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                           |                                |       |
|-------------------|---------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-000953</u>          | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>FRANKLIN COUNTY SO</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>08/13/2024</u>         | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>15:48</u>              | 0.200 g/ 210 L                 | 0.007 |
|                   |                           | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

08/13/2024

Date

PHIL NICODEMO,

Department Inspector

Service • Integrity • Respect • Quality





Agency Franklin County SO

S/N 80-000953

Date In 06/27/2024      DI Completion Date 7/2/2024

☐ Ship   ☒ P/U   ☐ H/D   ☐ CMI   ☐ EE


FDLE/ATP Form 48 January 2024  
Issuing Authority: Alcohol Testing Program

Page 1 of 1

Stability Checks 80-000953 7/1/24 DA

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
07/01/2024  
Software: 8100.27


| Test               | g/210L | Time  |
|--------------------|--------|-------|
| -----              |        |       |
| Air Blank          | 0.000  | 13:14 |
| Control Test       | 0.049  | 13:15 |
| Air Blank          | 0.000  | 13:15 |
| Control Test       | 0.049  | 13:16 |
| Air Blank          | 0.000  | 13:16 |
| Control Test       | 0.049  | 13:17 |
| Air Blank          | 0.000  | 13:17 |
| Control Test Stats |        |       |
| Average            | 0.0490 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

  
\_\_\_\_\_  
Operator's Signature

Wet

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
07/01/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 13:20 |
| Control Test       | 0.078  | 13:20 |
| Air Blank          | 0.000  | 13:21 |
| Control Test       | 0.077  | 13:22 |
| Air Blank          | 0.000  | 13:22 |
| Control Test       | 0.077  | 13:23 |
| Air Blank          | 0.000  | 13:23 |
| Control Test Stats |        |       |
| Average            | 0.0773 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7466 |       |



Operator's Signature

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
07/01/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| -----              |        |       |
| Air Blank          | 0.000  | 13:25 |
| Control Test       | 0.195  | 13:25 |
| Air Blank          | 0.000  | 13:26 |
| Control Test       | 0.194  | 13:27 |
| Air Blank          | 0.000  | 13:27 |
| Control Test       | 0.195  | 13:28 |
| Air Blank          | 0.000  | 13:28 |
| Control Test Stats |        |       |
| Average            | 0.1947 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.2966 |       |




Operator's Signature

DGS

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
07/01/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 13:30 |
| Control Test       | 0.081  | 13:30 |
| Air Blank          | 0.000  | 13:31 |
| Control Test       | 0.082  | 13:31 |
| Air Blank          | 0.000  | 13:32 |
| Control Test       | 0.082  | 13:32 |
| Air Blank          | 0.000  | 13:32 |
| Control Test Stats |        |       |
| Average            | 0.0817 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7070 |       |



Operator's Signature



## CAL ADJUSTMENT SP

# Post Cal Stability Checks

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
07/02/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 09:28 |
| Control Test       | 0.081  | 09:29 |
| Air Blank          | 0.000  | 09:29 |
| Control Test       | 0.080  | 09:29 |
| Air Blank          | 0.000  | 09:30 |
| Control Test       | 0.081  | 09:30 |
| Air Blank          | 0.000  | 09:31 |
| Control Test Stats |        |       |
| Average            | 0.0807 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7157 |       |

DGS

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
07/02/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 10:54 |
| Control Test       | 0.198  | 10:55 |
| Air Blank          | 0.000  | 10:55 |
| Control Test       | 0.196  | 10:56 |
| Air Blank          | 0.000  | 10:57 |
| Control Test       | 0.196  | 10:57 |
| Air Blank          | 0.000  | 10:58 |
| Control Test Stats |        |       |
| Average            | 0.1967 |       |
| Std Dev            | 0.0012 |       |
| Rel Std Dev(%)     | 0.5871 |       |

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
07/02/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 10:45 |
| Control Test       | 0.079  | 10:46 |
| Air Blank          | 0.000  | 10:46 |
| Control Test       | 0.078  | 10:46 |
| Air Blank          | 0.000  | 10:47 |
| Control Test       | 0.078  | 10:47 |
| Air Blank          | 0.000  | 10:48 |
| Control Test Stats |        |       |
| Average            | 0.0783 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7370 |       |

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
07/02/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 10:50 |
| Control Test       | 0.049  | 10:50 |
| Air Blank          | 0.000  | 10:51 |
| Control Test       | 0.049  | 10:52 |
| Air Blank          | 0.000  | 10:52 |
| Control Test       | 0.048  | 10:53 |
| Air Blank          | 0.000  | 10:53 |
| Control Test Stats |        |       |
| Average            | 0.0487 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 1.1863 |       |

SP  
Operator's Signature

SP  
Operator's Signature

SP  
Operator's Signature

SP  
Operator's Signature

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FRANKLIN COUNTY SO  
Time of Inspection: 12:44

Date of Inspection: 07/02/2024

Serial Number: 80-000953  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202303K<br>Exp: 03/29/2025 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202303L<br>Exp: 03/29/2025 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202304C<br>Exp: 04/05/2025 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:06723080A5<br>Exp: 04/05/2025 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 0.000                            | 0.050                                                          | 0.079                                                          | 0.197                                                          | 0.080                                                                             |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.198                                                          | 0.079                                                                             |
| 0.000                            | 0.050                                                          | 0.079                                                          | 0.198                                                          | 0.079                                                                             |
| 0.000                            | 0.050                                                          | 0.078                                                          | 0.198                                                          | 0.079                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.080                                                                             |
| 0.000                            | 0.050                                                          | 0.079                                                          | 0.198                                                          | 0.079                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.079                                                                             |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.079                                                                             |
| 0.000                            | 0.050                                                          | 0.079                                                          | 0.198                                                          | 0.079                                                                             |
| 0.000                            | 0.050                                                          | 0.078                                                          | 0.198                                                          | 0.079                                                                             |

|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0005 | 0.0004 | 0.0003 | 0.0004 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

  
SHAYLA D PLATT  
Signature and Printed Name

07/02/2024  
Date



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000953, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                           |                                |       |
|-------------------|---------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-000953</u>          | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>FRANKLIN COUNTY SO</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>07/02/2024</u>         | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>12:44</u>              | 0.200 g/ 210 L                 | 0.007 |
|                   |                           | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Shayla Platt  
Digitally signed by  
Shayla Platt  
Date: 2024.07.09  
11:07:15 -0400'

07/02/2024

Date

SHAYLA D PLATT,  
Department Inspector

FDLE/ATP Form 69 March 2022  
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality



# Florida Department of Law Enforcement Alcohol Testing Program

## AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: FRANKLIN COUNTY SO  
Time of Inspection: 12:54

Date of Inspection: 07/01/2024

Serial Number: 80-000953  
Software: 8100.27

| Check or Test                               | YES | NO |
|---------------------------------------------|-----|----|
| Date and/or Time Adjusted                   |     | No |
| Diagnostic Check (Pre-Inspection): OK       |     | No |
| Alcohol Free Subject Test: 0.000            |     | No |
| Mouth Alcohol Test: Slope Not Met           |     | No |
| Interferent Detect Test: Interferent Detect |     | No |
| Diagnostic Check (Post-Inspection): OK      |     | No |

|                            |                                           |                                           |                                           |                                                        |
|----------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|--------------------------------------------------------|
| Alcohol Free Test (g/210L) | 0.05g/210L Test (g/210L)<br>Lot#:<br>Exp: | 0.08g/210L Test (g/210L)<br>Lot#:<br>Exp: | 0.20g/210L Test (g/210L)<br>Lot#:<br>Exp: | 0.08 g/210L Dry Gas Std Test (g/210L)<br>Lot#:<br>Exp: |
|                            |                                           |                                           |                                           |                                                        |
|                            |                                           |                                           |                                           |                                                        |
|                            |                                           |                                           |                                           |                                                        |

Number of Simulators Used: \_\_\_\_\_

Remarks:

BYPASS AI TO OPERATE INSTRUMENT COMPLIANCE NOT DETERMINED

*NA - Did not determine compliance DA 7/1/24*

The above instrument complies ( ☒ ) does not comply ( ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



DESTINEE N ARMSTRONG

Signature and Printed Name

07/01/2024  
Date



## INSTRUMENT PROCESSING SHEET

Agency Franklin County SOS/N 80-000953Florida Department of  
Law EnforcementDate In 05/02/2024 DI Completion Date 5/6/2024☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

| Intake                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | By <u>ALL</u> | Date <u>05/02/2024</u>   | Quality Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | By <u>DA</u> | Date <u>5/3/24</u> | Flow Calibration                                                                                                                                                                                                                                                                                                                                                                                           | By _____ | Date _____ |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-----------------------|-------|--------|-----------------------|--------|--------|-----------------------|-----------|--------|--------------------------|-----------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-----------|-----|--|--|--------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input checked="" type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: <u>Bypassed AI to operate instrument DA</u> |               |                          | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>173</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP105</u><br>32 mm <u>0.160</u> (.139 - .169)<br>36 mm <u>0.175</u> (.156 - .190)<br>53 mm <u>0.250</u> (.228 - .278)<br>103 mm <u>0.511</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>30793</u><br><input checked="" type="checkbox"/> Stability Checks |              |                    | Flow Column # _____<br><input type="checkbox"/> 5L/min – 17mm<br><input type="checkbox"/> 15L/min – 53mm<br><input type="checkbox"/> 30L/min – 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                          | <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP5088</td><td>202303K<br/>03/29/2025</td></tr><tr><td>0.080</td><td>MP5089</td><td>202303L<br/>03/29/2025</td></tr><tr><td>0.200</td><td>MP5090</td><td>202304C<br/>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5<br/>04/05/2025</td></tr></tbody></table>                                                                                                                                                                                                                                        | Simulator    | Serial #           | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                                                                  | 0.050    | MP5088     | 202303K<br>03/29/2025 | 0.080 | MP5089 | 202303L<br>03/29/2025 | 0.200  | MP5090 | 202304C<br>04/05/2025 | 0.080 DGS | N/A    | 06723080A5<br>04/05/2025 |           |     | <b>Maintenance</b> By _____ Date _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____ |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Serial #      | Lot #/Exp                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | MP5088        | 202303K<br>03/29/2025    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | MP5089        | 202303L<br>03/29/2025    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | MP5090        | 202304C<br>04/05/2025    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | N/A           | 06723080A5<br>04/05/2025 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| <b>Calibration Adjustment</b> By _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |                          | <b>Department Inspection</b> By <u>PN</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| Barometric Pressure Gauge _____ ID # _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                          | Barometric Pressure ID# <u>28421</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                                                    |               |                          | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Serial #     | Lot #              | Expiration                                                                                                                                                                                                                                                                                                                                                                                                 | 0.000    |            | N/A                   | N/A   | 0.040  |                       |        |        | 0.100                 |           |        |                          | 0.200     |     |                                                                                                                                                                                                                                              |  | 0.300                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  | 0.080 DGS | N/A |  |  | Gauge <u>1014</u> Instrument <u>1015</u><br>Mouth Alcohol Solution Lot # <u>2023-A</u><br>Acetone Stock Solution Lot # <u>2023-B</u> |  |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Serial #      | Lot #                    | Expiration                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               | N/A                      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | N/A           |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| <input type="checkbox"/> Post Calibration Adjustment Stability Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                          | <table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6289</td></tr><tr><td>Interferent</td><td>MP6290</td></tr><tr><td>0.050</td><td>MP6291</td></tr><tr><td>0.080</td><td>MP6292</td></tr><tr><td>0.200</td><td>MP6293</td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                         |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          | Simulator  | Serial Number         | 0.000 | MP6289 | Interferent           | MP6290 | 0.050  | MP6291                | 0.080     | MP6292 | 0.200                    | MP6293    |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Serial Number |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | MP6289        |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | MP6290        |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | MP6291        |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | MP6292        |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | MP6293        |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |               |                          | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Serial #     | Lot #              | Expiration                                                                                                                                                                                                                                                                                                                                                                                                 | 0.050    |            |                       |       | 0.080  |                       |        |        | 0.200                 |           |        |                          | 0.080 DGS | N/A |                                                                                                                                                                                                                                              |  | <b>Attachments</b><br><input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks<br><input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration<br><input checked="" type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Form 40<br><input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____ |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Serial #      | Lot #                    | Expiration                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | N/A           |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
| Notes/Suggested Service: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |               |                          | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use                                                                                                                                                                                                                                                       |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                          | Digitally signed by Taylor Gutschow<br>Date: 2024.05.08 10:28:13 -04'00'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                          | Digitally signed by Shayla Platt<br>Date: 2024.05.09 08:33:35 -04'00'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                          | Tech Review / Date _____ Admin Review / Date _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |              |                    |                                                                                                                                                                                                                                                                                                                                                                                                            |          |            |                       |       |        |                       |        |        |                       |           |        |                          |           |     |                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |           |     |  |  |                                                                                                                                      |  |  |  |  |

# Stability Checks

80-000953

05/03/24 DA

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
05/03/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:23 |
| Control Test       | 0.049  | 11:24 |
| Air Blank          | 0.000  | 11:24 |
| Control Test       | 0.049  | 11:25 |
| Air Blank          | 0.000  | 11:25 |
| Control Test       | 0.048  | 11:26 |
| Air Blank          | 0.000  | 11:27 |
| Control Test Stats |        |       |
| Average            | 0.0487 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 1.1863 |       |



Operator's Signature

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
05/03/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:30 |
| Control Test       | 0.078  | 11:31 |
| Air Blank          | 0.000  | 11:31 |
| Control Test       | 0.078  | 11:32 |
| Air Blank          | 0.000  | 11:32 |
| Control Test       | 0.078  | 11:33 |
| Air Blank          | 0.000  | 11:34 |
| Control Test Stats |        |       |
| Average            | 0.0780 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |



Operator's Signature

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
05/03/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:36 |
| Control Test       | 0.196  | 11:36 |
| Air Blank          | 0.000  | 11:37 |
| Control Test       | 0.195  | 11:38 |
| Air Blank          | 0.000  | 11:38 |
| Control Test       | 0.195  | 11:39 |
| Air Blank          | 0.000  | 11:40 |
| Control Test Stats |        |       |
| Average            | 0.1953 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.2956 |       |




Operator's Signature

FRANKLIN COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000953  
05/03/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:54 |
| Control Test       | 0.080  | 11:54 |
| Air Blank          | 0.000  | 11:55 |
| Control Test       | 0.079  | 11:55 |
| Air Blank          | 0.000  | 11:55 |
| Control Test       | 0.079  | 11:56 |
| Air Blank          | 0.000  | 11:56 |
| Control Test Stats |        |       |
| Average            | 0.0793 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7277 |       |

DGS



Operator's Signature

# Florida Department of Law Enforcement Alcohol Testing Program

## AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: FRANKLIN COUNTY SO

Time of Inspection: 10:22

Date of Inspection: 05/03/2024

Serial Number: 80-000953

Software: 8100.27

| Check or Test                               | YES | NO |
|---------------------------------------------|-----|----|
| Date and/or Time Adjusted                   |     | No |
| Diagnostic Check (Pre-Inspection): OK       |     | No |
| Alcohol Free Subject Test: 0.000            |     | No |
| Mouth Alcohol Test: Slope Not Met           |     | No |
| Interferent Detect Test: Interferent Detect |     | No |
| Diagnostic Check (Post-Inspection): OK      |     | No |

|                            |                                           |                                           |                                           |                                                        |
|----------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|--------------------------------------------------------|
| Alcohol Free Test (g/210L) | 0.05g/210L Test (g/210L)<br>Lot#:<br>Exp: | 0.08g/210L Test (g/210L)<br>Lot#:<br>Exp: | 0.20g/210L Test (g/210L)<br>Lot#:<br>Exp: | 0.08 g/210L Dry Gas Std Test (g/210L)<br>Lot#:<br>Exp: |
|                            |                                           |                                           |                                           |                                                        |
|                            |                                           |                                           |                                           |                                                        |
|                            |                                           |                                           |                                           |                                                        |

Number of Simulators Used: \_\_\_\_\_


**Remarks:**

BYPASS AI TO OPERATE INSTRUMENT COMPLIANCE NOT DETERMINED

*compliance not determined 5/3/24 DA*

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



DESTINEE N ARMSTRONG

Signature and Printed Name

05/03/2024  
Date



# Florida Department of Law Enforcement

## Alcohol Testing Program

### DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FRANKLIN COUNTY SO

Serial Number: 80-000953

Time of Inspection: 11:05

Date of Inspection: 05/06/2024

Software: 8100.27

| Check or Test                               | YES | NO | Check or Test                          | YES | NO |
|---------------------------------------------|-----|----|----------------------------------------|-----|----|
| Diagnostic Check (Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted              |     | No |
| Minimum Sample Volume Check: OK             | Yes |    | Barometric Pressure Sensor Check: OK   | Yes |    |
| Alcohol Free Subject Test: 0.000            | Yes |    | Mouth Alcohol Test: Slope Not Met      | Yes |    |
| Interferent Detect Test: Interferent Detect | Yes |    | Diagnostic Check (Post-Inspection): OK | Yes |    |

| Alcohol Free Test (g/210L) | 0.05g/210L Test (g/210L)<br>Lot#: 202303K<br>Exp: 03/29/2025 | 0.08g/210L Test (g/210L)<br>Lot#: 202303L<br>Exp: 03/29/2025 | 0.20g/210L Test (g/210L)<br>Lot#: 202304C<br>Exp: 04/05/2025 | 0.08 g/210L Dry Gas Std Test (g/210L)<br>Lot#: 06723080A5<br>Exp: 04/05/2025 |
|----------------------------|--------------------------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|------------------------------------------------------------------------------|
| 0.000                      | 0.048                                                        | 0.078                                                        | 0.197                                                        | 0.079                                                                        |
| 0.000                      | 0.048                                                        | 0.078                                                        | 0.197                                                        | 0.079                                                                        |
| 0.000                      | 0.049                                                        | 0.077                                                        | 0.197                                                        | 0.079                                                                        |
| 0.000                      | 0.049                                                        | 0.078                                                        | 0.196                                                        | 0.079                                                                        |
| 0.000                      | 0.048                                                        | 0.078                                                        | 0.196                                                        | 0.079                                                                        |
| 0.000                      | 0.049                                                        | 0.078                                                        | 0.197                                                        | 0.079                                                                        |
| 0.000                      | 0.048                                                        | 0.078                                                        | 0.196                                                        | 0.079                                                                        |
| 0.000                      | 0.049                                                        | 0.078                                                        | 0.197                                                        | 0.079                                                                        |
| 0.000                      | 0.048                                                        | 0.078                                                        | 0.196                                                        | 0.079                                                                        |
| 0.000                      | 0.049                                                        | 0.078                                                        | 0.196                                                        | 0.079                                                                        |


|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0005 | 0.0003 | 0.0005 | 0.0000 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003      Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply (      ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

  
 PHIL NICODEMO  
 Signature and Printed Name  
 05/06/2024  
 Date



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000953 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                           |                                |       |
|-------------------|---------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-000953</u>          | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>FRANKLIN COUNTY SO</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>05/06/2024</u>         | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>11:05</u>              | 0.200 g/ 210 L                 | 0.007 |
|                   |                           | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.  
This document shall not be reproduced except in full,  
without written approval of the Florida Department of  
Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

05/06/2024

Date

PHIL NICODEMO,

Department Inspector

Service • Integrity • Respect • Quality