

Stability Checks

0.05g/210L 0.047 to 0.053		0.08g/210L 0.077 to 0.083		0.20g/210L 0.194 to 0.206		DGS 0.08g/210L 0.077 to 0.083																																																																																																																																																	
WINTER HUIJEN PD Intoxilyzer - Alcolon Analyzer Model 8000 09/23/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>11:53</td></tr><tr><td>Control Test</td><td>0.049</td><td>11:53</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:54</td></tr><tr><td>Control Test</td><td>0.049</td><td>11:55</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:55</td></tr><tr><td>Control Test</td><td>0.049</td><td>11:56</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:56</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0490</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature 		Test	g/210L	Time	Air Blank	0.000	11:53	Control Test	0.049	11:53	Air Blank	0.000	11:54	Control Test	0.049	11:55	Air Blank	0.000	11:55	Control Test	0.049	11:56	Air Blank	0.000	11:56	Control Test Stats			Average	0.0490		Std Dev	0.0000		Rel Std Dev(%)	0.0000		WINTER HUIJEN PD Intoxilyzer - Alcolon Analyzer Model 8000 09/23/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>11:22</td></tr><tr><td>Control Test</td><td>0.078</td><td>11:22</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:23</td></tr><tr><td>Control Test</td><td>0.078</td><td>11:24</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:24</td></tr><tr><td>Control Test</td><td>0.078</td><td>11:25</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:25</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0780</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature 		Test	g/210L	Time	Air Blank	0.000	11:22	Control Test	0.078	11:22	Air Blank	0.000	11:23	Control Test	0.078	11:24	Air Blank	0.000	11:24	Control Test	0.078	11:25	Air Blank	0.000	11:25	Control Test Stats			Average	0.0780		Std Dev	0.0000		Rel Std Dev(%)	0.0000		WINTER HUIJEN PD Intoxilyzer - Alcolon Analyzer Model 8000 09/23/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>11:28</td></tr><tr><td>Control Test</td><td>0.197</td><td>11:28</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:29</td></tr><tr><td>Control Test</td><td>0.197</td><td>11:30</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:30</td></tr><tr><td>Control Test</td><td>0.196</td><td>11:31</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:31</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.1957</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2936</td><td></td></tr></tbody></table> Operator's Signature 		Test	g/210L	Time	Air Blank	0.000	11:28	Control Test	0.197	11:28	Air Blank	0.000	11:29	Control Test	0.197	11:30	Air Blank	0.000	11:30	Control Test	0.196	11:31	Air Blank	0.000	11:31	Control Test Stats			Average	0.1957		Std Dev	0.0006		Rel Std Dev(%)	0.2936		WINTER HUIJEN PD Intoxilyzer - Alcolon Analyzer Model 8000 09/23/2024 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>11:43</td></tr><tr><td>Control Test</td><td>0.081</td><td>11:43</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:44</td></tr><tr><td>Control Test</td><td>0.081</td><td>11:44</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:45</td></tr><tr><td>Control Test</td><td>0.081</td><td>11:45</td></tr><tr><td>Air Blank</td><td>0.000</td><td>11:45</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0810</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> Operator's Signature 		Test	g/210L	Time	Air Blank	0.000	11:43	Control Test	0.081	11:43	Air Blank	0.000	11:44	Control Test	0.081	11:44	Air Blank	0.000	11:45	Control Test	0.081	11:45	Air Blank	0.000	11:45	Control Test Stats			Average	0.0810		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	11:53																																																																																																																																																					
Control Test	0.049	11:53																																																																																																																																																					
Air Blank	0.000	11:54																																																																																																																																																					
Control Test	0.049	11:55																																																																																																																																																					
Air Blank	0.000	11:55																																																																																																																																																					
Control Test	0.049	11:56																																																																																																																																																					
Air Blank	0.000	11:56																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.0490																																																																																																																																																						
Std Dev	0.0000																																																																																																																																																						
Rel Std Dev(%)	0.0000																																																																																																																																																						
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	11:22																																																																																																																																																					
Control Test	0.078	11:22																																																																																																																																																					
Air Blank	0.000	11:23																																																																																																																																																					
Control Test	0.078	11:24																																																																																																																																																					
Air Blank	0.000	11:24																																																																																																																																																					
Control Test	0.078	11:25																																																																																																																																																					
Air Blank	0.000	11:25																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.0780																																																																																																																																																						
Std Dev	0.0000																																																																																																																																																						
Rel Std Dev(%)	0.0000																																																																																																																																																						
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	11:28																																																																																																																																																					
Control Test	0.197	11:28																																																																																																																																																					
Air Blank	0.000	11:29																																																																																																																																																					
Control Test	0.197	11:30																																																																																																																																																					
Air Blank	0.000	11:30																																																																																																																																																					
Control Test	0.196	11:31																																																																																																																																																					
Air Blank	0.000	11:31																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.1957																																																																																																																																																						
Std Dev	0.0006																																																																																																																																																						
Rel Std Dev(%)	0.2936																																																																																																																																																						
Test	g/210L	Time																																																																																																																																																					
Air Blank	0.000	11:43																																																																																																																																																					
Control Test	0.081	11:43																																																																																																																																																					
Air Blank	0.000	11:44																																																																																																																																																					
Control Test	0.081	11:44																																																																																																																																																					
Air Blank	0.000	11:45																																																																																																																																																					
Control Test	0.081	11:45																																																																																																																																																					
Air Blank	0.000	11:45																																																																																																																																																					
Control Test Stats																																																																																																																																																							
Average	0.0810																																																																																																																																																						
Std Dev	0.0000																																																																																																																																																						
Rel Std Dev(%)	0.0000																																																																																																																																																						

***** AUTO CAL DATA *****
Solution Stats Quadratic Fit Chan 2
Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0004
0.040 0.040 -0.0002
0.100 0.101 -0.0009
0.200 0.199 0.0010
0.300 0.300 -0.0003

***** CHANNEL 1 *****
Sol Val = 0.0000 mg/l or 0.010 g/210L
% Abs = 0.135
Std Dev = 0.01 Rel Std Dev = 11.06
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 0.897
Std Dev = 0.01 Rel Std Dev = 1.12
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 2.063
Std Dev = 0.03 Rel Std Dev = 1.43
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 3.915
Std Dev = 0.02 Rel Std Dev = 0.47
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 5.784
Std Dev = 0.01 Rel Std Dev = 0.23
Zero Order Coef = -334.51
First Order Coef = 2458.17
Second Order Coef = 10.56
Standard Deviation = 28.185905

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 6.7750 (-0.00700)
Sample #2 = 6.7550 (-0.03600)
Sample #3 = 6.7630 (-0.02800)
Sample #4 = 6.7480 (-0.04300)
Avg % Abs = 6.7553 (-0.0357)
Std Dev = 0.0075 (-0.0075)
REL STD DEV = 0.111 (21.044)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 1.5130 (-0.02600)
Sample #2 = 1.4680 (-0.00800)
Sample #3 = 1.5010 (-0.00700)
Sample #4 = 1.5150 (-0.02400)
Avg % Abs = 1.5013 (-0.01300)
Std Dev = 0.0135 (-0.00950)
REL STD DEV = 0.899 (73.380)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.4762 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12590, Sum Io = 13711
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 2.0570 (-0.01600)
Sample #2 = 2.0630 (-0.02000)
Sample #3 = 2.0340 (-0.00700)
Sample #4 = 2.0930 (-0.01200)
Avg % Abs = 2.0633 (-0.0083)
Std Dev = 0.0295 (-0.0139)
REL STD DEV = 1.430 (166.421)

***** CHANNEL 2 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.3615 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 2999.00
Sample #2 = 3058.00
Sample #3 = 2997.00
Sample #4 = 2934.00
Average Result = 2996.3333
STD DEV = 62.0027
REL STD DEV = 2.069
***** CHANNEL 2 *****
Sample #1 = 3388.00
Sample #2 = 3384.00
Sample #3 = 3399.00
Sample #4 = 3389.00
Average Result = 3390.6667
STD DEV = 7.6376
REL STD DEV = 0.225
***** CHANNEL 2 *****
Dry Gas H2O Adjust Results *****
Barometric Pressure = 1011
3 um H2O Adjust (mg/l*10,000) = 813
9 um H2O Adjust (mg/l*10,000) = 419
***** AUTO CAL PASS

***** CHANNEL 2 *****
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.198
Std Dev = 0.02 Rel Std Dev = 20.90
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.501
Std Dev = 0.01 Rel Std Dev = 0.90
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.554
Std Dev = 0.02 Rel Std Dev = 0.49
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.755
Std Dev = 0.01 Rel Std Dev = 0.11
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.928
Std Dev = 0.02 Rel Std Dev = 0.18
Zero Order Coef = -151.64
First Order Coef = 1360.01
Second Order Coef = 9.65
Standard Deviation = 33.899941

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 5.8540 (-0.03600)
Sample #2 = 5.7990 (-0.02700)
Sample #3 = 5.7800 (-0.01400)
Sample #4 = 5.7740 (-0.02500)
Avg % Abs = 5.7843 (-0.0220)
Std Dev = 0.0131 (-0.0070)
REL STD DEV = 0.226 (31.818)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.5610 (-0.01000)
Sample #2 = 3.5520 (-0.01000)
Sample #3 = 3.5370 (-0.01400)
Sample #4 = 3.5720 (-0.00300)
Avg % Abs = 3.5537 (-0.0060)
Std Dev = 0.0176 (-0.0070)
REL STD DEV = 0.494 (116.667)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.0900 (-0.01800)
Sample #2 = 0.0770 (-0.00500)
Sample #3 = 0.1000 (-0.01300)
Sample #4 = 0.1180 (-0.01400)
Avg % Abs = 0.0983 (-0.0107)
Std Dev = 0.0206 (-0.0049)
REL STD DEV = 20.899 (46.246)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12597, Sum Io = 13714
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.8960 (-0.01500)
Sample #2 = 0.8860 (-0.00500)
Sample #3 = 0.9160 (-0.00300)
Sample #4 = 0.8980 (-0.00100)
Avg % Abs = 0.8967 (-0.00100)
Std Dev = 0.0101 (-0.0040)
REL STD DEV = 1.124 (74.000)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 1.4286 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12560, Sum Io = 13704
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 5.8540 (-0.03600)
Sample #2 = 5.7990 (-0.02700)
Sample #3 = 5.7800 (-0.01400)
Sample #4 = 5.7740 (-0.02500)
Avg % Abs = 5.7843 (-0.0220)
Std Dev = 0.0131 (-0.0070)
REL STD DEV = 0.226 (31.818)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 10.0130 (-0.01400)
Sample #2 = 9.9430 (-0.05400)
Sample #3 = 9.9320 (-0.05400)
Sample #4 = 9.9180 (-0.06700)
Avg % Abs = 9.9277 (-0.0583)
Std Dev = 0.0179 (-0.0075)
REL STD DEV = 0.180 (12.867)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.4762 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12590, Sum Io = 13709
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.9080 (-0.01500)
Sample #2 = 3.8970 (-0.01400)
Sample #3 = 3.9340 (-0.01000)
Sample #4 = 3.9150 (-0.00900)
Avg % Abs = 3.9153 (-0.0043)
Std Dev = 0.0185 (-0.0127)
REL STD DEV = 0.473 (292.206)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12597, Sum Io = 13714
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.8960 (-0.01500)
Sample #2 = 0.8860 (-0.00500)
Sample #3 = 0.9160 (-0.00300)
Sample #4 = 0.8980 (-0.00100)
Avg % Abs = 0.8967 (-0.00100)
Std Dev = 0.0101 (-0.0040)
REL STD DEV = 1.124 (74.000)

***** CHANNEL 2 *****
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.198
Std Dev = 0.02 Rel Std Dev = 20.90
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.501
Std Dev = 0.01 Rel Std Dev = 0.90
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.554
Std Dev = 0.02 Rel Std Dev = 0.49
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.755
Std Dev = 0.01 Rel Std Dev = 0.11
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.928
Std Dev = 0.02 Rel Std Dev = 0.18
Zero Order Coef = -151.64
First Order Coef = 1360.01
Second Order Coef = 9.65
Standard Deviation = 33.899941

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 10.0130 (-0.01400)
Sample #2 = 9.9430 (-0.05400)
Sample #3 = 9.9320 (-0.05400)
Sample #4 = 9.9180 (-0.06700)
Avg % Abs = 9.9277 (-0.0583)
Std Dev = 0.0179 (-0.0075)
REL STD DEV = 0.180 (12.867)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.4762 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12590, Sum Io = 13709
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.9080 (-0.01500)
Sample #2 = 3.8970 (-0.01400)
Sample #3 = 3.9340 (-0.01000)
Sample #4 = 3.9150 (-0.00900)
Avg % Abs = 3.9153 (-0.0043)
Std Dev = 0.0185 (-0.0127)
REL STD DEV = 0.473 (292.206)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12597, Sum Io = 13714
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.8960 (-0.01500)
Sample #2 = 0.8860 (-0.00500)
Sample #3 = 0.9160 (-0.00300)
Sample #4 = 0.8980 (-0.00100)
Avg % Abs = 0.8967 (-0.00100)
Std Dev = 0.0101 (-0.0040)
REL STD DEV = 1.124 (74.000)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.0900 (-0.01800)
Sample #2 = 0.0770 (-0.00500)
Sample #3 = 0.1000 (-0.01300)
Sample #4 = 0.1180 (-0.01400)
Avg % Abs = 0.0983 (-0.0107)
Std Dev = 0.0206 (-0.0049)
REL STD DEV = 20.899 (46.246)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12597, Sum Io = 13714
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.8960 (-0.01500)
Sample #2 = 0.8860 (-0.00500)
Sample #3 = 0.9160 (-0.00300)
Sample #4 = 0.8980 (-0.00100)
Avg % Abs = 0.8967 (-0.00100)
Std Dev = 0.0101 (-0.0040)
REL STD DEV = 1.124 (74.000)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 10.0130 (-0.01400)
Sample #2 = 9.9430 (-0.05400)
Sample #3 = 9.9320 (-0.05400)
Sample #4 = 9.9180 (-0.06700)
Avg % Abs = 9.9277 (-0.0583)
Std Dev = 0.0179 (-0.0075)
REL STD DEV = 0.180 (12.867)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.4762 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12590, Sum Io = 13709
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.9080 (-0.01500)
Sample #2 = 3.8970 (-0.01400)
Sample #3 = 3.9340 (-0.01000)
Sample #4 = 3.9150 (-0.00900)
Avg % Abs = 3.9153 (-0.0043)
Std Dev = 0.0185 (-0.0127)
REL STD DEV = 0.473 (292.206)

***** CHANNEL 1 *****
Sol Value = 0.100 g/210L ***
Fit Value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum Io = 12597, Sum Io = 13714
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.8960 (-0.01500)
Sample #2 = 0.8860 (-0.00500)
Sample #3 = 0.9160 (-0.00300)
Sample #4 = 0.8980 (-0.00100)
Avg % Abs = 0.8967 (-0.00100)
Std Dev = 0.0101 (-0.0040)
REL STD DEV = 1.124 (74.000)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.0900 (-0.01800)
Sample #2 = 0.0770 (-0.00500)
Sample #3 = 0.1000 (-0.01300)
Sample #4 = 0.1180 (-0.01400)
Avg % Abs = 0.0983 (-0.0107)
Std Dev = 0.0206 (-0.0049)
REL STD DEV = 20.899 (46.246)

Solution Stats Quadratic Fit Chan 1
Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0000
0.040 0.040 0.0004
0.100 0.101 -0.0009
0.200 0.199 0.0010
0.300 0.300 -0.0003

Optical Calibration
Adjustment
By: TDG

Post-Cal Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
WINTER HAVEN PD Intoxilyzer - Alcotest Analyzer Model 8000 SN 80-001060 09/25/2024 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:38 Control Test 0.050 11:38 Air Blank 0.000 11:39 Control Test 0.050 11:39 Air Blank 0.000 11:40 Control Test 0.050 11:41 Air Blank 0.000 11:41 Control Test Stats Average 0.0500 Std Dev 0.0000 Rel Std Dev(%) 0.0000 Operator's Signature 	WINTER HAVEN PD Intoxilyzer - Alcotest Analyzer Model 8000 SN 80-001060 09/25/2024 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:44 Control Test 0.080 11:45 Air Blank 0.000 11:46 Control Test 0.080 11:46 Air Blank 0.000 11:47 Control Test 0.080 11:48 Air Blank 0.000 11:48 Control Test Stats Average 0.0800 Std Dev 0.0000 Rel Std Dev(%) 0.0000 Operator's Signature 	WINTER HAVEN PD Intoxilyzer - Alcotest Analyzer Model 8000 SN 80-001060 09/25/2024 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:56 Control Test 0.197 11:57 Air Blank 0.000 11:57 Control Test 0.196 11:58 Air Blank 0.000 11:59 Control Test 0.196 11:59 Air Blank 0.000 12:00 Control Test Stats Average 0.1963 Std Dev 0.0006 Rel Std Dev(%) 0.2941 Operator's Signature 	WINTER HAVEN PD Intoxilyzer - Alcotest Analyzer Model 8000 SN 80-001060 09/25/2024 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:34 Control Test 0.082 11:34 Air Blank 0.000 11:35 Control Test 0.081 11:35 Air Blank 0.000 11:35 Control Test 0.082 11:36 Air Blank 0.000 11:36 Control Test Stats Average 0.0817 Std Dev 0.0006 Rel Std Dev(%) 0.7170 Operator's Signature 

Florida Department of Law Enforcement

Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: WINTER HAVEN PD
Time of Inspection: 16:02

Date of Inspection: 09/27/2024

Serial Number: 80-001060
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:01923080A3 Exp: 02/05/2025
0.000	0.050	0.079	0.197	0.081
0.000	0.050	0.079	0.197	0.081
0.000	0.050	0.079	0.197	0.081
0.000	0.050	0.080	0.196	0.081
0.000	0.050	0.079	0.197	0.080
0.000	0.049	0.080	0.198	0.081
0.000	0.050	0.080	0.198	0.081
0.000	0.050	0.080	0.198	0.081
0.000	0.051	0.080	0.197	0.081
0.000	0.051	0.080	0.198	0.082


Standard Deviations	0.0005	0.0005	0.0006	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0005 Number of Simulators Used: 5


Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


 TAYLOR D GUTSCHOW
 Signature and Printed Name

09/27/2024
 Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001060, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001060</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>WINTER HAVEN PD</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>09/27/2024</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>16:02</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

09/27/2024

Date

TAYLOR D GUTSCHOW,

Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality