

### INSTRUMENT PROCESSING SHEET

Agency Sarasota CSO S/N 80-001347 Florida Department of Date In 02/27/2024 DI Completion Date 03/04/2024 □Ship ■P/U □H/D □CMI □EE Law Enforcement Date 02/27/2024 By TDG Date 02/28/2024 Intake By TDG **Quality Checks** Flow Calibration By Date Breath Tube Screen Flow Column # Annual Replace External O-Rings □ 5L/min – 17mm Registration Instrument Set Up Verified ☐ Return from CMI / EE ☐ 15L/min – 53mm R-Value 255 □ 30L/min – 103mm Visual Inspection: Flow Verification (L/s) □ R-Value Case Handle Flow Column # ATP106 ☐ Post Calibration Verification (L/s) Dry Gas Shelf Keyboard 32 mm 0.156 (.139 - .169)Flow Column # Breath Tube Feet 36 mm 0.171 (.156 - .190)32 mm \_\_\_\_\_ (.139 - .169) Ports Screws Tight 53 mm 0.238 (.228 - .278) 36 mm \_\_\_\_\_ (.156 - .190) Other Equipment/ Accessories: 103 mm 0.500 \_\_\_ (.447 - .547) 53 mm \_\_\_\_\_ (.228 - .278) ☐ Power cord ☐ Printer Cable ■ Barometric Pressure Check 103 mm \_\_\_\_\_ (.447 - .547) ☐ Static Bag ☐ 12V DC Cable Gauge ID # 26932 Stability Checks Notes: Dropped off. Simulator Serial # Lot #/Exp Maintenance By\_\_\_ Date ☐ Battery Replacement 0.050 202303K MP4864 ☐ Dry Gas Regulator Replacement 03/29/2025 ☐ Breath Tube Replacement 0.080 202303L MP6287 Other \_\_\_\_\_ 03/29/2025 0.200 202304C MP6288 04/05/2025 0.080 DGS N/A 01923080A3 02/05/2025 By TDG Department Inspection **Calibration Adjustment** By Barometric Pressure ID# 26932 Barometric Pressure Gauge ID# Instrument 1018 Expiration ` Gauge 1018 Simulator | Serial # Lot# 0.000 N/A N/A Mouth Alcohol Solution Lot # 2023-A 0.040 Acetone Stock Solution Lot # 2022-B 0.100 Simulator Serial Number 0.000 MP6284 0.200 Interferent MP6285 0.300 0.050 MP6286 0.080 DGS N/A MP6287 0.080 0.200 MP6288 ☐ Post Calibration Adjustment Stability Checks Attachments Simulator | Serial # Lot# Expiration ☐ Post-Stability Checks Form 41 0.050 0.080 Stability Checks ☐ Flow Calibration 0.200 Calibration Certificate ☐ Form 40 □ Calibration Adjustment □ Other 0.080 DGS N/A Instrument Complies with Chapter 11D-8, FAC Notes/Suggested Service: Inadvertently ran the first DGS ☐ Instrument Does Not Comply with Chapter 11D-8, FAC Stability Test as Wet instead of Dry. Repeated. (TDG) Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use Conduct an Agency Inspection Before Evidentiary Use
Digitally Signed
Digitally Signed
Digitally Signed by Phil Date: 2024.03.07 Phil Nicodemo Nicodemo Date: 2024.03.14 14:56:51 -04'00' Digitally signed by Phil

Tech Review / Date

Admin Review / Date

# Stability Checks

DGS 0.08g/210L 0.077 to 0.083 × 50.003 of Wet ×	Seeobes on Enshwent   Coloresing Sheet   Colo
0.20g/210L	SARASOTA COUNTY SO Intoxilyzer - Alconol Analyzer Nodel 8010 02/28/2024 Software: 8100.27  Test g/210L Time Air 81ank 0.000 Air 81ank 0.000 Air 81ank 0.000 Control Test 0.197 Air 81ank 0.000 Control Test 0.197 Air 81ank 0.000 Control Test Stats Average 0.1970 Std Deu 0.0000 Rel Std Deu(2) 0.0000 Rel Std Deu(2) 0.0000
0.08g/210L 0.077 to 0.083	SARASOTA COUNTY SG Intoxilyzer - Alcohol Analyzer Model 8000 12/28/2024 Software: 8100.27 Test 9/210L
0.05g/210L 0.047 to 0.053	SARASOTA COUNTY SO Intoxilyzer - Alcohol Analyzer Yodel 8000 12/28/2024 Software: 8100.27  Test 9/210L Time Air Blank 0.000 Control Test 0.049 Air Blank 0.000 Control Test 0.049 Air Blank 0.000 Control Test 0.049 Air Blank 0.000 Control Test 5.3249 Augrage 0.0097 Std Deu (2) 2.3249 Air Std Deu (2) 2.3249

Pase 1 of 2

# Stability Checks

DGS 0.08g/210L	>	SARASOTA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 D2/28/2024 Software: 8100.27	### 19/210L Time  ### Blank
0.20g/210L	See notes on Instrument Processing Street.	42/82/2	
0.08g/210L			
0.05g/210L			

Page 2 st 2

### Florida Department of Law Enforcement Alcohol Testing Program

### DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: SARASOTA COUNTY SO Time of Inspection: 12:36

Date of Inspection: 03/04/2024

Serial Number: 80-001347

Software: 8100.27

Check or Test	YES	МО	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:01923080A3 Exp: 02/05/2025
0.000	0.050	0.079	0.199	0.081
0.000	0.049	0.079	0.199	0.081
0.000	0.049	0.078	0.199	0.081
0.000	0.049	0.079	0.199	0.081
0.000	0.049	0.078	0.199	0.081
0.000	0.049	0.079	0.199	0.082
0.000	0.049	0.078	0.200	0.081
0.000	0.049	0.078	0.199	0.082
0.000	0.049	0.079	0.200	0.081
0.000	0.049	0.079	0.200	0.081

			*		
Standard Deviations	0.0003	0.0005	0.0004	0.0004	

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

The above instrument complies ( X ) does not comply ( ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

TAYLOR D GUTSCHOW

Signature and Printed Name

03/04/2024 Date



### **Calibration Certificate**

Florida Department of Law Enforcement 4700 Terminal Drive, Suite 1 Alcohol Testing Program Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001347, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

		The state of the s	
Serial Number:	80-00134/	UNCERTAINTY* ±	
Owning Agency:	SARASOTA COUNTY SO	0.050 g/210 L	0.004
Calibration Date:	03/04/2024	0.080 g/210 L	0.004
Calibration Time:	12:36	0.200 g/210 L	0.007
v.		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. \*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

### *FRACEABILITY INFORMATION*

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards. Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full,

without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

03/04/2024

AYLOR D BUTSCHOW

Department Inspector

Service · Integrity · Respect · Quality

Issuing Authority: Alcohol Testing Program

FDLE/ATP Form 69 December 2021