



## INSTRUMENT PROCESSING SHEET

Agency Crestview PDS/N 80-005058Florida Department of  
Law EnforcementDate In 09/10/2024 DI Completion Date 9/20/2024☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

| <b>Intake</b> By <u>ALL</u> Date <u>09/10/2024</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |               | <b>Quality Checks</b> By <u>DA</u> Date <u>9/20/2024</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |            | <b>Flow Calibration</b> By _____ Date _____                                                                                                                                                                                                                                                                                                                                                                                         |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|---------------|--------|-----------------------|-------------|--------|-----------------------|--------|--------|-----------------------|-----------|--------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-----------|-----|--|--|--------------------------------------------------------------------------------------------------------------------------------------|--|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: _____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____ |               | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>222</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP102</u><br>32 mm <u>0.156</u> (.139 - .169)<br>36 mm <u>0.167</u> (.156 - .190)<br>53 mm <u>0.238</u> (.228 - .278)<br>103 mm <u>0.492</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>28662</u><br><input checked="" type="checkbox"/> Stability Checks |            | <input type="checkbox"/> Flow Column # _____<br><input type="checkbox"/> 5L/min – 17mm<br><input type="checkbox"/> 15L/min – 53mm<br><input type="checkbox"/> 30L/min – 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               | <table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr><tr><td>0.050</td><td>MP5088</td><td>202303K<br/>03/29/2025</td></tr><tr><td>0.080</td><td>MP5089</td><td>202303L<br/>03/29/2025</td></tr><tr><td>0.200</td><td>MP5090</td><td>202304C<br/>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5<br/>04/05/2025</td></tr></table>                                                                                                                                                                                                                                                   |            | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                           | Serial # | Lot #/Exp | 0.050         | MP5088 | 202303K<br>03/29/2025 | 0.080       | MP5089 | 202303L<br>03/29/2025 | 0.200  | MP5090 | 202304C<br>04/05/2025 | 0.080 DGS | N/A    | 06723080A5<br>04/05/2025 | <b>Maintenance</b> By _____ Date _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____<br>_____<br>_____<br>_____<br>_____ |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Serial #      | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5088        | 202303K<br>03/29/2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5089        | 202303L<br>03/29/2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5090        | 202304C<br>04/05/2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | N/A           | 06723080A5<br>04/05/2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| <b>Calibration Adjustment</b> By _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | <b>Department Inspection</b> By <u>DA</u>                                                                                                                                                                                                                                                                                                                                                                                           |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| Barometric Pressure Gauge _____ ID # _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | Barometric Pressure ID# <u>28662</u>                                                                                                                                                                                                                                                                                                                                                                                                |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| <table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                        |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                           | Serial # | Lot #     | Expiration    | 0.000  |                       | N/A         | N/A    | 0.040                 |        |        |                       | 0.100     |        |                          |                                                                                                                                                                                                                                                                                  | 0.200     |     |  |  | 0.300                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  | 0.080 DGS | N/A |  |  | Gauge <u>1008</u> Instrument <u>1004</u><br>Mouth Alcohol Solution Lot # <u>2024-A</u><br>Acetone Stock Solution Lot # <u>2023-B</u> |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Serial #      | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Expiration |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | N/A        |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | N/A           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| <input type="checkbox"/> Post Calibration Adjustment Stability Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | <table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial Number</th></tr><tr><td>0.000</td><td>MP5086</td></tr><tr><td>Interferent</td><td>MP5087</td></tr><tr><td>0.050</td><td>MP5088</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></table>                                                                                                                                  |          | Simulator | Serial Number | 0.000  | MP5086                | Interferent | MP5087 | 0.050                 | MP5088 | 0.080  | MP5089                | 0.200     | MP5090 |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Serial Number |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5086        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | MP5087        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5088        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5089        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5090        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| <table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                           | Serial # | Lot #     | Expiration    | 0.050  |                       |             |        | 0.080                 |        |        |                       | 0.200     |        |                          |                                                                                                                                                                                                                                                                                  | 0.080 DGS | N/A |  |  | <b>Attachments</b><br><input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks<br><input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration<br><input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40<br><input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____ |  |  |  |           |     |  |  |                                                                                                                                      |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Serial #      | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Expiration |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | N/A           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
| Notes/Suggested Service: <u>Aborted department inspection due to incorrect date. Adjusted settings to reflect correct date and restarted department inspection. Stability checks were completed on 9/20/2024. DA 9/20/2024</u><br>_____<br>_____<br>_____<br>_____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use                                     |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | Phil Nicodemo <small>Digitally signed by Phil Nicodemo<br/>Date: 2024.09.24 10:56:35 -0400</small><br>Tech Review / Date _____                                                                                                                                                                                                                                                                                                      |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            | Shayla Platt <small>Digitally signed by Shayla Platt<br/>Date: 2024.09.24 11:04:10 -0400</small><br>Admin Review / Date _____                                                                                                                                                                                                                                                                                                       |          |           |               |        |                       |             |        |                       |        |        |                       |           |        |                          |                                                                                                                                                                                                                                                                                  |           |     |  |  |                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |           |     |  |  |                                                                                                                                      |  |

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Serial Number: 80-005058  
Software: 8100.27

|                     |  |  |  |  |
|---------------------|--|--|--|--|
| Standard Deviations |  |  |  |  |
|---------------------|--|--|--|--|

DATE INCORRECT WILL REPEAT INSPECTION DA 9/20/24

FDLE/ATP Form 41 – Revised August 2005

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: CRESTVIEW PD  
Time of Inspection: 13:08

Date of Inspection: 09/20/2024

Serial Number: 80-005058  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202303K<br>Exp: 03/29/2025 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202303L<br>Exp: 03/29/2025 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202304C<br>Exp: 04/05/2025 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:06723080A5<br>Exp: 04/05/2025 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.082                                                                             |
| 0.000                            | 0.050                                                          | 0.080                                                          | 0.198                                                          | 0.082                                                                             |
| 0.000                            | 0.050                                                          | 0.080                                                          | 0.198                                                          | 0.082                                                                             |
| 0.000                            | 0.050                                                          | 0.079                                                          | 0.198                                                          | 0.081                                                                             |
| 0.000                            | 0.050                                                          | 0.080                                                          | 0.198                                                          | 0.081                                                                             |
| 0.000                            | 0.050                                                          | 0.079                                                          | 0.198                                                          | 0.081                                                                             |
| 0.000                            | 0.051                                                          | 0.080                                                          | 0.198                                                          | 0.081                                                                             |
| 0.000                            | 0.050                                                          | 0.080                                                          | 0.198                                                          | 0.082                                                                             |
| 0.000                            | 0.050                                                          | 0.079                                                          | 0.198                                                          | 0.082                                                                             |
| 0.000                            | 0.050                                                          | 0.079                                                          | 0.198                                                          | 0.082                                                                             |


|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0004 | 0.0005 | 0.0000 | 0.0005 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



DESTINEE N ARMSTRONG

Signature and Printed Name

09/20/2024  
Date

# Stability Check 80-005058 9/20/24 DA

CRESTVIEW PD  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-005058  
09/19/2024  
Software: 8100.27


| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 08:26 |
| Control Test       | 0.049  | 08:27 |
| Air Blank          | 0.000  | 08:27 |
| Control Test       | 0.050  | 08:28 |
| Air Blank          | 0.000  | 08:29 |
| Control Test       | 0.050  | 08:29 |
| Air Blank          | 0.000  | 08:30 |
| Control Test Stats |        |       |
| Average            | 0.0497 |       |
| Std Dev            | 0.0036 |       |
| Rel Std Dev(%)     | 1.1625 |       |

  
Operator's Signature

CRESTVIEW PD  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-005058  
09/19/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 08:31 |
| Control Test       | 0.079  | 08:32 |
| Air Blank          | 0.000  | 08:32 |
| Control Test       | 0.080  | 08:33 |
| Air Blank          | 0.000  | 08:34 |
| Control Test       | 0.080  | 08:34 |
| Air Blank          | 0.000  | 08:35 |
| Control Test Stats |        |       |
| Average            | 0.0797 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7247 |       |

Wet

  
Operator's Signature

CRESTVIEW PD  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-005058  
09/19/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 08:39 |
| Control Test       | 0.198  | 08:39 |
| Air Blank          | 0.000  | 08:40 |
| Control Test       | 0.198  | 08:41 |
| Air Blank          | 0.000  | 08:41 |
| Control Test       | 0.198  | 08:42 |
| Air Blank          | 0.000  | 08:42 |
| Control Test Stats |        |       |
| Average            | 0.1980 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

  
Operator's Signature

CRESTVIEW PD  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-005058  
09/19/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 08:45 |
| Control Test       | 0.081  | 08:45 |
| Air Blank          | 0.000  | 08:46 |
| Control Test       | 0.081  | 08:46 |
| Air Blank          | 0.000  | 08:47 |
| Control Test       | 0.082  | 08:47 |
| Air Blank          | 0.000  | 08:48 |
| Control Test Stats |        |       |
| Average            | 0.0813 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7099 |       |

DGS

  
Operator's Signature

Stability checks  
were done on  
9/20/24. Incorrect  
date in instrument.  
DA 9/20/24



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-005058 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                     |                                |       |
|-------------------|---------------------|--------------------------------|-------|
| Serial Number:    | <u>80-005058</u>    | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>CRESTVIEW PD</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>09/20/2024</u>   | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>13:08</u>        | 0.200 g/ 210 L                 | 0.007 |
|                   |                     | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Destinee Armstrong  
Digitally signed by Destinee Armstrong  
Date: 2024.09.23 11:55:22 -04'00'

09/20/2024

Date

DESTINEE N ARMSTRONG,  
Department Inspector

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality