



## INSTRUMENT PROCESSING SHEET

Agency Hillsborough County SO

S/N 80-006567

Florida Department of  
Law Enforcement

Date In 3/8/2024

DI Completion Date 03-21-2024

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

| Intake                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | By BS         | Date 3/8/2024          | Quality Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | By ALL    | Date 03-19-2024                    | Flow Calibration                                                                                                                                                                                                                                                                                                                                                 | By    | Date   |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|-----------------------|---------------|--------|-----------------------|-------------|--------|-----------------------|-----------|-------|------------------------|-----------|--------|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-----------|-----|--|--|----------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: |               |                        | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value 209<br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # ATP-102<br>32 mm .156 (.139 - .169)<br>36 mm .175 (.156 - .190)<br>53 mm .234 (.228 - .278)<br>103 mm .500 (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # 30793<br><input checked="" type="checkbox"/> Stability Checks |           |                                    | Flow Column #<br><input type="checkbox"/> 5L/min - 17mm<br><input type="checkbox"/> 15L/min - 53mm<br><input type="checkbox"/> 30L/min - 103mm<br><input type="checkbox"/> R-Value<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column #<br>32 mm (.139 - .169)<br>36 mm (.156 - .190)<br>53 mm (.228 - .278)<br>103 mm (.447 - .547) |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |                        | <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP5088</td><td>202303K<br/>03-29-2025</td></tr><tr><td>0.080</td><td>MP5089</td><td>202303L<br/>03-29-2025</td></tr><tr><td>0.200</td><td>MP5090</td><td>202304C<br/>04-05-2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG310901<br/>04-19-2025</td></tr></tbody></table>                                                                                                                                                                                      | Simulator | Serial #                           | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                        | 0.050 | MP5088 | 202303K<br>03-29-2025 | 0.080         | MP5089 | 202303L<br>03-29-2025 | 0.200       | MP5090 | 202304C<br>04-05-2025 | 0.080 DGS | N/A   | AG310901<br>04-19-2025 |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Serial #      | Lot #/Exp              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5088        | 202303K<br>03-29-2025  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5089        | 202303L<br>03-29-2025  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5090        | 202304C<br>04-05-2025  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | N/A           | AG310901<br>04-19-2025 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| <b>Calibration Adjustment</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |               |                        | By                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |           | <b>Department Inspection</b> By IS |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| Barometric Pressure Gauge ID #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                        | Barometric Pressure ID# 30793                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>                                                                                                                                                                                                                                                                                                             |               |                        | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Serial #  | Lot #                              | Expiration                                                                                                                                                                                                                                                                                                                                                       | 0.000 |        | N/A                   | N/A           | 0.040  |                       |             |        | 0.100                 |           |       |                        | 0.200     |        |  |  | 0.300                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  | 0.080 DGS | N/A |  |  | Gauge 1017 Instrument 1009<br>Mouth Alcohol Solution Lot # 2023-A<br>Acetone Stock Solution Lot # 2023-B |  |  |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Serial #      | Lot #                  | Expiration                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               | N/A                    | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | N/A           |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| <input type="checkbox"/> Post Calibration Adjustment Stability Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                        | <table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP5086</td></tr><tr><td>Interferent</td><td>MP5087</td></tr><tr><td>0.050</td><td>MP5088</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></tbody></table>                                                                                                                                                                                                                                                                                     |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        | Simulator             | Serial Number | 0.000  | MP5086                | Interferent | MP5087 | 0.050                 | MP5088    | 0.080 | MP5089                 | 0.200     | MP5090 |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Serial Number |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5086        |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | MP5087        |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5088        |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5089        |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MP5090        |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>                                                                                                                                                                                                                                                                                                                                                                                                                       |               |                        | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Serial #  | Lot #                              | Expiration                                                                                                                                                                                                                                                                                                                                                       | 0.050 |        |                       |               | 0.080  |                       |             |        | 0.200                 |           |       |                        | 0.080 DGS | N/A    |  |  | <b>Attachments</b><br><input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks<br><input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration<br><input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40<br><input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Serial #      | Lot #                  | Expiration                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | N/A           |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
| Notes/Suggested Service:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                        | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use                                                                                                                                                                                                   |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |                        | Shayla Platt<br>Digitally signed by Shayla Platt<br>Date: 2024.03.22 10:31:02 -04'00'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |                        | Taylor Gutschow<br>Digitally signed by Taylor Gutschow<br>Date: 2024.03.22 09:58:50 -04'00'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |                        | Tech Review / Date Admin Review / Date                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |                                    |                                                                                                                                                                                                                                                                                                                                                                  |       |        |                       |               |        |                       |             |        |                       |           |       |                        |           |        |  |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |           |     |  |  |                                                                                                          |  |  |  |  |  |

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: HILLSBOROUGH CO SO  
Time of Inspection: 10:21

Date of Inspection: 03/21/2024

Serial Number: 80-006567  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202303K<br>Exp: 03/29/2025 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202303L<br>Exp: 03/29/2025 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202304C<br>Exp: 04/05/2025 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG310901<br>Exp: 04/19/2025 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.197                                                          | 0.082                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.197                                                          | 0.081                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.197                                                          | 0.080                                                                           |
| 0.000                            | 0.048                                                          | 0.078                                                          | 0.198                                                          | 0.081                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.198                                                          | 0.081                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.081                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.197                                                          | 0.080                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.081                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.081                                                                           |
| 0.000                            | 0.049                                                          | 0.079                                                          | 0.198                                                          | 0.081                                                                           |
| 0.000                            | 0.049                                                          | 0.078                                                          | 0.198                                                          | 0.081                                                                           |


|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0004 | 0.0005 | 0.0005 | 0.0005 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



ISRAEL SOTO

Signature and Printed Name

03/21/2024  
Date

# Stability checks 80-006567 03-19-24

HILLSBOROUGH CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-006567  
03/19/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 15:21 |
| Control Test       | 0.048  | 15:22 |
| Air Blank          | 0.000  | 15:22 |
| Control Test       | 0.047  | 15:23 |
| Air Blank          | 0.000  | 15:23 |
| Control Test       | 0.048  | 15:24 |
| Air Blank          | 0.000  | 15:25 |
| Control Test Stats |        |       |
| Average            | 0.0477 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 1.2112 |       |

*AZ*

Operator's Signature

HILLSBOROUGH CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-006567  
03/19/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 15:31 |
| Control Test       | 0.078  | 15:32 |
| Air Blank          | 0.000  | 15:32 |
| Control Test       | 0.078  | 15:33 |
| Air Blank          | 0.000  | 15:34 |
| Control Test       | 0.078  | 15:34 |
| Air Blank          | 0.000  | 15:35 |
| Control Test Stats |        |       |
| Average            | 0.0780 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

*Wet*

*AZ*

Operator's Signature

HILLSBOROUGH CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-006567  
03/19/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 15:57 |
| Control Test       | 0.197  | 15:57 |
| Air Blank          | 0.000  | 15:58 |
| Control Test       | 0.197  | 15:58 |
| Air Blank          | 0.000  | 15:59 |
| Control Test       | 0.197  | 16:00 |
| Air Blank          | 0.000  | 16:00 |
| Control Test Stats |        |       |
| Average            | 0.1970 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

*AZ*

Operator's Signature

HILLSBOROUGH CO SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-006567  
03/19/2024  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 15:41 |
| Control Test       | 0.081  | 15:41 |
| Air Blank          | 0.000  | 15:41 |
| Control Test       | 0.081  | 15:42 |
| Air Blank          | 0.000  | 15:42 |
| Control Test       | 0.081  | 15:43 |
| Air Blank          | 0.000  | 15:43 |
| Control Test Stats |        |       |
| Average            | 0.0810 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

*DGS*

*AZ*

Operator's Signature



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006567, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                           |                                |       |
|-------------------|---------------------------|--------------------------------|-------|
| Serial Number:    | <u>80-006567</u>          | UNCERTAINTY* $\pm$             |       |
| Owning Agency:    | <u>HILLSBOROUGH CO SO</u> | 0.050 g/ 210 L                 | 0.004 |
| Calibration Date: | <u>03/21/2024</u>         | 0.080 g/ 210 L                 | 0.004 |
| Calibration Time: | <u>10:21</u>              | 0.200 g/ 210 L                 | 0.007 |
|                   |                           | 0.080 g/ 210 L Dry Gas Control | 0.005 |

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.  
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

03/21/2024

Date

*Israel Soto*

ISRAEL SOTO,

Department Inspector

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality