



INSTRUMENT PROCESSING SHEET

Agency Florida Highway Patrol Troop CS/N 80-007440Florida Department of
Law EnforcementDate In 06/04/2024 DI Completion Date 06/06/2024☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By TDG	Date	Quality Checks	By TDG	Date	Flow Calibration	By	Date																																							
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes:		06/04/2024	☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>210</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.144</u> (.139 - .169) 36 mm <u>0.164</u> (.156 - .190) 53 mm <u>0.234</u> (.228 - .278) 103 mm <u>0.500</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>26932</u> ☒ Stability Checks		06/04/2024	Flow Column # ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value ☐ Post Calibration Verification (L/s) Flow Column # 32 mm (.139 - .169) 36 mm (.156 - .190) 53 mm (.228 - .278) 103 mm (.447 - .547)																																									
			<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202303K 03/29/2025</td></tr><tr><td>0.080</td><td>MP6287</td><td>202303L 03/29/2025</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C 04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG222203 08/10/2024</td></tr></tbody></table>	Simulator	Serial #	Lot #/Exp	0.050	MP6286	202303K 03/29/2025	0.080	MP6287	202303L 03/29/2025	0.200	MP6288	202304C 04/05/2025	0.080 DGS	N/A	AG222203 08/10/2024					Maintenance By <u> </u> Date <u> </u> ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other <u> </u>																								
Simulator	Serial #	Lot #/Exp																																													
0.050	MP6286	202303K 03/29/2025																																													
0.080	MP6287	202303L 03/29/2025																																													
0.200	MP6288	202304C 04/05/2025																																													
0.080 DGS	N/A	AG222203 08/10/2024																																													
Calibration Adjustment By <u>TDG</u> Barometric Pressure Gauge <u>1012</u> ID # <u>28199</u>			Department Inspection By <u>TDG</u> Barometric Pressure ID# <u>26932</u> Gauge <u>1011</u> Instrument <u>1012</u> Mouth Alcohol Solution Lot # <u>2023-A</u> Acetone Stock Solution Lot # <u>2023-B</u>																																												
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP5097</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP5098</td><td>23400</td><td>10/24/2025</td></tr><tr><td>0.100</td><td>MP5099</td><td>23390</td><td>10/17/2025</td></tr><tr><td>0.200</td><td>MP5100</td><td>23340</td><td>09/18/2025</td></tr><tr><td>0.300</td><td>MP5101</td><td>23070</td><td>03/06/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5</td><td>04/05/2025</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.000	MP5097	N/A	N/A	0.040	MP5098	23400	10/24/2025	0.100	MP5099	23390	10/17/2025	0.200	MP5100	23340	09/18/2025	0.300	MP5101	23070	03/06/2025	0.080 DGS	N/A	06723080A5	04/05/2025	<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP6287</td></tr><tr><td>0.200</td><td>MP6288</td></tr></tbody></table>					Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288
Simulator	Serial #	Lot #	Expiration																																												
0.000	MP5097	N/A	N/A																																												
0.040	MP5098	23400	10/24/2025																																												
0.100	MP5099	23390	10/17/2025																																												
0.200	MP5100	23340	09/18/2025																																												
0.300	MP5101	23070	03/06/2025																																												
0.080 DGS	N/A	06723080A5	04/05/2025																																												
Simulator	Serial Number																																														
0.000	MP6284																																														
Interferent	MP6285																																														
0.050	MP6286																																														
0.080	MP6287																																														
0.200	MP6288																																														
☒ Post Calibration Adjustment Stability Checks			Attachments ☒ Form 41 ☒ Post-Stability Checks ☒ Stability Checks ☐ Flow Calibration ☒ Calibration Certificate ☐ Form 40 ☒ Calibration Adjustment ☐ Other <u> </u>																																												
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202303K</td><td>03/29/2025</td></tr><tr><td>0.080</td><td>MP6287</td><td>202303L</td><td>03/29/2025</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C</td><td>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG222203</td><td>08/10/2024</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202303K	03/29/2025	0.080	MP6287	202303L	03/29/2025	0.200	MP6288	202304C	04/05/2025	0.080 DGS	N/A	AG222203	08/10/2024	☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																								
Simulator	Serial #	Lot #	Expiration																																												
0.050	MP6286	202303K	03/29/2025																																												
0.080	MP6287	202303L	03/29/2025																																												
0.200	MP6288	202304C	04/05/2025																																												
0.080 DGS	N/A	AG222203	08/10/2024																																												
Notes/Suggested Service: <u>Added plastic caps for return to agency. (TDG)</u> <u>Performed discretionary optical cal adjust. Repeated the 0.08 DGS portion of the optical because the DGS cord was not plugged in. (TDG)</u>			Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2024.06.07 12:00:41 -0400 Tech Review / Date <u> </u>																																												
			Shayla Platt Digitally signed by Shayla Platt Date: 2024.06.13 15:36:07 -0400 Admin Review / Date <u> </u>																																												

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083 ☒ ≤0.003 of Wet ☒																																				
Did not have a DGS cylinder attached to the instrument for the first Control Test. Attached DGS prior to Control Test #2. Repeated DGS Stability Check. ML 06/04/2024 DGS #1 FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 06/04/2024 Software: 8100.27 SN 80-C07440 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:36</td></tr> <tr><td>Control Test</td><td>0.000</td><td>15:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:37</td></tr> <tr><td>Control Test</td><td>0.081</td><td>15:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:38</td></tr> <tr><td>Control Test</td><td>0.081</td><td>15:38</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:39</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0540</td><td></td></tr> <tr><td>Std Dev</td><td>0.0468</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>86.6025</td><td></td></tr> </tbody> </table> ML ML 06/04/24 Operator's Signature				Test	g/210L	Time	Air Blank	0.000	15:36	Control Test	0.000	15:37	Air Blank	0.000	15:37	Control Test	0.081	15:37	Air Blank	0.000	15:38	Control Test	0.081	15:38	Air Blank	0.000	15:39	Control Test Stats			Average	0.0540		Std Dev	0.0468		Rel Std Dev(%)	86.6025	
Test	g/210L	Time																																					
Air Blank	0.000	15:36																																					
Control Test	0.000	15:37																																					
Air Blank	0.000	15:37																																					
Control Test	0.081	15:37																																					
Air Blank	0.000	15:38																																					
Control Test	0.081	15:38																																					
Air Blank	0.000	15:39																																					
Control Test Stats																																							
Average	0.0540																																						
Std Dev	0.0468																																						
Rel Std Dev(%)	86.6025																																						

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																																
✓	✓	✓	✓																																																																																																																																																
FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007440 06/04/2024 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:43</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:44</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:45</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:47</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0490</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	15:43	Control Test	0.049	15:44	Air Blank	0.000	15:44	Control Test	0.049	15:45	Air Blank	0.000	15:45	Control Test	0.049	15:46	Air Blank	0.000	15:47	Control Test Stats			Average	0.0490		Std Dev	0.0000		Rel Std Dev(%)	0.0000		FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007440 06/04/2024 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:50</td></tr> <tr><td>Control Test</td><td>0.078</td><td>15:50</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:51</td></tr> <tr><td>Control Test</td><td>0.078</td><td>15:52</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:52</td></tr> <tr><td>Control Test</td><td>0.079</td><td>15:53</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:53</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0783</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7370</td><td></td></tr> </tbody> </table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	15:50	Control Test	0.078	15:50	Air Blank	0.000	15:51	Control Test	0.078	15:52	Air Blank	0.000	15:52	Control Test	0.079	15:53	Air Blank	0.000	15:53	Control Test Stats			Average	0.0783		Std Dev	0.0006		Rel Std Dev(%)	0.7370		FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007440 06/04/2024 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:58</td></tr> <tr><td>Control Test</td><td>0.197</td><td>15:59</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:59</td></tr> <tr><td>Control Test</td><td>0.197</td><td>16:00</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>16:01</td></tr> <tr><td>Control Test</td><td>0.197</td><td>16:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>16:02</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1970</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	15:58	Control Test	0.197	15:59	Air Blank	0.000	15:59	Control Test	0.197	16:00	Air Blank	0.000	16:01	Control Test	0.197	16:01	Air Blank	0.000	16:02	Control Test Stats			Average	0.1970		Std Dev	0.0000		Rel Std Dev(%)	0.0000		FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007440 06/04/2024 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:40</td></tr> <tr><td>Control Test</td><td>0.081</td><td>15:40</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:41</td></tr> <tr><td>Control Test</td><td>0.082</td><td>15:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:41</td></tr> <tr><td>Control Test</td><td>0.081</td><td>15:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:42</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0813</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7099</td><td></td></tr> </tbody> </table> Operator's Signature 	Test	g/210L	Time	Air Blank	0.000	15:40	Control Test	0.081	15:40	Air Blank	0.000	15:41	Control Test	0.082	15:41	Air Blank	0.000	15:41	Control Test	0.081	15:42	Air Blank	0.000	15:42	Control Test Stats			Average	0.0813		Std Dev	0.0006		Rel Std Dev(%)	0.7099	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:43																																																																																																																																																	
Control Test	0.049	15:44																																																																																																																																																	
Air Blank	0.000	15:44																																																																																																																																																	
Control Test	0.049	15:45																																																																																																																																																	
Air Blank	0.000	15:45																																																																																																																																																	
Control Test	0.049	15:46																																																																																																																																																	
Air Blank	0.000	15:47																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0490																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:50																																																																																																																																																	
Control Test	0.078	15:50																																																																																																																																																	
Air Blank	0.000	15:51																																																																																																																																																	
Control Test	0.078	15:52																																																																																																																																																	
Air Blank	0.000	15:52																																																																																																																																																	
Control Test	0.079	15:53																																																																																																																																																	
Air Blank	0.000	15:53																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0783																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7370																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:58																																																																																																																																																	
Control Test	0.197	15:59																																																																																																																																																	
Air Blank	0.000	15:59																																																																																																																																																	
Control Test	0.197	16:00																																																																																																																																																	
Air Blank	0.000	16:01																																																																																																																																																	
Control Test	0.197	16:01																																																																																																																																																	
Air Blank	0.000	16:02																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1970																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:40																																																																																																																																																	
Control Test	0.081	15:40																																																																																																																																																	
Air Blank	0.000	15:41																																																																																																																																																	
Control Test	0.082	15:41																																																																																																																																																	
Air Blank	0.000	15:41																																																																																																																																																	
Control Test	0.081	15:42																																																																																																																																																	
Air Blank	0.000	15:42																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7099																																																																																																																																																		

063 #2

Solution Stats Quadratic Fit Chan 1

Act	Fit	Residual
g/210L	g/210L	g/210L
0.000	-0.000	0.0001
0.040	0.040	0.0002
0.100	0.101	-0.0007
0.200	0.199	0.0007
0.300	0.300	-0.0002

***** AUTO CAL DATA *****
<<<< CHANNEL 1 >>>>
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.144
Std Dev = 0.00 Rel Std Dev = 2.41
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 0.863
Std Dev = 0.03 Rel Std Dev = 3.07
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 1.977
Std Dev = 0.01 Rel Std Dev = 0.46
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 3.726
Std Dev = 0.02 Rel Std Dev = 0.56
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 5.494
Std Dev = 0.01 Rel Std Dev = 0.26
Zero Order Coef = -371.73
First Order Coef = 2595.33
Second Order Coef = 13.55
Standard Deviation = 34.478462

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 6.5480 (-0.0160)
Sample #2 = 6.5730 (-0.0020)
Sample #3 = 6.5550 (0.0000)
Sample #4 = 6.5380 (0.0070)
Avg % Abs = 6.5553 (0.0017)
STD DEV = 0.0175 (0.0047)
REL STD DEV = 0.267 (283.549)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 1.4660 (-0.0030)
Sample #2 = 1.4330 (-0.0040)
Sample #3 = 1.4710 (-0.0080)
Sample #4 = 1.4340 (-0.0100)
Avg % Abs = 1.4460 (0.0020)
STD DEV = 0.0217 (0.0092)
REL STD DEV = 1.498 (458.258)

FL HIGHWAY PATROL
Intoxi-Lyzer - Alcotest Analyzer
Model 8000 SN 80-107440
06/06/2024 09:26:17
Auto Calibration
Max Power Res Value = 91
Auto Range Res Value = 64

Sol Value = 0.000 g/210L ***
Fit value = 0.3810 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = -371.00
Sample #2 = -383.00
Sample #3 = -369.00
Sample #4 = -348.00
Average Result = -366.6667
STD DEV = 17.6163
REL STD DEV = 4.804
***** CHANNEL 2 *****
Sample #1 = -147.00
Sample #2 = -146.00
Sample #3 = -153.00
Sample #4 = -138.00
Average Result = -145.6667
STD DEV = 7.5056
REL STD DEV = 5.153

<<<< CHANNEL 2 >>>>
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.108
Std Dev = 0.01 Rel Std Dev = 5.16
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.446
Std Dev = 0.02 Rel Std Dev = 1.50
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.437
Std Dev = 0.00 Rel Std Dev = 0.13
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.555
Std Dev = 0.02 Rel Std Dev = 0.27
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.620
Std Dev = 0.01 Rel Std Dev = 0.08
Zero Order Coef = -157.87
First Order Coef = 1407.11
Second Order Coef = 9.91
Standard Deviation = 24.234787

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 9.6620 (-0.0040)
Sample #2 = 9.6210 (-0.0320)
Sample #3 = 9.6120 (0.0100)
Sample #4 = 9.6270 (0.0100)
Avg % Abs = 9.6200 (0.0173)
STD DEV = 0.0076 (0.0127)
REL STD DEV = 0.078 (73.279)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 3.4350 (-0.0030)
Sample #2 = 3.4370 (0.0130)
Sample #3 = 3.4420 (0.0080)
Sample #4 = 3.4330 (0.0190)
Avg % Abs = 3.4373 (0.0133)
STD DEV = 0.0045 (0.0055)
REL STD DEV = 0.131 (41.307)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.0680 (0.0050)
Sample #2 = 0.1070 (-0.0230)
Sample #3 = 0.1030 (-0.0260)
Sample #4 = 0.1140 (-0.0220)
Avg % Abs = 0.1080 (-0.0237)
STD DEV = 0.0056 (0.0021)
REL STD DEV = 5.155 (8.756)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 0.8950 (-0.0060)
Sample #2 = 0.8400 (0.0170)
Sample #3 = 0.8920 (-0.0030)
Sample #4 = 0.8570 (0.0210)
Avg % Abs = 0.8630 (0.0117)
STD DEV = 0.0265 (0.0129)
REL STD DEV = 3.072 (110.213)

Sol Value = 0.100 g/210L ***
Fit value = 0.4762 mg/l %%%
Samples Taken = 4, Discarded = 1
3um Io = 12589, 9um Io = 12985
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 1.9870 (-0.0100)
Sample #2 = 1.9770 (0.0000)
Sample #3 = 1.9860 (-0.0010)
Sample #4 = 1.9680 (-0.0220)
Avg % Abs = 1.9770 (0.0070)
STD DEV = 0.0090 (0.0130)
REL STD DEV = 0.455 (185.714)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 3.7050 (-0.0030)
Sample #2 = 3.7440 (-0.0100)
Sample #3 = 3.7310 (0.0110)
Sample #4 = 3.7030 (0.0090)
Avg % Abs = 3.7260 (0.0033)
STD DEV = 0.0210 (0.0116)
REL STD DEV = 0.562 (347.707)

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %%%
Samples Taken = 4, Discarded = 1
3um Io = 12585, 9um Io = 12981
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.7050 (-0.0030)
Sample #2 = 3.7440 (-0.0100)
Sample #3 = 3.7310 (0.0110)
Sample #4 = 3.7030 (0.0090)
Avg % Abs = 3.7260 (0.0033)
STD DEV = 0.0210 (0.0116)
REL STD DEV = 0.562 (347.707)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.0680 (0.0050)
Sample #2 = 0.1070 (-0.0230)
Sample #3 = 0.1030 (-0.0260)
Sample #4 = 0.1140 (-0.0220)
Avg % Abs = 0.1080 (-0.0237)
STD DEV = 0.0056 (0.0021)
REL STD DEV = 5.155 (8.756)

Sol Value = 0.080 g/210L ***
Fit value = 0.3810 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 3001.00
Sample #2 = 2985.00
Sample #3 = 3080.00
Sample #4 = 2989.00
Average Result = 3018.0000
STD DEV = 53.7308
REL STD DEV = 1.780
***** CHANNEL 2 *****
Sample #1 = 3402.00
Sample #2 = 3407.00
Sample #3 = 3409.00
Sample #4 = 3391.00
Average Result = 3412.3333
STD DEV = 9.8658
REL STD DEV = 0.290

Solution Stats Quadratic Fit Chan 1

Act	Fit	Residual
g/210L	g/210L	g/210L
0.000	0.000	-0.0000
0.040	0.039	0.0006
0.100	0.101	-0.0011
0.200	0.199	0.0008
0.300	0.300	-0.0002

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 9.6620 (-0.0040)
Sample #2 = 9.6210 (-0.0320)
Sample #3 = 9.6120 (0.0100)
Sample #4 = 9.6270 (0.0100)
Avg % Abs = 9.6200 (0.0173)
STD DEV = 0.0076 (0.0127)
REL STD DEV = 0.078 (73.279)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 3.4350 (-0.0030)
Sample #2 = 3.4370 (0.0130)
Sample #3 = 3.4420 (0.0080)
Sample #4 = 3.4330 (0.0190)
Avg % Abs = 3.4373 (0.0133)
STD DEV = 0.0045 (0.0055)
REL STD DEV = 0.131 (41.307)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.0680 (0.0050)
Sample #2 = 0.1070 (-0.0230)
Sample #3 = 0.1030 (-0.0260)
Sample #4 = 0.1140 (-0.0220)
Avg % Abs = 0.1080 (-0.0237)
STD DEV = 0.0056 (0.0021)
REL STD DEV = 5.155 (8.756)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 0.8950 (-0.0060)
Sample #2 = 0.8400 (0.0170)
Sample #3 = 0.8920 (-0.0030)
Sample #4 = 0.8570 (0.0210)
Avg % Abs = 0.8630 (0.0117)
STD DEV = 0.0265 (0.0129)
REL STD DEV = 3.072 (110.213)

Sol Value = 0.100 g/210L ***
Fit value = 0.4762 mg/l %%%
Samples Taken = 4, Discarded = 1
3um Io = 12589, 9um Io = 12985
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 1.9870 (-0.0100)
Sample #2 = 1.9770 (0.0000)
Sample #3 = 1.9860 (-0.0010)
Sample #4 = 1.9680 (-0.0220)
Avg % Abs = 1.9770 (0.0070)
STD DEV = 0.0090 (0.0130)
REL STD DEV = 0.455 (185.714)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 3.7050 (-0.0030)
Sample #2 = 3.7440 (-0.0100)
Sample #3 = 3.7310 (0.0110)
Sample #4 = 3.7030 (0.0090)
Avg % Abs = 3.7260 (0.0033)
STD DEV = 0.0210 (0.0116)
REL STD DEV = 0.562 (347.707)

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %%%
Samples Taken = 4, Discarded = 1
3um Io = 12585, 9um Io = 12981
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.7050 (-0.0030)
Sample #2 = 3.7440 (-0.0100)
Sample #3 = 3.7310 (0.0110)
Sample #4 = 3.7030 (0.0090)
Avg % Abs = 3.7260 (0.0033)
STD DEV = 0.0210 (0.0116)
REL STD DEV = 0.562 (347.707)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.0680 (0.0050)
Sample #2 = 0.1070 (-0.0230)
Sample #3 = 0.1030 (-0.0260)
Sample #4 = 0.1140 (-0.0220)
Avg % Abs = 0.1080 (-0.0237)
STD DEV = 0.0056 (0.0021)
REL STD DEV = 5.155 (8.756)

Sol Value = 0.080 g/210L ***
Fit value = 0.3810 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 3001.00
Sample #2 = 2985.00
Sample #3 = 3080.00
Sample #4 = 2989.00
Average Result = 3018.0000
STD DEV = 53.7308
REL STD DEV = 1.780
***** CHANNEL 2 *****
Sample #1 = 3402.00
Sample #2 = 3407.00
Sample #3 = 3409.00
Sample #4 = 3391.00
Average Result = 3412.3333
STD DEV = 9.8658
REL STD DEV = 0.290

Solution Stats Quadratic Fit Chan 1

Act	Fit	Residual
g/210L	g/210L	g/210L
0.000	0.000	-0.0000
0.040	0.039	0.0006
0.100	0.101	-0.0011
0.200	0.199	0.0008
0.300	0.300	-0.0002

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 9.6620 (-0.0040)
Sample #2 = 9.6210 (-0.0320)
Sample #3 = 9.6120 (0.0100)
Sample #4 = 9.6270 (0.0100)
Avg % Abs = 9.6200 (0.0173)
STD DEV = 0.0076 (0.0127)
REL STD DEV = 0.078 (73.279)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 3.4350 (-0.0030)
Sample #2 = 3.4370 (0.0130)
Sample #3 = 3.4420 (0.0080)
Sample #4 = 3.4330 (0.0190)
Avg % Abs = 3.4373 (0.0133)
STD DEV = 0.0045 (0.0055)
REL STD DEV = 0.131 (41.307)

<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 0.0680 (0.0050)
Sample #2 = 0.1070 (-0.0230)
Sample #3 = 0.1030 (-0.0260)
Sample #4 = 0.1140 (-0.0220)
Avg % Abs = 0.1080 (-0.0237)
STD DEV = 0.0056 (0.0021)
REL STD DEV = 5.155 (8.756)

Optical Calibration
Adjustment
By: TDG

Dry Gas H2O Adjust Results *****
Barometric Pressure = 1012
3 um H2O Adjust (mg/l x 10,000) = 791
9 um H2O Adjust (mg/l x 10,000) = 407
***** AUTO CAL PASS *****

Post-Cal Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																				
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																				
✓	✓	✓	✓																																																																																																																																				
FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 06/06/2024 Software: 8100.27 SN 80-007440 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>11:03</td></tr> <tr><td>Control Test</td><td>0.049</td><td>11:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:04</td></tr> <tr><td>Control Test</td><td>0.049</td><td>11:05</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:05</td></tr> <tr><td>Control Test</td><td>0.050</td><td>11:06</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>11:06</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0493</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1703</td><td></td></tr> </table> Operator's Signature _____	Air Blank	0.000	11:03	Control Test	0.049	11:03	Air Blank	0.000	11:04	Control Test	0.049	11:05	Air Blank	0.000	11:05	Control Test	0.050	11:06	Air Blank	0.000	11:06	Control Test Stats			Average	0.0493		Std Dev	0.0006		Rel Std Dev(%)	1.1703		FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 06/06/2024 Software: 8100.27 SN 80-007440 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>10:56</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:57</td></tr> <tr><td>Control Test</td><td>0.079</td><td>10:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:58</td></tr> <tr><td>Control Test</td><td>0.080</td><td>10:59</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:59</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </table> Operator's Signature _____	Air Blank	0.000	10:56	Control Test	0.079	10:56	Air Blank	0.000	10:57	Control Test	0.079	10:58	Air Blank	0.000	10:58	Control Test	0.080	10:59	Air Blank	0.000	10:59	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277		FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 06/06/2024 Software: 8100.27 SN 80-007440 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>10:48</td></tr> <tr><td>Control Test</td><td>0.197</td><td>10:49</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:50</td></tr> <tr><td>Control Test</td><td>0.196</td><td>10:50</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:51</td></tr> <tr><td>Control Test</td><td>0.197</td><td>10:52</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:52</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1967</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2936</td><td></td></tr> </table> Operator's Signature _____	Air Blank	0.000	10:48	Control Test	0.197	10:49	Air Blank	0.000	10:50	Control Test	0.196	10:50	Air Blank	0.000	10:51	Control Test	0.197	10:52	Air Blank	0.000	10:52	Control Test Stats			Average	0.1967		Std Dev	0.0006		Rel Std Dev(%)	0.2936		DGS FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 06/06/2024 Software: 8100.27 SN 80-007440 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>10:35</td></tr> <tr><td>Control Test</td><td>0.081</td><td>10:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:36</td></tr> <tr><td>Control Test</td><td>0.082</td><td>10:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:37</td></tr> <tr><td>Control Test</td><td>0.082</td><td>10:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>10:37</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0817</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7070</td><td></td></tr> </table> Operator's Signature _____	Air Blank	0.000	10:35	Control Test	0.081	10:35	Air Blank	0.000	10:36	Control Test	0.082	10:36	Air Blank	0.000	10:37	Control Test	0.082	10:37	Air Blank	0.000	10:37	Control Test Stats			Average	0.0817		Std Dev	0.0006		Rel Std Dev(%)	0.7070	
Air Blank	0.000	11:03																																																																																																																																					
Control Test	0.049	11:03																																																																																																																																					
Air Blank	0.000	11:04																																																																																																																																					
Control Test	0.049	11:05																																																																																																																																					
Air Blank	0.000	11:05																																																																																																																																					
Control Test	0.050	11:06																																																																																																																																					
Air Blank	0.000	11:06																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.0493																																																																																																																																						
Std Dev	0.0006																																																																																																																																						
Rel Std Dev(%)	1.1703																																																																																																																																						
Air Blank	0.000	10:56																																																																																																																																					
Control Test	0.079	10:56																																																																																																																																					
Air Blank	0.000	10:57																																																																																																																																					
Control Test	0.079	10:58																																																																																																																																					
Air Blank	0.000	10:58																																																																																																																																					
Control Test	0.080	10:59																																																																																																																																					
Air Blank	0.000	10:59																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.0793																																																																																																																																						
Std Dev	0.0006																																																																																																																																						
Rel Std Dev(%)	0.7277																																																																																																																																						
Air Blank	0.000	10:48																																																																																																																																					
Control Test	0.197	10:49																																																																																																																																					
Air Blank	0.000	10:50																																																																																																																																					
Control Test	0.196	10:50																																																																																																																																					
Air Blank	0.000	10:51																																																																																																																																					
Control Test	0.197	10:52																																																																																																																																					
Air Blank	0.000	10:52																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.1967																																																																																																																																						
Std Dev	0.0006																																																																																																																																						
Rel Std Dev(%)	0.2936																																																																																																																																						
Air Blank	0.000	10:35																																																																																																																																					
Control Test	0.081	10:35																																																																																																																																					
Air Blank	0.000	10:36																																																																																																																																					
Control Test	0.082	10:36																																																																																																																																					
Air Blank	0.000	10:37																																																																																																																																					
Control Test	0.082	10:37																																																																																																																																					
Air Blank	0.000	10:37																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.0817																																																																																																																																						
Std Dev	0.0006																																																																																																																																						
Rel Std Dev(%)	0.7070																																																																																																																																						

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FL HIGHWAY PATROL
Time of Inspection: 13:50

Date of Inspection: 06/06/2024

Serial Number: 80-007440
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG222203 Exp: 08/10/2024
0.000	0.050	0.079	0.197	0.081
0.000	0.050	0.079	0.197	0.081
0.000	0.051	0.079	0.197	0.081
0.000	0.050	0.080	0.197	0.082
0.000	0.050	0.080	0.197	0.081
0.000	0.050	0.079	0.197	0.081
0.000	0.050	0.079	0.197	0.081
0.000	0.050	0.079	0.197	0.081
0.000	0.050	0.080	0.198	0.081
0.000	0.050	0.080	0.197	0.081

Standard Deviations	0.0003	0.0005	0.0003	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.


I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

06/06/2024
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007440, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-007440</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>FL HIGHWAY PATROL</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>06/06/2024</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>13:50</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/06/2024

Date

Taylor D Gutschow,
Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality