



INSTRUMENT PROCESSING SHEET

Agency SANTA ROSA COUNTY SOS/N 80-000772Florida Department of
Law EnforcementDate In 6/12/2025DI Completion Date 07/09/2025☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By <u>WKP</u> Date <u>6/12/2025</u>		Quality Checks By <u>KTS</u> Date <u>6/17/25</u>		Flow Calibration By _____ Date _____																													
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: <u>Instrument delivered in a standard brown box without the Intoxilyzer 8000 logo.</u> <u>Agency Inspection Report from 6/6/2025 was enclosed in the box.</u>		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>216</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP102</u> 32 mm <u>0.156</u> (.139 - .169) 36 mm <u>0.167</u> (.156 - .190) 53 mm <u>0.234</u> (.228 - .278) 103 mm <u>0.488</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>28427</u> ☒ Stability Checks		☐ Flow Column # _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																													
		<table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr><tr><td>0.050</td><td>MP5088</td><td>202406K 6/19/26</td></tr><tr><td>0.080</td><td>MP5089</td><td>202406L 6/19/26</td></tr><tr><td>0.200</td><td>MP5090</td><td>202406N 6/20/26</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602 10/22/26</td></tr></table>		Simulator	Serial #	Lot #/Exp	0.050	MP5088	202406K 6/19/26	0.080	MP5089	202406L 6/19/26	0.200	MP5090	202406N 6/20/26	0.080 DGS	N/A	AG429602 10/22/26	Maintenance By _____ Date _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____														
Simulator	Serial #	Lot #/Exp																															
0.050	MP5088	202406K 6/19/26																															
0.080	MP5089	202406L 6/19/26																															
0.200	MP5090	202406N 6/20/26																															
0.080 DGS	N/A	AG429602 10/22/26																															
Calibration Adjustment By _____		Department Inspection By <u>SLH</u>																															
Barometric Pressure Gauge _____ ID # _____		Barometric Pressure ID# <u>28662</u>																															
<table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Gauge <u>1016</u> Instrument <u>1013</u> Mouth Alcohol Solution Lot # <u>2025-A</u> Acetone Stock Solution Lot # <u>2024-B</u>			
Simulator	Serial #	Lot #	Expiration																														
0.000		N/A	N/A																														
0.040																																	
0.100																																	
0.200																																	
0.300																																	
0.080 DGS	N/A																																
☐ Post Calibration Adjustment Stability Checks		<table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial Number</th></tr><tr><td>0.000</td><td>MP5086</td></tr><tr><td>Interferent</td><td>MP5087</td></tr><tr><td>0.050</td><td>MP5088</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></table>				Simulator	Serial Number	0.000	MP5086	Interferent	MP5087	0.050	MP5088	0.080	MP5089	0.200	MP5090																
Simulator	Serial Number																																
0.000	MP5086																																
Interferent	MP5087																																
0.050	MP5088																																
0.080	MP5089																																
0.200	MP5090																																
<table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Attachments ☒ Form 41 ☐ Post-Stability Checks ☒ Stability Checks ☐ Flow Calibration ☒ Calibration Certificate ☐ Form 40 ☐ Calibration Adjustment ☐ Other _____											
Simulator	Serial #	Lot #	Expiration																														
0.050																																	
0.080																																	
0.200																																	
0.080 DGS	N/A																																
Notes/Suggested Service: <u>No root cause analysis (RCA) was performed for the 0.200g/210L stability check ran 6/17/25 so it was rerun 7/2/25 and passed. SLH 7/15/25</u> <u>SLH 8/5/25 Tech Review- struckthrough checkmark for original 0.200g/210L control.</u>		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																															
		Tech Review / Date _____ Admin Review / Date _____																															
		Digitally signed by Shayla Platt Date: 2025.08.05 14:34:31 -0400																															
		Digitally signed by Shayla Platt Date: 2025.08.07 09:28:35 -0400																															

Stability Checks

8/5/25 SLH - not within
criteria, checkmark needed
strikethrough.

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L ±0.003 g/210L of Wet																																																																																																																																																
Performed Root Case Analysis	Performed Root Case Analysis	Performed Root Case Analysis	Performed Root Case Analysis																																																																																																																																																
SANTA ROSA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000772 06/17/2025 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>08:20</td></tr> <tr><td>Control Test</td><td>0.048</td><td>08:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:22</td></tr> <tr><td>Control Test</td><td>0.048</td><td>08:22</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:23</td></tr> <tr><td>Control Test</td><td>0.047</td><td>08:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:24</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0477</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.2112</td><td></td></tr> </tbody> </table> <i>Kats</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	08:20	Control Test	0.048	08:21	Air Blank	0.000	08:22	Control Test	0.048	08:22	Air Blank	0.000	08:23	Control Test	0.047	08:23	Air Blank	0.000	08:24	Control Test Stats			Average	0.0477		Std Dev	0.0006		Rel Std Dev(%)	1.2112		SANTA ROSA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000772 06/17/2025 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>08:29</td></tr> <tr><td>Control Test</td><td>0.080</td><td>08:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:30</td></tr> <tr><td>Control Test</td><td>0.079</td><td>08:31</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:32</td></tr> <tr><td>Control Test</td><td>0.079</td><td>08:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:33</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> <i>Kats</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	08:29	Control Test	0.080	08:30	Air Blank	0.000	08:30	Control Test	0.079	08:31	Air Blank	0.000	08:32	Control Test	0.079	08:32	Air Blank	0.000	08:33	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277		SANTA ROSA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000772 06/17/2025 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>08:34</td></tr> <tr><td>Control Test</td><td>0.195</td><td>08:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:35</td></tr> <tr><td>Control Test</td><td>0.193</td><td>08:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:37</td></tr> <tr><td>Control Test</td><td>0.194</td><td>08:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:38</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1940</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.5155</td><td></td></tr> </tbody> </table> <i>Kats</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	08:34	Control Test	0.195	08:35	Air Blank	0.000	08:35	Control Test	0.193	08:36	Air Blank	0.000	08:37	Control Test	0.194	08:37	Air Blank	0.000	08:38	Control Test Stats			Average	0.1940		Std Dev	0.0010		Rel Std Dev(%)	0.5155		SANTA ROSA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000772 06/17/2025 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:56</td></tr> <tr><td>Control Test</td><td>0.080</td><td>07:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:57</td></tr> <tr><td>Control Test</td><td>0.081</td><td>07:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:58</td></tr> <tr><td>Control Test</td><td>0.081</td><td>07:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:59</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0807</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7157</td><td></td></tr> </tbody> </table> <i>Kats</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	07:56	Control Test	0.080	07:57	Air Blank	0.000	07:57	Control Test	0.081	07:57	Air Blank	0.000	07:58	Control Test	0.081	07:58	Air Blank	0.000	07:59	Control Test Stats			Average	0.0807		Std Dev	0.0006		Rel Std Dev(%)	0.7157	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:20																																																																																																																																																	
Control Test	0.048	08:21																																																																																																																																																	
Air Blank	0.000	08:22																																																																																																																																																	
Control Test	0.048	08:22																																																																																																																																																	
Air Blank	0.000	08:23																																																																																																																																																	
Control Test	0.047	08:23																																																																																																																																																	
Air Blank	0.000	08:24																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0477																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.2112																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:29																																																																																																																																																	
Control Test	0.080	08:30																																																																																																																																																	
Air Blank	0.000	08:30																																																																																																																																																	
Control Test	0.079	08:31																																																																																																																																																	
Air Blank	0.000	08:32																																																																																																																																																	
Control Test	0.079	08:32																																																																																																																																																	
Air Blank	0.000	08:33																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:34																																																																																																																																																	
Control Test	0.195	08:35																																																																																																																																																	
Air Blank	0.000	08:35																																																																																																																																																	
Control Test	0.193	08:36																																																																																																																																																	
Air Blank	0.000	08:37																																																																																																																																																	
Control Test	0.194	08:37																																																																																																																																																	
Air Blank	0.000	08:38																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1940																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel Std Dev(%)	0.5155																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	07:56																																																																																																																																																	
Control Test	0.080	07:57																																																																																																																																																	
Air Blank	0.000	07:57																																																																																																																																																	
Control Test	0.081	07:57																																																																																																																																																	
Air Blank	0.000	07:58																																																																																																																																																	
Control Test	0.081	07:58																																																																																																																																																	
Air Blank	0.000	07:59																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0807																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7157																																																																																																																																																		

INTOXILYZER 8000
Instrument Initialization
09:37 07/01/2025

SANTA ROSA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000772
07/02/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	06:27
Control Test	0.197	06:28
Air Blank	0.000	06:28
Control Test	0.198	06:29
Air Blank	0.000	06:30
Control Test	0.197	06:30
Air Blank	0.000	06:31
Control Test Stats		
Average	0.1973	
Std Dev	0.0006	
Rel Std Dev(%)	0.2926	


Operator's Signature

Reran 0.200 g/210L on 7/2/25 due to
being outside of control tolerance.

Simulator	Serial #	Lot # / Exp.
0.200	MP5090	202406N 6/20/26

KTS 7/2/25

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: SANTA ROSA COUNTY SO
Time of Inspection: 10:50

Date of Inspection: 07/09/2025

Serial Number: 80-000772
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.048	0.079	0.198	0.079
0.000	0.048	0.079	0.197	0.079
0.000	0.048	0.079	0.198	0.080
0.000	0.048	0.079	0.198	0.080
0.000	0.049	0.079	0.199	0.080
0.000	0.048	0.079	0.198	0.080
0.000	0.048	0.079	0.198	0.079
0.000	0.049	0.079	0.198	0.080
0.000	0.049	0.079	0.198	0.079
0.000	0.049	0.079	0.198	0.080


Standard Deviations	0.0005	0.0000	0.0004	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5


Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


LEANDRA HIGGINBOTHAM
Signature and Printed Name

07/09/2025
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000772, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000772</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>SANTA ROSA COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>07/09/2025</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>10:50</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.


Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

07/09/2025

Date


LEANDRA HIGGINBOTHAM,
Department Inspector

FDLE/ATP Form 69 October 2024

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1