



## INSTRUMENT PROCESSING SHEET

Agency FL Highway PatrolS/N 80-000782Florida Department of  
Law EnforcementDate In 02/10/2025 DI Completion Date 02/13/2025☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

| <b>Intake</b> By <u>DA</u> Date <u>02/13/2025</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |               | <b>Quality Checks</b> By <u>DA</u> Date <u>02/13/2025</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |            | <b>Flow Calibration</b> By _____ Date _____                                                                                                                                                                                                                                                                                                                                                                                         |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|---------------|--------|-----------------------|-------------|--------|-----------------------|--------|--------|-----------------------|-----------|--------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-----------|-----|--|--|------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| <input checked="" type="checkbox"/> Annual<br><input type="checkbox"/> Registration<br><input type="checkbox"/> Return from CMI / EE<br><br>Visual Inspection:<br><input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle<br><input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf<br><input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube<br><input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight<br><br>Other Equipment/ Accessories:<br><input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable<br><input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable<br><br>Notes: _____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____<br>_____ |               | <input checked="" type="checkbox"/> Breath Tube Screen<br><input checked="" type="checkbox"/> Replace External O-Rings<br><input checked="" type="checkbox"/> Instrument Set Up Verified<br><input checked="" type="checkbox"/> R-Value <u>204</u><br><input checked="" type="checkbox"/> Flow Verification (L/s)<br>Flow Column # <u>ATP102</u><br>32 mm <u>0.144</u> (.139 - .169)<br>36 mm <u>0.156</u> (.156 - .190)<br>53 mm <u>0.230</u> (.228 - .278)<br>103 mm <u>0.476</u> (.447 - .547)<br><input checked="" type="checkbox"/> Barometric Pressure Check<br>Gauge ID # <u>30793</u><br><input checked="" type="checkbox"/> Stability Checks |            | <input type="checkbox"/> Flow Column # _____<br><input type="checkbox"/> 5L/min – 17mm<br><input type="checkbox"/> 15L/min – 53mm<br><input type="checkbox"/> 30L/min – 103mm<br><input type="checkbox"/> R-Value _____<br><input type="checkbox"/> Post Calibration Verification (L/s)<br>Flow Column # _____<br>32 mm _____ (.139 - .169)<br>36 mm _____ (.156 - .190)<br>53 mm _____ (.228 - .278)<br>103 mm _____ (.447 - .547) |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               | <table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr><tr><td>0.050</td><td>MP5088</td><td>202406K<br/>06/19/2026</td></tr><tr><td>0.080</td><td>MP5089</td><td>202406L<br/>06/19/2026</td></tr><tr><td>0.200</td><td>MP5090</td><td>202406N<br/>06/20/2026</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602<br/>10/22/2026</td></tr></table>                                                                                                                                                                                                                                                     |            | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                           | Serial #   | Lot #/Exp | 0.050         | MP5088 | 202406K<br>06/19/2026 | 0.080       | MP5089 | 202406L<br>06/19/2026 | 0.200  | MP5090 | 202406N<br>06/20/2026 | 0.080 DGS | N/A    | AG429602<br>10/22/2026 | <b>Maintenance</b> By _____ Date _____<br><input type="checkbox"/> Battery Replacement<br><input type="checkbox"/> Dry Gas Regulator Replacement<br><input type="checkbox"/> Breath Tube Replacement<br><input type="checkbox"/> Other _____<br>_____<br>_____<br>_____<br>_____ |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Serial #      | Lot #/Exp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP5088        | 202406K<br>06/19/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP5089        | 202406L<br>06/19/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP5090        | 202406N<br>06/20/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | N/A           | AG429602<br>10/22/2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| <b>Calibration Adjustment</b> By _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               | <b>Department Inspection</b> By <u>DA</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| Barometric Pressure Gauge _____ ID # _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               | Barometric Pressure ID# <u>30793</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| <table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                    |               | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Serial #   | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                               | Expiration | 0.000     |               | N/A    | N/A                   | 0.040       |        |                       |        | 0.100  |                       |           |        | 0.200                  |                                                                                                                                                                                                                                                                                  |  |  | 0.300                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  | 0.080 DGS | N/A |  |  | Gauge <u>1017/1017</u> Instrument <u>1016/1016</u><br>Mouth Alcohol Solution Lot # <u>2024-A</u><br>Acetone Stock Solution Lot # <u>2024-B</u> |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Serial #      | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Expiration |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | N/A        |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | N/A           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| <input type="checkbox"/> Post Calibration Adjustment Stability Checks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               | <table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial Number</th></tr><tr><td>0.000</td><td>MP5086</td></tr><tr><td>Interferent</td><td>MP5087</td></tr><tr><td>0.050</td><td>MP5088</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></table>                                                                                                                                                                                                                                                                                                                                                    |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            | Simulator | Serial Number | 0.000  | MP5086                | Interferent | MP5087 | 0.050                 | MP5088 | 0.080  | MP5089                | 0.200     | MP5090 |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Serial Number |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP5086        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| Interferent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MP5087        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP5088        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP5089        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MP5090        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| <table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |               | Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Serial #   | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                               | Expiration | 0.050     |               |        |                       | 0.080       |        |                       |        | 0.200  |                       |           |        | 0.080 DGS              | N/A                                                                                                                                                                                                                                                                              |  |  | <b>Attachments</b><br><input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks<br><input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration<br><input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40<br><input type="checkbox"/> Calibration Adjustment <input checked="" type="checkbox"/> Other <u>Stabilities</u> |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| Simulator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Serial #      | Lot #                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Expiration |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.050                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.080                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| 0.080 DGS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | N/A           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| Notes/Suggested Service: <u>Ambient fail followed by a purge fail during department inspection alcohol free test. I aborted the inspection, ensured the area was free of possible contaminants and repeated the inspection DA 02/13/2025. As an additional measure, I ran 20 stabilities with distilled water to ensure no additional purge/ambient fails present. DA 02/14/25</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |               | <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC<br><input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC<br><input checked="" type="checkbox"/> Return to/Place into Evidentiary Use<br><input type="checkbox"/> Remain Out of Evidentiary Use<br><input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use                                                                                                                                                                                                                                                       |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| Taylor Gutschow <small>Digitally signed by Taylor Gutschow Date: 2025.02.17 13:05:14 -05'00'</small>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               | Phil Nicodemo <small>Digitally signed by Phil Nicodemo Date: 2025.02.18 12:34:46 -05'00'</small>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |
| Tech Review / Date _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |               | Admin Review / Date _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |            |                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |           |               |        |                       |             |        |                       |        |        |                       |           |        |                        |                                                                                                                                                                                                                                                                                  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |           |     |  |  |                                                                                                                                                |  |  |  |

# Stability Checks

80-000782

DA

2/13/25

FL HIGHWAY PATROL  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000782  
02/13/2025  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:16 |
| Control Test       | 0.047  | 11:17 |
| Air Blank          | 0.000  | 11:17 |
| Control Test       | 0.047  | 11:18 |
| Air Blank          | 0.000  | 11:18 |
| Control Test       | 0.047  | 11:19 |
| Air Blank          | 0.000  | 11:19 |
| Control Test Stats |        |       |
| Average            | 0.0470 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

DA

Operator's Signature

FL HIGHWAY PATROL  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000782  
02/13/2025  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:31 |
| Control Test       | 0.078  | 11:32 |
| Air Blank          | 0.000  | 11:33 |
| Control Test       | 0.079  | 11:33 |
| Air Blank          | 0.000  | 11:34 |
| Control Test       | 0.079  | 11:34 |
| Air Blank          | 0.000  | 11:35 |
| Control Test Stats |        |       |
| Average            | 0.0787 |       |
| Std Dev            | 0.0006 |       |
| Rel Std Dev(%)     | 0.7339 |       |

Wet

DA

Operator's Signature

FL HIGHWAY PATROL  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000782  
02/13/2025  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:20 |
| Control Test       | 0.198  | 11:21 |
| Air Blank          | 0.000  | 11:22 |
| Control Test       | 0.198  | 11:22 |
| Air Blank          | 0.000  | 11:23 |
| Control Test       | 0.198  | 11:24 |
| Air Blank          | 0.000  | 11:24 |
| Control Test Stats |        |       |
| Average            | 0.1980 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

DA

Operator's Signature

FL HIGHWAY PATROL  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-000782  
02/13/2025  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 11:27 |
| Control Test       | 0.080  | 11:27 |
| Air Blank          | 0.000  | 11:28 |
| Control Test       | 0.080  | 11:28 |
| Air Blank          | 0.000  | 11:29 |
| Control Test       | 0.080  | 11:29 |
| Air Blank          | 0.000  | 11:29 |
| Control Test Stats |        |       |
| Average            | 0.0800 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

DGS

DA

Operator's Signature

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FL HIGHWAY PATROL  
Time of Inspection: 11:51

Date of Inspection: 02/13/2025

Serial Number: 80-000782  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect |     | No | Diagnostic Check<br>(Post-Inspection): OK |     | No |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:<br>Exp: | 0.08g/210L Test<br>(g/210L)<br>Lot#:<br>Exp: | 0.20g/210L Test<br>(g/210L)<br>Lot#:<br>Exp: | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:<br>Exp: |
|----------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|--------------------------------------------------------------|
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |
|                                  |                                              |                                              |                                              |                                                              |

|                     |  |  |  |  |
|---------------------|--|--|--|--|
| Standard Deviations |  |  |  |  |
|---------------------|--|--|--|--|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: \_\_\_\_\_ Number of Simulators Used: 5

**Remarks:**

00: Ambient Fail AND PURGE FAIL DISPLAYED DURING TEST . AMBIENT FAIL AND PURGE FAIL DISPLAYED D  
URING ALCOHOL FREE Non-compliance:ABORTED INSPECTION.

Ensured immediate area free of possible contaminants  
and restarted inspection. DA 2/13/25

The above instrument complies (       ) does not comply ( ☒ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

DA

DESTINEE N ARMSTRONG

Signature and Printed Name

02/13/2025  
Date

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FL HIGHWAY PATROL  
Time of Inspection: 13:47

Date of Inspection: 02/13/2025

Serial Number: 80-000782  
Software: 8100.27

| Check or Test                                  | YES | NO | Check or Test                             | YES | NO |
|------------------------------------------------|-----|----|-------------------------------------------|-----|----|
| Diagnostic Check<br>(Pre-Inspection): OK       | Yes |    | Date and/or Time Adjusted                 |     | No |
| Minimum Sample Volume<br>Check: OK             | Yes |    | Barometric Pressure Sensor<br>Check: OK   | Yes |    |
| Alcohol Free Subject<br>Test: 0.000            | Yes |    | Mouth Alcohol Test:<br>Slope Not Met      | Yes |    |
| Interferent Detect Test:<br>Interferent Detect | Yes |    | Diagnostic Check<br>(Post-Inspection): OK | Yes |    |

| Alcohol Free<br>Test<br>(g/210L) | 0.05g/210L Test<br>(g/210L)<br>Lot#:202406K<br>Exp: 06/19/2026 | 0.08g/210L Test<br>(g/210L)<br>Lot#:202406L<br>Exp: 06/19/2026 | 0.20g/210L Test<br>(g/210L)<br>Lot#:202406N<br>Exp: 06/20/2026 | 0.08 g/210L<br>Dry Gas Std Test<br>(g/210L)<br>Lot#:AG429602<br>Exp: 10/22/2026 |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------|
| 0.000                            | 0.046                                                          | 0.078                                                          | 0.197                                                          | 0.080                                                                           |
| 0.000                            | 0.046                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.046                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.047                                                          | 0.079                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.047                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.047                                                          | 0.079                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.047                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.047                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.047                                                          | 0.078                                                          | 0.198                                                          | 0.080                                                                           |
| 0.000                            | 0.046                                                          | 0.078                                                          | 0.198                                                          | 0.079                                                                           |

|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| Standard Deviations | 0.0005 | 0.0004 | 0.0003 | 0.0003 |
|---------------------|--------|--------|--------|--------|

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



DESTINEE N ARMSTRONG

Signature and Printed Name

02/13/2025  
Date

# Additional Stability Test - Alcohol Free


80-000782 DA 2/14/25

FL HIGHWAY PATROL  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-100782  
02/14/2025  
Software: 8100.27

| Test               | g/210L | Time  |
|--------------------|--------|-------|
| Air Blank          | 0.000  | 08:31 |
| Control Test       | 0.000  | 08:32 |
| Air Blank          | 0.000  | 08:32 |
| Control Test       | 0.000  | 08:33 |
| Air Blank          | 0.000  | 08:33 |
| Control Test       | 0.000  | 08:34 |
| Air Blank          | 0.000  | 08:35 |
| Control Test       | 0.000  | 08:35 |
| Air Blank          | 0.000  | 08:36 |
| Control Test       | 0.000  | 08:36 |
| Air Blank          | 0.000  | 08:37 |
| Control Test       | 0.000  | 08:38 |
| Air Blank          | 0.000  | 08:38 |
| Control Test       | 0.000  | 08:39 |
| Air Blank          | 0.000  | 08:39 |
| Control Test       | 0.000  | 08:40 |
| Air Blank          | 0.000  | 08:40 |
| Control Test       | 0.000  | 08:41 |
| Air Blank          | 0.000  | 08:41 |
| Control Test       | 0.000  | 08:42 |
| Air Blank          | 0.000  | 08:43 |
| Control Test       | 0.000  | 08:43 |
| Air Blank          | 0.000  | 08:44 |
| Control Test       | 0.000  | 08:44 |
| Air Blank          | 0.000  | 08:45 |
| Control Test       | 0.000  | 08:46 |
| Air Blank          | 0.000  | 08:46 |
| Control Test       | 0.000  | 08:47 |
| Air Blank          | 0.000  | 08:47 |
| Control Test       | 0.000  | 08:48 |
| Air Blank          | 0.000  | 08:48 |
| Control Test       | 0.000  | 08:49 |
| Air Blank          | 0.000  | 08:50 |
| Control Test       | 0.000  | 08:50 |
| Air Blank          | 0.000  | 08:51 |
| Control Test       | 0.000  | 08:51 |
| Air Blank          | 0.000  | 08:52 |
| Control Test       | 0.000  | 08:53 |
| Air Blank          | 0.000  | 08:53 |
| Control Test       | 0.000  | 08:54 |
| Air Blank          | 0.000  | 08:54 |
| Control Test Stats |        |       |
| Average            | 0.0000 |       |
| Std Dev            | 0.0000 |       |
| Rel Std Dev(%)     | 0.0000 |       |

DA

Operator's Signature



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000782, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

|                   |                          |                                      |
|-------------------|--------------------------|--------------------------------------|
| Serial Number:    | <u>80-000782</u>         | UNCERTAINTY* $\pm$                   |
| Owning Agency:    | <u>FL HIGHWAY PATROL</u> | 0.050 g/ 210 L 0.004                 |
| Calibration Date: | <u>02/13/2025</u>        | 0.080 g/ 210 L 0.004                 |
| Calibration Time: | <u>13:47</u>             | 0.200 g/ 210 L 0.007                 |
|                   |                          | 0.080 g/ 210 L Dry Gas Control 0.005 |

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

02/13/2025

Date

DESTINEE N ARMSTRONG,  
Department Inspector

FDLE/ATP Form 69 October 2024

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality