



Agency Collier County Sheriff's Office

S/N 80-000941

Date In 07/08/2025 DI Completion Date 08/13/2025

☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

Intake By TDG Date 08/07/2025

- ☒ Annual
- ☐ Registration
- ☒ Return from CMI / EE

- Case
- Keyboard
- Feet
- Ports
- Handle
- Dry Gas Shelf
- Breath Tube
- Screws Tight

- ☐ Power cord
- ☐ Printer Cable
- ☒ Static Bag
- ☐ 12V DC Cable

Notes: _____

Quality Checks By TDG Date 08/13/2025

☒ Breath Tube Screen
☒ Replace External O-Rings
☒ Instrument Set Up Verified
☒ R-Value 250
☒ Flow Verification (L/s)
 Flow Column # ATP101
 32 mm 0.160 (.139 - .169)
 36 mm 0.175 (.156 - .190)
 53 mm 0.250 (.228 - .278)
 103 mm 0.503 (.447 - .547)

■ Barometric Pressure Check
Gauge ID # 28199

Stability Checks

Flow Calibration By _____ Date _____

Flow Column # _____

☐ 5L/min – 17mm

☐ 15L/min – 53mm

☐ 30L/min – 103mm

☐ R-Value _____

☐ Post Calibration Verification (L/s)

Flow Column # _____

32 mm	_____	(.139 - .169)
36 mm	_____	(.156 - .190)
53 mm	_____	(.228 - .278)
103 mm	_____	(.447 - .547)

Maintenance By_____Date_____

☐ Battery Replacement

☐ Dry Gas Regulator Replacement

☐ Breath Tube Replacement

☐ Other _____

Calibration Adjustment By _____

Barometric Pressure Gauge _____ ID # _____

☐ Post Calibration Adjustment Stability ChecksDepartment Inspection By TDG

Barometric Pressure ID# 28199
Gauge 1018 Instrument 1015
Mouth Alcohol Solution Lot # 2024-A
Acetone Stock Solution Lot # 2024-B

Attachments

☒ Form 41	☐ Post-Stability Checks
☒ Stability Checks	☐ Flow Calibration
☒ Calibration Certificate	☒ Form 40
☐ Calibration Adjustment	☐ Other _____

Notes/Suggested Service: Instrument returned from repair with incorrect agency name, which printed on the Form 40 when bypassed. Corrected agency name during the Quality Checks. (TDG 8/13/25)

- ☒ Instrument Complies with Chapter 11D-8, FAC
- ☐ Instrument Does Not Comply with Chapter 11D-8, FAC
- ☒ Return to/Place into Evidentiary Use
- ☐ Remain Out of Evidentiary Use
- ☒ Conduct an Agency Inspection Before Evidentiary Use

Digitally signed by Shayla

Phil
Nicodemo

Shayla Platt

Tech Review / Date

Admin Review / Date

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: DUGWAY PROVING GRDS

Time of Inspection: 10:30

Date of Inspection: 08/13/2025

Serial Number: 80-000941

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:


Number of Simulators Used: _____

Remarks:

AI NOT CONDUCTED. COMPLIANCE NOT DETERMINED.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

08/13/2025
Date

Stability Checks

0.05g/210L		0.08g/210L		0.20g/210L		DGS 0.08g/210L	
0.047 to 0.053		0.077 to 0.083		0.194 to 0.206		0.077 to 0.083	
✓		✓		✓		✓	
0.003 of Wet		0.003 of Wet		0.003 of Wet		0.003 of Wet	
COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000941 08/13/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:48 Control Test 0.050 11:48 Air Blank 0.000 11:49 Control Test 0.049 11:50 Air Blank 0.000 11:50 Control Test 0.049 11:51 Air Blank 0.000 11:51 Control Test Stats Average 0.0493 Std Dev 0.0006 Rel Std Dev(%) 1.1703		COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000941 08/13/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 10:57 Control Test 0.080 10:58 Air Blank 0.000 10:59 Control Test 0.080 10:59 Air Blank 0.000 11:00 Control Test 0.080 11:01 Air Blank 0.000 11:01 Control Test Stats Average 0.0800 Std Dev 0.0000 Rel Std Dev(%) 0.0000		COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000941 08/13/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 11:25 Control Test 0.199 11:26 Air Blank 0.000 11:26 Control Test 0.199 11:27 Air Blank 0.000 11:28 Control Test 0.200 11:28 Air Blank 0.000 11:29 Control Test Stats Average 0.1993 Std Dev 0.0006 Rel Std Dev(%) 0.2896		COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000941 08/13/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 10:46 Control Test 0.078 10:47 Air Blank 0.000 10:47 Control Test 0.078 10:48 Air Blank 0.000 10:48 Control Test 0.079 10:48 Air Blank 0.000 10:49 Control Test Stats Average 0.0783 Std Dev 0.0006 Rel Std Dev(%) 0.7370	
Operator's Signature <i>ML</i>		Operator's Signature <i>ML</i>		Operator's Signature <i>ML</i>		Operator's Signature <i>ML</i>	

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: COLLIER COUNTY SO
Time of Inspection: 14:26

Date of Inspection: 08/13/2025

Serial Number: 80-000941
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.048	0.079	0.198	0.079
0.000	0.049	0.079	0.199	0.078
0.000	0.049	0.079	0.198	0.079
0.000	0.049	0.079	0.198	0.079
0.000	0.049	0.079	0.199	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.078	0.198	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.078


Standard Deviations	0.0003	0.0003	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

08/13/2025
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000941, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000941</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>COLLIER COUNTY SO</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>08/13/2025</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>14:26</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Taylor
Gutschow
Digitally signed by Taylor
Gutschow
Date: 2025.08.13 14:38:30
-04'00'

08/13/2025

Date

TAYLOR D GUTSCHOW,
Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality



INSTRUMENT PROCESSING SHEET

Agency Collier CSOS/N 80-000941Florida Department of
Law EnforcementDate In 02/26/2025 DI Completion Date 04/01/2025☐ Ship ☐ P/U ☐ H/D ☒ CMI ☐ EE

Intake	By TDG	Date	Quality Checks	By TDG	Date	Flow Calibration	By	Date																																								
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: <u>Drop off. No box. Needs battery change.</u>		<u>03/04/2025</u>	☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>111</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP106</u> 32 mm <u>0.148</u> (.139 - .169) 36 mm <u>0.167</u> (.156 - .190) 53 mm <u>0.253</u> (.228 - .278) 103 mm <u>0.519</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>26932</u> ☒ Stability Checks		<u>03/25/2025</u>	Flow Column # _____ ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																										
			<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202303K 03/29/2025</td></tr><tr><td>0.080</td><td>MP6287</td><td>202303L 03/29/2025</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C 04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602 10/22/2026</td></tr></tbody></table>	Simulator	Serial #	Lot #/Exp	0.050	MP6286	202303K 03/29/2025	0.080	MP6287	202303L 03/29/2025	0.200	MP6288	202304C 04/05/2025	0.080 DGS	N/A	AG429602 10/22/2026																														
Simulator	Serial #	Lot #/Exp																																														
0.050	MP6286	202303K 03/29/2025																																														
0.080	MP6287	202303L 03/29/2025																																														
0.200	MP6288	202304C 04/05/2025																																														
0.080 DGS	N/A	AG429602 10/22/2026																																														
Calibration Adjustment			Department Inspection																																													
By TDG			By TDG																																													
Barometric Pressure Gauge <u>1017</u> ID # <u>28199</u>			Barometric Pressure ID# <u>26932</u> Gauge <u>1017</u> Instrument <u>1018</u> Mouth Alcohol Solution Lot # <u>2024-A</u> Acetone Stock Solution Lot # <u>2023-B</u>																																													
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP5097</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP5098</td><td>23400</td><td>10/24/2025</td></tr><tr><td>0.100</td><td>MP5099</td><td>24110</td><td>03/05/2026</td></tr><tr><td>0.200</td><td>MP5100</td><td>24080</td><td>02/13/2026</td></tr><tr><td>0.300</td><td>MP5101</td><td>23410</td><td>11/01/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5</td><td>04/05/2025</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.000	MP5097	N/A	N/A	0.040	MP5098	23400	10/24/2025	0.100	MP5099	24110	03/05/2026	0.200	MP5100	24080	02/13/2026	0.300	MP5101	23410	11/01/2025	0.080 DGS	N/A	06723080A5	04/05/2025	<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP6287</td></tr><tr><td>0.200</td><td>MP6288</td></tr></tbody></table>						Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288
Simulator	Serial #	Lot #	Expiration																																													
0.000	MP5097	N/A	N/A																																													
0.040	MP5098	23400	10/24/2025																																													
0.100	MP5099	24110	03/05/2026																																													
0.200	MP5100	24080	02/13/2026																																													
0.300	MP5101	23410	11/01/2025																																													
0.080 DGS	N/A	06723080A5	04/05/2025																																													
Simulator	Serial Number																																															
0.000	MP6284																																															
Interferent	MP6285																																															
0.050	MP6286																																															
0.080	MP6287																																															
0.200	MP6288																																															
☒ Post Calibration Adjustment Stability Checks			Attachments																																													
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202406K</td><td>06/19/2026</td></tr><tr><td>0.080</td><td>MP6287</td><td>202406L</td><td>06/19/2026</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C</td><td>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602</td><td>10/22/2026</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202406K	06/19/2026	0.080	MP6287	202406L	06/19/2026	0.200	MP6288	202304C	04/05/2025	0.080 DGS	N/A	AG429602	10/22/2026	<table border="1"><tbody><tr><td>☒ Form 41</td><td>☒ Post-Stability Checks</td></tr><tr><td>☒ Stability Checks</td><td>☐ Flow Calibration</td></tr><tr><td>☒ Calibration Certificate</td><td>☒ Form 40</td></tr><tr><td>☒ Calibration Adjustment</td><td>☒ Other <u>Form 51</u></td></tr></tbody></table>						☒ Form 41	☒ Post-Stability Checks	☒ Stability Checks	☐ Flow Calibration	☒ Calibration Certificate	☒ Form 40	☒ Calibration Adjustment	☒ Other <u>Form 51</u>												
Simulator	Serial #	Lot #	Expiration																																													
0.050	MP6286	202406K	06/19/2026																																													
0.080	MP6287	202406L	06/19/2026																																													
0.200	MP6288	202304C	04/05/2025																																													
0.080 DGS	N/A	AG429602	10/22/2026																																													
☒ Form 41	☒ Post-Stability Checks																																															
☒ Stability Checks	☐ Flow Calibration																																															
☒ Calibration Certificate	☒ Form 40																																															
☒ Calibration Adjustment	☒ Other <u>Form 51</u>																																															
Notes/Suggested Service: <u>Checked breath tube screen and replaced o-rings on 3/4. (TDG 3/4/25). Finished Quality Checks on 3/25. (TDG 3/25/25)</u>			☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☐ Return to/Place into Evidentiary Use ☒ Remain Out of Evidentiary Use ☐ Conduct an Agency Inspection Before Evidentiary Use																																													
Performed root cause analysis on Stability Check. The results were not due to equipment/user. (TDG 3/25/25)			Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2025.04.16 09:12:36 -0400																																													
Noticed the instrument does not produce audible tones. The agency will drop off a box to ship to repair. (TDG 4/1/25)			Shayla Platt Digitally signed by Shayla Platt Date: 2025.04.16 13:46:00 -0400																																													
			Tech Review / Date _____ Admin Review / Date _____																																													

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: COLLIER COUNTY SO
Time of Inspection: 12:49

Date of Inspection: 04/01/2025

Serial Number: 80-000941
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:

Number of Simulators Used: _____

Remarks:

AI NOT CONDUCTED. BYPASSED TO BRING OUT OF DISABLED MODE.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Taylor D Gutschow

TAYLOR D GUTSCHOW

Signature and Printed Name

04/01/2025
Date

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																				
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083 ☒ ≤0.003 of Wet ☒																																																																																																																																				
COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000941 03/25/2025 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>12:23</td></tr> <tr><td>Control Test</td><td>0.051</td><td>12:24</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:24</td></tr> <tr><td>Control Test</td><td>0.050</td><td>12:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:26</td></tr> <tr><td>Control Test</td><td>0.050</td><td>12:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:27</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0503</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1471</td><td></td></tr> </table> Operator's Signature 	Air Blank	0.000	12:23	Control Test	0.051	12:24	Air Blank	0.000	12:24	Control Test	0.050	12:25	Air Blank	0.000	12:26	Control Test	0.050	12:26	Air Blank	0.000	12:27	Control Test Stats			Average	0.0503		Std Dev	0.0006		Rel Std Dev(%)	1.1471		COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000941 03/25/2025 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>12:30</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:31</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:32</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:33</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </table> Operator's Signature 	Air Blank	0.000	12:30	Control Test	0.079	12:30	Air Blank	0.000	12:31	Control Test	0.080	12:32	Air Blank	0.000	12:32	Control Test	0.079	12:33	Air Blank	0.000	12:33	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277		COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000941 03/25/2025 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>12:40</td></tr> <tr><td>Control Test</td><td>0.198</td><td>12:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:42</td></tr> <tr><td>Control Test</td><td>0.197</td><td>12:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:43</td></tr> <tr><td>Control Test</td><td>0.196</td><td>12:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:44</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1970</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.5076</td><td></td></tr> </table> Operator's Signature 	Air Blank	0.000	12:40	Control Test	0.198	12:41	Air Blank	0.000	12:42	Control Test	0.197	12:42	Air Blank	0.000	12:43	Control Test	0.196	12:44	Air Blank	0.000	12:44	Control Test Stats			Average	0.1970		Std Dev	0.0010		Rel Std Dev(%)	0.5076		COLLIER COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000941 03/25/2025 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>12:11</td></tr> <tr><td>Control Test</td><td>0.076</td><td>12:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:12</td></tr> <tr><td>Control Test</td><td>0.077</td><td>12:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:13</td></tr> <tr><td>Control Test</td><td>0.077</td><td>12:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:14</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0767</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7531</td><td></td></tr> </table> Operator's Signature 	Air Blank	0.000	12:11	Control Test	0.076	12:12	Air Blank	0.000	12:12	Control Test	0.077	12:12	Air Blank	0.000	12:13	Control Test	0.077	12:13	Air Blank	0.000	12:14	Control Test Stats			Average	0.0767		Std Dev	0.0006		Rel Std Dev(%)	0.7531	
Air Blank	0.000	12:23																																																																																																																																					
Control Test	0.051	12:24																																																																																																																																					
Air Blank	0.000	12:24																																																																																																																																					
Control Test	0.050	12:25																																																																																																																																					
Air Blank	0.000	12:26																																																																																																																																					
Control Test	0.050	12:26																																																																																																																																					
Air Blank	0.000	12:27																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.0503																																																																																																																																						
Std Dev	0.0006																																																																																																																																						
Rel Std Dev(%)	1.1471																																																																																																																																						
Air Blank	0.000	12:30																																																																																																																																					
Control Test	0.079	12:30																																																																																																																																					
Air Blank	0.000	12:31																																																																																																																																					
Control Test	0.080	12:32																																																																																																																																					
Air Blank	0.000	12:32																																																																																																																																					
Control Test	0.079	12:33																																																																																																																																					
Air Blank	0.000	12:33																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.0793																																																																																																																																						
Std Dev	0.0006																																																																																																																																						
Rel Std Dev(%)	0.7277																																																																																																																																						
Air Blank	0.000	12:40																																																																																																																																					
Control Test	0.198	12:41																																																																																																																																					
Air Blank	0.000	12:42																																																																																																																																					
Control Test	0.197	12:42																																																																																																																																					
Air Blank	0.000	12:43																																																																																																																																					
Control Test	0.196	12:44																																																																																																																																					
Air Blank	0.000	12:44																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.1970																																																																																																																																						
Std Dev	0.0010																																																																																																																																						
Rel Std Dev(%)	0.5076																																																																																																																																						
Air Blank	0.000	12:11																																																																																																																																					
Control Test	0.076	12:12																																																																																																																																					
Air Blank	0.000	12:12																																																																																																																																					
Control Test	0.077	12:12																																																																																																																																					
Air Blank	0.000	12:13																																																																																																																																					
Control Test	0.077	12:13																																																																																																																																					
Air Blank	0.000	12:14																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.0767																																																																																																																																						
Std Dev	0.0006																																																																																																																																						
Rel Std Dev(%)	0.7531																																																																																																																																						

Channel 2

Sample % Abs (% Abs Ref)
Sample #1 = 6.8180 (-0.01100)
Sample #2 = 6.7350 (0.07300)
Sample #3 = 6.7250 (0.07900)
Sample #4 = 6.7450 (0.07000)
Avg % Abs = 6.7350 (0.07400)
STD DEV = 0.0100 (0.0046)
REL STD DEV = 0.148 (6.193)

Channel 2

Sample % Abs (% Abs Ref)
Sample #1 = 1.5250 (-0.00800)
Sample #2 = 1.5010 (0.00900)
Sample #3 = 1.5170 (0.01800)
Sample #4 = 1.5150 (0.00400)
Avg % Abs = 1.5110 (0.0103)
STD DEV = 0.0087 (0.0071)
REL STD DEV = 0.577 (68.657)

COLLIER COUNTY SO

Intoxilyzer - Alcohol Analyzer

Model 8000

14/01/2025

SN 80-000941

11:23:50

Auto Calibration

Max Power Res Value = 55

Auto Range Res Value = 39

Sol Value = 0.000 g/210L ***

Fit Value = 0.0000 mg/l %%%

Samples Taken = 4, Discarded = 1

Sum Io = 12415, Sum Io = 14106

Channel 1

Sample % Abs (% Abs Ref)
Sample #1 = 0.1250 (-0.02500)
Sample #2 = 0.1330 (-0.02100)
Sample #3 = 0.1280 (-0.01600)
Sample #4 = 0.1250 (-0.01300)
Avg % Abs = 0.1287 (-0.0167)
STD DEV = 0.0040 (0.0040)
REL STD DEV = 3.141 (24.249)

Channel 2

Sample % Abs (% Abs Ref)
Sample #1 = 0.1050 (-0.00600)
Sample #2 = 0.1160 (-0.00800)
Sample #3 = 0.1250 (-0.00700)
Sample #4 = 0.1250 (-0.00700)
Avg % Abs = 0.1167 (-0.0073)
STD DEV = 0.0075 (0.0066)
REL STD DEV = 6.020 (7.873)

Sol Value = 0.040 g/210L ***

Fit Value = 0.1905 mg/l %%%

Samples Taken = 4, Discarded = 1

Sum Io = 12412, Sum Io = 14101

Channel 1

Sample % Abs (% Abs Ref)
Sample #1 = 0.8830 (-0.00500)
Sample #2 = 0.8750 (0.00500)
Sample #3 = 0.8900 (0.00900)
Sample #4 = 0.8760 (0.00800)
Avg % Abs = 0.8810 (0.0073)
STD DEV = 0.0079 (0.0021)
REL STD DEV = 0.901 (28.386)

Channel 2

Sample % Abs (% Abs Ref)
Sample #1 = 6.8180 (-0.01100)
Sample #2 = 6.7350 (0.07300)
Sample #3 = 6.7250 (0.07900)
Sample #4 = 6.7450 (0.07000)
Avg % Abs = 6.7350 (0.07400)
STD DEV = 0.0100 (0.0046)
REL STD DEV = 0.148 (6.193)

Channel 2

Sample % Abs (% Abs Ref)
Sample #1 = 1.5250 (-0.00800)
Sample #2 = 1.5010 (0.00900)
Sample #3 = 1.5170 (0.01800)
Sample #4 = 1.5150 (0.00400)
Avg % Abs = 1.5110 (0.0103)
STD DEV = 0.0087 (0.0071)
REL STD DEV = 0.577 (68.657)

COLLIER COUNTY SO

Intoxilyzer - Alcohol Analyzer

Model 8000

14/01/2025

SN 80-000941

11:23:50

Auto Calibration

Max Power Res Value = 55

Auto Range Res Value = 39

Sol Value = 0.000 g/210L ***

Fit Value = 0.0000 mg/l %%%

Samples Taken = 4, Discarded = 1

Sum Io = 12415, Sum Io = 14106

Channel 1

Sample % Abs (% Abs Ref)
Sample #1 = 0.1250 (-0.02500)
Sample #2 = 0.1330 (-0.02100)
Sample #3 = 0.1280 (-0.01600)
Sample #4 = 0.1250 (-0.01300)
Avg % Abs = 0.1287 (-0.0167)
STD DEV = 0.0040 (0.0040)
REL STD DEV = 3.141 (24.249)

Channel 2

Sample % Abs (% Abs Ref)
Sample #1 = 0.1050 (-0.00600)
Sample #2 = 0.1160 (-0.00800)
Sample #3 = 0.1250 (-0.00700)
Sample #4 = 0.1250 (-0.00700)
Avg % Abs = 0.1167 (-0.0073)
STD DEV = 0.0075 (0.0066)
REL STD DEV = 6.020 (7.873)

Sol Value = 0.040 g/210L ***

Fit Value = 0.1905 mg/l %%%

Samples Taken = 4, Discarded = 1

Sum Io = 12412, Sum Io = 14101

Channel 1

Sample % Abs (% Abs Ref)
Sample #1 = 0.8830 (-0.00500)
Sample #2 = 0.8750 (0.00500)
Sample #3 = 0.8900 (0.00900)
Sample #4 = 0.8760 (0.00800)
Avg % Abs = 0.8810 (0.0073)
STD DEV = 0.0079 (0.0021)
REL STD DEV = 0.901 (28.386)

Optical Calibration Adjustment

By:

TDG

Solution Stats Quadratic Fit Chan 2

Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0002
0.140 0.040 -0.0003
0.100 0.100 0.0001
0.200 0.200 0.0000
0.300 0.300 -0.0000

Sol Value = 0.380 g/210L ***

Fit Value = 0.3810 mg/l %%%

Samples Taken = 4, Discarded = 1

Channel 1

Sample #1 = 2982.00

Sample #2 = 2594.00

Sample #3 = 3103.00

Sample #4 = 3100.00

Average Result = 3065.6667

STD DEV = 62.0833

REL STD DEV = 2.025

Channel 2

Sample #1 = 3322.00

Sample #2 = 3334.00

Sample #3 = 3382.00

Sample #4 = 3356.00

Average Result = 3357.3333

STD DEV = 24.2278

REL STD DEV = 0.716

Dry Gas H2O Adjust Results *****

Barometric Pressure = 1018

3 um H2O Adjust (mg/l*10,000) = 744

9 um H2O Adjust (mg/l*10,000) = 452

**** AUTO CAL PASS

Solution Stats Quadratic Fit Chan 1

Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0003
0.040 0.041 -0.0005
0.100 0.100 0.0002
0.200 0.200 0.0001
0.300 0.300 -0.0000

Channel 2

Sol Val = 0.0000 mg/l or 0.000 g/210L

% Abs = 0.125

Std Dev = 0.01 Rel Std Dev = 6.02

Sol Val = 0.1905 mg/l or 0.040 g/210L

% Abs = 1.511

Std Dev = 0.31 Rel Std Dev = 0.58

Sol Val = 0.4762 mg/l or 0.100 g/210L

% Abs = 3.506

Std Dev = 0.01 Rel Std Dev = 0.23

Sol Val = 0.9524 mg/l or 0.200 g/210L

% Abs = 6.735

Std Dev = 0.01 Rel Std Dev = 0.15

Sol Val = 1.4286 mg/l or 0.300 g/210L

% Abs = 9.829

Std Dev = 0.04 Rel Std Dev = 0.36

Zero Order Coef = -178.42

First Order Coef = 1372.16

Second Order Coef = 10.12

Standard Deviation = 8.19335

Solution Stats Quadratic Fit Chan 1

Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0003
0.040 0.041 -0.0005
0.100 0.100 0.0002
0.200 0.200 0.0001
0.300 0.300 -0.0000

COLLIER COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000941
04/01/2025
Software: 8100.27

Post - Cal
0.05

Test	g/210L	Time
Air Blank	0.000	12:58
Control Test	0.049	12:59
Air Blank	0.000	12:59
Control Test	0.049	13:00
Air Blank	0.000	13:01
Control Test	0.049	13:01
Air Blank	0.000	13:02
Control Test Stats		
Average	0.0490	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

MC

Operator's Signature

COLLIER COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000941
04/01/2025
Software: 8100.27

Post-Cal
0.08
Wet

Test	g/210L	Time
Air Blank	0.000	13:08
Control Test	0.080	13:09
Air Blank	0.000	13:09
Control Test	0.079	13:10
Air Blank	0.000	13:10
Control Test	0.080	13:11
Air Blank	0.000	13:12
Control Test Stats		
Average	0.0797	
Std Dev	0.0006	
Rel Std Dev(%)	0.7247	

IN

Operator's Signature

COLLIER COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000941
04/01/2025
Software: 8100.27

Post-Cal
0.200

Test	g/210L	Time
Air Blank	0.000	13:15
Control Test	0.198	13:15
Air Blank	0.000	13:16
Control Test	0.198	13:17
Air Blank	0.000	13:17
Control Test	0.198	13:18
Air Blank	0.000	13:19
Control Test Stats		
Average	0.1980	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

ML
Operator's Signature

COLLIER COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000941
04/01/2025
Software: 8100.27

Post-Cal
DLS

Test	g/210L	Time
Air Blank	0.000	12:51
Control Test	0.081	12:51
Air Blank	0.000	12:52
Control Test	0.081	12:52
Air Blank	0.000	12:53
Control Test	0.080	12:53
Air Blank	0.000	12:54
Control Test Stats		
Average	0.0807	
Std Dev	0.0006	
Rel Std Dev(%)	0.7157	

ML

Operator's Signature

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: COLLIER COUNTY SO
Time of Inspection: 16:02

Date of Inspection: 04/01/2025

Serial Number: 80-000941
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.050	0.080	0.199	0.080
0.000	0.050	0.079	0.199	0.080
0.000	0.050	0.079	0.199	0.079
0.000	0.050	0.080	0.200	0.080
0.000	0.050	0.079	0.200	0.080
0.000	0.049	0.079	0.200	0.079
0.000	0.050	0.080	0.200	0.079
0.000	0.051	0.079	0.199	0.078
0.000	0.052	0.080	0.200	0.078
0.000	0.052	0.080	0.200	0.079

Standard Deviations	0.0009	0.0005	0.0005	0.0007
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0006 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

04/01/2025
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000941, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000941</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>COLLIER COUNTY SO</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>04/01/2025</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>16:02</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

04/01/2025

Date

TAYLOR D GUTSCHOW,
Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Return Material Authorization

Ship to:

☒ CMI, Inc.

☐ Enforcement Electronics

Shipment to repair facility authorized by: Yvette Gonzales on 4/1/2025

Items Returned: Instrument ☒ Supplies ☐ Other ☐ Describe: _____

Instrument Model: Intoxilyzer 8000 Serial Number: 80-000941

Bill To Address:

Collier County Sheriff's Office

Attn: Yvette Gonzales

Ship to Address:

Florida Department of Law Enforcement

Fort Myers Regional Operations Center

Attn: Taylor Gutschow

4700 Terminal Drive, Suite 1

Fort Myers, FL 33907

Reason for Return:

Does not produce audible tones. R-value is near 100.

Please choose one of the following options:

☐ 1. I _____, authorize all repairs.

☐ 2. I _____, authorize repairs up to \$_____.

☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Yvette Gonzales

Phone #: 1-239-777-9367

Email: Yvette.Gonzales@colliersheriff.org

ATP Contact Name: Taylor Gutschow

ATP Email: TaylorGutschow@fdle.state.fl.us