



INSTRUMENT PROCESSING SHEET

Agency Tarpon Springs PDS/N 80-001065Florida Department of
Law EnforcementDate In 02/10/2025 DI Completion Date N/A☐ Ship ☐ P/U ☐ H/D ☒ CMI ☐ EE

Intake By TDG _____ Date <u>02/14/2025</u> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: <u>AI reports he could not get the monthly inspection to pass.</u>	Quality Checks By TDG _____ Date <u>02/14/2025</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>204</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP106</u> 32 mm <u>0.000*</u> (.139 - .169) 36 mm <u>0.000*</u> (.156 - .190) 53 mm <u>0.000*</u> (.228 - .278) 103 mm <u>0.000*</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>26932</u> <input checked="" type="checkbox"/> Stability Checks <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202303K 03/29/2025</td></tr><tr><td>0.080</td><td>MP6287</td><td>202303L 03/29/2025</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C 04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602 10/22/2026</td></tr></tbody></table>	Simulator	Serial #	Lot #/Exp	0.050	MP6286	202303K 03/29/2025	0.080	MP6287	202303L 03/29/2025	0.200	MP6288	202304C 04/05/2025	0.080 DGS	N/A	AG429602 10/22/2026	Flow Calibration By TDG _____ Date <u>02/14/2025</u> Flow Column # <u>ATP104</u> <input checked="" type="checkbox"/> 5L/min - 17mm <input checked="" type="checkbox"/> 15L/min - 53mm <input checked="" type="checkbox"/> 30L/min - 103mm <input checked="" type="checkbox"/> R-Value <u>205</u> <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547) Maintenance By _____ Date _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____																																	
Simulator	Serial #	Lot #/Exp																																																
0.050	MP6286	202303K 03/29/2025																																																
0.080	MP6287	202303L 03/29/2025																																																
0.200	MP6288	202304C 04/05/2025																																																
0.080 DGS	N/A	AG429602 10/22/2026																																																
Calibration Adjustment By _____ Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table> Notes/Suggested Service: <u>Instrument failed first flow cal adjust due to low R and prompted for a repeat. Second flow cal adjust also failed due to low R and prompted for a repeat, which I declined. Instrument displayed "flow cal failed" on screen but printed "aborted" on printout. Did not conduct post-cal flow verifications. (TDG)</u> <u>*Outside nominal range. (TDG)</u>			Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A		
Simulator	Serial #	Lot #	Expiration																																															
0.000		N/A	N/A																																															
0.040																																																		
0.100																																																		
0.200																																																		
0.300																																																		
0.080 DGS	N/A																																																	
Simulator	Serial #	Lot #	Expiration																																															
0.050																																																		
0.080																																																		
0.200																																																		
0.080 DGS	N/A																																																	
Department Inspection By _____ Barometric Pressure ID# _____ Gauge _____ Instrument _____ Mouth Alcohol Solution Lot # _____ Acetone Stock Solution Lot # _____ <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td></td></tr><tr><td>Interferent</td><td></td></tr><tr><td>0.050</td><td></td></tr><tr><td>0.080</td><td></td></tr><tr><td>0.200</td><td></td></tr></tbody></table> Attachments <input type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Flow Calibration <input type="checkbox"/> Calibration Certificate <input type="checkbox"/> Form 40 <input type="checkbox"/> Calibration Adjustment <input checked="" type="checkbox"/> Other <u>Form 51</u> <input type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input type="checkbox"/> Return to/Place into Evidentiary Use <input checked="" type="checkbox"/> Remain Out of Evidentiary Use <input type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use <div style="display: flex; justify-content: space-between;"><div>Phil Nicodemo <small>Digitally signed by Phil Nicodemo Date: 2025.02.25 09:28:48 -0500</small></div><div style="text-align: center;">Shayla Platt <small>Digitally signed by Shayla Platt Date: 2025.02.25 09:40:47 -0500</small></div><div>Admin Review / Date _____</div></div> <div style="display: flex; justify-content: space-between;"><div>Tech Review / Date _____</div><div>Admin Review / Date _____</div></div>			Simulator	Serial Number	0.000		Interferent		0.050		0.080		0.200																																					
Simulator	Serial Number																																																	
0.000																																																		
Interferent																																																		
0.050																																																		
0.080																																																		
0.200																																																		

Flow Calibration Adjustment(s)

Performed by TDG

#1
TARPOON SPRINGS RD
Innovatizer - Richard Bradburn
Model: 8000 SN 80-000055
02/14/2025
Software: 6100.07

Flow Rate Calibration.....

1: Rate (Liters/min) = 5

SQRT(Diff) = 1.000

2: Rate (Liters/min) = 15

SQRT(Diff) = 0.000

3: Rate (Liters/min) = 30

SQRT(Diff) = 0.000

Dependent Data Scale Factor = 0.00000

Independent Data Scale Factor = 0.000

Rounded Slope = -0.0000

Rounded Intercept = 0.00000

Correlation = -0.00000

#2
TARPOON SPRINGS RD
Innovatizer - Richard Bradburn
Model: 8000 SN 80-000055
02/14/2025
Software: 6100.07

Flow Rate Calibration.....

1: Rate (Liters/min) = 5

SQRT(Diff) = 1.000

2: Rate (Liters/min) = 15

SQRT(Diff) = 1.000

3: Rate (Liters/min) = 30

SQRT(Diff) = 1.000

Dependent Data Scale Factor = 0.00000

Independent Data Scale Factor = 0.000

Rounded Slope = 0

Rounded Intercept = 0

Correlation = 0.00000

Reported

Stability Checks

0.05g/210L		0.08g/210L		0.20g/210L		DGS 0.08g/210L	
0.047 to 0.053		0.077 to 0.083		0.194 to 0.206		0.077 to 0.083	
✓	✓	✓	✓	✓	✓	✓	✓
<p>TESTING TO 100% 120% - Control Area 120% Model 8000 12/14/2025 SN 80-001065 Software: 8000.07</p> <p>Test Time</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.150 13:43</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.148 13:43</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.148 13:43</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.148 13:43</p> <p>Average 0.148</p> <p>Std Dev 0.000</p> <p>Rel Std Dev(%) 2.3727</p>		<p>TESTING TO 100% 120% - Control Area 120% Model 8000 12/14/2025 SN 80-001065 Software: 8000.07</p> <p>Test Time</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.150 13:43</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.148 13:43</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.148 13:43</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.148 13:43</p> <p>Average 0.148</p> <p>Std Dev 0.000</p> <p>Rel Std Dev(%) 2.3727</p>		<p>TESTING TO 100% 120% - Control Area 120% Model 8000 12/14/2025 SN 80-001065 Software: 8000.07</p> <p>Test Time</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.150 13:43</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.148 13:43</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.148 13:43</p> <p>Air Blank 0.000 13:43</p> <p>Control Test 0.148 13:43</p> <p>Average 0.148</p> <p>Std Dev 0.000</p> <p>Rel Std Dev(%) 2.3727</p>		<p>TESTING TO 100% 120% - Control Area 120% Model 8000 12/14/2025 SN 80-001065 Software: 8000.07</p> <p>Test Time</p> <p>Air Blank 0.000 13:45</p> <p>Control Test 0.085 13:45</p> <p>Air Blank 0.000 13:45</p> <p>Control Test 0.078 13:45</p> <p>Air Blank 0.000 13:47</p> <p>Control Test 0.077 13:47</p> <p>Air Blank 0.000 13:48</p> <p>Control Test Stats</p> <p>Average 0.0783</p> <p>Std Dev 0.0015</p> <p>Rel Std Dev(%) 1.9500</p>	
065		ML		ML		ML	

Return Material Authorization

Ship to: ☒ CMI, Inc.

☐ Enforcement Electronics

Shipment to repair facility authorized by: Steve Gassen on 02/14/2025

Items Returned: Instrument ☒ Supplies ☐ Other ☐ Describe: _____

Instrument Model: Intoxilyzer 8000 Serial Number: 80-001065

Bill To Address:

Tarpon Springs Police Department

Attn: Steve Gassen

Ship to Address:

Florida Department of Law Enforcement

Fort Myers Regional Operations Center

Attn: Taylor Gutschow

4700 Terminal Drive, Suite 1

Fort Myers, FL 33907

Reason for Return:

Evaluate flow sensor. Instrument reads 0s during flow verification and will not pass a flow cal
adjustment. Records uploaded by FDLE.

Please choose one of the following options:

☐ 1. I _____, authorize all repairs.

☐ 2. I _____, authorize repairs up to \$_____.

☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Steve Gassen

Phone #: 1-727-919-7648

Email: sgassen@tspd.us

ATP Contact Name: Taylor Gutschow

ATP Email: TaylorGutschow@fdle.state.fl.us