

INSTRUMENT PROCESSING SHEET

Agency Williston PD

S/N 80-001293

Florida Department of Law Enforcement

Date In 06/05/2025 DI Completion Date 06/13/2025 DIP/U DH/D DEE

	y SLH Date_06/	/05/2025	Quality Ch		<u>y KTS</u>	Date 6/10/25		ration By	_ Date
Annual			■ Breath Tube Screen					nn #	<u></u>
Registration			Replace External O-Rings				☐ 5L/min – 17mm		
Return from CMI / EE			■ Instrument Set Up Verified					/min – 53mm	
Visual Inspec	rtion:		■ R-Value <u>171</u>				☐ 30L	/min – 103mm	
Case	Handle		■ Flow Verification (L/s)				☐ R-Value		
		olf.	Flow Column # ATP105				☐ Post Cal	ibration Verificat	tion (L/s)
■ Keyboard	■ Breath Tube		32 mm <u>0.160</u>			(.139169)	Flow Colun	nn #	
■ Feet■ Ports			36 mm 0.171			(.156190)	32 mm		(.139169)
	Screws Tigh	π	53 mm	0.250		(.228278)			
	ment/ Accessories:					(.447547)			
☐ Power co			■ Barom	etric Press	ure Cl	neck	103 mm		(.447547)
Static Bag	☐ 12V DC Cab	ole	Gauge ID	# <u>28662</u>					
Notes:			■ Stabilit	y Checks					
	requesting mouth	h	Simulato	r Serial	l #	Lot #/Exp	Maintenan	ice By	Date
alcohol and	d acetone. SLH								Date
			0.050	MPF	5088	202406K		Replacement Regulator Repla	comont
						6/19/26		ube Replacemei	
			0.080	MP5	5089	202406L		•	
				1711 0		6/19/26	Other _		
			0.200	MDS	5090	202406N			
				IVIFO	0090	6/20/26			
			0.080 DG	iS N/	/A	AG429602			_
						10/22/26			-
Calibration Adjustment				By SLH			. •		By SLH
Calibration Adjustment				By OLI I		Department Inspec	tion		By OLI I
		13	ID # 284			Barometric Pressure			By <u>SLII</u>
Barometric F	ressure Gauge <u>10</u>			421		Barometric Pressure	e ID# <u>28427</u>	trument 1014	ву <u>ЭЕП</u>
	Pressure Gauge <u>10°</u> Serial #	Lot #				Barometric Pressure Gauge 1012	e ID# <u>28427</u> Ins		ву <u>остт</u>
Barometric F Simulator	Pressure Gauge <u>10°</u> Serial # MP6294	Lot #	N/A	421 Expiratio	n	Barometric Pressure	e ID# <u>28427</u> Ins tion Lot # <u>20</u>)25A	ву <u>ост</u>
Barometric F Simulator 0.000	Pressure Gauge 10° Serial # MP6294 MP6295	Lot #	N/A 4330	421 Expiratio N/A 09/10/20	on 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solu	e ID# <u>28427</u> Ins tion Lot # <u>20</u>)25A	ву ост
Barometric F Simulator 0.000 0.040 0.100	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296	Lot #	N/A 4330 4390	421 Expiratio N/A 09/10/20 10/29/20)26)26	Barometric Pressure Gauge 1012 Mouth Alcohol Solu Acetone Stock Solu Simulator 0.000	e ID# <u>28427</u> Ins tion Lot # <u>20</u>	025A 024B Serial Number MP6	294
Simulator 0.000 0.040 0.100 0.200	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297	2 2 2	N/A 4330 4390 4080	421 Expiratio N/A 09/10/20 10/29/20 02/13/20)26)26)26	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent	e ID# <u>28427</u> Ins tion Lot # <u>20</u>	025A 024B Serial Number MP6 MP5	294
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298	Lot # 2 2 2 2	N/A 4330 4390 4080 4430	421 Expiratio N/A 09/10/20 10/29/20 02/13/20 12/10/20)26)26)26)26	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050	e ID# <u>28427</u> Ins tion Lot # <u>20</u>	025A 024B Serial Number MP6 MP5	294 087 088
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A	2 2 2 2 2 2842	N/A 4330 4390 4080 4430 24080A3	421 Expiratio N/A 09/10/20 10/29/20 02/13/20)26)26)26)26	Barometric Pressure Gauge 1012 Mouth Alcohol Solu Acetone Stock Solu Simulator 0.000 Interferent 0.050 0.080	e ID# <u>28427</u> Ins tion Lot # <u>20</u>	025A 024B Serial Number MP6 MP5 MP5	294 087 088 089
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 5 1 2 1 1 1 1	N/A 4330 4390 4080 4430 24080A3	421 Expiratio N/A 09/10/20 10/29/20 02/13/20 12/10/20 11/05/20	026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solu Acetone Stock Solu Simulator 0.000 Interferent 0.050 0.080 0.200	e ID# <u>28427</u> Ins tion Lot # <u>20</u>	025A 024B Serial Number MP6 MP5	294 087 088 089
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A ration Adjustment Serial #	Lot # 2 2 2 2 2842 Stability Lot #	N/A 4330 4390 4080 4430 24080A3 y Checks	421 Expiratio N/A 09/10/20 10/29/20 02/13/20 12/10/20 11/05/20 Expiration	026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments	e ID# <u>28427</u> Ins tion Lot # <u>20</u>	025A 024B Serial Number MP6 MP5 MP5 MP5	294 087 088 089 090
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator 0.050	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A ration Adjustment 9 Serial # MP5088	2 2 2 2 2 2842 Stability Lot #	N/A 4330 4390 4080 4430 24080A3 y Checks	421 Expiratio N/A 09/10/20 10/29/20 02/13/20 12/10/20 11/05/20 Expiration 06/19/20	026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41	e ID# <u>28427</u> Ins tion Lot # <u>20</u> tion Lot # <u>20</u>	O25A O24B Serial Number MP6 MP5 MP5 MP5 MP5	294 087 088 089 090
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A ration Adjustment Serial #	2 2 2 2 2 2842 Stability Lot #	N/A 4330 4390 4080 4430 24080A3 y Checks	421 Expiratio N/A 09/10/20 10/29/20 02/13/20 12/10/20 11/05/20 Expiration	026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks	e ID# <u>28427</u> Instion Lot # <u>20</u> tion Lot # <u>20</u>	Serial Number MP6 MP5	294 087 088 089 090
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator 0.050	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A ration Adjustment 9 Serial # MP5088	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	N/A 4330 4390 4080 4430 24080A3 y Checks	421 Expiratio N/A 09/10/20 10/29/20 02/13/20 12/10/20 11/05/20 Expiration 06/19/20	026 026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert	e ID# 28427 Instion Lot # 20tion Lot # 20tio	O25A O24B Serial Number MP6 MP5 MP5 MP5 MP5 MP5 MP5 MP5 MP5 Flow Calibra Form 40	294 087 088 089 090 cy Checks
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS ■ Post Calib Simulator 0.050 0.080	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A ration Adjustment Serial # MP5088 MP5089	22 22 2842 2842 Stability Lot # 20 20	N/A 4330 4390 4080 4430 24080A3 y Checks 2406K 2406L	Expiratio N/A 09/10/20 10/29/20 02/13/20 12/10/20 11/05/20 Expiration 06/19/20 06/19/20	026 026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks	e ID# 28427 Instion Lot # 20tion Lot # 20tio	Serial Number MP6 MP5	294 087 088 089 090 cy Checks
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS ■ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A ration Adjustment 9 Serial # MP5088 MP5089 MP5090 N/A	22 22 2842 Stability Lot # 20 20 AG	N/A 4330 4390 4080 4430 24080A3 y Checks 2406K 2406L 2406N 429602	Expiration N/A 09/10/20 10/29/20 12/10/20 11/05/20 Expiration 06/19/20 06/20/20 10/22/20	n 026 026 026 026 026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert	e ID# 28427 Instion Lot # 20tion Lot # 20tio	D25A D24B Serial Number MP6 MP5	294 087 088 089 090 cy Checks ation n 51 & note
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS ■ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Sugge	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A ration Adjustment Serial # MP5088 MP5089 MP5090 N/A Pested Service: Root	22 22 2842 2842 Stability Lot # 20 20 AG-	N/A 4330 4390 4080 4430 24080A3 y Checks 2406K 2406L 2406N 429602	Expiration N/A 09/10/20 10/29/20 12/10/20 11/05/20 Expiration 06/19/20 06/20/20 10/22/20 performed	n 026 026 026 026 026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju	e ID# 28427 Instion Lot # 20tion Lot # 20tio	Serial Number MP6 MP5	294 087 088 089 090 cy Checks ation n 51 & note
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Sugger Results we	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A Pration Adjustment Serial # MP5088 MP5089 MP5090 N/A Pested Service: Rootere not due to user	22 22 2842 2842 Stability Lot # 20 20 AG-	N/A 4330 4390 4080 4430 24080A3 y Checks 2406K 2406L 2406N 429602	Expiration N/A 09/10/20 10/29/20 12/10/20 11/05/20 Expiration 06/19/20 06/20/20 10/22/20 performed	n 026 026 026 026 026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju	tificate ustment mplies with Ces Not Comp	Serial Number MP6 MP5	294 087 088 089 090 cy Checks ation n 51 & note
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS ■ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Sugge Results we KTS 6/10/2	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A Pration Adjustment Serial # MP5088 MP5089 MP5090 N/A Pested Service: Rootere not due to user	22 22 2842 Stability Lot # 20 20 AG-	N/A 4330 4390 4080 4430 24080A3 y Checks 2406K 2406L 2406N 429602 e analysis or externa	Expiration N/A 09/10/20 10/29/20 12/10/20 11/05/20 Expiration 06/19/20 06/19/20 10/22/20 performed I equipme	026 026 026 026 026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju	tificate ustment mplies with (ces Not Compe into Eviden	Serial Number MP6 MP5	294 087 088 089 090 cy Checks ation n 51 & note
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Sugge Results we KTS 6/10/2 External pr	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A Pration Adjustment Serial # MP5088 MP5089 MP5090 N/A Pested Service: Rootere not due to user	Lot # 2 2 2 2 2842 Stability Lot # 20 20 AG ccause	N/A 4330 4390 4080 4430 24080A3 y Checks 2406K 2406L 2406N 429602 e analysis or externa	Expiration N/A 09/10/20 10/29/20 12/10/20 11/05/20 Expiration 06/19/20 06/19/20 06/20/20 10/22/20 performed I equipmed connect to	026 026 026 026 026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju Instrument Con Instrument Doo Return to/Place	tificate ustment mplies with Ces Not Compe into Evidentiary	Serial Number MP6 MP5	294 087 088 089 090 cy Checks ation n 51 & note
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Sugge Results we KTS 6/10/2 External pr	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A ration Adjustment Serial # MP5088 MP5089 MP5090 N/A Pested Service: Rootere not due to user 25 Finter port faulty so	Lot # 2 2 2 2 2842 Stability Lot # 20 20 AG ccause	N/A 4330 4390 4080 4430 24080A3 y Checks 2406K 2406L 2406N 429602 e analysis or externa	Expiration N/A 09/10/20 10/29/20 12/10/20 11/05/20 Expiration 06/19/20 06/19/20 06/20/20 10/22/20 performed I equipmed connect to	026 026 026 026 026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju	tificate ustment mplies with Ces Not Compe into Evidentiary	Serial Number MP6 MP5	294 087 088 089 090 cy Checks ation n 51 & note
Barometric F Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Sugge Results we KTS 6/10/2 External pr	Pressure Gauge 10° Serial # MP6294 MP6295 MP6296 MP6297 MP6298 N/A ration Adjustment Serial # MP5088 MP5089 MP5090 N/A Pested Service: Rootere not due to user 25 Finter port faulty so	Lot # 2 2 2 2 2842 Stability Lot # 20 20 AG ccause	N/A 4330 4390 4080 4430 24080A3 y Checks 2406K 2406L 2406N 429602 e analysis or externa	Expiration N/A 09/10/20 10/29/20 12/10/20 11/05/20 Expiration 06/19/20 06/19/20 06/20/20 10/22/20 performed I equipmed connect to	026 026 026 026 026 026 026 026 026 026	Barometric Pressure Gauge 1012 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Cert Calibration Adju Instrument Con Instrument Doo Return to/Place	ifficate ustment with Ces Not Compe into Evider Evidentiary lency Inspection.	Serial Number MP6 MP5	294 087 088 089 090 cy Checks ation n 51 & note

Stability Checks

0.050 g/210L	0.080 g/210L	0.200 g/210L	DGS 0.080 g/210L
0.047 to 0.053 g/210L	0.077 to 0.083 g/210L	0.194 to 0.206 g/210L	0.077 to 0.083 g/210L ≤0.003 g/210L of Wet
Performed Root Case Analysis	Performed Root Case Analysis	Performed Root Case Analysis	Performed Root Case Analysis
### ##################################	### ##################################	WILLISTON PD Intoxityer - Alcohol Analyzer Model 8000 SN 80-001293 05/16/2025 Scftware: 8100.27 Test g/210L Time Air Blank 0.000 P3: 19 Control Test 0.199 03: 20 Air Blank 0.000 09: 20 Control Test 0.199 03: 22 Control Test 0.199 03: 22 Control Test 0.199 03: 22 Control Test 0.199 03: 23 Control Test Stats Average 0.1990 Std Dev 0.0000 Rel Std Dev 0.0000 Rel Std Dev(%) 0.0000	### MILLISTON PD Intoxityzer

80-001293 6/10/25 SW

INTOXILYZER 8000 Instrument Initialization 12:57 06/10/2025

WILLISTON PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001293
06/10/2025 13:25:05

Auto Calibration Max Power Res Value = 38 Auto Range Res Value = 29 Sol Value = 0.000 g/210L *** Fit value = 0.0000 mg/l %%%% Samples Taken = 4, Discarded = 1 3um Io = 12602, 9um Io = 12615 <---- CHANNEL 1 >>>>> Sample % Abs (% Abs Ref) Sample #1 = 0.1480 (-0.0170) Sample #2 = 0.1120 (0.0070) Sample #3 = 0.0910 (0.0430) Sample #4 = 0.0930 (0.0490) Aug % Abs = 0.0987 (0.0330) STD DEU = 0.0116 (0.0227) REL STD DEU = 11.747 (68.835)

 CHANNEL
 2
 >>>>

 Sample
 % Abs
 (% Abs Ref)

 Sample #1 = 0.1320
 (-0.0060)

 Sample #2 = 0.11260
 (-0.0140)

 Sample #3 = 0.1150
 (0.0110)

 Sample #4 = 0.1270
 (0.0010)

 Aug % Abs = 0.1227
 (-0.0007)

 STD DEU = 0.0067
 (0.0126)

 REL STD DEU = 5.428
 (1887.458)

Sol Value = 0.100 q/210L ***

***** AUTO CAL DATA *****
<<<< CHANNEL 1 >>>> </</ CHANNEL 1 >>>>
Sol Ual = 0.0000 mg/l or 0.000 g/2IUL
% Abs = 0.000 % Abs = 0.099 Std Dev = 0.01 Rel Std Dev = 11.75 Sol Ual = 0.1905 mg/l or 0.040 g/210L% Abs = 0.793 Std Dev = 0.02 Rel Std Dev = 2.96 Sol Ual = 0.4762 mg/l or 0.100 g/210L % Abs = 1.781 Std Dev = 0.02 Rel Std Dev = 1.13 Sol Ual = 0.9524 mg/l or 0.200 g/210L % Abs = 3.453 Std Dev = 0.02 Rel Std Dev = 0.66 Sol Ual = 1.4286 mg/l or 0.300 g/210L % Abs = 5.059 Std Deu = 0.02 Rel Std Deu = 0.38 Zero Order Coef = -281.23 First Order Coef = 2776.16

Second Order Coef = 20.17

Standard Deviation = 24.827627

> <<<< CHANNEL 2 >>>>> Sol Ual = 0.0000 mg/l or 0.000 g/210L % Abs = 0.123 Std Deu = 0.01 Rel Std Deu = 5.43 Sol Ual = 0.1905 mg/l or 0.040 g/210L % Abs = 1.541 Std Dev = 0.02 Rel Std Dev = 1.46 Sol Ual = 0.4762 mg/l or 0.100 g/210L % Abs = 3.534 Std Dev = 0.02 Rel Std Dev = 0.49 Sol Ual = 0.9524 mg/l or 0.200 g/210L % Abs = 6.821 Std Dev = 0.03 Rel Std Dev = 0.44 Sol Ual = 1.4286 mg/l or 0.300 g/210L % Abs = 9.864 Std Dev = 0.04 Rel Std Dev = 0.38 Zero Order Coef = -165.68 First Order Coef = 1337.61 Second Order Coef = 12.81 Standard Deviation = 27.921858

```
| Solution Stats Quadratic Fit Chan 1 |
 Act
            Fit
                      Residual
           g/210L
-0.000
 g/210L
                       g/210L
0.000
                       0.0001
0.040
           0.041
                       -0.0006
                       0.0007
0.100
           0.099
0.200
           0.200
                       -0.0004
0.300
           0.300
                       0.0001
```

```
! Solution Stats Quadratic Fit Chan 2 !
l Act
            Fit
                     Residual
1 q/210L
          g/210L
                      g/210L
0.000
           -0.000
                       0.0000
0.040
           0.040
                      -0.0004
: 0.100
          0.099
                      0.0009
: 0.200
          0.201
                      -0.0006
: 0.300
          0.300
                      0.0002
```

Sol Value = 0.080 g/210L ***
Fit value = 0.3810 mg/1 %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1

***** UNHINITEL I Sample #1 = 2885.00

Sample #2 = 2905.00

Sample #3 = 2798.00

Sample #4 = 2941.00

Average Result = 2881.3333

STD DEU = 74.3797

REL STD DEU = 2.581

**** CHANNEL 2

Sample #1 = 3391.00

Sample #2 = 3443.00

Sample #3 = 3443.00

Sample #4 = 3497.00

2497.00

Average Result = 3461.0000

STD DEU = 31.1769

REL STD DEU = 0.901

Dry Gas H2O Adjust Results *********

Barometric Pressure = 1013

3 um H2O Adjust (mg/1*10,000) = 928

9 um H2O Adjust (mg/1*10,000) = 348

**** AUTO CAL PASS

80-001293 6/10/25 SW

Post-Calibration Adjustment Stability Checks

SUA (6/10/2025 DGS 0.080 g/210L	0.077 to 0.083 g/210L	Performed Root Case Analysis		WILLISTON PD Intoxilyzer - Alcohol Analyzer Model 8000 06/10/2025 Software: 8100.27	Test g/210L Time	Air Blank 0.000 15:35 Control Test 0.078 15:35 Air Blank 0.000 15:36 Air Blank 0.000 15:37 Control Test 0.078 15:37 Air Blank 0.000 15:38 Control Test Stats Average 0.0780 Std Dev 0.0000 Rel Std Dev(2) 0.0000 Rel Std Dev(2) 0.0000
0.200 g/210L	0.194 to 0.206 g/210L	Performed Root Case Analysis		WILLISTON PD Intoxilyzer - Alcohol Analyzer Model 8000 06/10/2025 Software: 8100.27	Test g/210L Time	Air Blark 0.000 15:24 Control Test 0.199 15:24 Air Blark 0.000 15:25 Control Test 0.201 15:26 Air Blark 0.000 15:27 Air Blark 0.000
0.080 g/210L	0.077 to 0.083 g/2101	Performed Root Case Analysis		WILLISTON PD Intoxilyzer - Alcohol Analyzer Model 8000 06/10/2025 Software: 8100.27	Test g/210L Time	Air Blank 0.000 15:29 Cortrol Test 0.081 15:30 Air Blank 0.000 15:31 Air Blank 0.000 15:31 Air Blank 0.000 15:33 Cortrol Test 5tats Average 0.0807 Std Dev 0.0006 Rel Std Dev(%) 0.7157 Per Std Dev(%) 0.7157
0.050 g/210L	0.047 to 0.053 g/210L	Performed Root Case Analysis	Post	WILLISTON PD Intoxilyzer - Alcohol Analyzer Model 8000 06/10/2025 Software: 8130.27	Test g/210L Time	Air Blank 0.000 15:18 Control Test 0.049 15:19 Air Blank 0.000 15:20 Air Blank 0.000 15:21 Control Test 0.048 15:21 Air Blank 0.000 15:21 Air Blank 0.000 15:22 Auerage 0.0483 Std Dev 0.0006 Rei Std Dev(%) 1.1945

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: WILLISTON PD

Serial Number: 80-001293

Time of Inspection:17:43

Date of Inspection: 06/13/2025

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre- Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post- Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#: 202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: AG429602 Exp: 10/22/2026
0.000	0.049	0.081	0.198	0.078
0.000	0.049	0.082	0.200	0.078
0.000	0.049	0.081	0.198	0.078
0.000	0.049	0.082	0.198	0.078
0.000	0.049	0.081	0.198	0.078
0.000	0.049	0.081	0.197	0.078
0.000	0.049	0.081	0.198	0.079
0.000	0.048	0.082	0.198	0.078
0.000	0.049	0.082	0.198	0.078
0.000	0.049	0.081	0.198	0.078

Standard Deviations	0.0003	0.0005	0.0007	0.0003

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used:

Remarks:

The above instrument complies { X) does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

LEANDRA HIGGINBOTHAM

Signature and Printed Name

06/13/2025

Date

FDLE/ATP Form 41 -- Revised August 2005



Calibration Certificate

Florida Department of Law Enforcement Alcohol Testing Program 2331 Phillips Road Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001293, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-001293	UNCERTAINTY* ±	
Owning Agency:	WILLISTON PD	0.050 g/210L	0.004
Calibration Date:	06/13/2025	0.080 g/210L	0.004
Calibration Time:	17:43	0.200 g/210L	0.007
		0.080 g/210 L Dry Gas Control	0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3),

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

IRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards. Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards, Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full,

without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/13/2025 Date

LEANDRA HIGGINBOTHAM, Department Inspector

Service • Integrity • Respect • Quality

Issuing Authority: Alcohol Testing Program

FDLE/ATP Form 69 October 2024

Page 1 of

Hello,

Please do the yearly inspection for this instrument.

Also include some mouth alcohol and acetone when you mail it back.

Thanks, Alex

rec'd 6/5/25 sut

80-001293

Return Material Authorization

Ship	o to: CMI, Inc.
	☐ Enforcement Electronics
Shipment to repair facility authorized by: Arizona T	
<u>Items Returned:</u> Instrument ☑ Supplies □	Other Describe:
Instrument Model: Intoxilyzer 8000	Serial Number: <u>80-001293</u>
	hip to Address:
Williston Police Department F	DLE Tallahassee
Reason for Return:	
External printer port not operational	
Please choose one of the following options:	
☐ 1. I, authorize all	repairs.
☐ 2. I, authorize rep	pairs up to \$
3. I require an estimate BEFORE any repairs v	will be authorized and/ or conducted.
Please contact: Name: Arizona Tindale	
	: arizona.tindale@willistonpolice.org
ATP Contact Name: LeAndra Higginbotham	ATP Email: leandrahigginbotham@fdle.state.fl.us