



INSTRUMENT PROCESSING SHEET

Agency Lee CSOS/N 80-001722Florida Department of
Law EnforcementDate In 03/25/2025DI Completion Date 04/01/2025☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By TDG	Date	Quality Checks	By TDG	Date	Flow Calibration	By	Date																																																																																																																			
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: <u>Dropped off. No box.</u>		<u>03/25/2025</u>	☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>135</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP106</u> 32 mm <u>0.156</u> (.139 - .169) 36 mm <u>0.167</u> (.156 - .190) 53 mm <u>0.242</u> (.228 - .278) 103 mm <u>0.496</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>26932</u> ☒ Stability Checks		<u>03/25/2025</u>	Flow Column # _____ ☐ 5L/min - 17mm ☐ 15L/min - 53mm ☐ 30L/min - 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																																																																																																					
			<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202303K 03/29/2025</td></tr><tr><td>0.080</td><td>MP6287</td><td>202303L 03/29/2025</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C 04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602 10/22/2026</td></tr></tbody></table>			Simulator	Serial #	Lot #/Exp	0.050	MP6286	202303K 03/29/2025	0.080	MP6287	202303L 03/29/2025	0.200	MP6288	202304C 04/05/2025	0.080 DGS	N/A	AG429602 10/22/2026	<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP5097</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP5098</td><td>23400</td><td>10/24/2025</td></tr><tr><td>0.100</td><td>MP5099</td><td>24110</td><td>03/05/2026</td></tr><tr><td>0.200</td><td>MP5100</td><td>24080</td><td>02/13/2026</td></tr><tr><td>0.300</td><td>MP5101</td><td>23410</td><td>11/01/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5</td><td>04/05/2025</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.000	MP5097	N/A	N/A	0.040	MP5098	23400	10/24/2025	0.100	MP5099	24110	03/05/2026	0.200	MP5100	24080	02/13/2026	0.300	MP5101	23410	11/01/2025	0.080 DGS	N/A	06723080A5	04/05/2025	<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202406K</td><td>06/19/2026</td></tr><tr><td>0.080</td><td>MP6287</td><td>202406L</td><td>06/19/2026</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C</td><td>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602</td><td>10/22/2026</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202406K	06/19/2026	0.080	MP6287	202406L	06/19/2026	0.200	MP6288	202304C	04/05/2025	0.080 DGS	N/A	AG429602	10/22/2026	<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP6287</td></tr><tr><td>0.200</td><td>MP6288</td></tr></tbody></table>			Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288	<table border="1"><thead><tr><th colspan="2">Attachments</th></tr></thead><tbody><tr><td>☒ Form 41</td><td>☒ Post-Stability Checks</td></tr><tr><td>☒ Stability Checks</td><td>☐ Flow Calibration</td></tr><tr><td>☒ Calibration Certificate</td><td>☐ Form 40</td></tr><tr><td>☒ Calibration Adjustment</td><td>☐ Other _____</td></tr></tbody></table>			Attachments		☒ Form 41	☒ Post-Stability Checks	☒ Stability Checks	☐ Flow Calibration	☒ Calibration Certificate	☐ Form 40	☒ Calibration Adjustment	☐ Other _____	<table border="1"><thead><tr><th colspan="2">Maintenance By TDG</th><th>Date</th></tr></thead><tbody><tr><td colspan="2">☐ Battery Replacement</td><td><u>04/01/2025</u></td></tr><tr><td colspan="2">☐ Dry Gas Regulator Replacement</td><td></td></tr><tr><td colspan="2">☐ Breath Tube Replacement</td><td></td></tr><tr><td colspan="2">☒ Other <u>Replaced the internal printer paper prior to optical cal adjustment.</u></td><td></td></tr></tbody></table>			Maintenance By TDG		Date	☐ Battery Replacement		<u>04/01/2025</u>	☐ Dry Gas Regulator Replacement			☐ Breath Tube Replacement			☒ Other <u>Replaced the internal printer paper prior to optical cal adjustment.</u>					
Simulator	Serial #	Lot #/Exp																																																																																																																									
0.050	MP6286	202303K 03/29/2025																																																																																																																									
0.080	MP6287	202303L 03/29/2025																																																																																																																									
0.200	MP6288	202304C 04/05/2025																																																																																																																									
0.080 DGS	N/A	AG429602 10/22/2026																																																																																																																									
Simulator	Serial #	Lot #	Expiration																																																																																																																								
0.000	MP5097	N/A	N/A																																																																																																																								
0.040	MP5098	23400	10/24/2025																																																																																																																								
0.100	MP5099	24110	03/05/2026																																																																																																																								
0.200	MP5100	24080	02/13/2026																																																																																																																								
0.300	MP5101	23410	11/01/2025																																																																																																																								
0.080 DGS	N/A	06723080A5	04/05/2025																																																																																																																								
Simulator	Serial #	Lot #	Expiration																																																																																																																								
0.050	MP6286	202406K	06/19/2026																																																																																																																								
0.080	MP6287	202406L	06/19/2026																																																																																																																								
0.200	MP6288	202304C	04/05/2025																																																																																																																								
0.080 DGS	N/A	AG429602	10/22/2026																																																																																																																								
Simulator	Serial Number																																																																																																																										
0.000	MP6284																																																																																																																										
Interferent	MP6285																																																																																																																										
0.050	MP6286																																																																																																																										
0.080	MP6287																																																																																																																										
0.200	MP6288																																																																																																																										
Attachments																																																																																																																											
☒ Form 41	☒ Post-Stability Checks																																																																																																																										
☒ Stability Checks	☐ Flow Calibration																																																																																																																										
☒ Calibration Certificate	☐ Form 40																																																																																																																										
☒ Calibration Adjustment	☐ Other _____																																																																																																																										
Maintenance By TDG		Date																																																																																																																									
☐ Battery Replacement		<u>04/01/2025</u>																																																																																																																									
☐ Dry Gas Regulator Replacement																																																																																																																											
☐ Breath Tube Replacement																																																																																																																											
☒ Other <u>Replaced the internal printer paper prior to optical cal adjustment.</u>																																																																																																																											
Calibration Adjustment By <u>TDG</u>			Department Inspection By <u>TDG</u>																																																																																																																								
Barometric Pressure Gauge <u>1017</u> ID # <u>28199</u>			Barometric Pressure ID# <u>26932</u>																																																																																																																								
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP5097</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP5098</td><td>23400</td><td>10/24/2025</td></tr><tr><td>0.100</td><td>MP5099</td><td>24110</td><td>03/05/2026</td></tr><tr><td>0.200</td><td>MP5100</td><td>24080</td><td>02/13/2026</td></tr><tr><td>0.300</td><td>MP5101</td><td>23410</td><td>11/01/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5</td><td>04/05/2025</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.000	MP5097	N/A	N/A	0.040	MP5098	23400	10/24/2025	0.100	MP5099	24110	03/05/2026	0.200	MP5100	24080	02/13/2026	0.300	MP5101	23410	11/01/2025	0.080 DGS	N/A	06723080A5	04/05/2025	Gauge <u>1017</u> Instrument <u>1018</u> Mouth Alcohol Solution Lot # <u>2024-A</u> Acetone Stock Solution Lot # <u>2023-B</u>																																																																																												
Simulator	Serial #	Lot #	Expiration																																																																																																																								
0.000	MP5097	N/A	N/A																																																																																																																								
0.040	MP5098	23400	10/24/2025																																																																																																																								
0.100	MP5099	24110	03/05/2026																																																																																																																								
0.200	MP5100	24080	02/13/2026																																																																																																																								
0.300	MP5101	23410	11/01/2025																																																																																																																								
0.080 DGS	N/A	06723080A5	04/05/2025																																																																																																																								
☒ Post Calibration Adjustment Stability Checks			<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP6287</td></tr><tr><td>0.200</td><td>MP6288</td></tr></tbody></table>			Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288																																																																																																										
Simulator	Serial Number																																																																																																																										
0.000	MP6284																																																																																																																										
Interferent	MP6285																																																																																																																										
0.050	MP6286																																																																																																																										
0.080	MP6287																																																																																																																										
0.200	MP6288																																																																																																																										
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td>MP6286</td><td>202406K</td><td>06/19/2026</td></tr><tr><td>0.080</td><td>MP6287</td><td>202406L</td><td>06/19/2026</td></tr><tr><td>0.200</td><td>MP6288</td><td>202304C</td><td>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602</td><td>10/22/2026</td></tr></tbody></table>			Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202406K	06/19/2026	0.080	MP6287	202406L	06/19/2026	0.200	MP6288	202304C	04/05/2025	0.080 DGS	N/A	AG429602	10/22/2026	<table border="1"><thead><tr><th colspan="2">Attachments</th></tr></thead><tbody><tr><td>☒ Form 41</td><td>☒ Post-Stability Checks</td></tr><tr><td>☒ Stability Checks</td><td>☐ Flow Calibration</td></tr><tr><td>☒ Calibration Certificate</td><td>☐ Form 40</td></tr><tr><td>☒ Calibration Adjustment</td><td>☐ Other _____</td></tr></tbody></table>			Attachments		☒ Form 41	☒ Post-Stability Checks	☒ Stability Checks	☐ Flow Calibration	☒ Calibration Certificate	☐ Form 40	☒ Calibration Adjustment	☐ Other _____																																																																																								
Simulator	Serial #	Lot #	Expiration																																																																																																																								
0.050	MP6286	202406K	06/19/2026																																																																																																																								
0.080	MP6287	202406L	06/19/2026																																																																																																																								
0.200	MP6288	202304C	04/05/2025																																																																																																																								
0.080 DGS	N/A	AG429602	10/22/2026																																																																																																																								
Attachments																																																																																																																											
☒ Form 41	☒ Post-Stability Checks																																																																																																																										
☒ Stability Checks	☐ Flow Calibration																																																																																																																										
☒ Calibration Certificate	☐ Form 40																																																																																																																										
☒ Calibration Adjustment	☐ Other _____																																																																																																																										
Notes/Suggested Service: <u>A discretionary optical cal adjust was performed due to a minimally passing result on the 0.20 Stability Check. (TDG 4/1/25)</u>			☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																																																																																																								
			Phil Digitally signed by Phil Nicodemo Date: 2025.04.16 09:11:49 -0400																																																																																																																								
			Shayla Digitally signed by Shayla Platt Date: 2025.04.16 13:54:49 -0400																																																																																																																								
			Tech Review / Date _____ Admin Review / Date _____																																																																																																																								

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
LEE COUNTY SO Intoxilizer - Alcohol Analyzer Model 8000 03/25/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 15:08 Control Test 0.049 15:08 Air Blank 0.000 15:09 Control Test 0.049 15:09 Air Blank 0.000 15:10 Control Test 0.048 15:11 Air Blank 0.000 15:11 Control Test Stats Average 0.0487 Std Dev 0.0006 Rel Std Dev(%) 1.1863 Operator's Signature <i>ML</i>	LEE COUNTY SO Intoxilizer - Alcohol Analyzer Model 8000 03/25/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 15:23 Control Test 0.079 15:24 Air Blank 0.000 15:24 Control Test 0.078 15:25 Air Blank 0.000 15:25 Control Test 0.079 15:26 Air Blank 0.000 15:27 Control Test Stats Average 0.0783 Std Dev 0.0006 Rel Std Dev(%) 0.7370 Operator's Signature <i>ML</i>	LEE COUNTY SO Intoxilizer - Alcohol Analyzer Model 8000 03/25/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 14:25 Control Test 0.195 14:25 Air Blank 0.000 14:26 Control Test 0.194 14:27 Air Blank 0.000 14:27 Control Test 0.196 14:28 Air Blank 0.000 14:28 Control Test Stats Average 0.1950 Std Dev 0.0010 Rel Std Dev(%) 0.5128 Operator's Signature <i>ML</i>	LEE COUNTY SO Intoxilizer - Alcohol Analyzer Model 8000 03/25/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 14:29 Control Test 0.079 14:29 Air Blank 0.000 14:30 Control Test 0.080 14:30 Air Blank 0.000 14:31 Control Test 0.079 14:31 Air Blank 0.000 14:32 Control Test Stats Average 0.0793 Std Dev 0.0006 Rel Std Dev(%) 0.7277 Operator's Signature <i>ML</i>

Post-Cal Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
✓	✓	✓	✓
0.003 of Wet	✓	✓	0.003 of Wet
✓	✓	✓	✓
LEE COUNTY SD Intoxilyzer - Alcohol Analyzer Model 8100 04/01/2025 Software: 8100.27 Test g/210L Time Air Blank 0.001 13:14 Control Test 0.049 13:15 Air Blank 0.001 13:15 Control Test 0.049 13:16 Air Blank 0.001 13:16 Control Test 0.049 13:17 Air Blank 0.001 13:17 Control Test 0.049 13:17 Average 0.049 Std Dev 0.000 Rel Std Dev(%) 0.000 Operator's Signature 	LEE COUNTY SD Intoxilyzer - Alcohol Analyzer Model 8100 04/01/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 13:21 Control Test 0.080 13:22 Air Blank 0.000 13:23 Control Test 0.079 13:23 Air Blank 0.000 13:24 Control Test 0.079 13:24 Air Blank 0.000 13:25 Control Test 0.079 13:25 Average 0.0793 Std Dev 0.0006 Rel Std Dev(%) 0.7277 Operator's Signature 	LEE COUNTY SD Intoxilyzer - Alcohol Analyzer Model 8100 04/01/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 13:28 Control Test 0.197 13:29 Air Blank 0.000 13:29 Control Test 0.196 13:30 Air Blank 0.000 13:30 Control Test 0.197 13:31 Air Blank 0.000 13:32 Control Test 0.197 13:32 Average 0.1967 Std Dev 0.0016 Rel Std Dev(%) 0.2936 Operator's Signature 	LEE COUNTY SD Intoxilyzer - Alcohol Analyzer Model 8100 04/01/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 13:04 Control Test 0.081 13:04 Air Blank 0.000 13:05 Control Test 0.081 13:05 Air Blank 0.000 13:06 Control Test 0.081 13:06 Air Blank 0.000 13:06 Control Test 0.081 13:06 Average 0.080 Std Dev 0.000 Rel Std Dev(%) 0.000 Operator's Signature 

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: LEE COUNTY SO
Time of Inspection: 16:25

Date of Inspection: 04/01/2025

Serial Number: 80-001722
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.048	0.079	0.196	0.080
0.000	0.049	0.079	0.196	0.080
0.000	0.048	0.079	0.196	0.080
0.000	0.048	0.079	0.196	0.080
0.000	0.048	0.079	0.197	0.080
0.000	0.048	0.080	0.196	0.080
0.000	0.049	0.079	0.196	0.080
0.000	0.049	0.079	0.196	0.080
0.000	0.049	0.079	0.197	0.080
0.000	0.049	0.079	0.196	0.080


Standard Deviations	0.0005	0.0003	0.0004	0.0000
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.


I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

04/01/2025
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001722, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001722</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>LEE COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>04/01/2025</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>16:25</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

04/01/2025

Date

TAYLOR D GUTSCHOW,

Department Inspector

Service • Integrity • Respect • Quality