INSTRUMENT PROCESSING SHEET

Florida Department of Law Enforcement

Agency Osceola County SO S/N 80-003935

Date In 01/24/2025 DI Completion Date 02/04/2025 ■Ship ❑P/U ❑H/D ❑CMI ❑EE

Intake By ALL Date 01/24/2025

■ Annual
❑ Registration
❑ Return from CMI / EE

Visual Inspection:
■ Case ■ Handle
■ Keyboard ■ Dry Gas Shelf
■ Feet ■ Breath Tube
■ Ports ■ Screws Tight

Other Equipment/ Accessories:
❑ Power cord ❑ Printer Cable
■ Static Bag ❑ 12V DC Cable

Notes: missing lower left foot

Quality Checks By DA Date 02/04/2025

■ Breath Tube Screen
■ Replace External O-Rings
■ Instrument Set Up Verified
■ R-Value 211
■ Flow Verification (L/s)
Flow Column # ATP102
32 mm 0.160 (.139 - .169)
36 mm 0.183 (.156 - .190)
53 mm 0.246 (.228 - .278)
103 mm 0.507 (.447 - .547)
■ Barometric Pressure Check
Gauge ID # 30793
■ Stability Checks

Simulator	Serial #	Lot #/Exp
0.050	MP5088	202406K
		06/19/2026
0.080	MP5089	202406L
		06/19/2026
0.200	MP5090	202406N
		06/20/2026
0.080 DGS	N/A	AG429602
		10/22/2026

Flow Calibration By Date

Flow Column # _____
❑ 5L/min – 17mm
❑ 15L/min – 53mm
❑ 30L/min – 103mm
❑ R-Value _____
❑ Post Calibration Verification (L/s)
Flow Column # _____
32 mm _____ (.139 - .169)
36 mm _____ (.156 - .190)
53 mm _____ (.228 - .278)
103 mm _____ (.447 - .547)

Maintenance By Date

❑ Battery Replacement
❑ Dry Gas Regulator Replacement
❑ Breath Tube Replacement
❑ Other _____

Calibration Adjustment By

Barometric Pressure Gauge _____ ID # _____

Simulator	Serial #	Lot #	Expiration
0.000		N/A	N/A
0.040			
0.100			
0.200			
0.300			
0.080 DGS	N/A		

❑ Post Calibration Adjustment Stability Checks

Simulator	Serial #	Lot #	Expiration
0.050			
0.080			
0.200			
0.080 DGS	N/A		

Department Inspection By DA

Barometric Pressure ID# 30793
Gauge 1020 Instrument 1020
Mouth Alcohol Solution Lot # 2024-A
Acetone Stock Solution Lot # 2024-B

Simulator	Serial Number
0.000	MP5086
Interferent	MP5087
0.050	MP5088
0.080	MP5089
0.200	MP5090

Attachments

■ Form 41
■ Stability Checks
■ Calibration Certificate
❑ Calibration Adjustment
❑ Post-Stability Checks
❑ Flow Calibration
■ Form 40
❑ Other _____

Notes/Suggested Service: _____

■ **Instrument Complies with Chapter 11D-8, FAC**
❑ **Instrument Does Not Comply with Chapter 11D-8, FAC**
■ **Return to/Place into Evidentiary Use**
❑ **Remain Out of Evidentiary Use**
■ **Conduct an Agency Inspection Before Evidentiary Use**

Taylor Gutschow — Digitally signed by Taylor Gutschow Date: 2025.02.05 12:47:52 -05'00' — Tech Review / Date

Shayla Platt — Digitally signed by Shayla Platt Date: 2025.02.05 14:02:34 -05'00' — Admin Review / Date

Stability Checks 80-003935 DA 2/4/25

OSCEOLA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-003935
02/04/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	09:43
Control Test	0.049	09:44
Air Blank	0.000	09:44
Control Test	0.048	09:45
Air Blank	0.000	09:46
Control Test	0.048	09:46
Air Blank	0.000	09:47

Control Test Stats

Average	0.0483
Std Dev	0.0006
Rel Std Dev(%)	1.1945

Operator's Signature

OSCEOLA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-003935
02/04/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	10:02
Control Test	0.078	10:03
Air Blank	0.000	10:04
Control Test	0.078	10:04
Air Blank	0.000	10:05
Control Test	0.079	10:06
Air Blank	0.000	10:06

Control Test Stats

Average	0.0780
Std Dev	0.0000
Rel Std Dev(%)	0.0000

Wet

Operator's Signature

OSCEOLA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-003935
02/04/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	09:09
Control Test	0.198	09:10
Air Blank	0.000	09:11
Control Test	0.197	09:11
Air Blank	0.000	09:12
Control Test	0.196	09:13
Air Blank	0.000	09:13

Control Test Stats

Average	0.1970
Std Dev	0.0010
Rel Std Dev(%)	0.5076

Operator's Signature

OSCEOLA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-003935
02/04/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	09:05
Control Test	0.080	09:05
Air Blank	0.000	09:06
Control Test	0.080	09:06
Air Blank	0.000	09:07
Control Test	0.081	09:07
Air Blank	0.000	09:08

Control Test Stats

Average	0.0800
Std Dev	0.0000
Rel Std Dev(%)	0.0000

DGS

Operator's Signature

Florida Department of Law Enforcement
Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: OSCEOLA COUNTY SO Serial Number: 80-003935
Time of Inspection:08:48 Date of Inspection:02/04/2025 Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot #: Exp:

Number of Simulators Used: _____

Remarks:
BYPASS AI TO OPERATE INSTRUMENT COMPLIANCE NOT DETERMINED

N/A DA 2/4/25

The above instrument complies (X) does not comply ( ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

DA

DESTINEE N ARMSTRONG

Signature and Printed Name

02/04/2025

Date

FDLE/ATP Form 40 -- March 2004

Reprinted From Database

Florida Department of Law Enforcement
Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: OSCEOLA COUNTY SO Serial Number: 80-003935
Time of Inspection:12:10 Date of Inspection:02/04/2025 Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#: 202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: AG429602 Exp: 10/22/2026
0.000	0.048	0.079	0.196	0.080
0.000	0.048	0.078	0.196	0.080
0.000	0.048	0.078	0.196	0.080
0.000	0.048	0.078	0.197	0.080
0.000	0.049	0.078	0.196	0.080
0.000	0.048	0.078	0.196	0.080
0.000	0.048	0.078	0.197	0.080
0.000	0.049	0.079	0.195	0.080
0.000	0.048	0.078	0.196	0.080
0.000	0.048	0.078	0.196	0.080
Standard Deviations	0.0004	0.0004	0.0005	0.0000

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies { X) does not comply ( ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Destinee Armstrong Digitally signed by Destinee Armstrong Date: 2025.02.04 12:54:02 -05'00'

DESTINEE N ARMSTRONG

Signature and Printed Name

02/04/2025

Date

FDLE/ATP Form 41 -- Revised August 2005

Reprinted From Database

Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-003935 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-003935
Owning Agency:	OSCEOLA COUNTY SO
Calibration Date:	02/04/2025
Calibration Time:	12:10

	UNCERTAINTY* ±
0.050 g/ 210 L	0.004
0.080 g/ 210 L	0.004
0.200 g/ 210 L	0.007
0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.
Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).
The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION
This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

02/04/2025
Date

DESTINEE N ARMSTRONG,
Department Inspector