



Agency LAKE COUNTY SO

S/N 80-006222

Date In 7/8/25DI Completion Date 7/10/25

☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

Intake By <u>KTS</u> Date <u>7/8/25</u> ☐ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: _____ _____ _____ _____ _____ _____ _____ _____	Quality Checks By <u>WKP</u> Date <u>7/10/2025</u> ☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>234</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP 102</u> 32 mm <u>0.160</u> (.139 - .169) 36 mm <u>0.175</u> (.156 - .190) 53 mm <u>0.242</u> (.228 - .278) 103 mm <u>0.496</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>28662</u> ☒ Stability Checks	Flow Calibration By _____ Date _____ Flow Column # _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																																																													
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 60%;">Lot #/Exp</th> </tr> <tr> <td rowspan="2">0.050</td> <td rowspan="2">MP5088</td> <td>202406K</td> </tr> <tr> <td>06/19/2026</td> </tr> <tr> <td rowspan="2">0.080</td> <td rowspan="2">MP5089</td> <td>202406L</td> </tr> <tr> <td>06/19/2026</td> </tr> <tr> <td rowspan="2">0.200</td> <td rowspan="2">MP5090</td> <td>202406N</td> </tr> <tr> <td>06/20/2026</td> </tr> <tr> <td rowspan="2">0.080 DGS</td> <td rowspan="2">N/A</td> <td>AG429602</td> </tr> <tr> <td>10/22/2026</td> </tr> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP5088	202406K	06/19/2026	0.080	MP5089	202406L	06/19/2026	0.200	MP5090	202406N	06/20/2026	0.080 DGS	N/A	AG429602	10/22/2026	Maintenance By _____ Date _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____ _____ _____ _____ _____																																										
Simulator	Serial #	Lot #/Exp																																																													
0.050	MP5088	202406K																																																													
		06/19/2026																																																													
0.080	MP5089	202406L																																																													
		06/19/2026																																																													
0.200	MP5090	202406N																																																													
		06/20/2026																																																													
0.080 DGS	N/A	AG429602																																																													
		10/22/2026																																																													
Calibration Adjustment By _____ Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 20%;">Lot #</th> <th style="width: 40%;">Expiration</th> </tr> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </table> ☐ Post Calibration Adjustment Stability Checks <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 20%;">Lot #</th> <th style="width: 40%;">Expiration</th> </tr> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Department Inspection By <u>SP</u> Barometric Pressure ID# <u>28662</u> Gauge <u>1013</u> Instrument <u>1014</u> Mouth Alcohol Solution Lot # <u>2024-A</u> Acetone Stock Solution Lot # <u>2024-B</u> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 50%;">Simulator</th> <th style="width: 50%;">Serial Number</th> </tr> <tr> <td>0.000</td> <td>MP6294</td> </tr> <tr> <td>Interferent</td> <td>MP5087</td> </tr> <tr> <td>0.050</td> <td>MP5088</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> </tr> </table>		Simulator	Serial Number	0.000	MP6294	Interferent	MP5087	0.050	MP5088	0.080	MP5089	0.200	MP5090
Simulator	Serial #	Lot #	Expiration																																																												
0.000		N/A	N/A																																																												
0.040																																																															
0.100																																																															
0.200																																																															
0.300																																																															
0.080 DGS	N/A																																																														
Simulator	Serial #	Lot #	Expiration																																																												
0.050																																																															
0.080																																																															
0.200																																																															
0.080 DGS	N/A																																																														
Simulator	Serial Number																																																														
0.000	MP6294																																																														
Interferent	MP5087																																																														
0.050	MP5088																																																														
0.080	MP5089																																																														
0.200	MP5090																																																														
Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Calibration Adjustment ☐ Post-Stability Checks ☐ Flow Calibration ☐ Form 40 ☐ Other _____		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																																													
Notes/Suggested Service: _____ _____ _____ _____ _____ _____ _____		Taylor Gutschow Digitally signed by Taylor Gutschow Date: 2025.07.11 14:32:13 -04'00' Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2025.07.11 15:22:57 -04'00' Tech Review / Date _____ Admin Review / Date _____																																																													

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																																																																																																																						
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																																																																																																																																						
Performed Root Case Analysis	Performed Root Case Analysis	Performed Root Case Analysis	Performed Root Case Analysis																																																																																																																																																																																																																																																						
LAKE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 07/10/2025 Software: 8100.27 Test <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:18</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:19</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:20</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:21</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:22</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:22</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:23</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:23</td></tr> <tr><td>Average</td><td>0.0480</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> Operator's Signature: 	Test	g/210L	Time	Air Blank	0.000	13:17	Control Test	0.048	13:17	Air Blank	0.000	13:18	Control Test	0.048	13:18	Air Blank	0.000	13:19	Control Test	0.048	13:19	Air Blank	0.000	13:20	Control Test	0.048	13:20	Air Blank	0.000	13:21	Control Test	0.048	13:21	Air Blank	0.000	13:22	Control Test	0.048	13:22	Air Blank	0.000	13:23	Control Test	0.048	13:23	Average	0.0480		Std Dev	0.0000		Rel. Std Dev(%)	0.0000		LAKE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 07/10/2025 Software: 8100.27 Test <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:13</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:14</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:15</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:18</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:19</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:20</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:21</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:22</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:22</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:23</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:23</td></tr> <tr><td>Average</td><td>0.0780</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> Operator's Signature: 	Test	g/210L	Time	Air Blank	0.000	13:13	Control Test	0.078	13:14	Air Blank	0.000	13:14	Control Test	0.078	13:15	Air Blank	0.000	13:15	Control Test	0.078	13:16	Air Blank	0.000	13:17	Control Test	0.078	13:17	Air Blank	0.000	13:18	Control Test	0.078	13:18	Air Blank	0.000	13:19	Control Test	0.078	13:19	Air Blank	0.000	13:20	Control Test	0.078	13:20	Air Blank	0.000	13:21	Control Test	0.078	13:21	Air Blank	0.000	13:22	Control Test	0.078	13:22	Air Blank	0.000	13:23	Control Test	0.078	13:23	Average	0.0780		Std Dev	0.0000		Rel. Std Dev(%)	0.0000		LAKE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 07/10/2025 Software: 8100.27 Test <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:13</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:14</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:15</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:18</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:19</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:20</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:21</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:21</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:22</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:22</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:23</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:23</td></tr> <tr><td>Average</td><td>0.1983</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.2911</td><td></td></tr> </tbody> </table> Operator's Signature: 	Test	g/210L	Time	Air Blank	0.000	13:13	Control Test	0.199	13:14	Air Blank	0.000	13:14	Control Test	0.199	13:15	Air Blank	0.000	13:15	Control Test	0.199	13:16	Air Blank	0.000	13:17	Control Test	0.199	13:17	Air Blank	0.000	13:18	Control Test	0.199	13:18	Air Blank	0.000	13:19	Control Test	0.199	13:19	Air Blank	0.000	13:20	Control Test	0.199	13:20	Air Blank	0.000	13:21	Control Test	0.199	13:21	Air Blank	0.000	13:22	Control Test	0.199	13:22	Air Blank	0.000	13:23	Control Test	0.199	13:23	Average	0.1983		Std Dev	0.0006		Rel. Std Dev(%)	0.2911		LAKE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 07/10/2025 Software: 8100.27 Test <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:26</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:27</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:28</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:29</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:30</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:31</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:31</td></tr> <tr><td>Average</td><td>0.0780</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> Operator's Signature: 	Test	g/210L	Time	Air Blank	0.000	13:26	Control Test	0.078	13:26	Air Blank	0.000	13:27	Control Test	0.078	13:27	Air Blank	0.000	13:28	Control Test	0.078	13:28	Air Blank	0.000	13:29	Control Test	0.078	13:29	Air Blank	0.000	13:30	Control Test	0.078	13:30	Air Blank	0.000	13:31	Control Test	0.078	13:31	Average	0.0780		Std Dev	0.0000		Rel. Std Dev(%)	0.0000	
Test	g/210L	Time																																																																																																																																																																																																																																																							
Air Blank	0.000	13:17																																																																																																																																																																																																																																																							
Control Test	0.048	13:17																																																																																																																																																																																																																																																							
Air Blank	0.000	13:18																																																																																																																																																																																																																																																							
Control Test	0.048	13:18																																																																																																																																																																																																																																																							
Air Blank	0.000	13:19																																																																																																																																																																																																																																																							
Control Test	0.048	13:19																																																																																																																																																																																																																																																							
Air Blank	0.000	13:20																																																																																																																																																																																																																																																							
Control Test	0.048	13:20																																																																																																																																																																																																																																																							
Air Blank	0.000	13:21																																																																																																																																																																																																																																																							
Control Test	0.048	13:21																																																																																																																																																																																																																																																							
Air Blank	0.000	13:22																																																																																																																																																																																																																																																							
Control Test	0.048	13:22																																																																																																																																																																																																																																																							
Air Blank	0.000	13:23																																																																																																																																																																																																																																																							
Control Test	0.048	13:23																																																																																																																																																																																																																																																							
Average	0.0480																																																																																																																																																																																																																																																								
Std Dev	0.0000																																																																																																																																																																																																																																																								
Rel. Std Dev(%)	0.0000																																																																																																																																																																																																																																																								
Test	g/210L	Time																																																																																																																																																																																																																																																							
Air Blank	0.000	13:13																																																																																																																																																																																																																																																							
Control Test	0.078	13:14																																																																																																																																																																																																																																																							
Air Blank	0.000	13:14																																																																																																																																																																																																																																																							
Control Test	0.078	13:15																																																																																																																																																																																																																																																							
Air Blank	0.000	13:15																																																																																																																																																																																																																																																							
Control Test	0.078	13:16																																																																																																																																																																																																																																																							
Air Blank	0.000	13:17																																																																																																																																																																																																																																																							
Control Test	0.078	13:17																																																																																																																																																																																																																																																							
Air Blank	0.000	13:18																																																																																																																																																																																																																																																							
Control Test	0.078	13:18																																																																																																																																																																																																																																																							
Air Blank	0.000	13:19																																																																																																																																																																																																																																																							
Control Test	0.078	13:19																																																																																																																																																																																																																																																							
Air Blank	0.000	13:20																																																																																																																																																																																																																																																							
Control Test	0.078	13:20																																																																																																																																																																																																																																																							
Air Blank	0.000	13:21																																																																																																																																																																																																																																																							
Control Test	0.078	13:21																																																																																																																																																																																																																																																							
Air Blank	0.000	13:22																																																																																																																																																																																																																																																							
Control Test	0.078	13:22																																																																																																																																																																																																																																																							
Air Blank	0.000	13:23																																																																																																																																																																																																																																																							
Control Test	0.078	13:23																																																																																																																																																																																																																																																							
Average	0.0780																																																																																																																																																																																																																																																								
Std Dev	0.0000																																																																																																																																																																																																																																																								
Rel. Std Dev(%)	0.0000																																																																																																																																																																																																																																																								
Test	g/210L	Time																																																																																																																																																																																																																																																							
Air Blank	0.000	13:13																																																																																																																																																																																																																																																							
Control Test	0.199	13:14																																																																																																																																																																																																																																																							
Air Blank	0.000	13:14																																																																																																																																																																																																																																																							
Control Test	0.199	13:15																																																																																																																																																																																																																																																							
Air Blank	0.000	13:15																																																																																																																																																																																																																																																							
Control Test	0.199	13:16																																																																																																																																																																																																																																																							
Air Blank	0.000	13:17																																																																																																																																																																																																																																																							
Control Test	0.199	13:17																																																																																																																																																																																																																																																							
Air Blank	0.000	13:18																																																																																																																																																																																																																																																							
Control Test	0.199	13:18																																																																																																																																																																																																																																																							
Air Blank	0.000	13:19																																																																																																																																																																																																																																																							
Control Test	0.199	13:19																																																																																																																																																																																																																																																							
Air Blank	0.000	13:20																																																																																																																																																																																																																																																							
Control Test	0.199	13:20																																																																																																																																																																																																																																																							
Air Blank	0.000	13:21																																																																																																																																																																																																																																																							
Control Test	0.199	13:21																																																																																																																																																																																																																																																							
Air Blank	0.000	13:22																																																																																																																																																																																																																																																							
Control Test	0.199	13:22																																																																																																																																																																																																																																																							
Air Blank	0.000	13:23																																																																																																																																																																																																																																																							
Control Test	0.199	13:23																																																																																																																																																																																																																																																							
Average	0.1983																																																																																																																																																																																																																																																								
Std Dev	0.0006																																																																																																																																																																																																																																																								
Rel. Std Dev(%)	0.2911																																																																																																																																																																																																																																																								
Test	g/210L	Time																																																																																																																																																																																																																																																							
Air Blank	0.000	13:26																																																																																																																																																																																																																																																							
Control Test	0.078	13:26																																																																																																																																																																																																																																																							
Air Blank	0.000	13:27																																																																																																																																																																																																																																																							
Control Test	0.078	13:27																																																																																																																																																																																																																																																							
Air Blank	0.000	13:28																																																																																																																																																																																																																																																							
Control Test	0.078	13:28																																																																																																																																																																																																																																																							
Air Blank	0.000	13:29																																																																																																																																																																																																																																																							
Control Test	0.078	13:29																																																																																																																																																																																																																																																							
Air Blank	0.000	13:30																																																																																																																																																																																																																																																							
Control Test	0.078	13:30																																																																																																																																																																																																																																																							
Air Blank	0.000	13:31																																																																																																																																																																																																																																																							
Control Test	0.078	13:31																																																																																																																																																																																																																																																							
Average	0.0780																																																																																																																																																																																																																																																								
Std Dev	0.0000																																																																																																																																																																																																																																																								
Rel. Std Dev(%)	0.0000																																																																																																																																																																																																																																																								

Florida Department of Law Enforcement

Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: LAKE COUNTY SO

Time of Inspection: 15:58

Date of Inspection: 07/10/2025

Serial Number: 80-006222

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.047	0.078	0.197	0.079
0.000	0.047	0.078	0.197	0.079
0.000	0.047	0.078	0.197	0.078
0.000	0.047	0.078	0.197	0.079
0.000	0.047	0.078	0.197	0.078
0.000	0.047	0.078	0.197	0.079
0.000	0.046	0.078	0.197	0.078
0.000	0.047	0.078	0.197	0.078
0.000	0.047	0.078	0.198	0.078
0.000	0.047	0.078	0.198	0.078

Standard Deviations	0.0003	0.0000	0.0004	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Shayla Platt

SHAYLA D PLATT

Signature and Printed Name

07/10/2025
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006222, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006222</u>	Serial Number:	<u>80-006222</u>
Owning Agency:	<u>LAKE COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>07/10/2025</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>15:58</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Shayla Platt
Platt
Date: 2025.07.10 17:18:34
-04'00'

Date

07/10/2025

SHAYLA D PLATT,
Department Inspector

FDLE/ATP Form 69 October 2024
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality