

INSTRUMENT PROCESSING SHEET

Agency CLAY COUNTY SO S/N 80-006237

Florida Department of Law Enforcement

Date In 7/7/2025 DI Completion Date 7/11/25 ■Ship □P/U □H/D □CMI □EE

Intake B	y WKP Date 7/	7/2025	Quality Che	ecks	By KTS	Date 7/8/25	Flow Calibi	ration By	Date
■ Annual			■ Breath				1	nn #	
☐ Registrati	on				ernal O-Rin	gs		min – 17mm	
☐ Return fro					Set Up Veri		1	/min – 53mm	
	•		R-Value		•	1100	1	/min – 103mm	
Visual Inspe	ction:				cation (L/s)				
■ Case	Handle				# ATP103			ibration Verifica	
Keyboard	Dry Gas Sh	elf				(.139169)		nn #	
Feet	Breath Tub	oe -							
Ports	Screws Tig	ht				(.156190)	32 mm _		(.139169)
Other Fauin	ment/ Accessories:					(.228278)			(.156190)
	rd 🚨 Printer Cak					(.447547)			(.228278)
Static Bag					Pressure Ch	ieck	103 mm ₋		(.447547)
■ Static Dag	12V DC Cal	bie	Gauge ID #						
Notes:			■ Stability						
			Simulator		Serial #	Lot #/Exp	Maintenan	ice By	Date
			0.050			202406K	☐ Battery	Replacement	
			0.030		MP5088	6/19/26	☐ Dry Gas	Regulator Repla	cement
			0.080			202406L	☐ Breath T	ube Replaceme	nt
			0.000		MP5089	6/19/26	☐ Other _	<u>.</u>	
			0.200						
			0.200		MP5090	202406N			
				_		6/20/26			
			0.080 DG	S	N/A	AG429602			
						10/22/26			
Calibration A				Ву	/	Department Inspec			ву <u>SP</u>
	Pressure Gauge		ID#			Barometric Pressur			
Simulator	Serial #	Lot #		Exp	piration	Gauge <u>1015</u>			
0.000			N/A		N/A	Mouth Alcohol Solu			
0.040						Acetone Stock Solu	tion Lot # 20		
0.100						Simulator		Serial Number	
0.200						0.000			5289
0.300						Interferent			3290
0.080 DGS	N/A					0.050 0.080		MP6	
	<u>'</u>	<u> </u>				0.200		MP6	
	ration Adjustment		y Checks	_					
Simulator	Serial #	Lot #		Exp	iration	Attachments			
0.050						Form 41		☐ Post-Stabili	
0.080						Stability Checks		☐ Flow Calibr	ation
0.200						Calibration Cert		☐ Form 40	
0.080 DGS	N/A					☐ Calibration Adj	ustment	Other	
Notes/Sugg	ested Service: Ran	wet sta	ability inste	ad o	of dry	■ Instrument Co	mplies with (Chapter 11D-8,	FAC
	borted test, KTS				 	☐ Instrument Do	-	-	
						Return to/Plac	-		
Tech review: C	orrected year in notes on	IPS SP 7	/11/25			☐ Remain Out of		•	
						Conduct an Age			entiary Use
						Taylor Digitally signed by Taylor Gutschow	aylor LeAndra		tally signed by LeAndra ginbotham
						Gutschow Date: 2025.07.11 14:		ootham Date	2: 2025.07.16 19:16:56 -04'00'
						Tech Review / Da	>+ ^	Admin Review	

SN 80-(06237	1
Alcohol Analyz 27	1016/0
CLPY COUNTY SO Intoxi lyzer – Riconol Model 8000 07/18/2025 Software: 8100.27	Ţ

11 me 199.43 199.44 0.000 0.000 987* 0.000 *Secuence Abortec Tes:
Air Blank
Control Test
Air Blank
Air Blank

Stability Checks

DGS 0.080 g/210L	0.077 to 0.083 g/210L S0.003 g/210L Of Wet	Performed Root Case Analysis	CLA* COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 I7/18/2025 Software: 8100.27 Test 9/210L Tire Rir Blank 0.000 Control Test 0.079 Rir Blank 0.000 Control Test 5.000 Control Test 5.000 Six 47 Control Test 5.000 Six 47 Control Test 5.000 Six 6.000 Si
0.200 g/210L	0.194 to 0.206 g/2101	Performed Root Case Analysis	CLAY COUNTY SG Intoxilyzer - Alconol Analyzer Model 8000 SN 80-106237 D7/08/2025 Scftware: 8100.27 Test g/210L Time Air Blank 0.000 Control Test 0.200 Air Blank 0.000 Control Test 0.199 Sid Deu 0.0006 Rel Std Deu(%) 0.2892 Sid Deu(%) 0.2892
0.080 g/210L	0.077 to 0.083 g/210L	Performed Root Case Analysis	CLAY COUNTY SO Intoxilyzer - Riconol Analyzer Model 8000 07/08/2025 Software: 8100.27 Test g/210L Tire Rir Blank 0.000 Control Test 0.079 Rir Blank 0.000 Control Test 0.079 Rir Blank 0.000 Control Test 0.079 Rir Blank 0.000 Control Test 5tats Riv Rir Blank 0.000 Control Test 5tats Riv
0.050 g/210L	0.047 to 0.053 g/210L	Performed Root Case Analysis	CLAY COUNTY SO Intoxilyzer - Alconol Analyzer Model 8000 07/08/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 Control Test 0.049 Air Blank 0.000 Control Test 0.048 Air Blank 0.000 Air Blank 0.0000 Air Blank 0.0000 Air Blank 0.0000 Air Blank 0.0000 Air Blank 0.

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: CLAY COUNTY SO Time of Inspection: 11:54

Date of Inspection: 07/11/2025

Serial Number: 80-006237

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	ИО
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.048	0.079	0.200	0.078
0.000	0.048	0.078	0.199	0.077
0.000	0.048	0.078	0.200	0.078
0.000	0.048	0.078	0.200	0.077
0.000	0.048	0.079	0.200	0.078
0.000	0.048	0.079	0.199	0.077
0.000	0.048	0.079	0.200	0.077
0.000	0.049	0.079	0.200	0.078
0.000	0.049	0.079	0.200	0.077
0.000	0.049	0.079	0.201	0.078
Standard Deviations	0.0004	0.0004	0.0005	0.0005

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

The above instrument complies (X) does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

SHAYLA D PLATT

07/11/2025 Date



Calibration Certificate

Florida Department of Law Enforcement Alcohol Testing Program Fallahassee, FL 32308 2331 Phillips Road

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006237, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-006237	UNCERTAINTY* ±	
Owning Agency:	CLAY COUNTY SO	0.050 g/210 L	0.004
Calibration Date:	07/11/2025	0.080 g/210 L	0.004
Calibration Time:	11:54	0.200 g/210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards. Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls Digitally signed by Shayla Platt Shayla Platt Date: 2025.07.11 prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards This document shall not be reproduced except in full,

07/11/2025 without written approval of the Florida Department of Law Enforcement Alcohol Testing Program. Service Integrity Respect Ouality

Issuing Authority: Alcohol Testing Program

FDLE/ATP Form 69 October 2024

Department Inspector

SHAYLA D PLATT,

12:52:39 -04'00'