



INSTRUMENT PROCESSING SHEET

Agency Manatee County Sheriff's OfficeS/N 80-006634Florida Department of
Law EnforcementDate In 07/14/2025 DI Completion Date 07/29/2025☐ Ship ☒ P/U ☐ H/D ☐ CMI ☐ EE

Intake By <u>TDG</u> Date <u>07/18/2025</u>		Quality Checks By <u>TDG</u> Date <u>07/18/2025</u>		Flow Calibration By _____ Date _____																													
☒ Annual ☐ Registration ☐ Return from CMI / EE Visual Inspection: ☒ Case ☐ Handle ☒ Keyboard ☐ Dry Gas Shelf ☒ Feet ☐ Breath Tube ☒ Ports ☐ Screws Tight Other Equipment/ Accessories: ☐ Power cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes: <u>Dropped off with no box.</u>		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value <u>232</u> ☒ Flow Verification (L/s) Flow Column # <u>ATP106</u> 32 mm <u>0.160</u> (.139 - .169) 36 mm <u>0.175</u> (.156 - .190) 53 mm <u>0.242</u> (.228 - .278) 103 mm <u>0.500</u> (.447 - .547) ☒ Barometric Pressure Check Gauge ID # <u>28199</u> ☒ Stability Checks		☐ Flow Column # _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value _____ ☐ Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																													
		<table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr><tr><td>0.050</td><td>MP6286</td><td>202406K 06/19/2026</td></tr><tr><td>0.080</td><td>MP6287</td><td>202406L 06/19/2026</td></tr><tr><td>0.200</td><td>MP6288</td><td>202406N 06/20/2026</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602 10/22/2026</td></tr></table>		Simulator	Serial #	Lot #/Exp	0.050	MP6286	202406K 06/19/2026	0.080	MP6287	202406L 06/19/2026	0.200	MP6288	202406N 06/20/2026	0.080 DGS	N/A	AG429602 10/22/2026	Maintenance By _____ Date _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Breath Tube Replacement ☐ Other _____														
Simulator	Serial #	Lot #/Exp																															
0.050	MP6286	202406K 06/19/2026																															
0.080	MP6287	202406L 06/19/2026																															
0.200	MP6288	202406N 06/20/2026																															
0.080 DGS	N/A	AG429602 10/22/2026																															
Calibration Adjustment By <u>TDG</u>				Department Inspection By <u>TDG</u>																													
Barometric Pressure Gauge <u>1016</u> ID # <u>26932</u>				Barometric Pressure ID# <u>28199</u>																													
<table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.000</td><td>MP5097</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP5098</td><td>23400</td><td>10/24/2025</td></tr><tr><td>0.100</td><td>MP5099</td><td>24110</td><td>03/05/2026</td></tr><tr><td>0.200</td><td>MP5100</td><td>24080</td><td>02/13/2026</td></tr><tr><td>0.300</td><td>MP5101</td><td>23410</td><td>11/01/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>28424080A3</td><td>11/05/2026</td></tr></table>				Simulator	Serial #	Lot #	Expiration	0.000	MP5097	N/A	N/A	0.040	MP5098	23400	10/24/2025	0.100	MP5099	24110	03/05/2026	0.200	MP5100	24080	02/13/2026	0.300	MP5101	23410	11/01/2025	0.080 DGS	N/A	28424080A3	11/05/2026	Gauge <u>1019</u> Instrument <u>1017</u> Mouth Alcohol Solution Lot # <u>2024-A</u> Acetone Stock Solution Lot # <u>2023-B</u>	
Simulator	Serial #	Lot #	Expiration																														
0.000	MP5097	N/A	N/A																														
0.040	MP5098	23400	10/24/2025																														
0.100	MP5099	24110	03/05/2026																														
0.200	MP5100	24080	02/13/2026																														
0.300	MP5101	23410	11/01/2025																														
0.080 DGS	N/A	28424080A3	11/05/2026																														
☒ Post Calibration Adjustment Stability Checks				<table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial Number</th></tr><tr><td>0.000</td><td>MP6284</td></tr><tr><td>Interferent</td><td>MP6285</td></tr><tr><td>0.050</td><td>MP6286</td></tr><tr><td>0.080</td><td>MP6287</td></tr><tr><td>0.200</td><td>MP6288</td></tr></table>		Simulator	Serial Number	0.000	MP6284	Interferent	MP6285	0.050	MP6286	0.080	MP6287	0.200	MP6288																
Simulator	Serial Number																																
0.000	MP6284																																
Interferent	MP6285																																
0.050	MP6286																																
0.080	MP6287																																
0.200	MP6288																																
<table border="1" style="width:100%"><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr><tr><td>0.050</td><td>MP6286</td><td>202406K</td><td>06/19/2026</td></tr><tr><td>0.080</td><td>MP6287</td><td>202406L</td><td>06/19/2026</td></tr><tr><td>0.200</td><td>MP6288</td><td>202406N</td><td>06/20/2026</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG429602</td><td>10/22/2026</td></tr></table>				Simulator	Serial #	Lot #	Expiration	0.050	MP6286	202406K	06/19/2026	0.080	MP6287	202406L	06/19/2026	0.200	MP6288	202406N	06/20/2026	0.080 DGS	N/A	AG429602	10/22/2026	Attachments ☒ Form 41 ☒ Post-Stability Checks ☒ Stability Checks ☐ Flow Calibration ☒ Calibration Certificate ☐ Form 40 ☒ Calibration Adjustment ☐ Other _____									
Simulator	Serial #	Lot #	Expiration																														
0.050	MP6286	202406K	06/19/2026																														
0.080	MP6287	202406L	06/19/2026																														
0.200	MP6288	202406N	06/20/2026																														
0.080 DGS	N/A	AG429602	10/22/2026																														
Notes/Suggested Service: <u>Instrument failed baro pressure check during Quality Checks; instrument read 1004 and gauge read 1021. (TDG 7/18/25)</u>				☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																													
Phil Nicodemo Digitally signed by Phil Nicodemo Date: 2025.07.31 15:08:42 -0400				LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2025.08.01 09:39:07 -0400																													
Tech Review / Date _____				Admin Review / Date _____																													

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																				
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																				
✓	✓	✓	✓																																																																																																																																				
≤0.003 of Wet	✓	✓	✓																																																																																																																																				
≤0.003 of Wet	✓	✓	✓																																																																																																																																				
MANATEE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 07/18/2025 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>13:12</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:13</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:15</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:16</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0480</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </table>	Air Blank	0.000	13:12	Control Test	0.048	13:13	Air Blank	0.000	13:13	Control Test	0.048	13:14	Air Blank	0.000	13:15	Control Test	0.048	13:15	Air Blank	0.000	13:16	Control Test Stats			Average	0.0480		Std Dev	0.0000		Rel Std Dev(%)	0.0000		MANATEE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 07/18/2025 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>13:34</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:35</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:36</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:37</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:37</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:38</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0790</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </table>	Air Blank	0.000	13:34	Control Test	0.079	13:35	Air Blank	0.000	13:35	Control Test	0.079	13:36	Air Blank	0.000	13:37	Control Test	0.079	13:37	Air Blank	0.000	13:38	Control Test Stats			Average	0.0790		Std Dev	0.0000		Rel Std Dev(%)	0.0000		MANATEE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 07/18/2025 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>13:27</td></tr> <tr><td>Control Test</td><td>0.197</td><td>13:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:28</td></tr> <tr><td>Control Test</td><td>0.196</td><td>13:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:29</td></tr> <tr><td>Control Test</td><td>0.197</td><td>13:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:30</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1967</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2936</td><td></td></tr> </table>	Air Blank	0.000	13:27	Control Test	0.197	13:27	Air Blank	0.000	13:28	Control Test	0.196	13:29	Air Blank	0.000	13:29	Control Test	0.197	13:30	Air Blank	0.000	13:30	Control Test Stats			Average	0.1967		Std Dev	0.0006		Rel Std Dev(%)	0.2936		MANATEE COUNTY SO Intoxilyzer - Alcolon Analyzer Model 8000 07/18/2025 Software: 8100.27 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>13:39</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:39</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:39</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:40</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:40</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:41</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0780</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </table>	Air Blank	0.000	13:39	Control Test	0.078	13:39	Air Blank	0.000	13:39	Control Test	0.078	13:40	Air Blank	0.000	13:40	Control Test	0.078	13:41	Air Blank	0.000	13:41	Control Test Stats			Average	0.0780		Std Dev	0.0000		Rel Std Dev(%)	0.0000	
Air Blank	0.000	13:12																																																																																																																																					
Control Test	0.048	13:13																																																																																																																																					
Air Blank	0.000	13:13																																																																																																																																					
Control Test	0.048	13:14																																																																																																																																					
Air Blank	0.000	13:15																																																																																																																																					
Control Test	0.048	13:15																																																																																																																																					
Air Blank	0.000	13:16																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.0480																																																																																																																																						
Std Dev	0.0000																																																																																																																																						
Rel Std Dev(%)	0.0000																																																																																																																																						
Air Blank	0.000	13:34																																																																																																																																					
Control Test	0.079	13:35																																																																																																																																					
Air Blank	0.000	13:35																																																																																																																																					
Control Test	0.079	13:36																																																																																																																																					
Air Blank	0.000	13:37																																																																																																																																					
Control Test	0.079	13:37																																																																																																																																					
Air Blank	0.000	13:38																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.0790																																																																																																																																						
Std Dev	0.0000																																																																																																																																						
Rel Std Dev(%)	0.0000																																																																																																																																						
Air Blank	0.000	13:27																																																																																																																																					
Control Test	0.197	13:27																																																																																																																																					
Air Blank	0.000	13:28																																																																																																																																					
Control Test	0.196	13:29																																																																																																																																					
Air Blank	0.000	13:29																																																																																																																																					
Control Test	0.197	13:30																																																																																																																																					
Air Blank	0.000	13:30																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.1967																																																																																																																																						
Std Dev	0.0006																																																																																																																																						
Rel Std Dev(%)	0.2936																																																																																																																																						
Air Blank	0.000	13:39																																																																																																																																					
Control Test	0.078	13:39																																																																																																																																					
Air Blank	0.000	13:39																																																																																																																																					
Control Test	0.078	13:40																																																																																																																																					
Air Blank	0.000	13:40																																																																																																																																					
Control Test	0.078	13:41																																																																																																																																					
Air Blank	0.000	13:41																																																																																																																																					
Control Test Stats																																																																																																																																							
Average	0.0780																																																																																																																																						
Std Dev	0.0000																																																																																																																																						
Rel Std Dev(%)	0.0000																																																																																																																																						
Operator's Signature	Operator's Signature	Operator's Signature	Operator's Signature																																																																																																																																				

```
***** AUTO CAL DATA *****
<<<< CHANNEL 1 >>>>

Sol Val = 0.0000 mg/l or 0.000
% Abs = 0.058
Std Dev = 0.03 Rel Std Dev =
Sol Val = 0.1905 mg/l or 0.0404
% Abs = 0.732
Std Dev = 0.03 Rel Std Dev =
Sol Val = 0.4752 mg/l or 0.100
% Abs = 0.732
Std Dev = 0.03 Rel Std Dev =
```

```

Sol. Value = 0.300 g/210L ***
Fit value = 1.4286 mg/l %%%
Samples Taken = 4, Discarded = 1
Sum To = 12569, Sum To = 12942
<<<< CHANNEL 1 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 5.0310 (0.0150)
Sample #2 = 5.0070 (0.0450)
Sample #3 = 4.9800 (0.0480)
Sample #4 = 5.0360 (0.0320)
Avg % Abs = 5.0077 (0.0417)
STD DEV = 0.0280 (0.0085)
REL STD DEV = 0.559 (20.412)
-----
<<<< CHANNEL 2 >>>>
Sample % Abs (% Abs Ref)
Sample #1 = 9.8640 (0.0100)
Sample #2 = 9.8300 (0.0290)
Sample #3 = 9.7890 (0.0360)
Sample #4 = 9.8140 (0.0210)
Avg % Abs = 9.8110 (0.0287)
STD DEV = 0.0207 (0.0075)
REL STD DEV = 0.211 (26.182)

```

```

<<<< CHANNEL 2 >>>>
Sample      % Abs      (% Abs Ref)
Sample #1 = 9.8640      (0.1100)
Sample #2 = 9.8300      (0.1290)
Sample #3 = 9.7990      (0.1360)
Sample #4 = 9.8140      (0.1210)*
Avg % Abs = 9.8110      (0.1287)
STD DEV = 0.0207      (0.0075)
REL STD DEV = 0.2111      (26.182)

```

Optical Calibration Adjustment
By: TDG

```

JUN 10 = 12079, JUN 10 = 12079
<<<< CHANNEL 1 >>>>
Sample      % Abs      (% Abs Ref)
Sample #1 = 3.3810   (0.0150)
Sample #2 = 3.3710   (0.0330)
Sample #3 = 3.3680   (0.0440)
Sample #4 = 3.3500   (0.0300)
Aug % Abs = 3.3763   (0.0357)
STD DEV = 0.0119   (0.0074)
REL STD DEV = 0.353   (20.667)
-----

```

By: TDG

% Abs = 1.747	
Std. Dev. = 0.03 Rel. Std. Dev. = 1.53	
Sol. Val. = 0.9524 mg/l or 0.200 g/210L	
% Abs = 3.376	
Std. Dev. = 0.01 Rel. Std. Dev. = 0.35	
Sol. Val. = 1.4286 mg/l or 0.300 g/210L	
% Abs = 5.008	
Std. Dev. = 0.03 Rel. Std. Dev. = 0.56	
Zero Order Coef = -168.12	
First Order Coef = 2810.91	
Second Order Coef = 15.39	
Standard Deviation = 20.10835	

<<<< CHANNEL 2 >>>>	
Sol. Val. = 0.0000 mg/l or 0.000 g/210L	
% Abs = 0.176	
Std. Dev. = 0.02 Rel. Std. Dev. = 12.49	
Sol. Val. = 0.1905 mg/l or 0.040 g/210L	
% Abs = 1.555	
Std. Dev. = 0.02 Rel. Std. Dev. = 1.09	
Sol. Val. = 0.4762 mg/l or 0.100 g/210L	
% Abs = 3.545	
Std. Dev. = 0.01 Rel. Std. Dev. = 0.26	
Sol. Val. = 0.9524 mg/l or 0.200 g/210L	
% Abs = 6.747	
Std. Dev. = 0.00 Rel. Std. Dev. = 0.05	
Sol. Val. = 1.4286 mg/l or 0.300 g/210L	
% Abs = 9.811	
Std. Dev. = 0.02 Rel. Std. Dev. = 0.21	
Zero Order Coef = -248.26	
First Order Coef = 1373.89	
Second Order Coef = 10.97	
Standard Deviation = 5.855732	

Dry Gas H2O Adjust Results: *****
Barometric Pressure = 1017
3 um H2O Adjust (mg/l*10,000) = 327
9 um H2O Adjust (mg/l*10,000) = 495
*** AUTO CAL PASS

Solution Stats Quadratic Fit Chan 1				
Act	Fit	Residual		
g/210L	g/210L	g/210L		
0.000	-0.000	0.0001		
0.040	0.040	0.0001		
0.100	0.101	-0.0006		
0.200	0.199	0.0005		
0.300	0.300	-0.0002		

Post-Cal Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																																																																
✓	✓	✓	✓																																																																																																																																																
MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 07/23/2025 Software: 8100.27 SN 80-006634	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 07/23/2025 Software: 8100.27 SN 80-006634	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 07/23/2025 Software: 8100.27 SN 80-006634	MANATEE COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 07/23/2025 Software: 8100.27 SN 80-006634																																																																																																																																																
<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:14</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:16</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:17</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:18</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0490</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:14	Control Test	0.049	12:15	Air Blank	0.000	12:16	Control Test	0.049	12:16	Air Blank	0.000	12:17	Control Test	0.049	12:19	Air Blank	0.000	12:18	Control Test Stats			Average	0.0490		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:32</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:33</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:34</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:34</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:35</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:32	Control Test	0.080	12:32	Air Blank	0.000	12:33	Control Test	0.080	12:34	Air Blank	0.000	12:34	Control Test	0.080	12:35	Air Blank	0.000	12:35	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:24</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:25</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:25</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:27</td></tr> <tr><td>Control Test</td><td>0.199</td><td>12:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:28</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1990</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:24	Control Test	0.199	12:25	Air Blank	0.000	12:25	Control Test	0.199	12:26	Air Blank	0.000	12:27	Control Test	0.199	12:27	Air Blank	0.000	12:28	Control Test Stats			Average	0.1990		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:03</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:04</td></tr> <tr><td>Control Test</td><td>0.078</td><td>12:04</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:04</td></tr> <tr><td>Control Test</td><td>0.079</td><td>12:05</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:05</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0787</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	12:03	Control Test	0.079	12:03	Air Blank	0.000	12:04	Control Test	0.078	12:04	Air Blank	0.000	12:04	Control Test	0.079	12:05	Air Blank	0.000	12:05	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:14																																																																																																																																																	
Control Test	0.049	12:15																																																																																																																																																	
Air Blank	0.000	12:16																																																																																																																																																	
Control Test	0.049	12:16																																																																																																																																																	
Air Blank	0.000	12:17																																																																																																																																																	
Control Test	0.049	12:19																																																																																																																																																	
Air Blank	0.000	12:18																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0490																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:32																																																																																																																																																	
Control Test	0.080	12:32																																																																																																																																																	
Air Blank	0.000	12:33																																																																																																																																																	
Control Test	0.080	12:34																																																																																																																																																	
Air Blank	0.000	12:34																																																																																																																																																	
Control Test	0.080	12:35																																																																																																																																																	
Air Blank	0.000	12:35																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:24																																																																																																																																																	
Control Test	0.199	12:25																																																																																																																																																	
Air Blank	0.000	12:25																																																																																																																																																	
Control Test	0.199	12:26																																																																																																																																																	
Air Blank	0.000	12:27																																																																																																																																																	
Control Test	0.199	12:27																																																																																																																																																	
Air Blank	0.000	12:28																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1990																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:03																																																																																																																																																	
Control Test	0.079	12:03																																																																																																																																																	
Air Blank	0.000	12:04																																																																																																																																																	
Control Test	0.078	12:04																																																																																																																																																	
Air Blank	0.000	12:04																																																																																																																																																	
Control Test	0.079	12:05																																																																																																																																																	
Air Blank	0.000	12:05																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		
Operator's Signature <i>[Signature]</i>	Operator's Signature <i>[Signature]</i>	Operator's Signature <i>[Signature]</i>	Operator's Signature <i>[Signature]</i>																																																																																																																																																

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: MANATEE COUNTY SO
Time of Inspection: 14:45

Date of Inspection: 07/29/2025

Serial Number: 80-006634
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.077
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.050	0.079	0.198	0.078

Standard Deviations	0.0003	0.0000	0.0000	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.


I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



Signature and Printed Name

TAYLOR D GUTSCHOW

07/29/2025
Date



Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-006634 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-006634</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>MANATEE COUNTY SO</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>07/29/2025</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>14:45</u>	0.200 g/ 210 L 0.007
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Taylor
Gutschow
Digitally signed by Taylor
Gutschow
Date: 2025.07.29 15:41:56
+04'00'

07/29/2025

Date

TAYLOR D GUTSCHOW,

Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality