

INSTRUMENT PROCESSING SHEET

Agency Miami Dade Sheriff's Office S/N 80-006895

Florida Department of Law Enforcement

Agency Miami Dade Sheriff's Office S/N 80-006895

Date In 03/14/2025 DI Completion Date 04/23/2025 Ship P/U DH/D DCMI DEE

Intake E	By TDG Date 4	/22/2025 Qua	ality Che	cks By TDG	Date 4/22/2025	Flow Calibra	tion By Date	
Annual			Breath T	ube Screen		Flow Column		
■ Registration				External O-Ring	ZS	☐ 5L/min — 17mm		
☐ Return from CMI / EE				ent Set Up Veri		☐ 15L/min – 53mm		
			R-Value		Alaman D	□ 30L/min – 103mm		
Visual Inspection:				rification (L/s)		R-Value		
Case Handle			190	nn # ATP101			ration Verification (L/s)	
Keyboard Dry Gas Shelf					(.139169)			
Feet Breath Tube						Flow Column		
■ Ports ■ Screws Tight			36 mm <u>0.171</u> (.156190) 53 mm <u>0.242</u> (.228278)			32 mm	(.139169)	
Other Fauin	ment/ Accessories:		53 mm <u>C</u>	0.242	(.228278)		(.156190)	
	ord Printer Cal				(.447547)		(.228278)	
		10 to		tric Pressure Ch	eck	103 mm	(.447547)	
Static Bag	g 🔲 12V DC Ca	Ua	uge ID #					
Notes:			Stability	Checks				
		Si	mulator	Serial #	Lot #/Exp	Maintenance	ByDate	
		l o .	050		202406K	☐ Battery Re		
-				MP6286	06/19/2026		egulator Replacement	
***************************************		O.	080		202406L	☐ Breath Tube Replacement ☐ Other		
-			त्राज्या । जन्म	MP6287	06/19/2026			
-			200		202406N			
		".	200	MP6288				
-			200 5 00	+	06/20/2026			
***************************************		0.	080 DGS	N/A ´	AG429602	-		
A CONTRACTOR OF THE PARTY OF TH					10/22/2026			
	Adjustment				Department Inspect		By TDG	
Barometric I	Pressure Gauge		D# .		Barometric Pressure	ID# 28199		
Simulator	Serial #	Lot#		Expiration	Gauge <u>1020</u>		ument 1020	
Simulator 0.000	Serial #	Lot#		Expiration				
Simulator	Serial #			Expiration N/A	Gauge <u>1020</u>	tion Lot # 202	4-A	
Simulator 0.000	Serial #			Expiration N/A	Gauge <u>1020</u> Mouth Alcohol Solu	tion Lot # <u>202</u> ion Lot # <u>202</u>	4-A 3-B	
0.000 0.040	Serial#			Expiration N/A	Gauge <u>1020</u> Mouth Alcohol Solut Acetone Stock Solut	tion Lot # <u>202</u> ion Lot # <u>202</u>	4-A 3-B erial Number	
0.000 0.040 0.100 0.200	Serial#			Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent	tion Lot # <u>202</u> ion Lot # <u>202</u>	4-A 3-B	
0.000 0.040 0.100 0.200 0.300	i i			Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050	tion Lot # <u>202</u> ion Lot # <u>202</u>	4-A 3-B erial Number MP6284 MP6285 MP6286	
0.000 0.040 0.100 0.200	Serial#			Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080	tion Lot # <u>202</u> ion Lot # <u>202</u>	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib	i i	N/A		Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050	tion Lot # <u>202</u> ion Lot # <u>202</u>	4-A 3-B erial Number MP6284 MP6285 MP6286	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS	N/A	N/A	ecks	Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments	tion Lot # <u>202</u> ion Lot # <u>202</u>	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib	N/A pration Adjustment	N/A Stability Che	ecks	Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200	tion Lot # 202 ion Lot # 202 S	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib	N/A pration Adjustment	N/A Stability Che	ecks	Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments	tion Lot # 202 ion Lot # 202 S	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050	N/A pration Adjustment	N/A Stability Che	ecks	Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks	tion Lot # 202 ion Lot # 202 S	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS ☐ Post Calib Simulator 0.050 0.080	N/A pration Adjustment Serial #	N/A Stability Che	ecks	Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41	202	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200	N/A pration Adjustment	N/A Stability Che	ecks	Expiration N/A	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Adju	ion Lot # 202 ion Lot # 202 Signature Ificate stment	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration Form 40 Other Form 51	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS	N/A pration Adjustment Serial # N/A N/A ested Service: After	Stability Che	ecks E	Expiration N/A Expiration on, FDLE	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Certi Calibration Adju	ion Lot # 202 ion Lot # 202 Single Si	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration Form 40 Other Form 51	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Suggewas notifie	N/A pration Adjustment Serial # N/A N/A ested Service: After d the agency's na	Stability Che Lot #	ecks E	Expiration N/A Expiration on, FDLE o Miami	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Certi Calibration Adju	ion Lot # 202 ion Lot # 202 Single Si	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration Form 40 Other Form 51	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Suggewas notifie Dade Sheri	N/A Pration Adjustment Serial # N/A ested Service: After d the agency's na iff's Office. Retain	Stability Che Lot # the 2025 i me had che ed the inst	ecks E	Expiration N/A Expiration on, FDLE o Miami	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Certi Calibration Adju	ion Lot # 202 ion Lot # 202 Single Si	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration Form 40 Other Form 51 apter 11D-8, FAC with Chapter 11D-8, FAC	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Suggewas notifie Dade Sheri	N/A pration Adjustment Serial # N/A N/A ested Service: After d the agency's na	Stability Che Lot # the 2025 i me had che ed the inst	ecks E	Expiration N/A Expiration on, FDLE o Miami	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Certi Calibration Adju Instrument Com Instrument Doe Return to/Place Remain Out of E	ion Lot # 202 ion Lot # 202 Single S	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration Form 40 Other Form 51 apter 11D-8, FAC with Chapter 11D-8, FAC ary Use	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Suggewas notifie Dade Sheri	N/A Pration Adjustment Serial # N/A ested Service: After d the agency's na iff's Office. Retain	Stability Che Lot # the 2025 i me had che ed the inst	ecks E	Expiration N/A Expiration on, FDLE o Miami	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Certi Calibration Adju Instrument Com Instrument Doe Return to/Place Remain Out of E	ion Lot # 202 ion Lot # 202 Single S	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration Form 40 Other Form 51 apter 11D-8, FAC with Chapter 11D-8, FAC ary Use e Before Evidentiary Use Digitally signed	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Suggewas notifie Dade Sheri	N/A Pration Adjustment Serial # N/A ested Service: After d the agency's na iff's Office. Retain	Stability Che Lot # the 2025 i me had che ed the inst	ecks E	Expiration N/A Expiration on, FDLE o Miami	Gauge 1020 Mouth Alcohol Soluti Acetone Stock Soluti Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Certi Calibration Adju Instrument Com Instrument Doe Return to/Place Remain Out of B	ion Lot # 202 ion Lot # 202 Solution Lot # 20	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration Form 40 Other Form 51 Apter 11D-8, FAC with Chapter 11D-8, FAC ary Use E Digitally signed by Shayla Platt	
Simulator 0.000 0.040 0.100 0.200 0.300 0.080 DGS □ Post Calib Simulator 0.050 0.080 0.200 0.080 DGS Notes/Suggewas notifie Dade Sheri	N/A Pration Adjustment Serial # N/A ested Service: After d the agency's na iff's Office. Retain	Stability Che Lot # the 2025 i me had che ed the inst	ecks E	Expiration N/A Expiration on, FDLE o Miami	Gauge 1020 Mouth Alcohol Solut Acetone Stock Solut Simulator 0.000 Interferent 0.050 0.080 0.200 Attachments Form 41 Stability Checks Calibration Certi Calibration Adju Instrument Com Instrument Doe Return to/Place Remain Out of E	ficate stment Into Evidentiary Use ncy Inspection	4-A 3-B erial Number MP6284 MP6285 MP6286 MP6287 MP6288 Post-Stability Checks Flow Calibration Form 40 Other Form 51 apter 11D-8, FAC with Chapter 11D-8, FAC ary Use e Before Evidentiary Use Digitally signed	

MAKE AND MODEL OF INSTRUMENT: Intoxilyzer 8000
SERIAL NUMBER: 80-006895
OWNING AGENCY: Miami Dade Sheriff's Office
DATE OF DEPARTMENT INSPECTION: 04/23/2025
AGENCY INSPECTOR: Richard Closius
ADDRESS: 1519 NW 79th Avenue
CITY, STATE, ZIP: Miami, FL 33126
TELEPHONE NUMBER: 305-458-3991
FAX NUMBER: N/A
EMAIL ADDRESS (if available): rlclosius@mdso.com
For Program Office Use Only: Registration Issued Instrument Added to Evidentiary Instrument Database Instrument Added to Monthly Statistics Database Contact Information Added to Instrument Database

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083 ✓ ≤0.003 of Wet ✓
MIAMI DADE SD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006895 04/22/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 15:04 Control Test 0.049 15:05 Air Blank 0.000 15:05 Control Test 0.048 15:06 Air Blank 0.000 15:06 Control Test 0.048 15:07 Air Blank 0.000 15:08 Control Test 0.048 15:07 Air Blank 0.001 15:08 Control Test 5tats Auerage 0.0483 Std Deu 0.0006 Rel Std Deu(%) 1.1945	MIAMI DADE SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-806895 04/22/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 15:11 Control Test 0.079 15:12 Air Blank 0.000 15:12 Control Test 0.078 15:13 Air Blank 0.000 15:13 Control Test 0.079 15:14 Air Blank 0.000 15:15 Control Test 0.079 15:15 Control Test 0.079 15:15 Scottol Test 0.079 15:15 Control Test 0.000 15:13	MIAMI DADE SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006895 04/22/2025 Software: 8100.27 Test g/2:0L Time Air Blank 0.000 14:55 Control Test 0.197 14:56 Air Blank 0.000. 14:57 Control Test 0.197 14:57 Air Blank 0.000 14:59 Air Blank 0.000 14:59 Air Blank 0.000 14:59 Control Test 0.196 14:59 Air Blank 0.000 14:59 Sto Deu 0.0006 Rel Std Deu(%) 0.2936	MIAMI DADE SO Intoxilyaer - Alcohol Analyzer Model 8000 SN 80-006895 04/22/2025 Software: 8100.27 Test g/210L Time Air Blank 0.000 15:16 Control Test 0.081 15:16 Control Test 0.080 15:17 Air Blank 0.000 15:17 Air Blank 0.000 15:17 Control Test 0.079 15:18 Air Blank 0.000 15:18 Control Test Stats Average 0.0800 Std Deu 0.0010 Rel Std Deu(%) 1.2500
Operator's Signature	Operator's Signature	Operator's Signature	Operator's Signature

Florida Department of Law Enforcement **Alcohol Testing Program**

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: MIAMI DADE SO Time of Inspection: 12:11

Date of Inspection: 04/23/2025

Serial Number: 80-006895

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes	В	Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.048	0.078	0.196	0.082
0.000	0.048	0.078	0.197	0.081
0.000	0.048	0.078	0.197	0.081
0.000	0.048	0.078	0.197	0.081
0.000	0.048	0.079	0.197	0.081
0.000	0.048	0.079	0.197	0.081
0.000	0.048	0.078	0.197	0.081
0.000	0.048	0.079	0.196	0.081
0.000	0.048	0.079	0.197	0.081
0.000	0.049	0.079	0.197	0.081
		•		
Standard Deviations	0.0003	0.0005	0.0004	0.0003

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5 Remarks:

The above instrument complies (X) does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Signature and Printed Name

04/23/2025 Date



Calibration Certificate

Florida Department of Law Enforcement Alcohol Testing Program 4700 Terminal Drive, Suite 1 Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number <u>80-006895</u>, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-006895	UNCERTAINTY* ±	
Owning Agency:	MIAMI DADE SO	0.050 g/ 210 L	0.004
Calibration Date:	04/23/2025	0.080 g/ 210 L	0.004
Calibration Time:	12:11	0.200 g/210 L	0.007
ian san		0.080 g/210 L Dry Gas Control	0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within \pm 0.005 or 5%, whichever is greater, of the target alcohol concentration. *Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of

Law Enforcement Alcohol Testing Program.

04/23/2025

Date

TAYLOR D GUTSCHOW,

Department Inspector

FDLE/ATP Form 69 December 2021
Issuing Authority: Alcohol Testing Program

Service · Integrity · Respect · Quality

Page 1 of 1