



Agency Sumter County SO

S/N 80-001471

Date In 06/25/2024 DI Completion Date 8/30/24

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake	By	Date	Quality Checks	By	Date	Flow Calibration	By	Date																																								
<input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE  Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight  Other Equipment/ Accessories: <input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable  Notes: _____ _____ _____ _____ _____ _____ _____ _____			<input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>201</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP-103</u> 32 mm <u>.140</u> ( .139 - .169 ) 36 mm <u>.156</u> ( .156 - .190 ) 53 mm <u>.226</u> ( .228 - .278 ) 103 mm <u>.457</u> ( .447 - .547 ) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28662</u> <input checked="" type="checkbox"/> Stability Checks			Flow Column # <u>ATP102/105</u> <input checked="" type="checkbox"/> 5L/min – 17mm <input checked="" type="checkbox"/> 15L/min – 53mm <input checked="" type="checkbox"/> 30L/min – 103mm <input checked="" type="checkbox"/> R-Value <u>196/199</u> <input checked="" type="checkbox"/> Post Calibration Verification (L/s) Flow Column # <u>ATP103</u> 32 mm <u>.125/.140</u> ( .139 - .169 ) 36 mm <u>.144/.160</u> ( .156 - .190 ) 53 mm <u>.222/.230</u> ( .228 - .278 ) 103 mm <u>.503/.484</u> ( .447 - .547 )																																										
			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5088</td> <td>202303K 03/29/2025</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> <td>202303L 03/29/2025</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>202304C 04/05/2025</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG310901 04/19/2025</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP5088	202303K 03/29/2025	0.080	MP5089	202303L 03/29/2025	0.200	MP5090	202304C 04/05/2025	0.080 DGS	N/A	AG310901 04/19/2025	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Maintenance By</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> Battery Replacement</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Dry Gas Regulator Replacement</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Breath Tube Replacement</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Other _____</td> <td></td> </tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> </tbody> </table>					Maintenance By	Date	<input type="checkbox"/> Battery Replacement		<input type="checkbox"/> Dry Gas Regulator Replacement		<input type="checkbox"/> Breath Tube Replacement		<input type="checkbox"/> Other _____																
Simulator	Serial #	Lot #/Exp																																														
0.050	MP5088	202303K 03/29/2025																																														
0.080	MP5089	202303L 03/29/2025																																														
0.200	MP5090	202304C 04/05/2025																																														
0.080 DGS	N/A	AG310901 04/19/2025																																														
Maintenance By	Date																																															
<input type="checkbox"/> Battery Replacement																																																
<input type="checkbox"/> Dry Gas Regulator Replacement																																																
<input type="checkbox"/> Breath Tube Replacement																																																
<input type="checkbox"/> Other _____																																																
<b>Calibration Adjustment</b> By _____			<b>Department Inspection</b> By <u>SP</u>																																													
Barometric Pressure Gauge _____ ID # _____			Barometric Pressure ID# <u>28662</u> Gauge <u>1016</u> Instrument <u>1015</u> Mouth Alcohol Solution Lot # <u>2024-A</u> Acetone Stock Solution Lot # <u>2023-B</u>																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr> <tr><td>0.040</td><td></td><td></td><td></td></tr> <tr><td>0.100</td><td></td><td></td><td></td></tr> <tr><td>0.200</td><td></td><td></td><td></td></tr> <tr><td>0.300</td><td></td><td></td><td></td></tr> <tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr> </tbody> </table>			Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr><td>0.000</td><td>MP5086</td></tr> <tr><td>Interferent</td><td>MP5087</td></tr> <tr><td>0.050</td><td>MP5088</td></tr> <tr><td>0.080</td><td>MP5089</td></tr> <tr><td>0.200</td><td>MP5090</td></tr> </tbody> </table>						Simulator	Serial Number	0.000	MP5086	Interferent	MP5087	0.050	MP5088	0.080	MP5089	0.200	MP5090
Simulator	Serial #	Lot #	Expiration																																													
0.000		N/A	N/A																																													
0.040																																																
0.100																																																
0.200																																																
0.300																																																
0.080 DGS	N/A																																															
Simulator	Serial Number																																															
0.000	MP5086																																															
Interferent	MP5087																																															
0.050	MP5088																																															
0.080	MP5089																																															
0.200	MP5090																																															
<input type="checkbox"/> Post Calibration Adjustment Stability Checks			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr><td>0.050</td><td></td><td></td><td></td></tr> <tr><td>0.080</td><td></td><td></td><td></td></tr> <tr><td>0.200</td><td></td><td></td><td></td></tr> <tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr> </tbody> </table>						Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A																						
Simulator	Serial #	Lot #	Expiration																																													
0.050																																																
0.080																																																
0.200																																																
0.080 DGS	N/A																																															
Notes/Suggested Service: <u>First DGS stability produced results outside tolerance, unattached tank and hose, ensured connections were secure and repeated stability with all zeroes for values. Repeated secure connection check and stability with nominal results. 07/01/2024 ALL</u> _____ _____ _____			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Attachments</th> </tr> </thead> <tbody> <tr> <td> <input checked="" type="checkbox"/> Form 41  <input checked="" type="checkbox"/> Stability Checks  <input checked="" type="checkbox"/> Calibration Certificate  <input type="checkbox"/> Calibration Adjustment               </td> <td> <input type="checkbox"/> Post-Stability Checks  <input checked="" type="checkbox"/> Flow Calibration  <input type="checkbox"/> Form 40  <input type="checkbox"/> Other _____               </td> </tr> </tbody> </table>						Attachments	<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment	<input type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input type="checkbox"/> Other _____																																					
Attachments																																																
<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Calibration Adjustment	<input type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input type="checkbox"/> Other _____																																															
			<input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Return to/Place into Evidentiary Use <input type="checkbox"/> Remain Out of Evidentiary Use <input checked="" type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use																																													
Taylor Gutschow			Phil Nicodemo																																													
Tech Review / Date			Admin Review / Date																																													

# Stability checks

80-001471

07/01/24

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
07/01/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:06
Control Test	0.052	11:06
Air Blank	0.000	11:07
Control Test	0.051	11:08
Air Blank	0.000	11:08
Control Test	0.050	11:09
Air Blank	0.000	11:09
Control Test Stats		
Average	0.0510	
Std Dev	0.0010	
Rel Std Dev(%)	1.9608	

Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
07/01/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:11
Control Test	0.081	11:12
Air Blank	0.000	11:13
Control Test	0.079	11:13
Air Blank	0.000	11:14
Control Test	0.079	11:15
Air Blank	0.000	11:15
Control Test Stats		
Average	0.0797	
Std Dev	0.0012	
Rel Std Dev(%)	1.4494	

Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
07/01/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:17
Control Test	0.196	11:18
Air Blank	0.000	11:18
Control Test	0.197	11:19
Air Blank	0.000	11:19
Control Test	0.197	11:20
Air Blank	0.000	11:21
Control Test Stats		
Average	0.1967	
Std Dev	0.0006	
Rel Std Dev(%)	0.2936	

Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
07/01/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:26
Control Test	0.076	11:26
Air Blank	0.000	11:27
Control Test	0.077	11:27
Air Blank	0.000	11:27
Control Test	0.076	11:28
Air Blank	0.000	11:28
Control Test Stats		
Average	0.0763	
Std Dev	0.0006	
Rel Std Dev(%)	0.7564	

Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
07/01/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:31
Control Test	0.000	11:31
Air Blank	0.000	11:32
Control Test	0.000	11:32
Air Blank	0.000	11:33
Control Test	0.000	11:34
Air Blank	0.000	11:34
Control Test Stats		
Average	0.0000	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
07/01/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:50
Control Test	0.081	11:50
Air Blank	0.000	11:51
Control Test	0.080	11:51
Air Blank	0.000	11:52
Control Test	0.080	11:52
Air Blank	0.000	11:52
Control Test Stats		
Average	0.0803	
Std Dev	0.0006	
Rel Std Dev(%)	0.7187	

Operator's Signature

Flow Cal  
Adjust  
SP

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
07/02/2024  
Software: 8100.27

Flow Rate Calibration\*\*\*\*\*

1: Rate (Liters/min) = 5  
SQRT(Diff) ) = 7.277

2: Rate (Liters/min) = 15  
SQRT(Diff) ) = 11.312

3: Rate (Liters/min) = 30  
SQRT(Diff) ) = 20.590

Dependent Data Scale Factor = 100000 L/min

Independent Data Scale Factor = 256

Rounded Slope = 716

Rounded Intercept = -726579

Correlation = 0.99411

Flow Cal  
Adjust SP  
#2

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
08/29/2024  
Software: 8100.27

Flow Rate Calibration\*\*\*\*\*

1: Rate (Liters/min) = 5

SQRT(Diff) ) = 7.000

2: Rate (Liters/min) = 15

SQRT(Diff) ) = 11.832

3: Rate (Liters/min) = 30

SQRT(Diff) ) = 21.422

Dependent Data Scale Factor = 100000 L/min

Independent Data Scale Factor = 256

Rounded Slope = 668

Rounded Intercept = -627244

Correlation = 0.99732

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: SUMTER COUNTY SO  
Time of Inspection: 12:03

Date of Inspection: 08/30/2024

Serial Number: 80-001471  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:06723080A5 Exp: 04/05/2025
0.000	0.049	0.079	0.199	0.081
0.000	0.050	0.079	0.199	0.081
0.000	0.050	0.079	0.199	0.081
0.000	0.050	0.079	0.198	0.081
0.000	0.050	0.079	0.199	0.080
0.000	0.050	0.079	0.198	0.080
0.000	0.050	0.079	0.198	0.080
0.000	0.050	0.080	0.198	0.080
0.000	0.050	0.079	0.199	0.080
0.000	0.050	0.079	0.198	0.080
Standard Deviations	0.0003	0.0003	0.0005	0.0005

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

*Shayla Platt*

SHAYLA D PLATT

Signature and Printed Name

08/30/2024  
Date



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001471, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001471</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>SUMTER COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>08/30/2024</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>12:03</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

**Shayla Platt**  
Digitally signed by  
Shayla Platt  
Date: 2024.08.30  
13:28:00 -04'00'

08/30/2024

Date

SHAYLA D PLATT,

Department Inspector

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

*Service • Integrity • Respect • Quality*



## INSTRUMENT PROCESSING SHEET

Agency Sumter County SOS/N 80-001471Florida Department of  
Law EnforcementDate In 03-01-2024 DI Completion Date 3/19/2024☐ Ship ☐ P/U ☐ H/D ☒ CMI ☐ EE

<b>Intake</b> By <u>ALL</u> Date <u>03-01-2024</u> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Return from CMI / EE  Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight  Other Equipment/ Accessories: <input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable  Notes: <u>low flow value</u>	<b>Quality Checks</b> By <u>ALL</u> Date <u>03-05-2024</u> <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>198</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP-103</u> 32 mm <u>.144</u> (.139 - .169) 36 mm <u>.160</u> (.156 - .190) 53 mm <u>.218</u> (.228 - .278) 103 mm <u>.468</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28427</u> <input checked="" type="checkbox"/> Stability Checks <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP5088</td><td>202303K 03-29-2025</td></tr><tr><td>0.080</td><td>MP5089</td><td>202303L 03-29-2025</td></tr><tr><td>0.200</td><td>MP5090</td><td>202304C 04-05-2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5 04-05-2025</td></tr></tbody></table>	Simulator	Serial #	Lot #/Exp	0.050	MP5088	202303K 03-29-2025	0.080	MP5089	202303L 03-29-2025	0.200	MP5090	202304C 04-05-2025	0.080 DGS	N/A	06723080A5 04-05-2025	<b>Flow Calibration</b> By <u>PN</u> Date <u>3/19/2024</u> Flow Column # <u>ATP-105</u> *ATP-102 <input checked="" type="checkbox"/> 5L/min – 17mm <input checked="" type="checkbox"/> 15L/min – 53mm <input checked="" type="checkbox"/> 30L/min – 103mm <input checked="" type="checkbox"/> R-Value <u>196/196/196</u> <input checked="" type="checkbox"/> Post Calibration Verification (L/s) Flow Column # <u>ATP-103</u> *ATP-105 32 mm <u>.125/.136/.148</u> (.139 - .169) 36 mm <u>.136/.148/.156</u> (.156 - .190) 53 mm <u>.207/.214/.234</u> (.228 - .278) 103 mm <u>.488/.476/.507</u> (.447 - .547)  <b>Maintenance</b> By _____ Date _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____																																													
Simulator	Serial #	Lot #/Exp																																																												
0.050	MP5088	202303K 03-29-2025																																																												
0.080	MP5089	202303L 03-29-2025																																																												
0.200	MP5090	202304C 04-05-2025																																																												
0.080 DGS	N/A	06723080A5 04-05-2025																																																												
<b>Calibration Adjustment</b> By _____ Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table> Notes/Suggested Service: <u>Instrument failed to produce any audible tones during any and all analyses; sending to repair facility. PN (3/19/2024)</u>  <u>Three flow calibrations were attempted. The third attempt is marked with a (*) and was successful. PN 3/19/2024</u>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			<b>Department Inspection</b> By <u>PN</u> Barometric Pressure ID# <u>28421</u> Gauge <u>1021</u> Instrument <u>1020</u> Mouth Alcohol Solution Lot # <u>2023-A</u> Acetone Stock Solution Lot # <u>2023-B</u> <table border="1" style="width:100%"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP6289</td></tr><tr><td>Interferent</td><td>MP6290</td></tr><tr><td>0.050</td><td>MP6291</td></tr><tr><td>0.080</td><td>MP6292</td></tr><tr><td>0.200</td><td>MP6293</td></tr></tbody></table> <b>Attachments</b> <input checked="" type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Flow Calibration X3 <input checked="" type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Form 40 <input type="checkbox"/> Calibration Adjustment <input type="checkbox"/> Other _____  <input checked="" type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input type="checkbox"/> Return to/Place into Evidentiary Use <input checked="" type="checkbox"/> Remain Out of Evidentiary Use <input type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use <div style="display: flex; justify-content: space-between;"><div>Taylor Gutschow <small>Digitally signed by Taylor Gutschow Date: 2024.06.06 12:46:04 -0400</small></div><div>Shayla Platt <small>Digitally signed by Shayla Platt Date: 2024.06.06 13:06:25 -0400</small></div></div> <div style="display: flex; justify-content: space-between;"><div>Tech Review / Date _____</div><div>Admin Review / Date _____</div></div>	Simulator	Serial Number	0.000	MP6289	Interferent	MP6290	0.050	MP6291	0.080	MP6292	0.200	MP6293
Simulator	Serial #	Lot #	Expiration																																																											
0.000		N/A	N/A																																																											
0.040																																																														
0.100																																																														
0.200																																																														
0.300																																																														
0.080 DGS	N/A																																																													
Simulator	Serial #	Lot #	Expiration																																																											
0.050																																																														
0.080																																																														
0.200																																																														
0.080 DGS	N/A																																																													
Simulator	Serial Number																																																													
0.000	MP6289																																																													
Interferent	MP6290																																																													
0.050	MP6291																																																													
0.080	MP6292																																																													
0.200	MP6293																																																													

Tech Review: Instrument was sent to repair (CMI), Form 51 was completed but not retained. PN 6/6/2024

# Florida Department of Law Enforcement Alcohol Testing Program

## AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: SUMTER CSO

Serial Number: 80-001471

Time of Inspection: 10:30

Date of Inspection: 03/05/2024

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK	Yes	
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot #: Exp:

Number of Simulators Used: 0

### Remarks:

BYPASS AI FOR INSTRUMENT OPERATION COMPLIANCE NOT DETERMINED

The above instrument complies ( *03/05/24 A-1* ) does not comply ( ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

  
ALFONSO L LOWRY

Signature and Printed Name

03/05/2024

Date

# Stability checks 80-001471 03/05/24

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
03/05/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:19
Control Test	0.050	11:20
Air Blank	0.000	11:20
Control Test	0.049	11:21
Air Blank	0.000	11:22
Control Test	0.049	11:22
Air Blank	0.000	11:23
Control Test Stats		
Average	0.0493	
Std Dev	0.0006	
Rel Std Dev(%)	1.1703	

AZ  
Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
03/05/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:28
Control Test	0.080	11:28
Air Blank	0.000	11:29
Control Test	0.080	11:30
Air Blank	0.000	11:30
Control Test	0.078	11:31
Air Blank	0.000	11:31
Control Test Stats		
Average	0.0793	
Std Dev	0.0012	
Rel Std Dev(%)	1.4555	

Wet

AZ  
Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
03/05/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:45
Control Test	0.200	11:45
Air Blank	0.000	11:46
Control Test	0.199	11:47
Air Blank	0.000	11:47
Control Test	0.198	11:48
Air Blank	0.000	11:48
Control Test Stats		
Average	0.1990	
Std Dev	0.0010	
Rel Std Dev(%)	0.5025	

AZ  
Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
03/05/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:38
Control Test	0.078	11:38
Air Blank	0.000	11:39
Control Test	0.077	11:39
Air Blank	0.000	11:39
Control Test	0.077	11:40
Air Blank	0.000	11:40
Control Test Stats		
Average	0.0773	
Std Dev	0.0006	
Rel Std Dev(%)	0.7466	

065

AZ  
Operator's Signature

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: SUMTER COUNTY SO  
Time of Inspection: 15:41

Date of Inspection: 03/19/2024

Serial Number: 80-001471  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:06723080A5 Exp: 04/05/2025
0.000	0.052	0.081	0.202	0.080
0.000	0.051	0.081	0.202	0.080
0.000	0.052	0.081	0.202	0.080
0.000	0.051	0.081	0.201	0.079
0.000	0.052	0.081	0.201	0.079
0.000	0.052	0.081	0.201	0.079
0.000	0.052	0.081	0.201	0.080
0.000	0.052	0.081	0.201	0.079
0.000	0.052	0.081	0.201	0.075
0.000	0.052	0.081	0.202	0.076


Standard Deviations	0.0004	0.0000	0.0005	0.0017
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0006 Number of Simulators Used: 5

Remarks:

The above instrument complies ( ☒ ) does not comply ( ☐ ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

 PHIL NICODEMO  
Signature and Printed Name

03/19/2024  
Date



# Calibration Certificate

Florida Department of Law Enforcement  
Alcohol Testing Program  
2331 Phillips Road.  
Suite B1032  
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001471, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001471</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>SUMTER COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>03/19/2024</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>15:41</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within  $\pm 0.005$  or 5%, whichever is greater, of the target alcohol concentration.

\*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ( $k=3$ ).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

## TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards. This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

03/19/2024

Date

PHIL NICODEMO,

Department Inspector

FDLE/ATP Form 69 March 2022

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1

# FLOW CALIBRATION ADJUSTMENTS

RW

INTOXILYZER 8000  
Instrument Initialization  
11:23 03/06/2024

#1

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
03/19/2024  
Software: 8100.27

Flow Rate Calibration\*\*\*\*\*  
1: Rate (Liters/min) = 5  
SQRT(Diff) ) = 7.809  
2: Rate (Liters/min) = 15  
SQRT(Diff) ) = 11.957  
3: Rate (Liters/min) = 30  
SQRT(Diff) ) = 21.723  
Dependent Data Scale Factor = 100000 L/min  
Independent Data Scale Factor = 256  
Rounded Slope = 684  
Rounded Intercept = -753521  
Correlation = 0.99351

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
03/19/2024  
Software: 8100.27

#2

Flow Rate Calibration\*\*\*\*\*  
1: Rate (Liters/min) = 5  
SQRT(Diff) ) = 7.141  
2: Rate (Liters/min) = 15  
SQRT(Diff) ) = 12.246  
3: Rate (Liters/min) = 30  
SQRT(Diff) ) = 21.793  
Dependent Data Scale Factor = 100000 L/min  
Independent Data Scale Factor = 256  
Rounded Slope = 660  
Rounded Intercept = -651698  
Correlation = 0.99830

#3

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
03/19/2024  
Software: 8100.27

Flow Rate Calibration\*\*\*\*\*  
1: Rate (Liters/min) = 5  
SQRT(Diff) ) = 7.414  
2: Rate (Liters/min) = 15  
SQRT(Diff) ) = 11.531  
3: Rate (Liters/min) = 30  
SQRT(Diff) ) = 21.164  
Dependent Data Scale Factor = 100000 L/min  
Independent Data Scale Factor = 256  
Rounded Slope = 692  
Rounded Intercept = -702155  
Correlation = 0.99366



## INSTRUMENT PROCESSING SHEET

Agency Sumter County SOS/N 80-001471Florida Department of  
Law EnforcementDate In 04/29/2024 DI Completion Date 5/16/2024☐ Ship ☐ P/U ☐ H/D ☒ CMI ☐ EE


Intake	By <u>ALL</u>	Date <u>04/29/2024</u>	Quality Checks	By <u>DA</u>	Date <u>4/30/24</u>	Flow Calibration	By _____	Date _____															
<input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Return from CMI / EE  Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight  Other Equipment/ Accessories: <input checked="" type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable  Notes: First attempt of 0.08g/210L stability checks fell outside of nominal range. Checked simulator for leaks and repeated stability checks. DA 4/30/24 DGS stability check outside nominal range - recommend calibration adjustment DA			<input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>199</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP105</u> 32 mm <u>0.144</u> (.139 - .169) 36 mm <u>0.160</u> (.156 - .190) 53 mm <u>0.234</u> (.228 - .278) 103 mm <u>0.488</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28427</u> <input checked="" type="checkbox"/> Stability Checks			Flow Column # _____ <input type="checkbox"/> 5L/min - 17mm <input type="checkbox"/> 15L/min - 53mm <input type="checkbox"/> 30L/min - 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)																	
			<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP5088</td><td>202303K 03/29/2025</td></tr><tr><td>0.080</td><td>MP5089</td><td>202303L 03/29/2025</td></tr><tr><td>0.200</td><td>MP5090</td><td>202304C 04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG310901 04/19/2025</td></tr></tbody></table>			Simulator	Serial #	Lot #/Exp	0.050	MP5088	202303K 03/29/2025	0.080	MP5089	202303L 03/29/2025	0.200	MP5090	202304C 04/05/2025	0.080 DGS	N/A	AG310901 04/19/2025			
Simulator	Serial #	Lot #/Exp																					
0.050	MP5088	202303K 03/29/2025																					
0.080	MP5089	202303L 03/29/2025																					
0.200	MP5090	202304C 04/05/2025																					
0.080 DGS	N/A	AG310901 04/19/2025																					
			<table border="1"><thead><tr><th colspan="2">Maintenance By _____ Date _____</th></tr><tr><td colspan="2"><input type="checkbox"/> Battery Replacement</td></tr><tr><td colspan="2"><input type="checkbox"/> Dry Gas Regulator Replacement</td></tr><tr><td colspan="2"><input type="checkbox"/> Breath Tube Replacement</td></tr><tr><td colspan="2"><input type="checkbox"/> Other _____</td></tr></thead></table>			Maintenance By _____ Date _____		<input type="checkbox"/> Battery Replacement		<input type="checkbox"/> Dry Gas Regulator Replacement		<input type="checkbox"/> Breath Tube Replacement		<input type="checkbox"/> Other _____									
Maintenance By _____ Date _____																							
<input type="checkbox"/> Battery Replacement																							
<input type="checkbox"/> Dry Gas Regulator Replacement																							
<input type="checkbox"/> Breath Tube Replacement																							
<input type="checkbox"/> Other _____																							

Calibration Adjustment	By <u>PN</u>	Department Inspection	By <u>PN</u>																																																																		
Barometric Pressure Gauge <u>1009</u> ID # <u>28421</u> <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td>MP6294</td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td>MP6295</td><td>23400</td><td>10/24/2025</td></tr><tr><td>0.100</td><td>MP6296</td><td>23450</td><td>12/5/2025</td></tr><tr><td>0.200</td><td>MP6297</td><td>24080</td><td>2/13/2026</td></tr><tr><td>0.300</td><td>MP6298</td><td>23410</td><td>11/1/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>06723080A5</td><td>04/05/2025</td></tr></tbody></table> <input checked="" type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td>MP5088</td><td>202303K</td><td>03/29/2025</td></tr><tr><td>0.080</td><td>MP5089</td><td>202303L</td><td>03/29/2025</td></tr><tr><td>0.200</td><td>MP5090</td><td>202304C</td><td>04/05/2025</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>AG310901</td><td>04/19/2025</td></tr></tbody></table> Notes/Suggested Service: Calibration adjustment was performed due to measurements outside of acceptable range. During the 0.05 g/210L test, simulator powered off momentarily; all values obtained were nominal and test not repeated. Additional stabilities were planned post-inspection, however during the 0.08 g/210L DGS test, measurements were outside acceptable range. Test repeated and measurement was outside acceptable range. Returning instrument to repair facility. PN 5/17/2024		Simulator	Serial #	Lot #	Expiration	0.000	MP6294	N/A	N/A	0.040	MP6295	23400	10/24/2025	0.100	MP6296	23450	12/5/2025	0.200	MP6297	24080	2/13/2026	0.300	MP6298	23410	11/1/2025	0.080 DGS	N/A	06723080A5	04/05/2025	Simulator	Serial #	Lot #	Expiration	0.050	MP5088	202303K	03/29/2025	0.080	MP5089	202303L	03/29/2025	0.200	MP5090	202304C	04/05/2025	0.080 DGS	N/A	AG310901	04/19/2025	Barometric Pressure ID# <u>28427</u> Gauge <u>1007</u> Instrument <u>1008</u> Mouth Alcohol Solution Lot # <u>2024-A</u> Acetone Stock Solution Lot # <u>2023-B</u> <table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP5086</td></tr><tr><td>Interferent</td><td>MP5087</td></tr><tr><td>0.050</td><td>MP5088</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></tbody></table> <table border="1"><thead><tr><th colspan="2">Attachments</th></tr><tr><td><input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <small>PN 5/31/2024</small> <input checked="" type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Calibration Adjustment</td><td><input checked="" type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input checked="" type="checkbox"/> Other <u>Form 51 + Note</u></td></tr></thead></table> <input type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input type="checkbox"/> Return to/Place into Evidentiary Use <input checked="" type="checkbox"/> Remain Out of Evidentiary Use <input type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use  <table><tr><td>Taylor Gutschow <small>Digitally signed by Taylor Gutschow Date: 2024.05.31 14:12:30 -04'00'</small></td><td>Shayla Platt <small>Digitally signed by Shayla Platt Date: 2024.06.03 13:52:56 -04'00'</small></td></tr></table> Tech Review / Date _____ Admin Review / Date _____		Simulator	Serial Number	0.000	MP5086	Interferent	MP5087	0.050	MP5088	0.080	MP5089	0.200	MP5090	Attachments		<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <small>PN 5/31/2024</small> <input checked="" type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Calibration Adjustment	<input checked="" type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input checked="" type="checkbox"/> Other <u>Form 51 + Note</u>	Taylor Gutschow <small>Digitally signed by Taylor Gutschow Date: 2024.05.31 14:12:30 -04'00'</small>	Shayla Platt <small>Digitally signed by Shayla Platt Date: 2024.06.03 13:52:56 -04'00'</small>
Simulator	Serial #	Lot #	Expiration																																																																		
0.000	MP6294	N/A	N/A																																																																		
0.040	MP6295	23400	10/24/2025																																																																		
0.100	MP6296	23450	12/5/2025																																																																		
0.200	MP6297	24080	2/13/2026																																																																		
0.300	MP6298	23410	11/1/2025																																																																		
0.080 DGS	N/A	06723080A5	04/05/2025																																																																		
Simulator	Serial #	Lot #	Expiration																																																																		
0.050	MP5088	202303K	03/29/2025																																																																		
0.080	MP5089	202303L	03/29/2025																																																																		
0.200	MP5090	202304C	04/05/2025																																																																		
0.080 DGS	N/A	AG310901	04/19/2025																																																																		
Simulator	Serial Number																																																																				
0.000	MP5086																																																																				
Interferent	MP5087																																																																				
0.050	MP5088																																																																				
0.080	MP5089																																																																				
0.200	MP5090																																																																				
Attachments																																																																					
<input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <small>PN 5/31/2024</small> <input checked="" type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Calibration Adjustment	<input checked="" type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Form 40 <input checked="" type="checkbox"/> Other <u>Form 51 + Note</u>																																																																				
Taylor Gutschow <small>Digitally signed by Taylor Gutschow Date: 2024.05.31 14:12:30 -04'00'</small>	Shayla Platt <small>Digitally signed by Shayla Platt Date: 2024.06.03 13:52:56 -04'00'</small>																																																																				

Stability Checks 80-001471 4/30/24 DA

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
04/30/2024  
Software: 8100.27

Test	g/210L	Time
-----		
Air Blank	0.000	13:34
Control Test	0.048	13:35
Air Blank	0.000	13:35
Control Test	0.047	13:36
Air Blank	0.000	13:36
Control Test	0.048	13:37
Air Blank	0.000	13:38
Control Test Stats		
Average	0.0477	
Std Dev	0.0006	
Rel Std Dev(%)	1.2112	



Operator's Signature

0.08g/210L wet

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
04/30/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:42
Control Test	0.078	13:43
Air Blank	0.000	13:44
Control Test	0.076	13:44
Air Blank	0.000	13:45
Control Test	0.076	13:45
Air Blank	0.000	13:46
Control Test Stats		
Average	0.0767	
Std Dev	0.0012	
Rel Std Dev(%)	1.5061	



Operator's Signature

Two of three control tests outside of nominal range.  
Checked simulator for leaks and will repeat 0.08g/  
210L stability checks. DA 4/30/24

0.08g/210L Wet Second Attempt DA 4/30/24

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
04/30/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:52
Control Test	0.078	13:52
Air Blank	0.000	13:53
Control Test	0.077	13:54
Air Blank	0.000	13:54
Control Test	0.078	13:55
Air Blank	0.000	13:55
Control Test Stats		
Average	0.0777	
Std Dev	0.0006	
Rel Std Dev(%)	0.7434	



Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
04/30/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:58
Control Test	0.195	13:59
Air Blank	0.000	14:00
Control Test	0.195	14:00
Air Blank	0.000	14:01
Control Test	0.195	14:01
Air Blank	0.000	14:02
Control Test Stats		
Average	0.1950	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

  
Operator's Signature

DGS Stability Check 80-001471 4/30/24 DA

Dry

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
04/30/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	14:05
Control Test	0.077	14:06
Air Blank	0.000	14:06
Control Test	0.077	14:07
Air Blank	0.000	14:07
Control Test	0.076	14:07
Air Blank	0.000	14:08
Control Test Stats		
Average	0.0767	
Std Dev	0.0006	
Rel Std Dev(%)	0.7531	



Operator's Signature

CALIBRATION

ADJUSTMENT

A

SUMTER COUNTY SO  
 Intoxilyzer - Alcohol Analyzer  
 Model 8000 SN 80-001471  
 05/16/2024 08:27:27

Auto Calibration

pg 1 of 2

<<<<< 3um >>>>>			<<<<< 9um >>>>>		
-----					
Solution = 0.000 g/210L or 0.0000 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	0.1650	(-0.0090)	0.3100	(-0.0110)	
Sample #2	0.1410	(0.0310)	0.2780	(0.0260)	
Sample #3	0.1450	(0.0430)	0.2510	(0.0300)	
Sample #4	0.1540	(0.0650)	0.2720	(0.0320)	
Avg % Abs	0.1467	(0.0463)	0.2670	(0.0293)	
STD DEV	0.0067	(0.0172)	0.0142	(0.0031)	
REL STD DEV	4.540	(37.216)	5.310	(10.415)	
-----					
Solution = 0.040 g/210L or 0.1905 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	0.8670	(-0.0170)	1.6750	(0.0110)	
Sample #2	0.8860	(-0.0020)	1.6590	(0.0240)	
Sample #3	0.8760	(0.0040)	1.6670	(0.0270)	
Sample #4	0.8760	(0.0270)	1.6370	(0.0440)	
Avg % Abs	0.8793	(0.0097)	1.6543	(0.0317)	
STD DEV	0.0058	(0.0153)	0.0155	(0.0108)	
REL STD DEV	0.657	(158.358)	0.939	(34.060)	
-----					
Solution = 0.100 g/210L or 0.4762 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	1.9770	(-0.0420)	3.7240	(-0.0150)	
Sample #2	1.9400	(0.0010)	3.6980	(0.0090)	
Sample #3	1.9600	(0.0130)	3.6750	(0.0400)	
Sample #4	1.9190	(0.0300)	3.6670	(0.0400)	
Avg % Abs	1.9397	(0.0147)	3.6800	(0.0297)	
STD DEV	0.0205	(0.0146)	0.0161	(0.0179)	
REL STD DEV	1.057	(99.352)	0.437	(60.330)	
-----					
Solution = 0.200 g/210L or 0.9524 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	3.6970	(-0.0280)	6.9090	(-0.0150)	
Sample #2	3.6600	(-0.0020)	6.8480	(0.0360)	
Sample #3	3.6650	(0.0230)	6.8410	(0.0530)	
Sample #4	3.6460	(0.0180)	6.8470	(0.0420)	
Avg % Abs	3.6570	(0.0130)	6.8453	(0.0437)	
STD DEV	0.0098	(0.0132)	0.0038	(0.0086)	
REL STD DEV	0.269	(101.760)	0.055	(19.744)	
-----					
Solution = 0.300 g/210L or 1.4286 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	5.3780	(-0.0150)	9.9610	(-0.0080)	
Sample #2	5.3520	(0.0270)	9.8990	(0.0610)	
Sample #3	5.3180	(0.0530)	9.8910	(0.0640)	
Sample #4	5.3230	(0.0560)	9.8710	(0.0860)	
Avg % Abs	5.3310	(0.0453)	9.8870	(0.0703)	
STD DEV	0.0184	(0.0159)	0.0144	(0.0137)	
REL STD DEV	0.344	(35.179)	0.146	(19.408)	
-----					



SUMTER COUNTY SO  
 Intoxilyzer - Alcohol Analyzer  
 Model 8000 SN 80-001471  
 05/16/2024 08:27:27

Auto Calibration

pg 2 of 2

<<<< 3um >>>>  
 -----  
 Zero Order Coef -394.68  
 First Order Coef 2607.51  
 Second Order Coef 27.62  
 -----

<<<< 9um >>>>  
 -----  
 -366.60  
 1349.71  
 13.45  
 -----

Act	Fit	Residual
(g/210L)	(g/210L)	(g/210L)
0.000	-0.000	0.0002
0.040	0.040	-0.0003
0.100	0.100	-0.0001
0.200	0.200	0.0003
0.300	0.300	-0.0001

Act	Fit	Residual
(g/210L)	(g/210L)	(g/210L)
0.000	-0.000	0.0001
0.040	0.040	0.0000
0.100	0.100	-0.0004
0.200	0.200	0.0004
0.300	0.300	-0.0001

<<<< 3um >>>> <<<< 9um >>>>  
 -----  
 Solution = 0.080 g/210L or 0.3810 mg/l, Samples = 4, Discarded = 1  
 Sample  

Sample #1	2963.00	3012.00
Sample #2	2940.00	3039.00
Sample #3	2956.00	3001.00
Sample #4	2905.00	3009.00
Avg	2933.6667	3016.3333
STD DEV	26.0832	20.0333
REL STD DEV	0.889	0.664
H2O adjust (mg/l*10k)	876	793

Barometric Pressure = 1009

\*\*\*\*\*CALIBRATION SUCCESSFUL\*\*\*\*\*

# POST STABILITY CHECKS

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
05/16/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:07
Control Test	0.051	11:08
Air Blank	0.000	11:08
Control Test	0.050	11:09
Air Blank	0.000	11:09
Control Test	0.050	11:10
Air Blank	0.000	11:11
Control Test Stats		
Average	0.0503	
Std Dev	0.0006	
Rel Std Dev(%)	1.1471	

Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
05/16/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:19
Control Test	0.199	11:20
Air Blank	0.000	11:20
Control Test	0.198	11:21
Air Blank	0.000	11:21
Control Test	0.198	11:22
Air Blank	0.000	11:23
Control Test Stats		
Average	0.1983	
Std Dev	0.0006	
Rel Std Dev(%)	0.2911	

Operator's Signature

SUMTER COUNTY SO  
Intoxilyzer - Alcohol Analyzer  
Model 8000 SN 80-001471  
05/16/2024  
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	11:24
Control Test	0.079	11:24
Air Blank	0.000	11:25
Control Test	0.079	11:25
Air Blank	0.000	11:26
Control Test	0.076	11:26
Air Blank	0.000	11:27
Control Test Stats		
Average	0.0780	
Std Dev	0.0017	
Rel Std Dev(%)	2.2206	

Operator's Signature

D65

# Florida Department of Law Enforcement Alcohol Testing Program

## DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: SUMTER COUNTY SO  
Time of Inspection: 14:45

Date of Inspection: 05/16/2024

Serial Number: 80-001471  
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202303K Exp: 03/29/2025	0.08g/210L Test (g/210L) Lot#:202303L Exp: 03/29/2025	0.20g/210L Test (g/210L) Lot#:202304C Exp: 04/05/2025	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG310901 Exp: 04/19/2025
0.000	0.050	0.079	0.199	0.074 / 0.075
0.000	0.049	0.078	0.199	0.074 / 0.079
0.000	0.049	0.079	0.199	0.074 / 0.079
0.000	0.048	0.079	0.199	0.073 / 0.074
0.000	0.048	0.080	0.199	0.074 / 0.079
0.000	0.047	0.079	0.200	0.074 / 0.079
0.000	0.047	0.079	0.199	0.073 / 0.079
0.000	0.047	0.079	0.199	0.074 / 0.079
0.000	0.046	0.079	0.200	0.074 / 0.079
0.000	0.045	0.079	0.199	0.074 / 0.079
Standard Deviations	0.0015	0.0004	0.0004	0.0004 / 0.0019

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0010 Number of Simulators Used: 5

**Remarks:**

08: Control Outside Tolerance, Control Outside Tolerance. Non-compliance: MEASUREMENTS OUTSIDE ACCEPTABLE RANGE.

The above instrument complies ( ) does not comply ( X ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



PHIL NICODEMO

Signature and Printed Name

05/16/2024  
Date

## **Return Material Authorization**

**Ship to:**

☒ CMI, Inc.

☐ Enforcement Electronics

Shipment to repair facility authorized by: Terence Hollis on 5/28/2024

**Items Returned:**      Instrument ☒    Supplies ☐    Other ☐ Describe: \_\_\_\_\_

Instrument Model: I-8000      Serial Number: 80-001471

**Bill To Address:**

Sumter County Sheriff's Office

**Ship to Address:**

FDLE Off-Site Mail Facility

c/o FDLE

Alcohol Testing Program

813 B Lake Bradford Road

Tallahassee, FL 32304

**Reason for Return:**

Instrument was returned from CMI repair on 4/29. Upon initial checks, instrument required  
calibration adjustment. After adjustment was performed, instrument was inspected  
and failed the 0.08 DGS test. The values obtained differed between DGS test attempts (i.e.,  
see Form 41). Sending back to repair.

**Please choose one of the following options:**

- ☐ 1. I \_\_\_\_\_, authorize all repairs.
- ☐ 2. I \_\_\_\_\_, authorize repairs up to \$\_\_\_\_\_.
- ☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Terence Hollis

Phone #: 352-569-1710      Email: thollis@sumtercountysheriff.org

ATP Contact Name: Phil Nicodemo      ATP Email: PhilipNicodemo@fdle.state.fl.us

Note:

Upon additional review of all documentation, it was noticed that the final measurement on the post-stability 0.08 g/210L DGS check was just outside of acceptable range. Based on the DGS measurements obtained during the inspection attempt on 5/16, it was decided to not repeat the calibration adjustment, post-stability checks, and inspection but rather return to repair facility for evaluation.

PN 5/29/2024