


Florida Department of Law Enforcement Alcohol Testing Program

REGISTRATION OF EVIDENTIARY BREATH TEST INSTRUMENT

MANUFACTURER: CMI, Inc.
MODEL: Intoxilyzer 8000
SERIAL NUMBER: 80-001724
OWNER: Gretna Police Department
DATE OF REGISTRATION: September 29, 2009

The above instrument is hereby approved for evidentiary breath alcohol testing in the State of Florida pursuant to Chapter 11D-8, Florida Administrative Code. This instrument and related records are subject to inspection at any time by the Florida Department of Law Enforcement.




Authorized Representative
Alcohol Testing Program
Florida Department of Law Enforcement

VOID

EFFECTIVE

12/7/17




Florida Department of Law Enforcement Alcohol Testing Program

REGISTRATION OF EVIDENTIARY BREATH TEST INSTRUMENT

MANUFACTURER: CMI, Inc.
MODEL: Intoxilyzer 8000
SERIAL NUMBER: 80-001724
OWNER: Gretna Police Department
DATE OF REGISTRATION: September 29, 2009

The above instrument is hereby approved for evidentiary breath alcohol testing in the State of Florida pursuant to Chapter 11D-8, Florida Administrative Code. This instrument and related records are subject to inspection at any time by the Florida Department of Law Enforcement.



Authorized Representative
Alcohol Testing Program
Florida Department of Law Enforcement



Florida Department Of Law Enforcement
Alcohol Testing Program

RECEIVED

SEP 30 2009

FDLE
Alcohol Testing Program

REQUEST FOR REGISTRATION

MAKE AND MODEL OF INSTRUMENT: Intoxilyzer 8000

SERIAL NUMBER: 80-001724

OWNING AGENCY: GREYNA P.D.

DATE OF DEPARTMENT INSPECTION: 9/29/2009

AGENCY INSPECTOR: JAMES STRICKLAND

ADDRESS: 14615 MAIN ST.

CITY, STATE, ZIP: GREYNA FL 32332

TELEPHONE NUMBER: 850-856-5257

FAX NUMBER: 850-856-9470


EMAIL ADDRESS (if available): _____


Florida Department of Law Enforcement Alcohol Testing Program

REGISTRATION OF EVIDENTIARY BREATH TEST INSTRUMENT

MANUFACTURER: CMI, Inc.
MODEL: Intoxilyzer 8000
SERIAL NUMBER: 80-001724
OWNER: Gretna Police Department
DATE OF REGISTRATION: April 7, 2008

The above instrument is hereby approved for evidentiary breath alcohol testing in the State of Florida pursuant to Chapter 11D-8, Florida Administrative Code. This instrument and related records are subject to inspection at any time by the Florida Department of Law Enforcement.


Authorized Representative
Alcohol Testing Program
Florida Department of Law Enforcement

VOID
EFFECTIVE
9-1-2009




**Florida Department of Law Enforcement
Alcohol Testing Program**

✓ LCB

REQUEST FOR REGISTRATION

MAKE AND MODEL OF INSTRUMENT: Intoxilyzer 8000

SERIAL NUMBER: 80-001724

OWNING AGENCY: Gretna Police Department

DATE OF DEPARTMENT INSPECTION: 4/7/2008 *mb*

AGENCY INSPECTOR: (^{Chief} Brian Bess) contact person

ADDRESS: 14615 Main St

CITY, STATE, ZIP: Gretna Fl, 32332

TELEPHONE NUMBER: (850) 856-9460

FAX NUMBER: (850) 856-9454

EMAIL ADDRESS (if available): (bbess@mygretna.net)

RECEIVED

APR 16 2008

FDLE
Alcohol Testing Program