

# Florida Department of Law Enforcement Alcohol Testing Program

---

## REGISTRATION OF EVIDENTIARY BREATH TEST INSTRUMENT

**MANUFACTURER:** CMI, Inc.  
**MODEL:** Intoxilyzer 8000  
**SERIAL NUMBER:** 80-005058  
**OWNER:** Crestview Police Department  
**DATE OF REGISTRATION:** June 30, 2010

The above instrument is hereby approved for evidentiary breath alcohol testing in the State of Florida pursuant to Chapter 11D-8, Florida Administrative Code. This instrument and related records are subject to inspection at any time by the Florida Department of Law Enforcement.



Authorized Representative  
Alcohol Testing Program  
Florida Department of Law Enforcement



**Florida Department Of Law Enforcement  
Alcohol Testing Program**

**RECEIVED**

JUN 25 2010

FDLE  
Alcohol Testing Program

**REQUEST FOR REGISTRATION**

MAKE AND MODEL OF INSTRUMENT: Intoxilyzer 8000

SERIAL NUMBER: 80-005058

OWNING AGENCY: Crestview Police Department

DATE OF DEPARTMENT INSPECTION: ~~6/22/2010~~ LEB 6/30/2010 LEB

AGENCY INSPECTOR: Andrew Schneider

ADDRESS: 201 Stillwell Blvd

CITY, STATE, ZIP: Crestview, FL 32539

TELEPHONE NUMBER: (850) 682-3544 ext 111

FAX NUMBER: (850) 682-2080

EMAIL ADDRESS (if available): schneidera@crestviewpd.org