# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001132

INSTRUMENT REGISTERED TO: VOLUSIA COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LICKISS,BRANT,C
BREATH TEST OPERATOR AGENCY: Volusia County SO
ARRESTING OFFICER: JOHNSON,DEJHAN
ARRESTING OFFICER AGENCY: Volusia County SO
LAST AGENCY INSPECTION: 04/23/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1206004
DRY GAS EXPIRY DATE: 09/20/2022
VIOLATION CODE: DUI
ARREST TIME: 01:02
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:18

SUBJECT'S LAST NAME: SEALES

DATE/TIME OF TEST: 05/09/2021 01:52:16

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:45 |
| Air Blank | | 0.000 | 01:46 |
| Control Test | | 0.081 | 01:46 |
| Air Blank | | 0.000 | 01:47 |
| Subject Sample | # 1 | 0.136 | 01:47 |
| Breath Volume | | 1.500 | 01:47 |
| Air Blank | | 0.000 | 01:48 |
| Air Blank | | 0.000 | 01:50 |
| Subject Sample | # 2 | 0.133 | 01:50 |
| Breath Volume | | 1.898 | 01:50 |
| Air Blank | | 0.000 | 01:51 |
| Control Test | | 0.080 | 01:51 |
| Air Blank | | 0.000 | 01:52 |
| Diagnostics Check | | OK | 01:52 |

Data Download Date/Time: 05/28/2021 14:52

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001132

INSTRUMENT REGISTERED TO: VOLUSIA COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MITCHELL,ROBERT,J
BREATH TEST OPERATOR AGENCY: Volusia County SO
ARRESTING OFFICER: JACKSON,SARAH
ARRESTING OFFICER AGENCY: Volusia County SO
LAST AGENCY INSPECTION: 05/28/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1206004
DRY GAS EXPIRY DATE: 09/20/2022
VIOLATION CODE: DUI
ARREST TIME: 20:56
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:55

SUBJECT'S LAST NAME: SANCHEZ

DATE/TIME OF TEST: 05/28/2021 22:22:18

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:15 |
| Air Blank | | 0.000 | 22:15 |
| Control Test | | 0.080 | 22:16 |
| Air Blank | | 0.000 | 22:16 |
| Subject Sample | # 1 | 0.216 | 22:17 |
| Breath Volume | | 1.156 | 22:17 |
| Air Blank | | 0.000 | 22:18 |
| Air Blank | | 0.000 | 22:20 |
| Subject Sample | # 2 | 0.223 | 22:20 |
| Breath Volume | | 1.652 | 22:20 |
| Air Blank | | 0.000 | 22:21 |
| Control Test | | 0.079 | 22:21 |
| Air Blank | | 0.000 | 22:22 |
| Diagnostics Check | | OK | 22:22 |

Data Download Date/Time: 06/30/2021 11:26

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001133

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: COLEY,KEVIS,L
BREATH TEST OPERATOR AGENCY: FHP Troop G
ARRESTING OFFICER: DASILVA,KEVIS
ARRESTING OFFICER AGENCY: FHP Troop G
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 07:07
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:12

SUBJECT'S LAST NAME: GONCALVES

DATE/TIME OF TEST: 05/09/2021 20:40:06

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:33 |
| Air Blank | | 0.000 | 20:34 |
| Control Test | | 0.079 | 20:34 |
| Air Blank | | 0.000 | 20:35 |
| Subject Sample | # 1 | 0.000 | 20:35 |
| Breath Volume | | 2.800 | 20:35 |
| Air Blank | | 0.000 | 20:36 |
| Air Blank | | 0.000 | 20:38 |
| Subject Sample | # 2 | 0.000 | 20:38 |
| Breath Volume | | 2.593 | 20:38 |
| Air Blank | | 0.000 | 20:39 |
| Control Test | | 0.080 | 20:39 |
| Air Blank | | 0.000 | 20:40 |
| Diagnostics Check | | OK | 20:40 |

Data Download Date/Time: 06/10/2021 19:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,ALEXANDER
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 01:01
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:53

SUBJECT'S LAST NAME: JORDAN

DATE/TIME OF TEST: 05/06/2021 01:20:13

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:13 |
| Air Blank | | 0.000 | 01:14 |
| Control Test | | 0.080 | 01:14 |
| Air Blank | | 0.000 | 01:15 |
| Subject Sample | # 1 | 0.128 | 01:15 |
| Breath Volume | | 1.527 | 01:15 |
| Air Blank | | 0.000 | 01:16 |
| Air Blank | | 0.000 | 01:18 |
| Subject Sample | # 2 | 0.131 | 01:18 |
| Breath Volume | | 1.410 | 01:18 |
| Air Blank | | 0.000 | 01:19 |
| Control Test | | 0.080 | 01:19 |
| Air Blank | | 0.000 | 01:20 |
| Diagnostics Check | | OK | 01:20 |

Data Download Date/Time: 05/26/2021 20:01

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,ALEXANDER
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 21:23
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:13

SUBJECT'S LAST NAME: HARDING

DATE/TIME OF TEST: 05/06/2021 21:40:26

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:34 |
| Air Blank | | 0.000 | 21:34 |
| Control Test | | 0.081 | 21:34 |
| Air Blank | | 0.000 | 21:35 |
| Subject Sample | # 1 | 0.162 | 21:35 |
| Breath Volume | | 3.726 | 21:35 |
| Air Blank | | 0.000 | 21:36 |
| Air Blank | | 0.000 | 21:38 |
| Subject Sample | # 2 | 0.168 | 21:38 |
| Breath Volume | | 3.097 | 21:38 |
| Air Blank | | 0.000 | 21:39 |
| Control Test | | 0.082 | 21:39 |
| Air Blank | | 0.000 | 21:40 |
| Diagnostics Check | | OK | 21:40 |

Data Download Date/Time: 05/26/2021 20:01

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,ALEX
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 00:52
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:15

SUBJECT'S LAST NAME: GAEKWAD

DATE/TIME OF TEST: 05/07/2021 01:41:55

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:35 |
| Air Blank | | 0.000 | 01:36 |
| Control Test | | 0.080 | 01:36 |
| Air Blank | | 0.000 | 01:37 |
| Subject Sample | # 1 | 0.099 | 01:37 |
| Breath Volume | | 2.484 | 01:37 |
| Air Blank | | 0.000 | 01:38 |
| Air Blank | | 0.000 | 01:40 |
| Subject Sample | # 2 | 0.095 | 01:40 |
| Breath Volume | | 1.457 | 01:40 |
| Air Blank | | 0.000 | 01:40 |
| Control Test | | 0.079 | 01:41 |
| Air Blank | | 0.000 | 01:41 |
| Diagnostics Check | | OK | 01:41 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,ALEXANDER
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 00:41
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:21

SUBJECT'S LAST NAME: JOHNSON

DATE/TIME OF TEST: 05/08/2021 00:50:30

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:44 |
| Air Blank | | 0.000 | 00:44 |
| Control Test | | 0.081 | 00:45 |
| Air Blank | | 0.000 | 00:45 |
| Subject Sample | # 1 | 0.139 | 00:46 |
| Breath Volume | | 2.789 | 00:46 |
| Air Blank | | 0.000 | 00:46 |
| Air Blank | | 0.000 | 00:48 |
| Subject Sample | # 2 | 0.138 | 00:48 |
| Breath Volume | | 1.765 | 00:48 |
| Air Blank | | 0.000 | 00:49 |
| Control Test | | 0.081 | 00:49 |
| Air Blank | | 0.000 | 00:50 |
| Diagnostics Check | | OK | 00:50 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,ALEXANDER
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 00:39
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:13

SUBJECT'S LAST NAME: DOS SANTOS

DATE/TIME OF TEST: 05/13/2021 00:49:32

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:43 |
| Air Blank | | 0.000 | 00:43 |
| Control Test | | 0.080 | 00:44 |
| Air Blank | | 0.000 | 00:44 |
| Subject Sample | # 1 | 0.190 | 00:45 |
| Breath Volume | | 2.476 | 00:45 |
| Air Blank | | 0.000 | 00:45 |
| Air Blank | | 0.000 | 00:47 |
| Subject Sample | # 2 | 0.187 | 00:47 |
| Breath Volume | | 2.402 | 00:47 |
| Air Blank | | 0.000 | 00:48 |
| Control Test | | 0.079 | 00:48 |
| Air Blank | | 0.000 | 00:49 |
| Diagnostics Check | | OK | 00:49 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: HAND,BRANDON
ARRESTING OFFICER AGENCY: St. Augustine Beach
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 01:15
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:56

SUBJECT'S LAST NAME: JIMENEZ

DATE/TIME OF TEST: 05/13/2021 02:23:56

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:17 |
| Air Blank | | 0.000 | 02:18 |
| Control Test | | 0.080 | 02:18 |
| Air Blank | | 0.000 | 02:19 |
| Subject Sample | # 1 | 0.196 | 02:19 |
| Breath Volume | | 2.210 | 02:19 |
| Air Blank | | 0.000 | 02:20 |
| Air Blank | | 0.000 | 02:22 |
| Subject Sample | # 2 | 0.195 | 02:22 |
| Breath Volume | | 3.550 | 02:22 |
| Air Blank | | 0.000 | 02:23 |
| Control Test | | 0.079 | 02:23 |
| Air Blank | | 0.000 | 02:23 |
| Diagnostics Check | | OK | 02:23 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JONES,NICHOLAS,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,A
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 02:41
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:20

SUBJECT'S LAST NAME: JONES

DATE/TIME OF TEST: 05/14/2021 02:48:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:41 |
| Air Blank | | 0.000 | 02:42 |
| Control Test | | 0.080 | 02:42 |
| Air Blank | | 0.000 | 02:43 |
| Subject Sample | # 1 | 0.045 | 02:43 |
| Breath Volume | | 1.984 | 02:43 |
| Air Blank | | 0.000 | 02:44 |
| Air Blank | | 0.000 | 02:46 |
| Subject Sample | # 2 | 0.043 | 02:46 |
| Breath Volume | | 1.796 | 02:46 |
| Air Blank | | 0.000 | 02:47 |
| Control Test | | 0.081 | 02:47 |
| Air Blank | | 0.000 | 02:48 |
| Diagnostics Check | | OK | 02:48 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,ALEXANDER
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 01:30
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:30

SUBJECT'S LAST NAME: C634428922170

DATE/TIME OF TEST: 05/16/2021 01:56:35

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:50 |
| Air Blank | | 0.000 | 01:50 |
| Control Test | | 0.081 | 01:51 |
| Air Blank | | 0.000 | 01:51 |
| Subject Sample | # 1 | 0.200 | 01:52 |
| Breath Volume | | 2.175 | 01:52 |
| Air Blank | | 0.000 | 01:52 |
| Air Blank | | 0.000 | 01:54 |
| Subject Sample | # 2 | 0.203 | 01:54 |
| Breath Volume | | 2.835 | 01:54 |
| Air Blank | | 0.000 | 01:55 |
| Control Test | | 0.082 | 01:55 |
| Air Blank | | 0.000 | 01:56 |
| Diagnostics Check | | OK | 01:56 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,ALEX
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 03:08
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:02

SUBJECT'S LAST NAME: DEL VALLE

DATE/TIME OF TEST: 05/16/2021 03:29:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:23 |
| Air Blank | | 0.000 | 03:23 |
| Control Test | | 0.081 | 03:23 |
| Air Blank | | 0.000 | 03:24 |
| Subject Sample | # 1 | 0.147 | 03:24 |
| Breath Volume | | 2.191 | 03:24 |
| Air Blank | | 0.000 | 03:25 |
| Air Blank | | 0.000 | 03:27 |
| Subject Sample | # 2 | 0.156 | 03:27 |
| Breath Volume | | 2.207 | 03:27 |
| Air Blank | | 0.000 | 03:28 |
| Control Test | | 0.081 | 03:28 |
| Air Blank | | 0.000 | 03:29 |
| Diagnostics Check | | OK | 03:29 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,A
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 23:39
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:20

SUBJECT'S LAST NAME: NOWLAN

DATE/TIME OF TEST: 05/19/2021 23:53:48

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:47 |
| Air Blank | | 0.000 | 23:47 |
| Control Test | | 0.081 | 23:48 |
| Air Blank | | 0.000 | 23:48 |
| Subject Sample | # 1 | 0.089 | 23:49 |
| Breath Volume | | 1.949 | 23:49 |
| Air Blank | | 0.000 | 23:49 |
| Air Blank | | 0.000 | 23:51 |
| Subject Sample | # 2 | 0.084 | 23:52 |
| Breath Volume | | 3.667 | 23:52 |
| Air Blank | | 0.000 | 23:52 |
| Control Test | | 0.081 | 23:53 |
| Air Blank | | 0.000 | 23:53 |
| Diagnostics Check | | OK | 23:53 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,A
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 01:24
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:09

SUBJECT'S LAST NAME: GOMEZ

DATE/TIME OF TEST: 05/20/2021 01:36:35

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:29 |
| Air Blank | | 0.000 | 01:30 |
| Control Test | | 0.081 | 01:30 |
| Air Blank | | 0.000 | 01:31 |
| Subject Sample | # 1 | 0.146 | 01:31 |
| Breath Volume | | 1.949 | 01:31 |
| Air Blank | | 0.000 | 01:32 |
| Air Blank | | 0.000 | 01:34 |
| Subject Sample | # 2 | 0.145 | 01:35 |
| Breath Volume | | 2.347 | 01:35 |
| Air Blank | | 0.000 | 01:35 |
| Control Test | | 0.081 | 01:35 |
| Air Blank | | 0.000 | 01:36 |
| Diagnostics Check | | OK | 01:36 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001134

INSTRUMENT REGISTERED TO: ST JOHNS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ELLIS,ALEXANDER,
BREATH TEST OPERATOR AGENCY: St. John's County SO
ARRESTING OFFICER: ELLIS,ALEXANDER
ARRESTING OFFICER AGENCY: St. John's County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1060911
DRY GAS EXPIRY DATE: 12/11/2021
VIOLATION CODE: DUI
ARREST TIME: 22:07
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:58

SUBJECT'S LAST NAME: MCPEAK

DATE/TIME OF TEST: 05/21/2021 22:25:05

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:18 |
| Air Blank | | 0.000 | 22:19 |
| Control Test | | 0.080 | 22:19 |
| Air Blank | | 0.000 | 22:20 |
| Subject Sample | # 1 | 0.000 | 22:20 |
| Breath Volume | | 1.519 | 22:20 |
| Air Blank | | 0.000 | 22:20 |
| Air Blank | | 0.000 | 22:22 |
| Subject Sample | # 2 | 0.000 | 22:23 |
| Breath Volume | | 2.023 | 22:23 |
| Air Blank | | 0.000 | 22:24 |
| Control Test | | 0.081 | 22:24 |
| Air Blank | | 0.000 | 22:24 |
| Diagnostics Check | | OK | 22:25 |

Data Download Date/Time: 05/26/2021 20:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001150

INSTRUMENT REGISTERED TO: MANATEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MONTEMAGNO,CARLO,C
BREATH TEST OPERATOR AGENCY: MANATEE COUNTY SO
ARRESTING OFFICER: SNYDER,RICHARD
ARRESTING OFFICER AGENCY: MANATEE COUNTY SO
LAST AGENCY INSPECTION: 04/16/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1111579
DRY GAS EXPIRY DATE: 03/19/2022
VIOLATION CODE: DUI
ARREST TIME: 02:57
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:58

SUBJECT'S LAST NAME: DUSZYNSKI

DATE/TIME OF TEST: 05/05/2021 03:27:12

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:20 |
| Air Blank | | 0.000 | 03:20 |
| Control Test | | 0.080 | 03:20 |
| Air Blank | | 0.000 | 03:21 |
| Subject Sample | # 1 | 0.164 | 03:22 |
| Breath Volume | | 2.722 | 03:22 |
| Air Blank | | 0.000 | 03:22 |
| Air Blank | | 0.000 | 03:24 |
| Subject Sample | # 2 | 0.162 | 03:25 |
| Breath Volume | | 2.828 | 03:25 |
| Air Blank | | 0.000 | 03:26 |
| Control Test | | 0.079 | 03:26 |
| Air Blank | | 0.000 | 03:27 |
| Diagnostics Check | | OK | 03:27 |

Data Download Date/Time: 05/13/2021 11:38

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001150

INSTRUMENT REGISTERED TO: MANATEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MONTEMAGNO,CARLO,C
BREATH TEST OPERATOR AGENCY: MANATEE COUNTY SO
ARRESTING OFFICER: MONTEMAGNO,CARLO
ARRESTING OFFICER AGENCY: MANATEE COUNTY SO
LAST AGENCY INSPECTION: 04/16/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1111579
DRY GAS EXPIRY DATE: 03/19/2022
VIOLATION CODE: DUI
ARREST TIME: 03:27
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:28

SUBJECT'S LAST NAME: HORTON

DATE/TIME OF TEST: 05/06/2021 03:57:16

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:50 |
| Air Blank | | 0.000 | 03:51 |
| Control Test | | 0.080 | 03:51 |
| Air Blank | | 0.000 | 03:52 |
| Subject Sample | # 1 | 0.137 | 03:52 |
| Breath Volume | | 2.367 | 03:52 |
| Air Blank | | 0.000 | 03:53 |
| Air Blank | | 0.000 | 03:54 |
| Subject Sample | # 2 | 0.139 | 03:55 |
| Breath Volume | | 1.621 | 03:55 |
| Air Blank | | 0.000 | 03:56 |
| Control Test | | 0.079 | 03:56 |
| Air Blank | | 0.000 | 03:57 |
| Diagnostics Check | | OK | 03:57 |

Data Download Date/Time: 05/13/2021 11:38

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: NORTHWAY,GEORGIA,K
BREATH TEST OPERATOR AGENCY: Tallahassee PD
ARRESTING OFFICER: NORTHWAY,GEORGIA
ARRESTING OFFICER AGENCY: Tallahassee PD
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:04
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:26

SUBJECT'S LAST NAME: OWENS

DATE/TIME OF TEST: 05/06/2021 01:55:06

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:46 |
| Air Blank | | 0.000 | 01:47 |
| Control Test | | 0.080 | 01:47 |
| Air Blank | | 0.000 | 01:48 |
| Subject Sample | # 1 | 0.156 | 01:49 |
| Breath Volume | | 1.167 | 01:49 |
| Air Blank | | 0.000 | 01:49 |
| Air Blank | | 0.000 | 01:51 |
| Subject Sample | # 2 | 0.154 | 01:53 |
| Breath Volume | | 1.265 | 01:53 |
| Air Blank | | 0.000 | 01:54 |
| Control Test | | 0.079 | 01:54 |
| Air Blank | | 0.000 | 01:55 |
| Diagnostics Check | | OK | 01:55 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MOSCHETTO,ANTHONY,C
BREATH TEST OPERATOR AGENCY: FHP Troop H
ARRESTING OFFICER: MOSCHETTO,ANTHONY
ARRESTING OFFICER AGENCY: FHP Troop H
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:17
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:50

SUBJECT'S LAST NAME: MASSILLON

DATE/TIME OF TEST: 05/06/2021 02:18:27

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:11 |
| Air Blank | | 0.000 | 02:11 |
| Control Test | | 0.080 | 02:12 |
| Air Blank | | 0.000 | 02:12 |
| Subject Sample | # 1 | 0.124 | 02:13 |
| Breath Volume | | 1.757 | 02:13 |
| Air Blank | | 0.000 | 02:14 |
| Air Blank | | 0.000 | 02:16 |
| Subject Sample | # 2 | 0.125 | 02:16 |
| Breath Volume | | 2.191 | 02:16 |
| Air Blank | | 0.000 | 02:17 |
| Control Test | | 0.080 | 02:17 |
| Air Blank | | 0.000 | 02:18 |
| Diagnostics Check | | OK | 02:18 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DANIELS,BENJAMIN,Z
BREATH TEST OPERATOR AGENCY: FL State University
ARRESTING OFFICER: WILL,HEATHER
ARRESTING OFFICER AGENCY: FL State University
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:54
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:09

SUBJECT'S LAST NAME: SHIPLEY

DATE/TIME OF TEST: 05/06/2021 03:45:20

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:30 | |
| Air Blank | | 0.000 | 03:30 | |
| Control Test | | 0.080 | 03:31 | |
| Air Blank | | 0.000 | 03:31 | |
| Subject Sample | # 1 | 0.242 | 03:34 | Volume Not Met |
| Breath Volume | | 0.343 | 03:34 | |
| Air Blank | | 0.000 | 03:35 | |
| Air Blank | | 0.000 | 03:37 | |
| Subject Sample | # 2 | 0.255 | 03:38 | |
| Breath Volume | | 1.398 | 03:38 | |
| Air Blank | | 0.000 | 03:38 | |
| Air Blank | | 0.000 | 03:40 | |
| Subject Sample | # 3 | 0.211 | 03:43 | Volume Not Met |
| Breath Volume | | 0.757 | 03:43 | |
| Air Blank | | 0.000 | 03:44 | |
| Control Test | | 0.078 | 03:44 | |
| Air Blank | | 0.000 | 03:45 | |
| Diagnostics Check | | OK | 03:45 | |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DANIELS,BENJAMIN,Z
BREATH TEST OPERATOR AGENCY: FL State University
ARRESTING OFFICER: WILL,HEATHER
ARRESTING OFFICER AGENCY: FL State University
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:54
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:48

SUBJECT'S LAST NAME: SHIPLEY

DATE/TIME OF TEST: 05/06/2021 04:12:59

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:10 | |
| Air Blank | | 0.000 | 04:10 | |
| Control Test | | 0.078 | 04:10 | |
| Air Blank | | 0.000 | 04:11 | |
| Subject Sample | # 1 | | 04:11 | Subject Test Refused |
| Breath Volume | | 0.000 | 04:11 | |
| Air Blank | | 0.000 | 04:12 | |
| Control Test | | 0.078 | 04:12 | |
| Air Blank | | 0.000 | 04:12 | |
| Diagnostics Check | | OK | 04:12 | |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MOSCHETTO,ANTHONY,C
BREATH TEST OPERATOR AGENCY: FHP Troop H
ARRESTING OFFICER: MOSCHETTO,ANTHONY
ARRESTING OFFICER AGENCY: FHP Troop H
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:40

SUBJECT'S LAST NAME: BURTON

DATE/TIME OF TEST: 05/07/2021 21:08:05

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:01 |
| Air Blank | | 0.000 | 21:02 |
| Control Test | | 0.081 | 21:02 |
| Air Blank | | 0.000 | 21:03 |
| Subject Sample | # 1 | 0.142 | 21:03 |
| Breath Volume | | 3.527 | 21:03 |
| Air Blank | | 0.000 | 21:04 |
| Air Blank | | 0.000 | 21:06 |
| Subject Sample | # 2 | 0.138 | 21:06 |
| Breath Volume | | 3.539 | 21:06 |
| Air Blank | | 0.000 | 21:07 |
| Control Test | | 0.080 | 21:07 |
| Air Blank | | 0.000 | 21:07 |
| Diagnostics Check | | OK | 21:08 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: NORTHWAY,GEORGIA,K
BREATH TEST OPERATOR AGENCY: Tallahassee PD
ARRESTING OFFICER: NORTHWAY,GEORGIA
ARRESTING OFFICER AGENCY: Tallahassee PD
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:51
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:14

SUBJECT'S LAST NAME: ELDRIDGE

DATE/TIME OF TEST: 05/15/2021 02:44:20

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:37 |
| Air Blank | | 0.000 | 02:38 |
| Control Test | | 0.081 | 02:38 |
| Air Blank | | 0.000 | 02:39 |
| Subject Sample | # 1 | 0.136 | 02:39 |
| Breath Volume | | 2.070 | 02:39 |
| Air Blank | | 0.000 | 02:40 |
| Air Blank | | 0.000 | 02:42 |
| Subject Sample | # 2 | 0.130 | 02:42 |
| Breath Volume | | 1.324 | 02:42 |
| Air Blank | | 0.000 | 02:43 |
| Control Test | | 0.081 | 02:43 |
| Air Blank | | 0.000 | 02:44 |
| Diagnostics Check | | OK | 02:44 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MOSCHETTO,ANTHONY,C
BREATH TEST OPERATOR AGENCY: FHP Troop H
ARRESTING OFFICER: MOSCHETTO,ANTHONY
ARRESTING OFFICER AGENCY: FHP Troop H
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:06
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:28

SUBJECT'S LAST NAME: HERRING

DATE/TIME OF TEST: 05/16/2021 03:58:59

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:52 |
| Air Blank | | 0.000 | 03:52 |
| Control Test | | 0.081 | 03:53 |
| Air Blank | | 0.000 | 03:53 |
| Subject Sample | # 1 | 0.052 | 03:54 |
| Breath Volume | | 4.875 | 03:54 |
| Air Blank | | 0.000 | 03:54 |
| Air Blank | | 0.000 | 03:56 |
| Subject Sample | # 2 | 0.050 | 03:57 |
| Breath Volume | | 4.886 | 03:57 |
| Air Blank | | 0.000 | 03:58 |
| Control Test | | 0.081 | 03:58 |
| Air Blank | | 0.000 | 03:58 |
| Diagnostics Check | | OK | 03:58 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: NORTHWAY,GEORGIA,K
BREATH TEST OPERATOR AGENCY: Tallahassee PD
ARRESTING OFFICER: NORTHWAY,GEORGIA
ARRESTING OFFICER AGENCY: Tallahassee PD
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:52
GENDER: Female
OBSERVATION PERIOD BEGAN: 04:20

SUBJECT'S LAST NAME: EGAN

DATE/TIME OF TEST: 05/21/2021 04:56:23

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:49 |
| Air Blank | | 0.000 | 04:50 |
| Control Test | | 0.081 | 04:50 |
| Air Blank | | 0.000 | 04:51 |
| Subject Sample | # 1 | 0.170 | 04:51 |
| Breath Volume | | 1.562 | 04:51 |
| Air Blank | | 0.000 | 04:52 |
| Air Blank | | 0.000 | 04:54 |
| Subject Sample | # 2 | 0.168 | 04:54 |
| Breath Volume | | 1.546 | 04:54 |
| Air Blank | | 0.000 | 04:55 |
| Control Test | | 0.081 | 04:55 |
| Air Blank | | 0.000 | 04:56 |
| Diagnostics Check | | OK | 04:56 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: COPELAND,MICHAEL,C
BREATH TEST OPERATOR AGENCY: Leon County SO
ARRESTING OFFICER: COPELAND,MICHAEL
ARRESTING OFFICER AGENCY: Leon County SO
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 17:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:16

SUBJECT'S LAST NAME: RAY

DATE/TIME OF TEST: 05/22/2021 18:41:46

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 18:37 | |
| Air Blank | | 0.000 | 18:37 | |
| Control Test | | 0.081 | 18:37 | |
| Air Blank | | 0.000 | 18:38 | |
| Subject Sample | # 1 | 0.235 | 18:40 | |
| Breath Volume | | 1.867 | 18:40 | |
| Air Blank | | | 18:40 | RFI Detect |
| Air Blank | | 0.000 | 18:40 | |
| Control Test | | 0.081 | 18:41 | |
| Air Blank | | 0.000 | 18:41 | |
| Diagnostics Check | | OK | 18:41 | |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: COPELAND,MICHAEL,C
BREATH TEST OPERATOR AGENCY: Leon County SO
ARRESTING OFFICER: COPELAND,MICHAEL
ARRESTING OFFICER AGENCY: Leon County SO
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 17:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:16

SUBJECT'S LAST NAME: RAY

DATE/TIME OF TEST: 05/22/2021 18:53:55

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 18:43 |
| Air Blank | | 0.000 | 18:43 |
| Control Test | | 0.080 | 18:44 |
| Air Blank | | 0.000 | 18:44 |
| Subject Sample | # 1 | 0.229 | 18:45 |
| Breath Volume | | 2.207 | 18:45 |
| Air Blank | | 0.000 | 18:46 |
| Air Blank | | 0.000 | 18:48 |
| Subject Sample | # 2 | 0.250 | 18:49 |
| Breath Volume | | 2.324 | 18:49 |
| Air Blank | | 0.000 | 18:50 |
| Air Blank | | 0.000 | 18:51 |
| Subject Sample | # 3 | 0.244 | 18:52 |
| Breath Volume | | 2.230 | 18:52 |
| Air Blank | | 0.000 | 18:52 |
| Control Test | | 0.079 | 18:53 |
| Air Blank | | 0.000 | 18:53 |
| Diagnostics Check | | OK | 18:53 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SODERHOLM,CHELSEA,C
BREATH TEST OPERATOR AGENCY: Tallahassee PD
ARRESTING OFFICER: SODERHOLM,CHELSEA
ARRESTING OFFICER AGENCY: Tallahassee PD
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 18:04
GENDER: Female
OBSERVATION PERIOD BEGAN: 18:25

SUBJECT'S LAST NAME: DANIELS

DATE/TIME OF TEST: 05/22/2021 19:09:06

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:01 |
| Air Blank | | 0.000 | 19:02 |
| Control Test | | 0.080 | 19:02 |
| Air Blank | | 0.000 | 19:03 |
| Subject Sample | # 1 | 0.190 | 19:04 |
| Breath Volume | | 1.492 | 19:04 |
| Air Blank | | 0.000 | 19:04 |
| Air Blank | | 0.000 | 19:06 |
| Subject Sample | # 2 | 0.188 | 19:07 |
| Breath Volume | | 1.261 | 19:07 |
| Air Blank | | 0.000 | 19:08 |
| Control Test | | 0.079 | 19:08 |
| Air Blank | | 0.000 | 19:09 |
| Diagnostics Check | | OK | 19:09 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BARTON,JEREMY,R
BREATH TEST OPERATOR AGENCY: FHP Troop H
ARRESTING OFFICER: BARTON,JEREMY
ARRESTING OFFICER AGENCY: FHP Troop H
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:36
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:40

SUBJECT'S LAST NAME: SCHEURMAN

DATE/TIME OF TEST: 05/22/2021 22:27:47

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:20 |
| Air Blank | | 0.000 | 22:21 |
| Control Test | | 0.080 | 22:21 |
| Air Blank | | 0.000 | 22:22 |
| Subject Sample | # 1 | 0.216 | 22:22 |
| Breath Volume | | 1.324 | 22:22 |
| Air Blank | | 0.000 | 22:23 |
| Air Blank | | 0.000 | 22:25 |
| Subject Sample | # 2 | 0.223 | 22:26 |
| Breath Volume | | 1.195 | 22:26 |
| Air Blank | | 0.000 | 22:26 |
| Control Test | | 0.081 | 22:27 |
| Air Blank | | 0.000 | 22:27 |
| Diagnostics Check | | OK | 22:27 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: EDWARDS,GEORGE,H
BREATH TEST OPERATOR AGENCY: FHP Troop H
ARRESTING OFFICER: EDWARDS,GEORGE
ARRESTING OFFICER AGENCY: FHP Troop H
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:37
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:10

SUBJECT'S LAST NAME: SPENCER

DATE/TIME OF TEST: 05/23/2021 00:36:46

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:30 |
| Air Blank | | 0.000 | 00:31 |
| Control Test | | 0.082 | 00:31 |
| Air Blank | | 0.000 | 00:31 |
| Subject Sample | # 1 | 0.000 | 00:32 |
| Breath Volume | | 2.039 | 00:32 |
| Air Blank | | 0.000 | 00:32 |
| Air Blank | | 0.000 | 00:34 |
| Subject Sample | # 2 | 0.000 | 00:35 |
| Breath Volume | | 1.835 | 00:35 |
| Air Blank | | 0.000 | 00:35 |
| Control Test | | 0.082 | 00:36 |
| Air Blank | | 0.000 | 00:36 |
| Diagnostics Check | | OK | 00:36 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MOSCHETTO,ANTHONY,C
BREATH TEST OPERATOR AGENCY: FHP Troop H
ARRESTING OFFICER: MOSCHETTO,ANTHONY
ARRESTING OFFICER AGENCY: FHP Troop H
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:56
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:14

SUBJECT'S LAST NAME: HERNANDEZ

DATE/TIME OF TEST: 05/23/2021 03:52:32

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:45 |
| Air Blank | | 0.000 | 03:45 |
| Control Test | | 0.081 | 03:45 |
| Air Blank | | 0.000 | 03:46 |
| Subject Sample | # 1 | 0.117 | 03:47 |
| Breath Volume | | 2.597 | 03:47 |
| Air Blank | | 0.000 | 03:47 |
| Air Blank | | 0.000 | 03:49 |
| Subject Sample | # 2 | 0.108 | 03:51 |
| Breath Volume | | 1.519 | 03:51 |
| Air Blank | | 0.000 | 03:51 |
| Control Test | | 0.081 | 03:51 |
| Air Blank | | 0.000 | 03:52 |
| Diagnostics Check | | OK | 03:52 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MOSCHETTO,ANTHONY,C
BREATH TEST OPERATOR AGENCY: FHP Troop H
ARRESTING OFFICER: MOSCHETTO,ANTHONY
ARRESTING OFFICER AGENCY: FHP Troop H
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:21
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:45

SUBJECT'S LAST NAME: DE LA CRUZ MEDINA

DATE/TIME OF TEST: 05/23/2021 21:12:58

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:06 |
| Air Blank | | 0.000 | 21:06 |
| Control Test | | 0.081 | 21:06 |
| Air Blank | | 0.000 | 21:07 |
| Subject Sample | # 1 | 0.186 | 21:08 |
| Breath Volume | | 2.222 | 21:08 |
| Air Blank | | 0.000 | 21:08 |
| Air Blank | | 0.000 | 21:10 |
| Subject Sample | # 2 | 0.187 | 21:11 |
| Breath Volume | | 2.667 | 21:11 |
| Air Blank | | 0.000 | 21:12 |
| Control Test | | 0.081 | 21:12 |
| Air Blank | | 0.000 | 21:12 |
| Diagnostics Check | | OK | 21:12 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001153

INSTRUMENT REGISTERED TO: LEON COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MATLOCK,LOGAN,R
BREATH TEST OPERATOR AGENCY: Leon County SO
ARRESTING OFFICER: MATLOCK,LOGAN
ARRESTING OFFICER AGENCY: Leon County SO
LAST AGENCY INSPECTION: 05/04/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 04120080A1
DRY GAS EXPIRY DATE: 03/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:14
GENDER: Female
OBSERVATION PERIOD BEGAN: 22:50

SUBJECT'S LAST NAME: HURDLE

DATE/TIME OF TEST: 05/25/2021 23:17:17

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:11 |
| Air Blank | | 0.000 | 23:11 |
| Control Test | | 0.081 | 23:11 |
| Air Blank | | 0.000 | 23:12 |
| Subject Sample | # 1 | 0.163 | 23:12 |
| Breath Volume | | 1.921 | 23:12 |
| Air Blank | | 0.000 | 23:13 |
| Air Blank | | 0.000 | 23:15 |
| Subject Sample | # 2 | 0.167 | 23:15 |
| Breath Volume | | 2.460 | 23:15 |
| Air Blank | | 0.000 | 23:16 |
| Control Test | | 0.081 | 23:16 |
| Air Blank | | 0.000 | 23:17 |
| Diagnostics Check | | OK | 23:17 |

Data Download Date/Time: 06/02/2021 11:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001155

INSTRUMENT REGISTERED TO: EGLIN AFB
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RINALDI,JOSEPH,E
BREATH TEST OPERATOR AGENCY: Eglin AFB PD
ARRESTING OFFICER: INGRAM,ANDREW
ARRESTING OFFICER AGENCY: Eglin AFB PD
LAST AGENCY INSPECTION: 04/26/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1283438
DRY GAS EXPIRY DATE: 02/05/2023
VIOLATION CODE: DUI
ARREST TIME: 22:51
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:58

SUBJECT'S LAST NAME: DAVIS

DATE/TIME OF TEST: 05/08/2021 23:58:02

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 23:43 | |
| Air Blank | | 0.000 | 23:44 | |
| Control Test | | 0.082 | 23:44 | |
| Air Blank | | 0.000 | 23:45 | |
| Subject Sample | # 1 | 0.199 | 23:48 | Volume Not Met |
| Breath Volume | | 0.132 | 23:48 | |
| Air Blank | | 0.000 | 23:49 | |
| Air Blank | | 0.000 | 23:50 | |
| Subject Sample | # 2 | 0.226 | 23:53 | |
| Breath Volume | | 1.781 | 23:53 | |
| Air Blank | | 0.000 | 23:54 | |
| Air Blank | | 0.000 | 23:55 | |
| Subject Sample | # 3 | 0.229 | 23:56 | |
| Breath Volume | | 1.679 | 23:56 | |
| Air Blank | | 0.000 | 23:57 | |
| Control Test | | 0.079 | 23:57 | |
| Air Blank | | 0.000 | 23:57 | |
| Diagnostics Check | | OK | 23:58 | |

Data Download Date/Time: 05/13/2021 08:42

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

INSTRUMENT REGISTERED TO: ORMOND BEACH P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: OGLE,SHAWN,T
BREATH TEST OPERATOR AGENCY: Ormond Beach PD
ARRESTING OFFICER: OGLE,SHAWN
ARRESTING OFFICER AGENCY: Ormond Beach PD
LAST AGENCY INSPECTION: 04/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1114319
DRY GAS EXPIRY DATE: 03/27/2022
VIOLATION CODE: DUI
ARREST TIME: 22:00
GENDER: Female
OBSERVATION PERIOD BEGAN: 22:39

SUBJECT'S LAST NAME: SELLERS

DATE/TIME OF TEST: 05/01/2021 23:08:14

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:01 |
| Air Blank | | 0.000 | 23:02 |
| Control Test | | 0.079 | 23:02 |
| Air Blank | | 0.000 | 23:03 |
| Subject Sample | # 1 | 0.095 | 23:03 |
| Breath Volume | | 1.687 | 23:03 |
| Air Blank | | 0.000 | 23:04 |
| Air Blank | | 0.000 | 23:06 |
| Subject Sample | # 2 | 0.092 | 23:06 |
| Breath Volume | | 1.398 | 23:06 |
| Air Blank | | 0.000 | 23:07 |
| Control Test | | 0.081 | 23:07 |
| Air Blank | | 0.000 | 23:08 |
| Diagnostics Check | | OK | 23:08 |

Data Download Date/Time: 05/22/2021 13:14

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

INSTRUMENT REGISTERED TO: ORMOND BEACH P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: OGLE,SHAWN,T
BREATH TEST OPERATOR AGENCY: Ormond Beach PD
ARRESTING OFFICER: OGLE,SHAWN
ARRESTING OFFICER AGENCY: Ormond Beach PD
LAST AGENCY INSPECTION: 04/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1114319
DRY GAS EXPIRY DATE: 03/27/2022
VIOLATION CODE: DUI
ARREST TIME: 02:51
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:00

SUBJECT'S LAST NAME: WHITE

DATE/TIME OF TEST: 05/02/2021 04:29:56

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:27 | |
| Air Blank | | 0.000 | 04:27 | |
| Control Test | | 0.080 | 04:27 | |
| Air Blank | | 0.000 | 04:28 | |
| Subject Sample | # 1 | | 04:28 | Subject Test Refused |
| Breath Volume | | 0.000 | 04:28 | |
| Air Blank | | 0.000 | 04:29 | |
| Control Test | | 0.080 | 04:29 | |
| Air Blank | | 0.000 | 04:29 | |
| Diagnostics Check | | OK | 04:29 | |

Data Download Date/Time: 05/22/2021 13:14

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

INSTRUMENT REGISTERED TO: ORMOND BEACH P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: OGLE,SHAWN,T
BREATH TEST OPERATOR AGENCY: Ormond Beach PD
ARRESTING OFFICER: MEDINA,RAFAEL
ARRESTING OFFICER AGENCY: Ormond Beach PD
LAST AGENCY INSPECTION: 04/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1114319
DRY GAS EXPIRY DATE: 03/27/2022
VIOLATION CODE: DUI
ARREST TIME: 16:49
GENDER: Female
OBSERVATION PERIOD BEGAN: 17:35

SUBJECT'S LAST NAME: ADAMS

DATE/TIME OF TEST: 05/02/2021 18:05:29

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 17:58 |
| Air Blank | | 0.000 | 17:59 |
| Control Test | | 0.081 | 17:59 |
| Air Blank | | 0.000 | 18:00 |
| Subject Sample | # 1 | 0.196 | 18:01 |
| Breath Volume | | 2.593 | 18:01 |
| Air Blank | | 0.000 | 18:01 |
| Air Blank | | 0.000 | 18:03 |
| Subject Sample | # 2 | 0.197 | 18:03 |
| Breath Volume | | 1.906 | 18:03 |
| Air Blank | | 0.000 | 18:04 |
| Control Test | | 0.080 | 18:04 |
| Air Blank | | 0.000 | 18:05 |
| Diagnostics Check | | OK | 18:05 |

Data Download Date/Time: 05/22/2021 13:14

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

INSTRUMENT REGISTERED TO: ORMOND BEACH P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: TAYLOR,RICHARD,L
BREATH TEST OPERATOR AGENCY: Ormond Beach PD
ARRESTING OFFICER: HUNTER,JOHN
ARRESTING OFFICER AGENCY: Ormond Beach PD
LAST AGENCY INSPECTION: 04/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1114319
DRY GAS EXPIRY DATE: 03/27/2022
VIOLATION CODE: DUI
ARREST TIME: 02:25
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:45

SUBJECT'S LAST NAME: BANTA

DATE/TIME OF TEST: 05/13/2021 04:16:07

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:10 |
| Air Blank | | 0.000 | 04:10 |
| Control Test | | 0.080 | 04:10 |
| Air Blank | | 0.000 | 04:11 |
| Subject Sample | # 1 | 0.000 | 04:11 |
| Breath Volume | | 1.656 | 04:11 |
| Air Blank | | 0.000 | 04:12 |
| Air Blank | | 0.000 | 04:14 |
| Subject Sample | # 2 | 0.000 | 04:14 |
| Breath Volume | | 1.496 | 04:14 |
| Air Blank | | 0.000 | 04:15 |
| Control Test | | 0.081 | 04:15 |
| Air Blank | | 0.000 | 04:16 |
| Diagnostics Check | | OK | 04:16 |

Data Download Date/Time: 05/22/2021 13:14

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

INSTRUMENT REGISTERED TO: ORMOND BEACH P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: OGLE,SHAWN,T
BREATH TEST OPERATOR AGENCY: Ormond Beach PD
ARRESTING OFFICER: NORTON,CADE
ARRESTING OFFICER AGENCY: Ormond Beach PD
LAST AGENCY INSPECTION: 04/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1114319
DRY GAS EXPIRY DATE: 03/27/2022
VIOLATION CODE: DUI
ARREST TIME: 22:49
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:01

SUBJECT'S LAST NAME: SHORTER

DATE/TIME OF TEST: 05/21/2021 00:50:54

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:44 |
| Air Blank | | 0.000 | 00:44 |
| Control Test | | 0.081 | 00:45 |
| Air Blank | | 0.000 | 00:45 |
| Subject Sample | # 1 | 0.134 | 00:46 |
| Breath Volume | | 2.011 | 00:46 |
| Air Blank | | 0.000 | 00:46 |
| Air Blank | | 0.000 | 00:48 |
| Subject Sample | # 2 | 0.135 | 00:49 |
| Breath Volume | | 3.300 | 00:49 |
| Air Blank | | 0.000 | 00:49 |
| Control Test | | 0.080 | 00:50 |
| Air Blank | | 0.000 | 00:50 |
| Diagnostics Check | | OK | 00:50 |

Data Download Date/Time: 05/22/2021 13:14

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

INSTRUMENT REGISTERED TO: ORMOND BEACH P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: TAYLOR,RICHARD,L
BREATH TEST OPERATOR AGENCY: Ormond Beach PD
ARRESTING OFFICER: HIBBERT,CURTIS
ARRESTING OFFICER AGENCY: Ormond Beach PD
LAST AGENCY INSPECTION: 05/22/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1114319
DRY GAS EXPIRY DATE: 03/27/2022
VIOLATION CODE: DUI
ARREST TIME: 17:25
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:40

SUBJECT'S LAST NAME: KRAYEWSKY

DATE/TIME OF TEST: 05/23/2021 19:08:20

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:01 |
| Air Blank | | 0.000 | 19:02 |
| Control Test | | 0.080 | 19:02 |
| Air Blank | | 0.000 | 19:03 |
| Subject Sample | # 1 | 0.189 | 19:03 |
| Breath Volume | | 2.578 | 19:03 |
| Air Blank | | 0.000 | 19:04 |
| Air Blank | | 0.000 | 19:06 |
| Subject Sample | # 2 | 0.177 | 19:06 |
| Breath Volume | | 1.339 | 19:06 |
| Air Blank | | 0.000 | 19:07 |
| Control Test | | 0.081 | 19:07 |
| Air Blank | | 0.000 | 19:08 |
| Diagnostics Check | | OK | 19:08 |

Data Download Date/Time: 06/28/2021 15:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001156

INSTRUMENT REGISTERED TO: ORMOND BEACH P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PEARSON,ROBERT,B
BREATH TEST OPERATOR AGENCY: Ormond Beach PD
ARRESTING OFFICER: PEDEVILLANO,MARC
ARRESTING OFFICER AGENCY: Ormond Beach PD
LAST AGENCY INSPECTION: 05/22/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1114319
DRY GAS EXPIRY DATE: 03/27/2022
VIOLATION CODE: DUI
ARREST TIME: 18:01
GENDER: Female
OBSERVATION PERIOD BEGAN: 18:50

SUBJECT'S LAST NAME: PARKER

DATE/TIME OF TEST: 05/30/2021 19:20:47

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 19:18 | |
| Air Blank | | 0.000 | 19:18 | |
| Control Test | | 0.080 | 19:18 | |
| Air Blank | | 0.000 | 19:19 | |
| Subject Sample | # 1 | | 19:19 | Subject Test Refused |
| Breath Volume | | 0.000 | 19:19 | |
| Air Blank | | 0.000 | 19:19 | |
| Control Test | | 0.080 | 19:20 | |
| Air Blank | | 0.000 | 19:20 | |
| Diagnostics Check | | OK | 19:20 | |

Data Download Date/Time: 06/28/2021 15:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001159

INSTRUMENT REGISTERED TO: ORANGE CITY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARRALSON,SAMUEL,E
BREATH TEST OPERATOR AGENCY: Orange City PD
ARRESTING OFFICER: KING,BRANDON
ARRESTING OFFICER AGENCY: Volusia County SO
LAST AGENCY INSPECTION: 04/22/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 28420080A1
DRY GAS EXPIRY DATE: 12/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:27
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:28

SUBJECT'S LAST NAME: MITCHELL

DATE/TIME OF TEST: 05/15/2021 03:05:38

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:53 | |
| Air Blank | | 0.000 | 02:53 | |
| Control Test | | 0.081 | 02:54 | |
| Air Blank | | 0.000 | 02:54 | |
| Subject Sample | # 1 | 0.137 | 02:57 | Volume Not Met |
| Breath Volume | | 0.835 | 02:57 | |
| Air Blank | | 0.000 | 02:58 | |
| Air Blank | | 0.000 | 03:00 | |
| Subject Sample | # 2 | 0.171 | 03:00 | |
| Breath Volume | | 1.804 | 03:00 | |
| Air Blank | | 0.000 | 03:01 | |
| Air Blank | | 0.000 | 03:03 | |
| Subject Sample | # 3 | 0.170 | 03:04 | |
| Breath Volume | | 3.019 | 03:04 | |
| Air Blank | | 0.000 | 03:04 | |
| Control Test | | 0.080 | 03:05 | |
| Air Blank | | 0.000 | 03:05 | |
| Diagnostics Check | | OK | 03:05 | |

Data Download Date/Time: 05/28/2021 16:48

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001159

INSTRUMENT REGISTERED TO: ORANGE CITY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LICKISS,BRANT,C
BREATH TEST OPERATOR AGENCY: Volusia County SO
ARRESTING OFFICER: SAPP,MICHAEL
ARRESTING OFFICER AGENCY: FFWCC (Ocala)
LAST AGENCY INSPECTION: 05/28/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 28420080A1
DRY GAS EXPIRY DATE: 12/05/2022
VIOLATION CODE: DUI
ARREST TIME: 18:53
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:04

SUBJECT'S LAST NAME: WHITING

DATE/TIME OF TEST: 05/30/2021 19:58:14

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:51 |
| Air Blank | | 0.000 | 19:52 |
| Control Test | | 0.081 | 19:52 |
| Air Blank | | 0.000 | 19:52 |
| Subject Sample | # 1 | 0.165 | 19:53 |
| Breath Volume | | 3.507 | 19:53 |
| Air Blank | | 0.000 | 19:54 |
| Air Blank | | 0.000 | 19:56 |
| Subject Sample | # 2 | 0.160 | 19:56 |
| Breath Volume | | 3.390 | 19:56 |
| Air Blank | | 0.000 | 19:57 |
| Control Test | | 0.080 | 19:57 |
| Air Blank | | 0.000 | 19:58 |
| Diagnostics Check | | OK | 19:58 |

Data Download Date/Time: 06/27/2021 06:22

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ADAMS,JUSTIN,A
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: ADAMS,JUSTIN
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 01:15
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:28

SUBJECT'S LAST NAME: HICKMAN

DATE/TIME OF TEST: 05/01/2021 01:57:21

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:51 |
| Air Blank | | 0.000 | 01:51 |
| Control Test | | 0.082 | 01:51 |
| Air Blank | | 0.000 | 01:52 |
| Subject Sample | # 1 | 0.128 | 01:52 |
| Breath Volume | | 1.972 | 01:52 |
| Air Blank | | 0.000 | 01:53 |
| Air Blank | | 0.000 | 01:55 |
| Subject Sample | # 2 | 0.123 | 01:55 |
| Breath Volume | | 2.410 | 01:55 |
| Air Blank | | 0.000 | 01:56 |
| Control Test | | 0.081 | 01:56 |
| Air Blank | | 0.000 | 01:57 |
| Diagnostics Check | | OK | 01:57 |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ADAMS,JUSTIN,A
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: ADAMS,JUSTIN
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 02:10
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:25

SUBJECT'S LAST NAME: SHIMONI

DATE/TIME OF TEST: 05/02/2021 02:54:45

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:46 |
| Air Blank | | 0.000 | 02:46 |
| Control Test | | 0.083 | 02:46 |
| Air Blank | | 0.000 | 02:47 |
| Subject Sample | # 1 | 0.031 | 02:50 |
| Breath Volume | | 1.625 | 02:50 |
| Air Blank | | 0.000 | 02:50 |
| Air Blank | | 0.000 | 02:52 |
| Subject Sample | # 2 | 0.026 | 02:53 |
| Breath Volume | | 1.273 | 02:53 |
| Air Blank | | 0.000 | 02:53 |
| Control Test | | 0.080 | 02:54 |
| Air Blank | | 0.000 | 02:54 |
| Diagnostics Check | | OK | 02:54 |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ADAMS,JUSTIN,A
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: BATCH,JOSEPH
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 03:10
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:00

SUBJECT'S LAST NAME: MADIRO

DATE/TIME OF TEST: 05/03/2021 04:27:20

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:20 |
| Air Blank | | 0.000 | 04:21 |
| Control Test | | 0.082 | 04:21 |
| Air Blank | | 0.000 | 04:22 |
| Subject Sample | # 1 | 0.000 | 04:22 |
| Breath Volume | | 2.496 | 04:22 |
| Air Blank | | 0.000 | 04:23 |
| Air Blank | | 0.000 | 04:25 |
| Subject Sample | # 2 | 0.000 | 04:25 |
| Breath Volume | | 2.277 | 04:25 |
| Air Blank | | 0.000 | 04:26 |
| Control Test | | 0.082 | 04:26 |
| Air Blank | | 0.000 | 04:27 |
| Diagnostics Check | | OK | 04:27 |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MCLAUGHLIN,BRADLEY,
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: FARRAGHER,THOMAS
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 02:34
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:34

SUBJECT'S LAST NAME: PHISTER

DATE/TIME OF TEST: 05/04/2021 03:11:32

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:05 |
| Air Blank | | 0.000 | 03:05 |
| Control Test | | 0.082 | 03:05 |
| Air Blank | | 0.000 | 03:06 |
| Subject Sample | # 1 | 0.167 | 03:07 |
| Breath Volume | | 3.207 | 03:07 |
| Air Blank | | 0.000 | 03:07 |
| Air Blank | | 0.000 | 03:09 |
| Subject Sample | # 2 | 0.165 | 03:09 |
| Breath Volume | | 3.296 | 03:09 |
| Air Blank | | 0.000 | 03:10 |
| Control Test | | 0.081 | 03:10 |
| Air Blank | | 0.000 | 03:11 |
| Diagnostics Check | | OK | 03:11 |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEWIS,TREVOR,J
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: MCCARLEY,MATTHEW
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 02:50
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:50

SUBJECT'S LAST NAME: HARRIS

DATE/TIME OF TEST: 05/06/2021 03:19:35

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:13 |
| Air Blank | | 0.000 | 03:13 |
| Control Test | | 0.081 | 03:14 |
| Air Blank | | 0.000 | 03:14 |
| Subject Sample | # 1 | 0.181 | 03:15 |
| Breath Volume | | 1.300 | 03:15 |
| Air Blank | | 0.000 | 03:15 |
| Air Blank | | 0.000 | 03:17 |
| Subject Sample | # 2 | 0.191 | 03:18 |
| Breath Volume | | 2.539 | 03:18 |
| Air Blank | | 0.000 | 03:18 |
| Control Test | | 0.083 | 03:18 |
| Air Blank | | 0.000 | 03:19 |
| Diagnostics Check | | OK | 03:19 |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEWIS,TREVOR,J
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: LEWIS,TREVOR
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 23:58
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:58

SUBJECT'S LAST NAME: THERRIEN

DATE/TIME OF TEST: 05/11/2021 00:40:54

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 00:37 | |
| Air Blank | | 0.000 | 00:38 | |
| Control Test | | 0.082 | 00:38 | |
| Air Blank | | 0.000 | 00:38 | |
| Subject Sample | # 1 | | 00:39 | Subject Test Refused |
| Breath Volume | | 0.000 | 00:39 | |
| Air Blank | | 0.000 | 00:39 | |
| Control Test | | 0.082 | 00:40 | |
| Air Blank | | 0.000 | 00:40 | |
| Diagnostics Check | | OK | 00:40 | |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LEWIS,TREVOR,J
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: LEWIS,TREVOR
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 23:58
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:58

SUBJECT'S LAST NAME: THERRIEN

DATE/TIME OF TEST: 05/11/2021 01:03:00

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:55 |
| Air Blank | | 0.000 | 00:56 |
| Control Test | | 0.082 | 00:56 |
| Air Blank | | 0.000 | 00:57 |
| Subject Sample | # 1 | 0.189 | 00:57 |
| Breath Volume | | 4.371 | 00:57 |
| Air Blank | | 0.000 | 00:58 |
| Air Blank | | 0.000 | 01:00 |
| Subject Sample | # 2 | 0.176 | 01:01 |
| Breath Volume | | 4.265 | 01:01 |
| Air Blank | | 0.000 | 01:02 |
| Control Test | | 0.080 | 01:02 |
| Air Blank | | 0.000 | 01:02 |
| Diagnostics Check | | OK | 01:03 |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ADAMS,JUSTIN,A
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: MCCARLEY,MATTHEW
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 01:17
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:50

SUBJECT'S LAST NAME: SPENCER

DATE/TIME OF TEST: 05/16/2021 02:21:59

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:10 | |
| Air Blank | | 0.000 | 02:11 | |
| Control Test | | 0.082 | 02:11 | |
| Air Blank | | 0.000 | 02:12 | |
| Subject Sample | # 1 | 0.195 | 02:13 | |
| Breath Volume | | 1.609 | 02:13 | |
| Air Blank | | 0.000 | 02:14 | |
| Air Blank | | 0.000 | 02:16 | |
| Subject Sample | # 2 | 0.216 | 02:16 | |
| Breath Volume | | 1.917 | 02:16 | |
| Air Blank | | 0.000 | 02:17 | |
| Air Blank | | 0.000 | 02:19 | |
| Subject Sample | # 3 | | 02:20 | Subject Test Refused |
| Breath Volume | | 0.000 | 02:20 | |
| Air Blank | | 0.000 | 02:21 | |
| Control Test | | 0.082 | 02:21 | |
| Air Blank | | 0.000 | 02:21 | |
| Diagnostics Check | | OK | 02:21 | |

Data Download Date/Time: 05/27/2021 20:46


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ADAMS,JUSTIN,A
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: CLASEN,CHARLENE
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 21:39
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:00

SUBJECT'S LAST NAME: HOPPER

DATE/TIME OF TEST: 05/16/2021 22:27:18

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:20 |
| Air Blank | | 0.000 | 22:21 |
| Control Test | | 0.084 | 22:21 |
| Air Blank | | 0.000 | 22:21 |
| Subject Sample | # 1 | 0.204 | 22:22 |
| Breath Volume | | 2.976 | 22:22 |
| Air Blank | | 0.000 | 22:23 |
| Air Blank | | 0.000 | 22:24 |
| Subject Sample | # 2 | 0.205 | 22:25 |
| Breath Volume | | 3.027 | 22:25 |
| Air Blank | | 0.000 | 22:26 |
| Control Test | | 0.083 | 22:26 |
| Air Blank | | 0.000 | 22:27 |
| Diagnostics Check | | OK | 22:27 |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ADAMS,JUSTIN,A
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: WIMER,STANTON
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 02:10
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:53

SUBJECT'S LAST NAME: BROWN

DATE/TIME OF TEST: 05/21/2021 03:26:51

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:14 | |
| Air Blank | | 0.000 | 03:15 | |
| Control Test | | 0.082 | 03:15 | |
| Air Blank | | 0.000 | 03:15 | |
| Subject Sample | # 1 | 0.177 | 03:19 | Volume Not Met |
| Breath Volume | | 0.546 | 03:19 | |
| Air Blank | | 0.000 | 03:20 | |
| Air Blank | | 0.000 | 03:21 | |
| Subject Sample | # 2 | 0.186 | 03:22 | |
| Breath Volume | | 1.750 | 03:22 | |
| Air Blank | | 0.000 | 03:22 | |
| Air Blank | | 0.000 | 03:24 | |
| Subject Sample | # 3 | 0.168 | 03:25 | |
| Breath Volume | | 1.714 | 03:25 | |
| Air Blank | | 0.000 | 03:25 | |
| Control Test | | 0.081 | 03:26 | |
| Air Blank | | 0.000 | 03:26 | |
| Diagnostics Check | | OK | 03:26 | |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: INGERSOLL,NICHOLAS,F
BREATH TEST OPERATOR AGENCY: Cocoa Beach PD
ARRESTING OFFICER: INGERSOLL,NICHOLAS
ARRESTING OFFICER AGENCY: Cocoa Beach PD
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 20:38
GENDER: Female
OBSERVATION PERIOD BEGAN: 20:38

SUBJECT'S LAST NAME: RAMIREZ

DATE/TIME OF TEST: 05/21/2021 21:25:22

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:18 |
| Air Blank | | 0.000 | 21:18 |
| Control Test | | 0.083 | 21:18 |
| Air Blank | | 0.000 | 21:19 |
| Subject Sample | # 1 | 0.214 | 21:20 |
| Breath Volume | | 3.136 | 21:20 |
| Air Blank | | 0.000 | 21:21 |
| Air Blank | | 0.000 | 21:23 |
| Subject Sample | # 2 | 0.218 | 21:23 |
| Breath Volume | | 3.074 | 21:23 |
| Air Blank | | 0.000 | 21:24 |
| Control Test | | 0.082 | 21:24 |
| Air Blank | | 0.000 | 21:25 |
| Diagnostics Check | | OK | 21:25 |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: NEILL,MICHAEL,A
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: NEILL,MICHAEL
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 20:04
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:15

SUBJECT'S LAST NAME: SUAREZ ALICEA

DATE/TIME OF TEST: 05/23/2021 20:45:12

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:36 |
| Air Blank | | 0.000 | 20:36 |
| Control Test | | 0.083 | 20:37 |
| Air Blank | | 0.000 | 20:37 |
| Subject Sample | # 1 | 0.137 | 20:39 |
| Breath Volume | | 1.968 | 20:39 |
| Air Blank | | 0.000 | 20:40 |
| Air Blank | | 0.000 | 20:41 |
| Subject Sample | # 2 | 0.144 | 20:43 |
| Breath Volume | | 1.937 | 20:43 |
| Air Blank | | 0.000 | 20:44 |
| Control Test | | 0.081 | 20:44 |
| Air Blank | | 0.000 | 20:45 |
| Diagnostics Check | | OK | 20:45 |

Data Download Date/Time: 05/27/2021 20:46

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RASEY,DANIEL,J
BREATH TEST OPERATOR AGENCY: FFWCC (Ocala)
ARRESTING OFFICER: RASEY,DANIEL
ARRESTING OFFICER AGENCY: FFWCC (Ocala)
LAST AGENCY INSPECTION: 05/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: BUI
ARREST TIME: 16:50
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:03

SUBJECT'S LAST NAME: HOGLEN

DATE/TIME OF TEST: 05/29/2021 18:33:34

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 18:25 |
| Air Blank | | 0.000 | 18:26 |
| Control Test | | 0.082 | 18:26 |
| Air Blank | | 0.000 | 18:27 |
| Subject Sample | # 1 | 0.150 | 18:29 |
| Breath Volume | | 3.765 | 18:29 |
| Air Blank | | 0.000 | 18:29 |
| Air Blank | | 0.000 | 18:31 |
| Subject Sample | # 2 | 0.131 | 18:31 |
| Breath Volume | | 1.949 | 18:31 |
| Air Blank | | 0.000 | 18:32 |
| Control Test | | 0.080 | 18:32 |
| Air Blank | | 0.000 | 18:33 |
| Diagnostics Check | | OK | 18:33 |

Data Download Date/Time: 07/23/2021 21:43

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SANCHEZ,JUAN,J
BREATH TEST OPERATOR AGENCY: FFWCC (Ocala)
ARRESTING OFFICER: LIGHTSEY,DUSTIN
ARRESTING OFFICER AGENCY: FFWCC (Ocala)
LAST AGENCY INSPECTION: 05/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: BUI
ARREST TIME: 19:31
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:31

SUBJECT'S LAST NAME: SANCHEZ

DATE/TIME OF TEST: 05/29/2021 20:29:58

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:23 |
| Air Blank | | 0.000 | 20:23 |
| Control Test | | 0.083 | 20:23 |
| Air Blank | | 0.000 | 20:24 |
| Subject Sample | # 1 | 0.197 | 20:25 |
| Breath Volume | | 2.906 | 20:25 |
| Air Blank | | 0.000 | 20:25 |
| Air Blank | | 0.000 | 20:27 |
| Subject Sample | # 2 | 0.200 | 20:28 |
| Breath Volume | | 2.925 | 20:28 |
| Air Blank | | 0.000 | 20:29 |
| Control Test | | 0.082 | 20:29 |
| Air Blank | | 0.000 | 20:29 |
| Diagnostics Check | | OK | 20:29 |

Data Download Date/Time: 07/23/2021 21:43

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LANG,MATTHEW,J
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: ITRI,ANGELA
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 05/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 22:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:37

SUBJECT'S LAST NAME: DITULLIO

DATE/TIME OF TEST: 05/29/2021 23:36:58

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:30 |
| Air Blank | | 0.000 | 23:30 |
| Control Test | | 0.082 | 23:30 |
| Air Blank | | 0.000 | 23:31 |
| Subject Sample | # 1 | 0.197 | 23:32 |
| Breath Volume | | 1.394 | 23:32 |
| Air Blank | | 0.000 | 23:32 |
| Air Blank | | 0.000 | 23:34 |
| Subject Sample | # 2 | 0.205 | 23:35 |
| Breath Volume | | 1.847 | 23:35 |
| Air Blank | | 0.000 | 23:36 |
| Control Test | | 0.082 | 23:36 |
| Air Blank | | 0.000 | 23:36 |
| Diagnostics Check | | OK | 23:36 |

Data Download Date/Time: 07/23/2021 21:43


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001166

INSTRUMENT REGISTERED TO: BREVARD COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HALLSTEN,CALEB,A
BREATH TEST OPERATOR AGENCY: FFWCC (Ocala)
ARRESTING OFFICER: DAVIS,MICHAEL
ARRESTING OFFICER AGENCY: FFWCC (Ocala)
LAST AGENCY INSPECTION: 05/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: BUI
ARREST TIME: 19:27
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:37

SUBJECT'S LAST NAME: GUERRA SANCHEZ

DATE/TIME OF TEST: 05/30/2021 20:22:53

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:16 |
| Air Blank | | 0.000 | 20:16 |
| Control Test | | 0.083 | 20:17 |
| Air Blank | | 0.000 | 20:17 |
| Subject Sample | # 1 | 0.107 | 20:18 |
| Breath Volume | | 2.839 | 20:18 |
| Air Blank | | 0.000 | 20:19 |
| Air Blank | | 0.000 | 20:20 |
| Subject Sample | # 2 | 0.105 | 20:21 |
| Breath Volume | | 2.902 | 20:21 |
| Air Blank | | 0.000 | 20:21 |
| Control Test | | 0.082 | 20:22 |
| Air Blank | | 0.000 | 20:22 |
| Diagnostics Check | | OK | 20:22 |

Data Download Date/Time: 07/23/2021 21:43

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KRUSE,KRISTOPHER,D
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: KRUSE,KRISTOPHER
ARRESTING OFFICER AGENCY: Clermont PD
LAST AGENCY INSPECTION: 04/21/2021

Date or Time Changed: Yes
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 04:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:48

SUBJECT'S LAST NAME: DE JESUS FIGUEROA

DATE/TIME OF TEST: 05/01/2021 05:19:05

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:12 |
| Air Blank | | 0.000 | 05:13 |
| Control Test | | 0.080 | 05:13 |
| Air Blank | | 0.000 | 05:14 |
| Subject Sample | # 1 | 0.000 | 05:14 |
| Breath Volume | | 1.613 | 05:14 |
| Air Blank | | 0.000 | 05:15 |
| Air Blank | | 0.000 | 05:17 |
| Subject Sample | # 2 | 0.000 | 05:17 |
| Breath Volume | | 1.613 | 05:17 |
| Air Blank | | 0.000 | 05:18 |
| Control Test | | 0.080 | 05:18 |
| Air Blank | | 0.000 | 05:19 |
| Diagnostics Check | | OK | 05:19 |

Data Download Date/Time: 05/26/2021 14:51

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARPER,JIMMIE,L
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: PEREZ,CALEB
ARRESTING OFFICER AGENCY: Clermont PD
LAST AGENCY INSPECTION: 04/21/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 04:17
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:20

SUBJECT'S LAST NAME: USECHE CUBILLAN

DATE/TIME OF TEST: 05/02/2021 04:43:20

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:40 | |
| Air Blank | | 0.000 | 04:40 | |
| Control Test | | 0.080 | 04:41 | |
| Air Blank | | 0.000 | 04:41 | |
| Subject Sample | # 1 | | 04:41 | Subject Test Refused |
| Breath Volume | | 0.000 | 04:41 | |
| Air Blank | | 0.000 | 04:42 | |
| Control Test | | 0.080 | 04:42 | |
| Air Blank | | 0.000 | 04:43 | |
| Diagnostics Check | | OK | 04:43 | |

Data Download Date/Time: 05/26/2021 14:51

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KRUSE,KRISTOPHER,D
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: CAMACHO,NICOLE
ARRESTING OFFICER AGENCY: Clermont PD
LAST AGENCY INSPECTION: 04/21/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 18:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:56

SUBJECT'S LAST NAME: KNIGHT

DATE/TIME OF TEST: 05/02/2021 19:30:36

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 19:21 | |
| Air Blank | | 0.000 | 19:21 | |
| Control Test | | 0.080 | 19:22 | |
| Air Blank | | 0.000 | 19:22 | |
| Subject Sample | # 1 | | 19:25 | No Sample Provided |
| Breath Volume | | 0.000 | 19:25 | |
| Air Blank | | 0.000 | 19:26 | |
| Air Blank | | 0.000 | 19:28 | |
| Subject Sample | # 2 | | 19:29 | Subject Test Refused |
| Breath Volume | | 0.000 | 19:29 | |
| Air Blank | | 0.000 | 19:29 | |
| Control Test | | 0.081 | 19:29 | |
| Air Blank | | 0.000 | 19:30 | |
| Diagnostics Check | | OK | 19:30 | |

Data Download Date/Time: 05/26/2021 14:51


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GUY,KEVIN,J
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: DEATON,GARRET
ARRESTING OFFICER AGENCY: Clermont PD
LAST AGENCY INSPECTION: 04/21/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 02:51
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:09

SUBJECT'S LAST NAME: CROCKETT

DATE/TIME OF TEST: 05/09/2021 03:32:44

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:29 | |
| Air Blank | | 0.000 | 03:30 | |
| Control Test | | 0.081 | 03:30 | |
| Air Blank | | 0.000 | 03:31 | |
| Subject Sample | # 1 | | 03:31 | Subject Test Refused |
| Breath Volume | | 0.000 | 03:31 | |
| Air Blank | | 0.000 | 03:31 | |
| Control Test | | 0.080 | 03:32 | |
| Air Blank | | 0.000 | 03:32 | |
| Diagnostics Check | | OK | 03:32 | |

Data Download Date/Time: 05/26/2021 14:51

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KRUSE,KRISTOPHER,D
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: BARNS,STEVEN
ARRESTING OFFICER AGENCY: Clermont PD
LAST AGENCY INSPECTION: 04/21/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 22:28
GENDER: Female
OBSERVATION PERIOD BEGAN: 22:06

SUBJECT'S LAST NAME: REVECO GREEN

DATE/TIME OF TEST: 05/16/2021 22:49:32

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 22:37 | |
| Air Blank | | 0.000 | 22:37 | |
| Control Test | | 0.082 | 22:37 | |
| Air Blank | | 0.000 | 22:38 | |
| Subject Sample | # 1 | 0.112 | 22:39 | |
| Breath Volume | | 1.429 | 22:39 | |
| Air Blank | | 0.000 | 22:39 | |
| Air Blank | | 0.000 | 22:41 | |
| Subject Sample | # 2 | | 22:44 | No Sample Provided |
| Breath Volume | | 0.000 | 22:44 | |
| Air Blank | | 0.000 | 22:45 | |
| Air Blank | | 0.000 | 22:47 | |
| Subject Sample | # 3 | | 22:48 | Subject Test Refused |
| Breath Volume | | 0.000 | 22:48 | |
| Air Blank | | 0.000 | 22:48 | |
| Control Test | | 0.081 | 22:48 | |
| Air Blank | | 0.000 | 22:49 | |
| Diagnostics Check | | OK | 22:49 | |

Data Download Date/Time: 05/26/2021 14:51

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARPER,JIMMIE,L
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: PEREZ,CALEB
ARRESTING OFFICER AGENCY: Clermont PD
LAST AGENCY INSPECTION: 04/21/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 02:53
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:55

SUBJECT'S LAST NAME: BRANDY

DATE/TIME OF TEST: 05/20/2021 03:42:08

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:35 |
| Air Blank | | 0.000 | 03:35 |
| Control Test | | 0.081 | 03:35 |
| Air Blank | | 0.000 | 03:36 |
| Subject Sample | # 1 | 0.064 | 03:37 |
| Breath Volume | | 1.496 | 03:37 |
| Air Blank | | 0.000 | 03:37 |
| Air Blank | | 0.000 | 03:39 |
| Subject Sample | # 2 | 0.065 | 03:40 |
| Breath Volume | | 1.269 | 03:40 |
| Air Blank | | 0.000 | 03:41 |
| Control Test | | 0.080 | 03:41 |
| Air Blank | | 0.000 | 03:42 |
| Diagnostics Check | | OK | 03:42 |

Data Download Date/Time: 05/26/2021 14:51

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GUY,KEVIN,J
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: MCGEE,NICK
ARRESTING OFFICER AGENCY: Groveland PD
LAST AGENCY INSPECTION: 04/21/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 02:22
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:47

SUBJECT'S LAST NAME: HOBGOOD

DATE/TIME OF TEST: 05/22/2021 03:10:51

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:07 | |
| Air Blank | | 0.000 | 03:08 | |
| Control Test | | 0.081 | 03:08 | |
| Air Blank | | 0.000 | 03:09 | |
| Subject Sample | # 1 | | 03:09 | Subject Test Refused |
| Breath Volume | | 0.000 | 03:09 | |
| Air Blank | | 0.000 | 03:09 | |
| Control Test | | 0.081 | 03:10 | |
| Air Blank | | 0.000 | 03:10 | |
| Diagnostics Check | | OK | 03:10 | |

Data Download Date/Time: 05/26/2021 14:51

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KRUSE,KRISTOPHER,D
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: KRUSE,KRISTOPHER
ARRESTING OFFICER AGENCY: Clermont PD
LAST AGENCY INSPECTION: 04/21/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 01:56
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:10

SUBJECT'S LAST NAME: DAVIS

DATE/TIME OF TEST: 05/26/2021 03:46:51

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:43 | |
| Air Blank | | 0.000 | 03:44 | |
| Control Test | | 0.081 | 03:44 | |
| Air Blank | | 0.000 | 03:45 | |
| Subject Sample | # 1 | | 03:45 | Subject Test Refused |
| Breath Volume | | 0.000 | 03:45 | |
| Air Blank | | 0.000 | 03:45 | |
| Control Test | | 0.080 | 03:46 | |
| Air Blank | | 0.000 | 03:46 | |
| Diagnostics Check | | OK | 03:46 | |

Data Download Date/Time: 05/26/2021 14:51

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARPER,JIMMIE,L
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: LOPEZ,B
ARRESTING OFFICER AGENCY: Clermont PD
LAST AGENCY INSPECTION: 05/26/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 01:31
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:45

SUBJECT'S LAST NAME: ANDERSON

DATE/TIME OF TEST: 05/30/2021 02:09:18

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:06 | |
| Air Blank | | 0.000 | 02:06 | |
| Control Test | | 0.080 | 02:07 | |
| Air Blank | | 0.000 | 02:07 | |
| Subject Sample | # 1 | | 02:07 | Subject Test Refused |
| Breath Volume | | 0.000 | 02:07 | |
| Air Blank | | 0.000 | 02:08 | |
| Control Test | | 0.080 | 02:08 | |
| Air Blank | | 0.000 | 02:09 | |
| Diagnostics Check | | OK | 02:09 | |

Data Download Date/Time: 06/15/2021 15:14

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001174

INSTRUMENT REGISTERED TO: CLERMONT P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARPER,JIMMIE,L
BREATH TEST OPERATOR AGENCY: Clermont PD
ARRESTING OFFICER: DIAZ,W
ARRESTING OFFICER AGENCY: Clermont PD
LAST AGENCY INSPECTION: 05/26/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1149031
DRY GAS EXPIRY DATE: 05/30/2022
VIOLATION CODE: DUI
ARREST TIME: 14:50
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:40

SUBJECT'S LAST NAME: REJOINS

DATE/TIME OF TEST: 05/30/2021 19:06:59

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:00 |
| Air Blank | | 0.000 | 19:00 |
| Control Test | | 0.080 | 19:01 |
| Air Blank | | 0.000 | 19:01 |
| Subject Sample | # 1 | 0.274 | 19:02 |
| Breath Volume | | 2.562 | 19:02 |
| Air Blank | | 0.000 | 19:02 |
| Air Blank | | 0.000 | 19:04 |
| Subject Sample | # 2 | 0.271 | 19:05 |
| Breath Volume | | 2.613 | 19:05 |
| Air Blank | | 0.000 | 19:06 |
| Control Test | | 0.080 | 19:06 |
| Air Blank | | 0.000 | 19:06 |
| Diagnostics Check | | OK | 19:06 |

Data Download Date/Time: 06/15/2021 15:14

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BREVIK,LONNIE,J
BREATH TEST OPERATOR AGENCY: FFWCC (West Palm)
ARRESTING OFFICER: KOGER,AARON
ARRESTING OFFICER AGENCY: FFWCC (West Palm)
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: BUI
ARREST TIME: 18:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:00

SUBJECT'S LAST NAME: LEGUIZAMON

DATE/TIME OF TEST: 05/01/2021 19:24:06

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 19:21 | |
| Air Blank | | 0.000 | 19:21 | |
| Control Test | | 0.082 | 19:21 | |
| Air Blank | | 0.000 | 19:22 | |
| Subject Sample | # 1 | | 19:22 | Subject Test Refused |
| Breath Volume | | 0.000 | 19:22 | |
| Air Blank | | 0.000 | 19:23 | |
| Control Test | | 0.082 | 19:23 | |
| Air Blank | | 0.000 | 19:24 | |
| Diagnostics Check | | OK | 19:24 | |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DELGADO,JOSE,G
BREATH TEST OPERATOR AGENCY: Martin County SO
ARRESTING OFFICER: DELGADO,JOSE
ARRESTING OFFICER AGENCY: Martin County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 19:58
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:17

SUBJECT'S LAST NAME: MOSS

DATE/TIME OF TEST: 05/01/2021 20:44:01

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:37 |
| Air Blank | | 0.000 | 20:38 |
| Control Test | | 0.082 | 20:38 |
| Air Blank | | 0.000 | 20:39 |
| Subject Sample | # 1 | 0.159 | 20:39 |
| Breath Volume | | 3.351 | 20:39 |
| Air Blank | | 0.000 | 20:40 |
| Air Blank | | 0.000 | 20:42 |
| Subject Sample | # 2 | 0.152 | 20:42 |
| Breath Volume | | 1.988 | 20:42 |
| Air Blank | | 0.000 | 20:43 |
| Control Test | | 0.081 | 20:43 |
| Air Blank | | 0.000 | 20:43 |
| Diagnostics Check | | OK | 20:44 |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DELGADO,JOSE,G
BREATH TEST OPERATOR AGENCY: Martin County SO
ARRESTING OFFICER: DELGADO,JOSE
ARRESTING OFFICER AGENCY: Martin County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 19:44
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:05

SUBJECT'S LAST NAME: MENDEZ CHUN

DATE/TIME OF TEST: 05/02/2021 20:34:30

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:28 |
| Air Blank | | 0.000 | 20:28 |
| Control Test | | 0.082 | 20:28 |
| Air Blank | | 0.000 | 20:29 |
| Subject Sample | # 1 | 0.251 | 20:29 |
| Breath Volume | | 1.199 | 20:29 |
| Air Blank | | 0.000 | 20:30 |
| Air Blank | | 0.000 | 20:32 |
| Subject Sample | # 2 | 0.264 | 20:32 |
| Breath Volume | | 1.976 | 20:32 |
| Air Blank | | 0.000 | 20:33 |
| Control Test | | 0.081 | 20:33 |
| Air Blank | | 0.000 | 20:34 |
| Diagnostics Check | | OK | 20:34 |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DELGADO,JOSE,G
BREATH TEST OPERATOR AGENCY: Martin County SO
ARRESTING OFFICER: PETERS,DARIN
ARRESTING OFFICER AGENCY: Martin County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:48
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:13

SUBJECT'S LAST NAME: SCHOENWALDER

DATE/TIME OF TEST: 05/02/2021 21:40:22

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 21:34 | |
| Air Blank | | 0.000 | 21:34 | |
| Control Test | | 0.082 | 21:34 | |
| Air Blank | | 0.000 | 21:35 | |
| Subject Sample | # 1 | 0.213 | 21:35 | |
| Breath Volume | | 1.183 | 21:35 | |
| Air Blank | | 0.000 | 21:36 | |
| Air Blank | | 0.000 | 21:38 | |
| Subject Sample | # 2 | | 21:39 | Subject Test Refused |
| Breath Volume | | 0.000 | 21:39 | |
| Air Blank | | 0.000 | 21:39 | |
| Control Test | | 0.082 | 21:39 | |
| Air Blank | | 0.000 | 21:40 | |
| Diagnostics Check | | OK | 21:40 | |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DELGADO,JOSE,G
BREATH TEST OPERATOR AGENCY: Martin County SO
ARRESTING OFFICER: GITLIN,CORY
ARRESTING OFFICER AGENCY: Martin County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:36
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:00

SUBJECT'S LAST NAME: EVERS

DATE/TIME OF TEST: 05/02/2021 23:29:43

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:23 |
| Air Blank | | 0.000 | 23:23 |
| Control Test | | 0.082 | 23:24 |
| Air Blank | | 0.000 | 23:24 |
| Subject Sample | # 1 | 0.000 | 23:25 |
| Breath Volume | | 2.636 | 23:25 |
| Air Blank | | 0.000 | 23:25 |
| Air Blank | | 0.000 | 23:27 |
| Subject Sample | # 2 | 0.000 | 23:28 |
| Breath Volume | | 2.824 | 23:28 |
| Air Blank | | 0.000 | 23:28 |
| Control Test | | 0.082 | 23:29 |
| Air Blank | | 0.000 | 23:29 |
| Diagnostics Check | | OK | 23:29 |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FURTADO,MARGARETE,
BREATH TEST OPERATOR AGENCY: FHP Troop L
ARRESTING OFFICER: FURTADO,MARGARETE
ARRESTING OFFICER AGENCY: FHP Troop L
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 18:18
GENDER: Female
OBSERVATION PERIOD BEGAN: 19:00

SUBJECT'S LAST NAME: SCHWARTZ

DATE/TIME OF TEST: 05/03/2021 19:27:13

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:21 |
| Air Blank | | 0.000 | 19:21 |
| Control Test | | 0.082 | 19:22 |
| Air Blank | | 0.000 | 19:22 |
| Subject Sample | # 1 | 0.000 | 19:23 |
| Breath Volume | | 2.046 | 19:23 |
| Air Blank | | 0.000 | 19:23 |
| Air Blank | | 0.000 | 19:25 |
| Subject Sample | # 2 | 0.000 | 19:25 |
| Breath Volume | | 2.015 | 19:25 |
| Air Blank | | 0.000 | 19:26 |
| Control Test | | 0.082 | 19:26 |
| Air Blank | | 0.000 | 19:27 |
| Diagnostics Check | | OK | 19:27 |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: THOMAS,CHRISTOPHER,L
BREATH TEST OPERATOR AGENCY: Martin County SO
ARRESTING OFFICER: PETERS,DARIN
ARRESTING OFFICER AGENCY: Martin County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:24
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:54

SUBJECT'S LAST NAME: CWIKLA

DATE/TIME OF TEST: 05/08/2021 02:28:00

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:15 | |
| Air Blank | | 0.000 | 02:15 | |
| Control Test | | 0.082 | 02:16 | |
| Air Blank | | 0.000 | 02:16 | |
| Subject Sample | # 1 | 0.215 | 02:17 | |
| Breath Volume | | 1.253 | 02:17 | |
| Air Blank | | 0.000 | 02:18 | |
| Air Blank | | 0.000 | 02:20 | |
| Subject Sample | # 2 | 0.204 | 02:23 | Volume Not Met |
| Breath Volume | | 1.097 | 02:23 | |
| Air Blank | | 0.000 | 02:24 | |
| Air Blank | | 0.000 | 02:25 | |
| Subject Sample | # 3 | 0.205 | 02:26 | |
| Breath Volume | | 1.582 | 02:26 | |
| Air Blank | | 0.000 | 02:27 | |
| Control Test | | 0.081 | 02:27 | |
| Air Blank | | 0.000 | 02:27 | |
| Diagnostics Check | | OK | 02:28 | |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RUEDIGER,CHRISTOPHER,L
BREATH TEST OPERATOR AGENCY: Stuart PD
ARRESTING OFFICER: RUEDIGER,CHRISTOPHER
ARRESTING OFFICER AGENCY: Stuart PD
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 11:58
GENDER: Male
OBSERVATION PERIOD BEGAN: 12:10

SUBJECT'S LAST NAME: ELIAS

DATE/TIME OF TEST: 05/08/2021 13:06:52

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 13:00 |
| Air Blank | | 0.000 | 13:00 |
| Control Test | | 0.082 | 13:01 |
| Air Blank | | 0.000 | 13:01 |
| Subject Sample | # 1 | 0.244 | 13:02 |
| Breath Volume | | 2.542 | 13:02 |
| Air Blank | | 0.000 | 13:03 |
| Air Blank | | 0.000 | 13:04 |
| Subject Sample | # 2 | 0.239 | 13:05 |
| Breath Volume | | 1.152 | 13:05 |
| Air Blank | | 0.000 | 13:05 |
| Control Test | | 0.082 | 13:06 |
| Air Blank | | 0.000 | 13:06 |
| Diagnostics Check | | OK | 13:06 |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FURTADO,MARGARETE,
BREATH TEST OPERATOR AGENCY: FHP Troop L
ARRESTING OFFICER: FURTADO,MARGARETE
ARRESTING OFFICER AGENCY: FHP Troop L
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 17:53
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:25

SUBJECT'S LAST NAME: SPANO

DATE/TIME OF TEST: 05/10/2021 19:51:10

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:45 |
| Air Blank | | 0.000 | 19:45 |
| Control Test | | 0.082 | 19:46 |
| Air Blank | | 0.000 | 19:46 |
| Subject Sample | # 1 | 0.000 | 19:47 |
| Breath Volume | | 1.851 | 19:47 |
| Air Blank | | 0.000 | 19:47 |
| Air Blank | | 0.000 | 19:49 |
| Subject Sample | # 2 | 0.000 | 19:49 |
| Breath Volume | | 1.542 | 19:49 |
| Air Blank | | 0.000 | 19:50 |
| Control Test | | 0.082 | 19:50 |
| Air Blank | | 0.000 | 19:51 |
| Diagnostics Check | | OK | 19:51 |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: THOMAS,CHRISTOPHER,L
BREATH TEST OPERATOR AGENCY: Martin County SO
ARRESTING OFFICER: PEREZ,F
ARRESTING OFFICER AGENCY: Martin County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:19
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:57

SUBJECT'S LAST NAME: HAEUSSER

DATE/TIME OF TEST: 05/13/2021 02:27:44

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:21 |
| Air Blank | | 0.000 | 02:21 |
| Control Test | | 0.083 | 02:22 |
| Air Blank | | 0.000 | 02:22 |
| Subject Sample | # 1 | 0.208 | 02:23 |
| Breath Volume | | 1.199 | 02:23 |
| Air Blank | | 0.000 | 02:23 |
| Air Blank | | 0.000 | 02:25 |
| Subject Sample | # 2 | 0.197 | 02:26 |
| Breath Volume | | 1.867 | 02:26 |
| Air Blank | | 0.000 | 02:26 |
| Control Test | | 0.082 | 02:27 |
| Air Blank | | 0.000 | 02:27 |
| Diagnostics Check | | OK | 02:27 |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CAPLAN,CHRISTOPHER,M
BREATH TEST OPERATOR AGENCY: Martin County SO
ARRESTING OFFICER: CAPLAN,CHRISTOPHER
ARRESTING OFFICER AGENCY: Martin County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 19:54
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:10

SUBJECT'S LAST NAME: BARTOLOTTA

DATE/TIME OF TEST: 05/13/2021 20:54:51

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:47 |
| Air Blank | | 0.000 | 20:48 |
| Control Test | | 0.082 | 20:48 |
| Air Blank | | 0.000 | 20:49 |
| Subject Sample | # 1 | 0.075 | 20:50 |
| Breath Volume | | 1.839 | 20:50 |
| Air Blank | | 0.000 | 20:50 |
| Air Blank | | 0.000 | 20:52 |
| Subject Sample | # 2 | 0.077 | 20:53 |
| Breath Volume | | 2.835 | 20:53 |
| Air Blank | | 0.000 | 20:53 |
| Control Test | | 0.082 | 20:54 |
| Air Blank | | 0.000 | 20:54 |
| Diagnostics Check | | OK | 20:54 |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FREDERIC,JEAN,
BREATH TEST OPERATOR AGENCY: FHP Troop L
ARRESTING OFFICER: FREDERIC,JEAN
ARRESTING OFFICER AGENCY: FHP Troop L
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 21:21
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:25

SUBJECT'S LAST NAME: MAZZA

DATE/TIME OF TEST: 05/14/2021 23:27:59

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 23:24 | |
| Air Blank | | 0.000 | 23:25 | |
| Control Test | | 0.082 | 23:25 | |
| Air Blank | | 0.000 | 23:26 | |
| Subject Sample | # 1 | | 23:26 | Subject Test Refused |
| Breath Volume | | 0.000 | 23:26 | |
| Air Blank | | 0.000 | 23:27 | |
| Control Test | | 0.082 | 23:27 | |
| Air Blank | | 0.000 | 23:27 | |
| Diagnostics Check | | OK | 23:27 | |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001189

INSTRUMENT REGISTERED TO: MARTIN COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MORRIS,KEVIN,E
BREATH TEST OPERATOR AGENCY: Martin County SO
ARRESTING OFFICER: MORRIS,KEVIN
ARRESTING OFFICER AGENCY: Martin County SO
LAST AGENCY INSPECTION: 04/15/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22620080A3
DRY GAS EXPIRY DATE: 10/05/2022
VIOLATION CODE: DUI
ARREST TIME: 13:18
GENDER: Male
OBSERVATION PERIOD BEGAN: 13:25

SUBJECT'S LAST NAME: RAMOS

DATE/TIME OF TEST: 05/15/2021 13:55:09

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 13:48 |
| Air Blank | | 0.000 | 13:49 |
| Control Test | | 0.082 | 13:49 |
| Air Blank | | 0.000 | 13:49 |
| Subject Sample | # 1 | 0.200 | 13:50 |
| Breath Volume | | 2.734 | 13:50 |
| Air Blank | | 0.000 | 13:51 |
| Air Blank | | 0.000 | 13:52 |
| Subject Sample | # 2 | 0.187 | 13:53 |
| Breath Volume | | 1.886 | 13:53 |
| Air Blank | | 0.000 | 13:54 |
| Control Test | | 0.080 | 13:54 |
| Air Blank | | 0.000 | 13:55 |
| Diagnostics Check | | OK | 13:55 |

Data Download Date/Time: 05/18/2021 22:18

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

INSTRUMENT REGISTERED TO: PANAMA CITY BEACH PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ARAFA,YUSUF,A
BREATH TEST OPERATOR AGENCY: Panama City Beach PD
ARRESTING OFFICER: HARMON,JONTE
ARRESTING OFFICER AGENCY: Panama City Beach PD
LAST AGENCY INSPECTION: 05/01/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1422348
DRY GAS EXPIRY DATE: 12/24/2023
VIOLATION CODE: DUI
ARREST TIME: 20:27
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:04

SUBJECT'S LAST NAME: MANUEL

DATE/TIME OF TEST: 05/01/2021 21:31:12

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:24 |
| Air Blank | | 0.000 | 21:24 |
| Control Test | | 0.081 | 21:24 |
| Air Blank | | 0.000 | 21:25 |
| Subject Sample | # 1 | 0.022 | 21:26 |
| Breath Volume | | 1.632 | 21:26 |
| Air Blank | | 0.000 | 21:26 |
| Air Blank | | 0.000 | 21:28 |
| Subject Sample | # 2 | 0.022 | 21:29 |
| Breath Volume | | 1.984 | 21:29 |
| Air Blank | | 0.000 | 21:30 |
| Control Test | | 0.081 | 21:30 |
| Air Blank | | 0.000 | 21:31 |
| Diagnostics Check | | OK | 21:31 |

Data Download Date/Time: 05/04/2021 12:49

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

INSTRUMENT REGISTERED TO: PANAMA CITY BEACH PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PELFREY,PAUL,D
BREATH TEST OPERATOR AGENCY: Panama City Beach PD
ARRESTING OFFICER: PELFREY,PAUL
ARRESTING OFFICER AGENCY: Panama City Beach PD
LAST AGENCY INSPECTION: 05/01/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1422348
DRY GAS EXPIRY DATE: 12/24/2023
VIOLATION CODE: DUI
ARREST TIME: 03:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:03

SUBJECT'S LAST NAME: SAVAGE

DATE/TIME OF TEST: 05/04/2021 04:31:06

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:24 |
| Air Blank | | 0.000 | 04:25 |
| Control Test | | 0.080 | 04:25 |
| Air Blank | | 0.000 | 04:26 |
| Subject Sample | # 1 | 0.132 | 04:26 |
| Breath Volume | | 2.824 | 04:26 |
| Air Blank | | 0.000 | 04:27 |
| Air Blank | | 0.000 | 04:29 |
| Subject Sample | # 2 | 0.120 | 04:29 |
| Breath Volume | | 1.968 | 04:29 |
| Air Blank | | 0.000 | 04:30 |
| Control Test | | 0.079 | 04:30 |
| Air Blank | | 0.000 | 04:31 |
| Diagnostics Check | | OK | 04:31 |

Data Download Date/Time: 05/04/2021 12:49

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

INSTRUMENT REGISTERED TO: PANAMA CITY BEACH PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MCKEEBY,WADE,S
BREATH TEST OPERATOR AGENCY: Panama City Beach PD
ARRESTING OFFICER: MCKEEBY,WADE
ARRESTING OFFICER AGENCY: Panama City Beach PD
LAST AGENCY INSPECTION: 05/01/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1422348
DRY GAS EXPIRY DATE: 12/24/2023
VIOLATION CODE: DUI
ARREST TIME: 20:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:21

SUBJECT'S LAST NAME: ROWE

DATE/TIME OF TEST: 05/04/2021 22:47:25

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:41 |
| Air Blank | | 0.000 | 22:41 |
| Control Test | | 0.081 | 22:42 |
| Air Blank | | 0.000 | 22:42 |
| Subject Sample | # 1 | 0.000 | 22:43 |
| Breath Volume | | 1.796 | 22:43 |
| Air Blank | | 0.000 | 22:43 |
| Air Blank | | 0.000 | 22:45 |
| Subject Sample | # 2 | 0.000 | 22:46 |
| Breath Volume | | 1.812 | 22:46 |
| Air Blank | | 0.000 | 22:46 |
| Control Test | | 0.082 | 22:46 |
| Air Blank | | 0.000 | 22:47 |
| Diagnostics Check | | OK | 22:47 |

Data Download Date/Time: 06/01/2021 16:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

INSTRUMENT REGISTERED TO: PANAMA CITY BEACH PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MCKEEBY,WADE,S
BREATH TEST OPERATOR AGENCY: Panama City Beach PD
ARRESTING OFFICER: MCKEEBY,WADE
ARRESTING OFFICER AGENCY: Panama City Beach PD
LAST AGENCY INSPECTION: 05/01/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1422348
DRY GAS EXPIRY DATE: 12/24/2023
VIOLATION CODE: DUI
ARREST TIME: 03:15
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:56

SUBJECT'S LAST NAME: AMORA

DATE/TIME OF TEST: 05/13/2021 04:23:23

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:17 |
| Air Blank | | 0.000 | 04:17 |
| Control Test | | 0.081 | 04:17 |
| Air Blank | | 0.000 | 04:18 |
| Subject Sample | # 1 | 0.083 | 04:18 |
| Breath Volume | | 1.667 | 04:18 |
| Air Blank | | 0.000 | 04:19 |
| Air Blank | | 0.000 | 04:21 |
| Subject Sample | # 2 | 0.089 | 04:21 |
| Breath Volume | | 1.519 | 04:21 |
| Air Blank | | 0.000 | 04:22 |
| Control Test | | 0.081 | 04:22 |
| Air Blank | | 0.000 | 04:23 |
| Diagnostics Check | | OK | 04:23 |

Data Download Date/Time: 06/01/2021 16:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

INSTRUMENT REGISTERED TO: PANAMA CITY BEACH PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MCKEEBY,WADE,S
BREATH TEST OPERATOR AGENCY: Panama City Beach PD
ARRESTING OFFICER: MCKEEBY,WADE
ARRESTING OFFICER AGENCY: Panama City Beach PD
LAST AGENCY INSPECTION: 05/01/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1422348
DRY GAS EXPIRY DATE: 12/24/2023
VIOLATION CODE: DUI
ARREST TIME: 03:23
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:46

SUBJECT'S LAST NAME: HOLIDAY

DATE/TIME OF TEST: 05/22/2021 04:30:33

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:24 |
| Air Blank | | 0.000 | 04:24 |
| Control Test | | 0.081 | 04:25 |
| Air Blank | | 0.000 | 04:25 |
| Subject Sample | # 1 | 0.213 | 04:26 |
| Breath Volume | | 2.886 | 04:26 |
| Air Blank | | 0.000 | 04:26 |
| Air Blank | | 0.000 | 04:28 |
| Subject Sample | # 2 | 0.213 | 04:29 |
| Breath Volume | | 3.332 | 04:29 |
| Air Blank | | 0.000 | 04:29 |
| Control Test | | 0.081 | 04:29 |
| Air Blank | | 0.000 | 04:30 |
| Diagnostics Check | | OK | 04:30 |

Data Download Date/Time: 06/01/2021 16:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

INSTRUMENT REGISTERED TO: PANAMA CITY BEACH PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MCKEEBY,WADE,S
BREATH TEST OPERATOR AGENCY: Panama City Beach PD
ARRESTING OFFICER: YOUNG,JOHNATHAN
ARRESTING OFFICER AGENCY: Panama City Beach PD
LAST AGENCY INSPECTION: 05/01/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1422348
DRY GAS EXPIRY DATE: 12/24/2023
VIOLATION CODE: DUI
ARREST TIME: 04:29
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:29

SUBJECT'S LAST NAME: HOFFPAUIR

DATE/TIME OF TEST: 05/24/2021 05:01:45

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:59 | |
| Air Blank | | 0.000 | 05:00 | |
| Control Test | | 0.080 | 05:00 | |
| Air Blank | | 0.000 | 05:01 | |
| Subject Sample | # 1 | | 05:01 | Sequence Aborted |
| Breath Volume | | 0.000 | 05:01 | |
| Air Blank | | 0.000 | 05:01 | |

Data Download Date/Time: 06/01/2021 16:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

INSTRUMENT REGISTERED TO: PANAMA CITY BEACH PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MCKEEBY,WADE,S
BREATH TEST OPERATOR AGENCY: Panama City Beach PD
ARRESTING OFFICER: YOUNG,JOHNTHAN
ARRESTING OFFICER AGENCY: Panama City Beach PD
LAST AGENCY INSPECTION: 05/01/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1422348
DRY GAS EXPIRY DATE: 12/24/2023
VIOLATION CODE: DUI
ARREST TIME: 04:29
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:49

SUBJECT'S LAST NAME: HOFFPAUIR

DATE/TIME OF TEST: 05/24/2021 05:16:29

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:09 |
| Air Blank | | 0.000 | 05:10 |
| Control Test | | 0.080 | 05:10 |
| Air Blank | | 0.000 | 05:11 |
| Subject Sample | # 1 | 0.147 | 05:11 |
| Breath Volume | | 1.914 | 05:11 |
| Air Blank | | 0.000 | 05:12 |
| Air Blank | | 0.000 | 05:14 |
| Subject Sample | # 2 | 0.152 | 05:14 |
| Breath Volume | | 2.242 | 05:14 |
| Air Blank | | 0.000 | 05:15 |
| Control Test | | 0.081 | 05:15 |
| Air Blank | | 0.000 | 05:16 |
| Diagnostics Check | | OK | 05:16 |

Data Download Date/Time: 06/01/2021 16:10

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001192

INSTRUMENT REGISTERED TO: PANAMA CITY BEACH PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KIGHT,BRANDON,T
BREATH TEST OPERATOR AGENCY: Panama City Beach PD
ARRESTING OFFICER: KIGHT,BRANDON
ARRESTING OFFICER AGENCY: Panama City Beach PD
LAST AGENCY INSPECTION: 05/01/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1422348
DRY GAS EXPIRY DATE: 12/24/2023
VIOLATION CODE: DUI
ARREST TIME: 01:50
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:00

SUBJECT'S LAST NAME: BROXTON

DATE/TIME OF TEST: 05/25/2021 02:26:58

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:20 |
| Air Blank | | 0.000 | 02:21 |
| Control Test | | 0.081 | 02:21 |
| Air Blank | | 0.000 | 02:22 |
| Subject Sample | # 1 | 0.000 | 02:22 |
| Breath Volume | | 1.734 | 02:22 |
| Air Blank | | 0.000 | 02:23 |
| Air Blank | | 0.000 | 02:25 |
| Subject Sample | # 2 | 0.000 | 02:25 |
| Breath Volume | | 1.378 | 02:25 |
| Air Blank | | 0.000 | 02:26 |
| Control Test | | 0.081 | 02:26 |
| Air Blank | | 0.000 | 02:26 |
| Diagnostics Check | | OK | 02:26 |

Data Download Date/Time: 06/01/2021 16:10

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001202

INSTRUMENT REGISTERED TO: COLLIER COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WHITT,DAVID,J
BREATH TEST OPERATOR AGENCY: Collier County SO
ARRESTING OFFICER: WHITT,DAVIDS
ARRESTING OFFICER AGENCY: Collier County SO
LAST AGENCY INSPECTION: 05/11/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 31517080A1
DRY GAS EXPIRY DATE: 01/05/2020
VIOLATION CODE: DUI
ARREST TIME: 09:00
GENDER: Male
OBSERVATION PERIOD BEGAN: 10:00

SUBJECT'S LAST NAME: SMITH

DATE/TIME OF TEST: 05/11/2021 15:06:14

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 15:00 |
| Air Blank | | 0.000 | 15:00 |
| Control Test | | 0.081 | 15:01 |
| Air Blank | | 0.000 | 15:01 |
| Subject Sample | # 1 | 0.000 | 15:01 |
| Breath Volume | | 1.179 | 15:01 |
| Air Blank | | 0.000 | 15:02 |
| Air Blank | | 0.000 | 15:04 |
| Subject Sample | # 2 | 0.000 | 15:04 |
| Breath Volume | | 1.480 | 15:04 |
| Air Blank | | 0.000 | 15:05 |
| Control Test | | 0.081 | 15:05 |
| Air Blank | | 0.000 | 15:06 |
| Diagnostics Check | | OK | 15:06 |

Data Download Date/Time: 06/17/2021 09:55

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HUTCHINSON,JOSEPH,B
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: HUTCHINSON,JOSEPH
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 22:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:40

SUBJECT'S LAST NAME: CAMPBELL

DATE/TIME OF TEST: 05/05/2021 23:11:39

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 23:02 | |
| Air Blank | | 0.000 | 23:02 | |
| Control Test | | 0.079 | 23:02 | |
| Air Blank | | 0.000 | 23:03 | |
| Subject Sample | # 1 | | 23:06 | No Sample Provided |
| Breath Volume | | 0.000 | 23:06 | |
| Air Blank | | 0.000 | 23:07 | |
| Air Blank | | 0.000 | 23:09 | |
| Subject Sample | # 2 | | 23:10 | Subject Test Refused |
| Breath Volume | | 0.312 | 23:10 | |
| Air Blank | | 0.000 | 23:10 | |
| Control Test | | 0.079 | 23:11 | |
| Air Blank | | 0.000 | 23:11 | |
| Diagnostics Check | | OK | 23:11 | |

Data Download Date/Time: 06/10/2021 10:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ALLYN,WILLIAM,P
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: ALLYN,WILLIAM
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 00:57
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:10

SUBJECT'S LAST NAME: JIMENEZ LOPEZ

DATE/TIME OF TEST: 05/06/2021 01:37:45

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:30 |
| Air Blank | | 0.000 | 01:31 |
| Control Test | | 0.079 | 01:31 |
| Air Blank | | 0.000 | 01:32 |
| Subject Sample | # 1 | 0.137 | 01:32 |
| Breath Volume | | 1.335 | 01:32 |
| Air Blank | | 0.000 | 01:33 |
| Air Blank | | 0.000 | 01:35 |
| Subject Sample | # 2 | 0.141 | 01:36 |
| Breath Volume | | 1.652 | 01:36 |
| Air Blank | | 0.000 | 01:36 |
| Control Test | | 0.079 | 01:37 |
| Air Blank | | 0.000 | 01:37 |
| Diagnostics Check | | OK | 01:37 |

Data Download Date/Time: 06/10/2021 10:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MAGUADOG,SHAUN,J
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: NICHOLS,AMANDA
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 01:17
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:24

SUBJECT'S LAST NAME: CLAYTON

DATE/TIME OF TEST: 05/06/2021 01:51:55

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:44 |
| Air Blank | | 0.000 | 01:45 |
| Control Test | | 0.078 | 01:45 |
| Air Blank | | 0.000 | 01:46 |
| Subject Sample | # 1 | 0.116 | 01:47 |
| Breath Volume | | 3.179 | 01:47 |
| Air Blank | | 0.000 | 01:48 |
| Air Blank | | 0.000 | 01:49 |
| Subject Sample | # 2 | 0.110 | 01:50 |
| Breath Volume | | 2.449 | 01:50 |
| Air Blank | | 0.000 | 01:51 |
| Control Test | | 0.078 | 01:51 |
| Air Blank | | 0.000 | 01:51 |
| Diagnostics Check | | OK | 01:51 |

Data Download Date/Time: 06/10/2021 10:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ALLYN,WILLIAM,P
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: ALLYN,WILLIAM
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 03:05
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:25

SUBJECT'S LAST NAME: WILLIAMS

DATE/TIME OF TEST: 05/06/2021 03:51:52

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:45 |
| Air Blank | | 0.000 | 03:45 |
| Control Test | | 0.079 | 03:45 |
| Air Blank | | 0.000 | 03:46 |
| Subject Sample | # 1 | 0.090 | 03:47 |
| Breath Volume | | 2.402 | 03:47 |
| Air Blank | | 0.000 | 03:47 |
| Air Blank | | 0.000 | 03:49 |
| Subject Sample | # 2 | 0.090 | 03:50 |
| Breath Volume | | 2.304 | 03:50 |
| Air Blank | | 0.000 | 03:50 |
| Control Test | | 0.078 | 03:51 |
| Air Blank | | 0.000 | 03:51 |
| Diagnostics Check | | OK | 03:51 |

Data Download Date/Time: 06/10/2021 10:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HUTCHINSON,JOSEPH,B
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: BAKER,KENTON
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 05:03
GENDER: Female
OBSERVATION PERIOD BEGAN: 05:05

SUBJECT'S LAST NAME: MCGINTY

DATE/TIME OF TEST: 05/12/2021 05:32:47

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:25 |
| Air Blank | | 0.000 | 05:25 |
| Control Test | | 0.080 | 05:26 |
| Air Blank | | 0.000 | 05:26 |
| Subject Sample | # 1 | 0.018 | 05:28 |
| Breath Volume | | 1.609 | 05:28 |
| Air Blank | | 0.000 | 05:29 |
| Air Blank | | 0.000 | 05:30 |
| Subject Sample | # 2 | 0.017 | 05:31 |
| Breath Volume | | 1.769 | 05:31 |
| Air Blank | | 0.000 | 05:31 |
| Control Test | | 0.078 | 05:32 |
| Air Blank | | 0.000 | 05:32 |
| Diagnostics Check | | OK | 05:32 |

Data Download Date/Time: 06/10/2021 10:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HOUSE,STEVEN,D
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: HOUSE,STEVEN
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 05:38
GENDER: Male
OBSERVATION PERIOD BEGAN: 05:38

SUBJECT'S LAST NAME: FOREHAND

DATE/TIME OF TEST: 05/12/2021 06:06:41

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 05:58 | |
| Air Blank | | 0.000 | 05:58 | |
| Control Test | | 0.079 | 05:59 | |
| Air Blank | | 0.000 | 05:59 | |
| Subject Sample | # 1 | | 06:02 | No Sample Provided |
| Breath Volume | | 0.000 | 06:02 | |
| Air Blank | | 0.000 | 06:03 | |
| Air Blank | | 0.000 | 06:05 | |
| Subject Sample | # 2 | | 06:05 | Subject Test Refused |
| Breath Volume | | 0.000 | 06:05 | |
| Air Blank | | 0.000 | 06:05 | |
| Control Test | | 0.079 | 06:06 | |
| Air Blank | | 0.000 | 06:06 | |
| Diagnostics Check | | OK | 06:06 | |

Data Download Date/Time: 06/10/2021 10:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ALLYN,WILLIAM,P
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: ALLYN,WILLIAM
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 18:48
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:00

SUBJECT'S LAST NAME: FOSTER

DATE/TIME OF TEST: 05/14/2021 19:29:06

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:20 |
| Air Blank | | 0.000 | 19:21 |
| Control Test | | 0.079 | 19:21 |
| Air Blank | | 0.000 | 19:22 |
| Subject Sample | # 1 | 0.058 | 19:24 |
| Breath Volume | | 1.289 | 19:24 |
| Air Blank | | 0.000 | 19:24 |
| Air Blank | | 0.000 | 19:26 |
| Subject Sample | # 2 | 0.064 | 19:27 |
| Breath Volume | | 1.250 | 19:27 |
| Air Blank | | 0.000 | 19:28 |
| Control Test | | 0.078 | 19:28 |
| Air Blank | | 0.000 | 19:29 |
| Diagnostics Check | | OK | 19:29 |

Data Download Date/Time: 06/10/2021 10:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MAGUADOG,SHAUN,J
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: CONLEY,ALISHA
ARRESTING OFFICER AGENCY: Lynn Haven PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 23:32
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:49

SUBJECT'S LAST NAME: BUTTS

DATE/TIME OF TEST: 05/16/2021 00:16:03

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:09 |
| Air Blank | | 0.000 | 00:10 |
| Control Test | | 0.078 | 00:10 |
| Air Blank | | 0.000 | 00:11 |
| Subject Sample | # 1 | 0.308 | 00:11 |
| Breath Volume | | 2.726 | 00:11 |
| Air Blank | | 0.000 | 00:12 |
| Air Blank | | 0.000 | 00:14 |
| Subject Sample | # 2 | 0.291 | 00:14 |
| Breath Volume | | 1.652 | 00:14 |
| Air Blank | | 0.000 | 00:15 |
| Control Test | | 0.078 | 00:15 |
| Air Blank | | 0.000 | 00:15 |
| Diagnostics Check | | OK | 00:16 |

Data Download Date/Time: 06/10/2021 10:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MAGUADOG,SHAUN,J
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: SMOLKIN,DMITRY
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 01:11
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:19

SUBJECT'S LAST NAME: VELLE

DATE/TIME OF TEST: 05/16/2021 01:44:54

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 01:39 | |
| Air Blank | | 0.000 | 01:40 | |
| Control Test | | 0.079 | 01:40 | |
| Air Blank | | 0.000 | 01:41 | |
| Subject Sample | # 1 | | 01:43 | Subject Test Refused |
| Breath Volume | | 0.210 | 01:43 | |
| Air Blank | | 0.000 | 01:44 | |
| Control Test | | 0.079 | 01:44 | |
| Air Blank | | 0.000 | 01:44 | |
| Diagnostics Check | | OK | 01:44 | |

Data Download Date/Time: 06/10/2021 10:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAND,CURTIS,L
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: WALSH,DAKOTA
ARRESTING OFFICER AGENCY: Lynn Haven PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 19:25
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:30

SUBJECT'S LAST NAME: THOMAS

DATE/TIME OF TEST: 05/21/2021 23:53:29

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 23:50 | |
| Air Blank | | 0.000 | 23:50 | |
| Control Test | | 0.080 | 23:51 | |
| Air Blank | | 0.000 | 23:51 | |
| Subject Sample | # 1 | | 23:52 | Subject Test Refused |
| Breath Volume | | 0.000 | 23:52 | |
| Air Blank | | 0.000 | 23:52 | |
| Control Test | | 0.079 | 23:52 | |
| Air Blank | | 0.000 | 23:53 | |
| Diagnostics Check | | OK | 23:53 | |

Data Download Date/Time: 06/10/2021 10:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PAUGA,JOHN,E
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: PAUGA,JOHN
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 01:17
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:42

SUBJECT'S LAST NAME: STILES

DATE/TIME OF TEST: 05/22/2021 02:17:47

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:02 | |
| Air Blank | | 0.000 | 02:03 | |
| Control Test | | 0.079 | 02:03 | |
| Air Blank | | 0.000 | 02:03 | |
| Subject Sample | # 1 | 0.169 | 02:07 | Volume Not Met |
| Breath Volume | | 0.128 | 02:07 | |
| Air Blank | | 0.000 | 02:07 | |
| Air Blank | | 0.000 | 02:09 | |
| Subject Sample | # 2 | 0.180 | 02:12 | |
| Breath Volume | | 1.195 | 02:12 | |
| Air Blank | | 0.000 | 02:13 | |
| Air Blank | | 0.000 | 02:15 | |
| Subject Sample | # 3 | 0.179 | 02:16 | |
| Breath Volume | | 1.218 | 02:16 | |
| Air Blank | | 0.000 | 02:16 | |
| Control Test | | 0.078 | 02:17 | |
| Air Blank | | 0.000 | 02:17 | |
| Diagnostics Check | | OK | 02:17 | |

Data Download Date/Time: 06/10/2021 10:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HUTCHINSON,JOSEPH,B
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: HUTCHINSON,JOSEPH
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 05:09
GENDER: Male
OBSERVATION PERIOD BEGAN: 05:10

SUBJECT'S LAST NAME: PARKER

DATE/TIME OF TEST: 05/23/2021 05:37:07

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:30 |
| Air Blank | | 0.000 | 05:30 |
| Control Test | | 0.080 | 05:31 |
| Air Blank | | 0.000 | 05:31 |
| Subject Sample | # 1 | 0.060 | 05:32 |
| Breath Volume | | 1.433 | 05:32 |
| Air Blank | | 0.000 | 05:32 |
| Air Blank | | 0.000 | 05:34 |
| Subject Sample | # 2 | 0.053 | 05:35 |
| Breath Volume | | 1.351 | 05:35 |
| Air Blank | | 0.000 | 05:36 |
| Control Test | | 0.080 | 05:36 |
| Air Blank | | 0.000 | 05:37 |
| Diagnostics Check | | OK | 05:37 |

Data Download Date/Time: 06/10/2021 10:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MAGUADOG,SHAUN,J
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: MANSON,TIMOTHY
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 19:43
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:00

SUBJECT'S LAST NAME: WILLIS

DATE/TIME OF TEST: 05/25/2021 20:26:28

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:20 |
| Air Blank | | 0.000 | 20:20 |
| Control Test | | 0.080 | 20:21 |
| Air Blank | | 0.000 | 20:21 |
| Subject Sample | # 1 | 0.222 | 20:22 |
| Breath Volume | | 2.285 | 20:22 |
| Air Blank | | 0.000 | 20:22 |
| Air Blank | | 0.000 | 20:24 |
| Subject Sample | # 2 | 0.219 | 20:25 |
| Breath Volume | | 2.062 | 20:25 |
| Air Blank | | 0.000 | 20:25 |
| Control Test | | 0.079 | 20:25 |
| Air Blank | | 0.000 | 20:26 |
| Diagnostics Check | | OK | 20:26 |

Data Download Date/Time: 06/10/2021 10:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001204

INSTRUMENT REGISTERED TO: PANAMA CITY PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PAUGA,JOHN,E
BREATH TEST OPERATOR AGENCY: Panama City PD
ARRESTING OFFICER: ZHU,HENRY
ARRESTING OFFICER AGENCY: Panama City PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1349789
DRY GAS EXPIRY DATE: 07/15/2023
VIOLATION CODE: DUI
ARREST TIME: 00:04
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:21

SUBJECT'S LAST NAME: SRICHAN

DATE/TIME OF TEST: 05/31/2021 00:47:51

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:41 |
| Air Blank | | 0.000 | 00:42 |
| Control Test | | 0.079 | 00:42 |
| Air Blank | | 0.000 | 00:43 |
| Subject Sample | # 1 | 0.289 | 00:43 |
| Breath Volume | | 2.468 | 00:43 |
| Air Blank | | 0.000 | 00:44 |
| Air Blank | | 0.000 | 00:46 |
| Subject Sample | # 2 | 0.285 | 00:46 |
| Breath Volume | | 1.636 | 00:46 |
| Air Blank | | 0.000 | 00:46 |
| Control Test | | 0.079 | 00:47 |
| Air Blank | | 0.000 | 00:47 |
| Diagnostics Check | | OK | 00:47 |

Data Download Date/Time: 06/10/2021 10:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001207

INSTRUMENT REGISTERED TO: HENDRY COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VASQUEZ,EVEN,
BREATH TEST OPERATOR AGENCY: Hendry County SO
ARRESTING OFFICER: CHAMPAGNE,ALEXANDER
ARRESTING OFFICER AGENCY: Hendry County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1012059
DRY GAS EXPIRY DATE: 09/05/2021
VIOLATION CODE: DUI
ARREST TIME: 01:52
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:04

SUBJECT'S LAST NAME: LOPEZ BALTAZAR

DATE/TIME OF TEST: 05/01/2021 02:34:44

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:31 | |
| Air Blank | | 0.000 | 02:32 | |
| Control Test | | 0.080 | 02:32 | |
| Air Blank | | 0.000 | 02:32 | |
| Subject Sample | # 1 | | 02:33 | Subject Test Refused |
| Breath Volume | | 0.000 | 02:33 | |
| Air Blank | | 0.000 | 02:33 | |
| Control Test | | 0.080 | 02:34 | |
| Air Blank | | 0.000 | 02:34 | |
| Diagnostics Check | | OK | 02:34 | |

Data Download Date/Time: 06/03/2021 16:39

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001207

INSTRUMENT REGISTERED TO: HENDRY COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HULL,GARY,B
BREATH TEST OPERATOR AGENCY: Hendry County SO
ARRESTING OFFICER: MYERS,REBECCA
ARRESTING OFFICER AGENCY: Clewiston PD
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1012059
DRY GAS EXPIRY DATE: 09/05/2021
VIOLATION CODE: DUI
ARREST TIME: 08:10
GENDER: Male
OBSERVATION PERIOD BEGAN: 12:15

SUBJECT'S LAST NAME: RODRIGUEZ MARTINEZ

DATE/TIME OF TEST: 05/01/2021 12:56:44

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 12:53 | |
| Air Blank | | 0.000 | 12:54 | |
| Control Test | | 0.079 | 12:54 | |
| Air Blank | | 0.000 | 12:55 | |
| Subject Sample | # 1 | | 12:55 | Subject Test Refused |
| Breath Volume | | 0.000 | 12:55 | |
| Air Blank | | 0.000 | 12:55 | |
| Control Test | | 0.080 | 12:56 | |
| Air Blank | | 0.000 | 12:56 | |
| Diagnostics Check | | OK | 12:56 | |

Data Download Date/Time: 06/03/2021 16:39

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001207

INSTRUMENT REGISTERED TO: HENDRY COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VASQUEZ,EVEN,
BREATH TEST OPERATOR AGENCY: Hendry County SO
ARRESTING OFFICER: CORONILLA,DANIEL
ARRESTING OFFICER AGENCY: Hendry County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1012059
DRY GAS EXPIRY DATE: 09/05/2021
VIOLATION CODE: DUI
ARREST TIME: 00:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:37

SUBJECT'S LAST NAME: ROJAS HILARIO

DATE/TIME OF TEST: 05/02/2021 01:19:23

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 01:15 | |
| Air Blank | | 0.000 | 01:16 | |
| Control Test | | 0.080 | 01:16 | |
| Air Blank | | 0.000 | 01:17 | |
| Subject Sample | # 1 | | 01:18 | Subject Test Refused |
| Breath Volume | | 0.000 | 01:18 | |
| Air Blank | | 0.000 | 01:18 | |
| Control Test | | 0.079 | 01:18 | |
| Air Blank | | 0.000 | 01:19 | |
| Diagnostics Check | | OK | 01:19 | |

Data Download Date/Time: 06/03/2021 16:39

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001207

INSTRUMENT REGISTERED TO: HENDRY COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VASQUEZ,EVEN,
BREATH TEST OPERATOR AGENCY: Hendry County SO
ARRESTING OFFICER: WILLIAMS,CHARLES
ARRESTING OFFICER AGENCY: Hendry County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1012059
DRY GAS EXPIRY DATE: 09/05/2021
VIOLATION CODE: DUI
ARREST TIME: 02:13
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:22

SUBJECT'S LAST NAME: HENDERSON

DATE/TIME OF TEST: 05/02/2021 03:38:22

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:26 | |
| Air Blank | | 0.000 | 03:27 | |
| Control Test | | 0.080 | 03:27 | |
| Air Blank | | 0.000 | 03:27 | |
| Subject Sample | # 1 | 0.166 | 03:31 | Volume Not Met |
| Breath Volume | | 0.066 | 03:31 | |
| Air Blank | | 0.000 | 03:32 | |
| Air Blank | | 0.000 | 03:33 | |
| Subject Sample | # 2 | 0.122 | 03:36 | Volume Not Met |
| Breath Volume | | 0.390 | 03:36 | |
| Air Blank | | 0.000 | 03:37 | |
| Control Test | | 0.079 | 03:37 | |
| Air Blank | | 0.000 | 03:38 | |
| Diagnostics Check | | OK | 03:38 | |

Data Download Date/Time: 06/03/2021 16:39

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001207

INSTRUMENT REGISTERED TO: HENDRY COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,JONATHON,
BREATH TEST OPERATOR AGENCY: Hendry County SO
ARRESTING OFFICER: NIEVES,TITO
ARRESTING OFFICER AGENCY: Clewiston PD
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1474747
DRY GAS EXPIRY DATE: 04/12/2024
VIOLATION CODE: DUI
ARREST TIME: 02:50
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:00

SUBJECT'S LAST NAME: TOMAS-BAMACA

DATE/TIME OF TEST: 05/09/2021 03:29:23

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:23 |
| Air Blank | | 0.000 | 03:23 |
| Control Test | | 0.082 | 03:24 |
| Air Blank | | 0.000 | 03:24 |
| Subject Sample | # 1 | 0.259 | 03:24 |
| Breath Volume | | 1.636 | 03:24 |
| Air Blank | | 0.000 | 03:25 |
| Air Blank | | 0.000 | 03:27 |
| Subject Sample | # 2 | 0.264 | 03:27 |
| Breath Volume | | 1.496 | 03:27 |
| Air Blank | | 0.000 | 03:28 |
| Control Test | | 0.083 | 03:28 |
| Air Blank | | 0.000 | 03:29 |
| Diagnostics Check | | OK | 03:29 |

Data Download Date/Time: 06/03/2021 16:39

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

INSTRUMENT REGISTERED TO: LEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: AVENDANO,JUAN,M
BREATH TEST OPERATOR AGENCY: Lee County SO
ARRESTING OFFICER: BERNIER,MAGDIEL
ARRESTING OFFICER AGENCY: Sanibel PD
LAST AGENCY INSPECTION: 04/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:58
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:53

SUBJECT'S LAST NAME: PORTER

DATE/TIME OF TEST: 05/01/2021 00:22:38

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:16 |
| Air Blank | | 0.000 | 00:16 |
| Control Test | | 0.080 | 00:17 |
| Air Blank | | 0.000 | 00:17 |
| Subject Sample | # 1 | 0.000 | 00:18 |
| Breath Volume | | 2.554 | 00:18 |
| Air Blank | | 0.000 | 00:18 |
| Air Blank | | 0.000 | 00:20 |
| Subject Sample | # 2 | 0.000 | 00:21 |
| Breath Volume | | 2.324 | 00:21 |
| Air Blank | | 0.000 | 00:21 |
| Control Test | | 0.080 | 00:22 |
| Air Blank | | 0.000 | 00:22 |
| Diagnostics Check | | OK | 00:22 |

Data Download Date/Time: 05/04/2021 13:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

INSTRUMENT REGISTERED TO: LEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: AVENDANO,JUAN,M
BREATH TEST OPERATOR AGENCY: Lee County SO
ARRESTING OFFICER: VILSAINT,NICKSON
ARRESTING OFFICER AGENCY: Fort Myers PD
LAST AGENCY INSPECTION: 04/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:17
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:57

SUBJECT'S LAST NAME: WELDER

DATE/TIME OF TEST: 05/02/2021 02:49:24

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:43 |
| Air Blank | | 0.000 | 02:43 |
| Control Test | | 0.080 | 02:43 |
| Air Blank | | 0.000 | 02:44 |
| Subject Sample | # 1 | 0.180 | 02:44 |
| Breath Volume | | 1.695 | 02:44 |
| Air Blank | | 0.000 | 02:45 |
| Air Blank | | 0.000 | 02:47 |
| Subject Sample | # 2 | 0.181 | 02:47 |
| Breath Volume | | 1.824 | 02:47 |
| Air Blank | | 0.000 | 02:48 |
| Control Test | | 0.080 | 02:48 |
| Air Blank | | 0.000 | 02:49 |
| Diagnostics Check | | OK | 02:49 |

Data Download Date/Time: 05/04/2021 13:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

INSTRUMENT REGISTERED TO: LEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: TERUZ,GABRIEL,S
BREATH TEST OPERATOR AGENCY: FHP Troop F
ARRESTING OFFICER: TERUZ,GABRIEL
ARRESTING OFFICER AGENCY: FHP Troop F
LAST AGENCY INSPECTION: 04/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:15
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:50

SUBJECT'S LAST NAME: GARCIA SERRANO

DATE/TIME OF TEST: 05/02/2021 04:23:01

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:16 |
| Air Blank | | 0.000 | 04:16 |
| Control Test | | 0.081 | 04:17 |
| Air Blank | | 0.000 | 04:17 |
| Subject Sample | # 1 | 0.158 | 04:18 |
| Breath Volume | | 1.500 | 04:18 |
| Air Blank | | 0.000 | 04:19 |
| Air Blank | | 0.000 | 04:21 |
| Subject Sample | # 2 | 0.166 | 04:21 |
| Breath Volume | | 1.496 | 04:21 |
| Air Blank | | 0.000 | 04:22 |
| Control Test | | 0.080 | 04:22 |
| Air Blank | | 0.000 | 04:22 |
| Diagnostics Check | | OK | 04:23 |

Data Download Date/Time: 05/04/2021 13:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

INSTRUMENT REGISTERED TO: LEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MORGAN,ROHAN,G
BREATH TEST OPERATOR AGENCY: Fort Myers PD
ARRESTING OFFICER: REMY,LUCKENSON
ARRESTING OFFICER AGENCY: Fort Myers PD
LAST AGENCY INSPECTION: 04/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:47
GENDER: Female
OBSERVATION PERIOD BEGAN: 05:20

SUBJECT'S LAST NAME: CREWS

DATE/TIME OF TEST: 05/02/2021 05:49:47

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:43 |
| Air Blank | | 0.000 | 05:43 |
| Control Test | | 0.081 | 05:43 |
| Air Blank | | 0.000 | 05:44 |
| Subject Sample | # 1 | 0.170 | 05:44 |
| Breath Volume | | 2.074 | 05:44 |
| Air Blank | | 0.000 | 05:45 |
| Air Blank | | 0.000 | 05:47 |
| Subject Sample | # 2 | 0.160 | 05:48 |
| Breath Volume | | 1.183 | 05:48 |
| Air Blank | | 0.000 | 05:48 |
| Control Test | | 0.080 | 05:49 |
| Air Blank | | 0.000 | 05:49 |
| Diagnostics Check | | OK | 05:49 |

Data Download Date/Time: 05/04/2021 13:20

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

INSTRUMENT REGISTERED TO: LEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SCHAEFER,KENDALL,A
BREATH TEST OPERATOR AGENCY: Fort Myers PD
ARRESTING OFFICER: SINGLETON,C
ARRESTING OFFICER AGENCY: Fort Myers PD
LAST AGENCY INSPECTION: 04/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 07:34
GENDER: Male
OBSERVATION PERIOD BEGAN: 08:10

SUBJECT'S LAST NAME: STANKIEWICZ

DATE/TIME OF TEST: 05/02/2021 09:00:43

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 08:54 |
| Air Blank | | 0.000 | 08:54 |
| Control Test | | 0.079 | 08:55 |
| Air Blank | | 0.000 | 08:55 |
| Subject Sample | # 1 | 0.000 | 08:56 |
| Breath Volume | | 3.554 | 08:56 |
| Air Blank | | 0.000 | 08:56 |
| Air Blank | | 0.000 | 08:58 |
| Subject Sample | # 2 | 0.000 | 08:59 |
| Breath Volume | | 2.628 | 08:59 |
| Air Blank | | 0.000 | 08:59 |
| Control Test | | 0.079 | 09:00 |
| Air Blank | | 0.000 | 09:00 |
| Diagnostics Check | | OK | 09:00 |

Data Download Date/Time: 05/04/2021 13:21

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001208

INSTRUMENT REGISTERED TO: LEE COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LINK,CHRIS,D
BREATH TEST OPERATOR AGENCY: Lee County SO
ARRESTING OFFICER: LINK,CHRIS
ARRESTING OFFICER AGENCY: Lee County SO
LAST AGENCY INSPECTION: 04/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 21:01
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:45

SUBJECT'S LAST NAME: BRUNO

DATE/TIME OF TEST: 05/02/2021 22:25:15

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:19 |
| Air Blank | | 0.000 | 22:19 |
| Control Test | | 0.080 | 22:19 |
| Air Blank | | 0.000 | 22:20 |
| Subject Sample | # 1 | 0.238 | 22:20 |
| Breath Volume | | 1.769 | 22:20 |
| Air Blank | | 0.000 | 22:21 |
| Air Blank | | 0.000 | 22:23 |
| Subject Sample | # 2 | 0.227 | 22:23 |
| Breath Volume | | 1.332 | 22:23 |
| Air Blank | | 0.000 | 22:24 |
| Control Test | | 0.080 | 22:24 |
| Air Blank | | 0.000 | 22:25 |
| Diagnostics Check | | OK | 22:25 |

Data Download Date/Time: 05/04/2021 13:21

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001231

INSTRUMENT REGISTERED TO: AUBURNDALE PD
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HAVRANEK,ADAM,J
BREATH TEST OPERATOR AGENCY: Auburndale PD
ARRESTING OFFICER: HAVRANEK,ADAM
ARRESTING OFFICER AGENCY: Auburndale PD
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 31420080A2
DRY GAS EXPIRY DATE: 01/05/2023
VIOLATION CODE: DUI
ARREST TIME: 00:40
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:01

SUBJECT'S LAST NAME: BAKER

DATE/TIME OF TEST: 05/18/2021 01:35:14

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:26 |
| Air Blank | | 0.000 | 01:27 |
| Control Test | | 0.080 | 01:27 |
| Air Blank | | 0.000 | 01:27 |
| Subject Sample | # 1 | 0.238 | 01:30 |
| Breath Volume | | 2.468 | 01:30 |
| Air Blank | | 0.000 | 01:31 |
| Air Blank | | 0.000 | 01:32 |
| Subject Sample | # 2 | 0.235 | 01:33 |
| Breath Volume | | 2.507 | 01:33 |
| Air Blank | | 0.000 | 01:34 |
| Control Test | | 0.078 | 01:34 |
| Air Blank | | 0.000 | 01:35 |
| Diagnostics Check | | OK | 01:35 |

Data Download Date/Time: 05/20/2021 14:31

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WILLIAMS,ALBERT,J
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: WILLIAMS,ALBERT
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:51

SUBJECT'S LAST NAME: FILOMENO SANCHEZ

DATE/TIME OF TEST: 05/02/2021 00:22:57

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:16 |
| Air Blank | | 0.000 | 00:16 |
| Control Test | | 0.080 | 00:16 |
| Air Blank | | 0.000 | 00:17 |
| Subject Sample | # 1 | 0.141 | 00:18 |
| Breath Volume | | 2.343 | 00:18 |
| Air Blank | | 0.000 | 00:18 |
| Air Blank | | 0.000 | 00:20 |
| Subject Sample | # 2 | 0.132 | 00:21 |
| Breath Volume | | 1.847 | 00:21 |
| Air Blank | | 0.000 | 00:22 |
| Control Test | | 0.079 | 00:22 |
| Air Blank | | 0.000 | 00:22 |
| Diagnostics Check | | OK | 00:22 |

Data Download Date/Time: 05/25/2021 12:58

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BUSTOS,ALEJANDRO,M
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: LEE,MATTHEW
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:20

SUBJECT'S LAST NAME: JOCSAN

DATE/TIME OF TEST: 05/03/2021 01:15:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:08 |
| Air Blank | | 0.000 | 01:09 |
| Control Test | | 0.080 | 01:09 |
| Air Blank | | 0.000 | 01:09 |
| Subject Sample | # 1 | 0.144 | 01:10 |
| Breath Volume | | 1.378 | 01:10 |
| Air Blank | | 0.000 | 01:11 |
| Air Blank | | 0.000 | 01:13 |
| Subject Sample | # 2 | 0.138 | 01:13 |
| Breath Volume | | 1.554 | 01:13 |
| Air Blank | | 0.000 | 01:14 |
| Control Test | | 0.079 | 01:14 |
| Air Blank | | 0.000 | 01:15 |
| Diagnostics Check | | OK | 01:15 |

Data Download Date/Time: 05/25/2021 12:58

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MCINTOSH,HALLIE,T
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: FLETCHER,BRIANA
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:10
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:32

SUBJECT'S LAST NAME: SAFFRI

DATE/TIME OF TEST: 05/04/2021 02:18:38

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:07 | |
| Air Blank | | 0.000 | 02:07 | |
| Control Test | | 0.080 | 02:08 | |
| Air Blank | | 0.000 | 02:08 | |
| Subject Sample | # 1 | | 02:11 | No Sample Provided |
| Breath Volume | | 0.000 | 02:11 | |
| Air Blank | | 0.000 | 02:12 | |
| Air Blank | | 0.000 | 02:14 | |
| Subject Sample | # 2 | | 02:17 | No Sample Provided |
| Breath Volume | | 0.000 | 02:17 | |
| Air Blank | | 0.000 | 02:17 | |
| Control Test | | 0.080 | 02:18 | |
| Air Blank | | 0.000 | 02:18 | |
| Diagnostics Check | | OK | 02:18 | |

Data Download Date/Time: 05/25/2021 12:58

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JOHNSTON,CHRISTOPHER,T
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: JOHNSTON,CHRISTOPHER
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:31
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:11

SUBJECT'S LAST NAME: KING

DATE/TIME OF TEST: 05/08/2021 00:16:20

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:09 |
| Air Blank | | 0.000 | 00:10 |
| Control Test | | 0.079 | 00:10 |
| Air Blank | | 0.000 | 00:11 |
| Subject Sample | # 1 | 0.126 | 00:11 |
| Breath Volume | | 1.761 | 00:11 |
| Air Blank | | 0.000 | 00:12 |
| Air Blank | | 0.000 | 00:14 |
| Subject Sample | # 2 | 0.125 | 00:14 |
| Breath Volume | | 1.523 | 00:14 |
| Air Blank | | 0.000 | 00:15 |
| Control Test | | 0.078 | 00:15 |
| Air Blank | | 0.000 | 00:16 |
| Diagnostics Check | | OK | 00:16 |

Data Download Date/Time: 05/25/2021 12:58

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JOHNSTON,CHRISTOPHER,T
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: COLON,JOLNETH
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:49
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:26

SUBJECT'S LAST NAME: RUIZ

DATE/TIME OF TEST: 05/08/2021 01:32:21

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:25 |
| Air Blank | | 0.000 | 01:26 |
| Control Test | | 0.079 | 01:26 |
| Air Blank | | 0.000 | 01:27 |
| Subject Sample | # 1 | 0.051 | 01:27 |
| Breath Volume | | 1.285 | 01:27 |
| Air Blank | | 0.000 | 01:28 |
| Air Blank | | 0.000 | 01:30 |
| Subject Sample | # 2 | 0.049 | 01:30 |
| Breath Volume | | 1.687 | 01:30 |
| Air Blank | | 0.000 | 01:31 |
| Control Test | | 0.079 | 01:31 |
| Air Blank | | 0.000 | 01:32 |
| Diagnostics Check | | OK | 01:32 |

Data Download Date/Time: 05/25/2021 12:58

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:22
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:50

SUBJECT'S LAST NAME: INIGUEZ

DATE/TIME OF TEST: 05/08/2021 03:16:51

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:10 |
| Air Blank | | 0.000 | 03:11 |
| Control Test | | 0.081 | 03:11 |
| Air Blank | | 0.000 | 03:11 |
| Subject Sample | # 1 | 0.072 | 03:12 |
| Breath Volume | | 2.957 | 03:12 |
| Air Blank | | 0.000 | 03:12 |
| Air Blank | | 0.000 | 03:14 |
| Subject Sample | # 2 | 0.076 | 03:15 |
| Breath Volume | | 4.359 | 03:15 |
| Air Blank | | 0.000 | 03:15 |
| Control Test | | 0.080 | 03:16 |
| Air Blank | | 0.000 | 03:16 |
| Diagnostics Check | | OK | 03:16 |

Data Download Date/Time: 05/25/2021 12:58

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 21:33
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:03

SUBJECT'S LAST NAME: ROBBINS

DATE/TIME OF TEST: 05/08/2021 22:30:51

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:24 |
| Air Blank | | 0.000 | 22:24 |
| Control Test | | 0.080 | 22:24 |
| Air Blank | | 0.000 | 22:25 |
| Subject Sample | # 1 | 0.101 | 22:26 |
| Breath Volume | | 1.417 | 22:26 |
| Air Blank | | 0.000 | 22:26 |
| Air Blank | | 0.000 | 22:28 |
| Subject Sample | # 2 | 0.102 | 22:29 |
| Breath Volume | | 1.203 | 22:29 |
| Air Blank | | 0.000 | 22:29 |
| Control Test | | 0.080 | 22:30 |
| Air Blank | | 0.000 | 22:30 |
| Diagnostics Check | | OK | 22:30 |

Data Download Date/Time: 05/25/2021 12:58

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTINEZ,SHERLY,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: JOHNSON,BRAD
ARRESTING OFFICER AGENCY: Auburndale PD
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:02
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:35

SUBJECT'S LAST NAME: PUESCHELL

DATE/TIME OF TEST: 05/09/2021 01:47:56

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:40 |
| Air Blank | | 0.000 | 01:41 |
| Control Test | | 0.080 | 01:41 |
| Air Blank | | 0.000 | 01:42 |
| Subject Sample | # 1 | 0.000 | 01:43 |
| Breath Volume | | 1.921 | 01:43 |
| Air Blank | | 0.000 | 01:43 |
| Air Blank | | 0.000 | 01:45 |
| Subject Sample | # 2 | 0.000 | 01:46 |
| Breath Volume | | 2.652 | 01:46 |
| Air Blank | | 0.000 | 01:47 |
| Control Test | | 0.079 | 01:47 |
| Air Blank | | 0.000 | 01:47 |
| Diagnostics Check | | OK | 01:47 |

Data Download Date/Time: 05/25/2021 12:58


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: EVANS,STEVEN,J
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: FLETCHER,BRIANA
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:49

SUBJECT'S LAST NAME: BIVINS

DATE/TIME OF TEST: 05/09/2021 03:26:04

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:23 | |
| Air Blank | | 0.000 | 03:23 | |
| Control Test | | 0.079 | 03:24 | |
| Air Blank | | 0.000 | 03:24 | |
| Subject Sample | # 1 | | 03:24 | Subject Test Refused |
| Breath Volume | | 0.000 | 03:24 | |
| Air Blank | | 0.000 | 03:25 | |
| Control Test | | 0.079 | 03:25 | |
| Air Blank | | 0.000 | 03:25 | |
| Diagnostics Check | | OK | 03:26 | |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:47
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:13

SUBJECT'S LAST NAME: TURNER

DATE/TIME OF TEST: 05/09/2021 03:41:09

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:33 |
| Air Blank | | 0.000 | 03:34 |
| Control Test | | 0.079 | 03:34 |
| Air Blank | | 0.000 | 03:35 |
| Subject Sample | # 1 | 0.170 | 03:36 |
| Breath Volume | | 1.503 | 03:36 |
| Air Blank | | 0.000 | 03:36 |
| Air Blank | | 0.000 | 03:38 |
| Subject Sample | # 2 | 0.159 | 03:39 |
| Breath Volume | | 1.578 | 03:39 |
| Air Blank | | 0.000 | 03:40 |
| Control Test | | 0.079 | 03:40 |
| Air Blank | | 0.000 | 03:41 |
| Diagnostics Check | | OK | 03:41 |

Data Download Date/Time: 05/25/2021 12:59


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WALDRON,DAVID,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SANCHEZ,JUAN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 05:43
GENDER: Male
OBSERVATION PERIOD BEGAN: 06:28

SUBJECT'S LAST NAME: GARCIA

DATE/TIME OF TEST: 05/09/2021 07:38:30

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 07:32 |
| Air Blank | | 0.000 | 07:32 |
| Control Test | | 0.080 | 07:32 |
| Air Blank | | 0.000 | 07:33 |
| Subject Sample | # 1 | 0.074 | 07:34 |
| Breath Volume | | 2.960 | 07:34 |
| Air Blank | | 0.000 | 07:34 |
| Air Blank | | 0.000 | 07:36 |
| Subject Sample | # 2 | 0.077 | 07:37 |
| Breath Volume | | 2.378 | 07:37 |
| Air Blank | | 0.000 | 07:37 |
| Control Test | | 0.079 | 07:37 |
| Air Blank | | 0.000 | 07:38 |
| Diagnostics Check | | OK | 07:38 |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTINEZ,SHERLY,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: FLETCHER,BRIANA
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:27
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:40

SUBJECT'S LAST NAME: GONZALEZ MENDEZ

DATE/TIME OF TEST: 05/09/2021 23:12:17

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:05 |
| Air Blank | | 0.000 | 23:06 |
| Control Test | | 0.079 | 23:06 |
| Air Blank | | 0.000 | 23:07 |
| Subject Sample | # 1 | 0.199 | 23:07 |
| Breath Volume | | 1.734 | 23:07 |
| Air Blank | | 0.000 | 23:08 |
| Air Blank | | 0.000 | 23:10 |
| Subject Sample | # 2 | 0.195 | 23:10 |
| Breath Volume | | 1.480 | 23:10 |
| Air Blank | | 0.000 | 23:11 |
| Control Test | | 0.079 | 23:11 |
| Air Blank | | 0.000 | 23:12 |
| Diagnostics Check | | OK | 23:12 |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:02
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:48

SUBJECT'S LAST NAME: ORTIZ

DATE/TIME OF TEST: 05/10/2021 00:19:57

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 00:08 | |
| Air Blank | | 0.000 | 00:09 | |
| Control Test | | 0.079 | 00:09 | |
| Air Blank | | 0.000 | 00:09 | |
| Subject Sample | # 1 | | 00:12 | No Sample Provided |
| Breath Volume | | 0.000 | 00:12 | |
| Air Blank | | 0.000 | 00:13 | |
| Air Blank | | 0.000 | 00:15 | |
| Subject Sample | # 2 | | 00:18 | No Sample Provided |
| Breath Volume | | 0.000 | 00:18 | |
| Air Blank | | 0.000 | 00:19 | |
| Control Test | | 0.079 | 00:19 | |
| Air Blank | | 0.000 | 00:19 | |
| Diagnostics Check | | OK | 00:19 | |

Data Download Date/Time: 05/25/2021 12:59


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WILLIAMS,ALBERT,J
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: WILLIAMS,ALBERT
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:43
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:25

SUBJECT'S LAST NAME: MANSFIELD

DATE/TIME OF TEST: 05/11/2021 00:56:39

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:48 |
| Air Blank | | 0.000 | 00:49 |
| Control Test | | 0.079 | 00:49 |
| Air Blank | | 0.000 | 00:49 |
| Subject Sample | # 1 | 0.137 | 00:51 |
| Breath Volume | | 1.898 | 00:51 |
| Air Blank | | 0.000 | 00:52 |
| Air Blank | | 0.000 | 00:54 |
| Subject Sample | # 2 | 0.127 | 00:55 |
| Breath Volume | | 1.511 | 00:55 |
| Air Blank | | 0.000 | 00:55 |
| Control Test | | 0.079 | 00:56 |
| Air Blank | | 0.000 | 00:56 |
| Diagnostics Check | | OK | 00:56 |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JOHNSTON,CHRISTOPHER,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: JOHNSTON,CHRISTOPHER
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:32
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:38

SUBJECT'S LAST NAME: TEDEROUS

DATE/TIME OF TEST: 05/12/2021 22:13:26

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 22:01 | |
| Air Blank | | 0.000 | 22:02 | |
| Control Test | | 0.079 | 22:02 | |
| Air Blank | | 0.000 | 22:03 | |
| Subject Sample | # 1 | 0.288 | 22:06 | Volume Not Met |
| Breath Volume | | 0.390 | 22:06 | |
| Air Blank | | 0.000 | 22:07 | |
| Air Blank | | 0.000 | 22:08 | |
| Subject Sample | # 2 | 0.268 | 22:11 | Volume Not Met |
| Breath Volume | | 0.910 | 22:11 | |
| Air Blank | | 0.000 | 22:12 | |
| Control Test | | 0.077 | 22:12 | |
| Air Blank | | 0.000 | 22:13 | |
| Diagnostics Check | | OK | 22:13 | |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JOHNSTON,CHRISTOPHER,T
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEPHEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:06
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:00

SUBJECT'S LAST NAME: MONTES

DATE/TIME OF TEST: 05/13/2021 00:40:45

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:31 |
| Air Blank | | 0.000 | 00:32 |
| Control Test | | 0.079 | 00:32 |
| Air Blank | | 0.000 | 00:33 |
| Subject Sample | # 1 | 0.240 | 00:36 |
| Breath Volume | | 1.484 | 00:36 |
| Air Blank | | 0.000 | 00:36 |
| Air Blank | | 0.000 | 00:38 |
| Subject Sample | # 2 | 0.239 | 00:39 |
| Breath Volume | | 1.175 | 00:39 |
| Air Blank | | 0.000 | 00:39 |
| Control Test | | 0.077 | 00:40 |
| Air Blank | | 0.000 | 00:40 |
| Diagnostics Check | | OK | 00:40 |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:32

SUBJECT'S LAST NAME: NIEVES MALDONADO

DATE/TIME OF TEST: 05/13/2021 00:58:45

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:52 |
| Air Blank | | 0.000 | 00:52 |
| Control Test | | 0.079 | 00:53 |
| Air Blank | | 0.000 | 00:53 |
| Subject Sample | # 1 | 0.106 | 00:54 |
| Breath Volume | | 1.898 | 00:54 |
| Air Blank | | 0.000 | 00:54 |
| Air Blank | | 0.000 | 00:56 |
| Subject Sample | # 2 | 0.107 | 00:57 |
| Breath Volume | | 2.000 | 00:57 |
| Air Blank | | 0.000 | 00:57 |
| Control Test | | 0.079 | 00:58 |
| Air Blank | | 0.000 | 00:58 |
| Diagnostics Check | | OK | 00:58 |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WALDRON,DAVID,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: JACKSON,EZRA
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 07:42
GENDER: Male
OBSERVATION PERIOD BEGAN: 08:31

SUBJECT'S LAST NAME: CHELF

DATE/TIME OF TEST: 05/13/2021 09:10:19

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 09:03 |
| Air Blank | | 0.000 | 09:04 |
| Control Test | | 0.081 | 09:04 |
| Air Blank | | 0.000 | 09:05 |
| Subject Sample | # 1 | 0.220 | 09:05 |
| Breath Volume | | 2.855 | 09:05 |
| Air Blank | | 0.000 | 09:06 |
| Air Blank | | 0.000 | 09:08 |
| Subject Sample | # 2 | 0.235 | 09:08 |
| Breath Volume | | 2.789 | 09:08 |
| Air Blank | | 0.000 | 09:09 |
| Control Test | | 0.079 | 09:09 |
| Air Blank | | 0.000 | 09:10 |
| Diagnostics Check | | OK | 09:10 |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTINEZ,SHERLY,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: COLON,JOLNETH
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:08
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:27

SUBJECT'S LAST NAME: YOUNG

DATE/TIME OF TEST: 05/13/2021 21:58:48

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 21:47 | |
| Air Blank | | 0.000 | 21:47 | |
| Control Test | | 0.079 | 21:48 | |
| Air Blank | | 0.000 | 21:48 | |
| Subject Sample | # 1 | | 21:51 | No Sample Provided |
| Breath Volume | | 0.000 | 21:51 | |
| Air Blank | | 0.000 | 21:52 | |
| Air Blank | | 0.000 | 21:54 | |
| Subject Sample | # 2 | | 21:57 | No Sample Provided |
| Breath Volume | | 0.000 | 21:57 | |
| Air Blank | | 0.000 | 21:57 | |
| Control Test | | 0.080 | 21:58 | |
| Air Blank | | 0.000 | 21:58 | |
| Diagnostics Check | | OK | 21:58 | |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTINEZ,SHERLY,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: COLON,JOLNETH
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:15
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:39

SUBJECT'S LAST NAME: MAZZARELLA

DATE/TIME OF TEST: 05/14/2021 01:46:59

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:40 |
| Air Blank | | 0.000 | 01:40 |
| Control Test | | 0.079 | 01:40 |
| Air Blank | | 0.000 | 01:41 |
| Subject Sample | # 1 | 0.129 | 01:42 |
| Breath Volume | | 1.769 | 01:42 |
| Air Blank | | 0.000 | 01:42 |
| Air Blank | | 0.000 | 01:44 |
| Subject Sample | # 2 | 0.131 | 01:45 |
| Breath Volume | | 2.214 | 01:45 |
| Air Blank | | 0.000 | 01:46 |
| Control Test | | 0.080 | 01:46 |
| Air Blank | | 0.000 | 01:46 |
| Diagnostics Check | | OK | 01:46 |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTINEZ,SHERLY,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: FLETCHER,BRIANA
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:08
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:30

SUBJECT'S LAST NAME: GRANT

DATE/TIME OF TEST: 05/14/2021 02:13:31

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:01 | |
| Air Blank | | 0.000 | 02:02 | |
| Control Test | | 0.079 | 02:02 | |
| Air Blank | | 0.000 | 02:03 | |
| Subject Sample | # 1 | 0.118 | 02:06 | Volume Not Met |
| Breath Volume | | 0.031 | 02:06 | |
| Air Blank | | 0.000 | 02:07 | |
| Air Blank | | 0.000 | 02:08 | |
| Subject Sample | # 2 | 0.151 | 02:11 | Volume Not Met |
| Breath Volume | | 0.304 | 02:11 | |
| Air Blank | | 0.000 | 02:12 | |
| Control Test | | 0.079 | 02:12 | |
| Air Blank | | 0.000 | 02:13 | |
| Diagnostics Check | | OK | 02:13 | |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTINEZ,SHERLY,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: FLETCHER,BRIANA
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:08
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:30

SUBJECT'S LAST NAME: GRANT

DATE/TIME OF TEST: 05/14/2021 02:26:33

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:17 |
| Air Blank | | 0.000 | 02:17 |
| Control Test | | 0.078 | 02:17 |
| Air Blank | | 0.000 | 02:18 |
| Subject Sample | # 1 | 0.148 | 02:21 |
| Breath Volume | | 1.308 | 02:21 |
| Air Blank | | 0.000 | 02:22 |
| Air Blank | | 0.000 | 02:24 |
| Subject Sample | # 2 | 0.156 | 02:25 |
| Breath Volume | | 1.292 | 02:25 |
| Air Blank | | 0.000 | 02:25 |
| Control Test | | 0.077 | 02:25 |
| Air Blank | | 0.000 | 02:26 |
| Diagnostics Check | | OK | 02:26 |

Data Download Date/Time: 05/25/2021 12:59


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WILLIAMS,ALBERT,J
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: WILLIAMS,ALBERT
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:17
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:30

SUBJECT'S LAST NAME: SMITH

DATE/TIME OF TEST: 05/15/2021 04:09:26

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:58 | |
| Air Blank | | 0.000 | 03:58 | |
| Control Test | | 0.080 | 03:58 | |
| Air Blank | | 0.000 | 03:59 | |
| Subject Sample | # 1 | | 04:02 | No Sample Provided |
| Breath Volume | | 0.000 | 04:02 | |
| Air Blank | | 0.000 | 04:02 | |
| Air Blank | | 0.000 | 04:04 | |
| Subject Sample | # 2 | | 04:08 | No Sample Provided |
| Breath Volume | | 0.000 | 04:08 | |
| Air Blank | | 0.000 | 04:08 | |
| Control Test | | 0.080 | 04:08 | |
| Air Blank | | 0.000 | 04:09 | |
| Diagnostics Check | | OK | 04:09 | |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WALLACE,CHARLES,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: WALLACE,CHARLES
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:57
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:35

SUBJECT'S LAST NAME: CANALAS-MARTINEZ

DATE/TIME OF TEST: 05/16/2021 01:40:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:34 |
| Air Blank | | 0.000 | 01:34 |
| Control Test | | 0.080 | 01:35 |
| Air Blank | | 0.000 | 01:35 |
| Subject Sample | # 1 | 0.163 | 01:35 |
| Breath Volume | | 1.609 | 01:35 |
| Air Blank | | 0.000 | 01:36 |
| Air Blank | | 0.000 | 01:38 |
| Subject Sample | # 2 | 0.163 | 01:38 |
| Breath Volume | | 1.894 | 01:38 |
| Air Blank | | 0.000 | 01:39 |
| Control Test | | 0.079 | 01:39 |
| Air Blank | | 0.000 | 01:40 |
| Diagnostics Check | | OK | 01:40 |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WALLACE,CHARLES,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: WALLACE,CHARLES
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 21:04
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:38

SUBJECT'S LAST NAME: LOZANO

DATE/TIME OF TEST: 05/16/2021 22:06:51

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:00 |
| Air Blank | | 0.000 | 22:00 |
| Control Test | | 0.081 | 22:00 |
| Air Blank | | 0.000 | 22:01 |
| Subject Sample | # 1 | 0.283 | 22:02 |
| Breath Volume | | 1.437 | 22:02 |
| Air Blank | | 0.000 | 22:02 |
| Air Blank | | 0.000 | 22:04 |
| Subject Sample | # 2 | 0.275 | 22:05 |
| Breath Volume | | 2.398 | 22:05 |
| Air Blank | | 0.000 | 22:05 |
| Control Test | | 0.079 | 22:06 |
| Air Blank | | 0.000 | 22:06 |
| Diagnostics Check | | OK | 22:06 |

Data Download Date/Time: 05/25/2021 12:59

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BINET,RICKY,H
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: BINET,RICKY
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:59
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:59

SUBJECT'S LAST NAME: VAUGHN

DATE/TIME OF TEST: 05/17/2021 00:52:05

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:44 |
| Air Blank | | 0.000 | 00:45 |
| Control Test | | 0.080 | 00:45 |
| Air Blank | | 0.000 | 00:46 |
| Subject Sample | # 1 | 0.352 | 00:46 |
| Breath Volume | | 2.222 | 00:46 |
| Air Blank | | 0.000 | 00:47 |
| Air Blank | | 0.000 | 00:49 |
| Subject Sample | # 2 | 0.347 | 00:50 |
| Breath Volume | | 2.402 | 00:50 |
| Air Blank | | 0.000 | 00:51 |
| Control Test | | 0.078 | 00:51 |
| Air Blank | | 0.000 | 00:51 |
| Diagnostics Check | | OK | 00:52 |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTINEZ,SHERLY,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SCHULZE,TERRY
ARRESTING OFFICER AGENCY: Lake Wales PD
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:43
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:27

SUBJECT'S LAST NAME: DURAND

DATE/TIME OF TEST: 05/19/2021 01:06:16

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:58 |
| Air Blank | | 0.000 | 00:58 |
| Control Test | | 0.079 | 00:58 |
| Air Blank | | 0.000 | 00:59 |
| Subject Sample | # 1 | 0.170 | 01:00 |
| Breath Volume | | 1.636 | 01:00 |
| Air Blank | | 0.000 | 01:00 |
| Air Blank | | 0.000 | 01:02 |
| Subject Sample | # 2 | 0.168 | 01:04 |
| Breath Volume | | 2.082 | 01:04 |
| Air Blank | | 0.000 | 01:05 |
| Control Test | | 0.078 | 01:05 |
| Air Blank | | 0.000 | 01:06 |
| Diagnostics Check | | OK | 01:06 |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: WILLIAMS,ZACK
ARRESTING OFFICER AGENCY: Bartow PD
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:37
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:03

SUBJECT'S LAST NAME: STEVENS

DATE/TIME OF TEST: 05/21/2021 23:37:17

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:30 |
| Air Blank | | 0.000 | 23:30 |
| Control Test | | 0.080 | 23:31 |
| Air Blank | | 0.000 | 23:31 |
| Subject Sample | # 1 | 0.279 | 23:32 |
| Breath Volume | | 1.792 | 23:32 |
| Air Blank | | 0.000 | 23:33 |
| Air Blank | | 0.000 | 23:35 |
| Subject Sample | # 2 | 0.282 | 23:35 |
| Breath Volume | | 1.480 | 23:35 |
| Air Blank | | 0.000 | 23:36 |
| Control Test | | 0.080 | 23:36 |
| Air Blank | | 0.000 | 23:37 |
| Diagnostics Check | | OK | 23:37 |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JOHNSTON,CHRISTOPHER,T
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:08
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:41

SUBJECT'S LAST NAME: GARGUS

DATE/TIME OF TEST: 05/22/2021 04:17:25

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:06 | |
| Air Blank | | 0.000 | 04:06 | |
| Control Test | | 0.080 | 04:06 | |
| Air Blank | | 0.000 | 04:07 | |
| Subject Sample | # 1 | | 04:10 | No Sample Provided |
| Breath Volume | | 0.000 | 04:10 | |
| Air Blank | | 0.000 | 04:10 | |
| Air Blank | | 0.000 | 04:12 | |
| Subject Sample | # 2 | | 04:16 | No Sample Provided |
| Breath Volume | | 0.000 | 04:16 | |
| Air Blank | | 0.000 | 04:16 | |
| Control Test | | 0.079 | 04:16 | |
| Air Blank | | 0.000 | 04:17 | |
| Diagnostics Check | | OK | 04:17 | |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 17:38
GENDER: Male
OBSERVATION PERIOD BEGAN: 17:56

SUBJECT'S LAST NAME: MENDEZ

DATE/TIME OF TEST: 05/22/2021 18:25:47

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 18:16 |
| Air Blank | | 0.000 | 18:17 |
| Control Test | | 0.080 | 18:17 |
| Air Blank | | 0.000 | 18:18 |
| Subject Sample | # 1 | 0.222 | 18:21 |
| Breath Volume | | 2.226 | 18:21 |
| Air Blank | | 0.000 | 18:21 |
| Air Blank | | 0.000 | 18:23 |
| Subject Sample | # 2 | 0.232 | 18:24 |
| Breath Volume | | 1.324 | 18:24 |
| Air Blank | | 0.000 | 18:24 |
| Control Test | | 0.078 | 18:25 |
| Air Blank | | 0.000 | 18:25 |
| Diagnostics Check | | OK | 18:25 |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JOHNSTON,CHRISTOPHER,T
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: JOHNSTON,CHRISTOPHER
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:10
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:52

SUBJECT'S LAST NAME: SMITH

DATE/TIME OF TEST: 05/23/2021 01:33:27

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 01:18 | |
| Air Blank | | 0.000 | 01:19 | |
| Control Test | | 0.080 | 01:19 | |
| Air Blank | | 0.000 | 01:20 | |
| Subject Sample | # 1 | 0.264 | 01:20 | |
| Breath Volume | | 1.121 | 01:20 | |
| Air Blank | | 0.000 | 01:21 | |
| Air Blank | | 0.000 | 01:22 | |
| Subject Sample | # 2 | 0.256 | 01:26 | Volume Not Met |
| Breath Volume | | 0.320 | 01:26 | |
| Air Blank | | 0.000 | 01:26 | |
| Air Blank | | 0.000 | 01:28 | |
| Subject Sample | # 3 | 0.214 | 01:31 | Volume Not Met |
| Breath Volume | | 0.824 | 01:31 | |
| Air Blank | | 0.000 | 01:32 | |
| Control Test | | 0.079 | 01:32 | |
| Air Blank | | 0.000 | 01:33 | |
| Diagnostics Check | | OK | 01:33 | |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTINEZ,SHERLY,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SANCHEZ,JUAN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:03
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:34

SUBJECT'S LAST NAME: GIRON MARTINEZ

DATE/TIME OF TEST: 05/23/2021 02:12:42

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:05 |
| Air Blank | | 0.000 | 02:05 |
| Control Test | | 0.078 | 02:05 |
| Air Blank | | 0.000 | 02:06 |
| Subject Sample | # 1 | 0.202 | 02:08 |
| Breath Volume | | 1.464 | 02:08 |
| Air Blank | | 0.000 | 02:08 |
| Air Blank | | 0.000 | 02:10 |
| Subject Sample | # 2 | 0.198 | 02:11 |
| Breath Volume | | 1.320 | 02:11 |
| Air Blank | | 0.000 | 02:11 |
| Control Test | | 0.078 | 02:12 |
| Air Blank | | 0.000 | 02:12 |
| Diagnostics Check | | OK | 02:12 |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BINET,RICKY,H
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: BINET,RICKY
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:42
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:42

SUBJECT'S LAST NAME: BOONE

DATE/TIME OF TEST: 05/23/2021 02:28:54

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:23 | |
| Air Blank | | 0.000 | 02:23 | |
| Control Test | | 0.079 | 02:23 | |
| Air Blank | | 0.000 | 02:24 | |
| Subject Sample | # 1 | | 02:27 | Subject Test Refused |
| Breath Volume | | 0.578 | 02:27 | |
| Air Blank | | 0.000 | 02:27 | |
| Control Test | | 0.080 | 02:28 | |
| Air Blank | | 0.000 | 02:28 | |
| Diagnostics Check | | OK | 02:28 | |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:42

SUBJECT'S LAST NAME: MARTINEZ ARRIOLA

DATE/TIME OF TEST: 05/23/2021 04:13:18

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:06 |
| Air Blank | | 0.000 | 04:06 |
| Control Test | | 0.079 | 04:06 |
| Air Blank | | 0.000 | 04:07 |
| Subject Sample | # 1 | 0.000 | 04:08 |
| Breath Volume | | 1.921 | 04:08 |
| Air Blank | | 0.000 | 04:09 |
| Air Blank | | 0.000 | 04:11 |
| Subject Sample | # 2 | 0.000 | 04:11 |
| Breath Volume | | 1.503 | 04:11 |
| Air Blank | | 0.000 | 04:12 |
| Control Test | | 0.080 | 04:12 |
| Air Blank | | 0.000 | 04:13 |
| Diagnostics Check | | OK | 04:13 |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: WILLIAMS,ZACHARY
ARRESTING OFFICER AGENCY: Bartow PD
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:31
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:59

SUBJECT'S LAST NAME: BONILLA

DATE/TIME OF TEST: 05/23/2021 04:32:02

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:25 |
| Air Blank | | 0.000 | 04:26 |
| Control Test | | 0.079 | 04:26 |
| Air Blank | | 0.000 | 04:26 |
| Subject Sample | # 1 | 0.200 | 04:27 |
| Breath Volume | | 1.582 | 04:27 |
| Air Blank | | 0.000 | 04:27 |
| Air Blank | | 0.000 | 04:29 |
| Subject Sample | # 2 | 0.215 | 04:30 |
| Breath Volume | | 2.246 | 04:30 |
| Air Blank | | 0.000 | 04:31 |
| Control Test | | 0.080 | 04:31 |
| Air Blank | | 0.000 | 04:31 |
| Diagnostics Check | | OK | 04:32 |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WALDRON,DAVID,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: LAFONTANT,SEDONA
ARRESTING OFFICER AGENCY: Lakeland PD
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 05:38
GENDER: Male
OBSERVATION PERIOD BEGAN: 07:50

SUBJECT'S LAST NAME: JACKSON

DATE/TIME OF TEST: 05/23/2021 08:27:30

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 08:21 |
| Air Blank | | 0.000 | 08:21 |
| Control Test | | 0.081 | 08:21 |
| Air Blank | | 0.000 | 08:22 |
| Subject Sample | # 1 | 0.121 | 08:23 |
| Breath Volume | | 1.929 | 08:23 |
| Air Blank | | 0.000 | 08:23 |
| Air Blank | | 0.000 | 08:25 |
| Subject Sample | # 2 | 0.118 | 08:26 |
| Breath Volume | | 2.464 | 08:26 |
| Air Blank | | 0.000 | 08:26 |
| Control Test | | 0.080 | 08:26 |
| Air Blank | | 0.000 | 08:27 |
| Diagnostics Check | | OK | 08:27 |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES',STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:13
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:38

SUBJECT'S LAST NAME: GODINEZ PEREZ

DATE/TIME OF TEST: 05/23/2021 23:18:58

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 23:07 | |
| Air Blank | | 0.000 | 23:08 | |
| Control Test | | 0.080 | 23:08 | |
| Air Blank | | 0.000 | 23:08 | |
| Subject Sample | # 1 | | 23:12 | No Sample Provided |
| Breath Volume | | 0.000 | 23:12 | |
| Air Blank | | 0.000 | 23:12 | |
| Air Blank | | 0.000 | 23:14 | |
| Subject Sample | # 2 | | 23:17 | No Sample Provided |
| Breath Volume | | 0.000 | 23:17 | |
| Air Blank | | 0.000 | 23:18 | |
| Control Test | | 0.080 | 23:18 | |
| Air Blank | | 0.000 | 23:18 | |
| Diagnostics Check | | OK | 23:18 | |

Data Download Date/Time: 05/25/2021 13:00


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: JOHNSTON,CHRISTOPHER
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:52
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:11

SUBJECT'S LAST NAME: PHILPOTT

DATE/TIME OF TEST: 05/24/2021 00:47:28

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 00:36 | |
| Air Blank | | 0.000 | 00:36 | |
| Control Test | | 0.080 | 00:36 | |
| Air Blank | | 0.000 | 00:37 | |
| Subject Sample | # 1 | | 00:40 | No Sample Provided |
| Breath Volume | | 0.000 | 00:40 | |
| Air Blank | | 0.000 | 00:40 | |
| Air Blank | | 0.000 | 00:42 | |
| Subject Sample | # 2 | | 00:46 | No Sample Provided |
| Breath Volume | | 0.000 | 00:46 | |
| Air Blank | | 0.000 | 00:46 | |
| Control Test | | 0.080 | 00:46 | |
| Air Blank | | 0.000 | 00:47 | |
| Diagnostics Check | | OK | 00:47 | |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JEUDY,RINALDO,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: COLON,JOLNETH
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:02
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:44

SUBJECT'S LAST NAME: LOPEZ JR

DATE/TIME OF TEST: 05/24/2021 03:19:09

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:12 |
| Air Blank | | 0.000 | 03:13 |
| Control Test | | 0.079 | 03:13 |
| Air Blank | | 0.000 | 03:13 |
| Subject Sample | # 1 | 0.248 | 03:14 |
| Breath Volume | | 3.167 | 03:14 |
| Air Blank | | 0.000 | 03:15 |
| Air Blank | | 0.000 | 03:16 |
| Subject Sample | # 2 | 0.244 | 03:17 |
| Breath Volume | | 2.480 | 03:17 |
| Air Blank | | 0.000 | 03:18 |
| Control Test | | 0.078 | 03:18 |
| Air Blank | | 0.000 | 03:19 |
| Diagnostics Check | | OK | 03:19 |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FLETCHER,MELISSA,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: WOOTEN,NATHANIEL
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 17:41
GENDER: Female
OBSERVATION PERIOD BEGAN: 18:00

SUBJECT'S LAST NAME: KAPLAN

DATE/TIME OF TEST: 05/24/2021 19:52:49

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 19:41 | |
| Air Blank | | 0.000 | 19:41 | |
| Control Test | | 0.080 | 19:42 | |
| Air Blank | | 0.000 | 19:42 | |
| Subject Sample | # 1 | | 19:45 | No Sample Provided |
| Breath Volume | | 0.000 | 19:45 | |
| Air Blank | | 0.000 | 19:46 | |
| Air Blank | | 0.000 | 19:48 | |
| Subject Sample | # 2 | | 19:51 | No Sample Provided |
| Breath Volume | | 0.000 | 19:51 | |
| Air Blank | | 0.000 | 19:51 | |
| Control Test | | 0.080 | 19:52 | |
| Air Blank | | 0.000 | 19:52 | |
| Diagnostics Check | | OK | 19:52 | |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: LEWLESS,ABIGAIL
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 19:57
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:00

SUBJECT'S LAST NAME: MCDONALD

DATE/TIME OF TEST: 05/24/2021 22:09:25

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 21:58 | |
| Air Blank | | 0.000 | 21:58 | |
| Control Test | | 0.080 | 21:58 | |
| Air Blank | | 0.000 | 21:59 | |
| Subject Sample | # 1 | | 22:02 | No Sample Provided |
| Breath Volume | | 0.000 | 22:02 | |
| Air Blank | | 0.000 | 22:02 | |
| Air Blank | | 0.000 | 22:04 | |
| Subject Sample | # 2 | | 22:08 | No Sample Provided |
| Breath Volume | | 0.000 | 22:08 | |
| Air Blank | | 0.000 | 22:08 | |
| Control Test | | 0.080 | 22:08 | |
| Air Blank | | 0.000 | 22:09 | |
| Diagnostics Check | | OK | 22:09 | |

Data Download Date/Time: 05/25/2021 13:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SEYMOUR,KEVIN,R
BREATH TEST OPERATOR AGENCY: Auburndale PD
ARRESTING OFFICER: SEYMOUR,KEVIN
ARRESTING OFFICER AGENCY: Auburndale PD
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 21:40
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:27

SUBJECT'S LAST NAME: CABRERA-BARRIOS

DATE/TIME OF TEST: 05/24/2021 23:52:32

| | | | |
|---|---|---|---|
| Diagnostics Check | OK | 23:51 | |
| Air Blank | 0.000 | 23:51 | |
| Control Test | 0.079 | 23:52 | |
| Air Blank | | 23:52 | RFI Detect |
| Air Blank | | 23:52 | RFI Detect |

Data Download Date/Time: 05/25/2021 13:00


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SEYMOUR,KEVIN,R
BREATH TEST OPERATOR AGENCY: Auburndale PD
ARRESTING OFFICER: SEYMOUR,KEVIN
ARRESTING OFFICER AGENCY: Auburndale PD
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 21:40
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:27

SUBJECT'S LAST NAME: CABRERA-BARRIOS

DATE/TIME OF TEST: 05/25/2021 00:04:08

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:56 |
| Air Blank | | 0.000 | 23:56 |
| Control Test | | 0.080 | 23:56 |
| Air Blank | | 0.000 | 23:57 |
| Subject Sample | # 2 | 0.191 | 23:59 |
| Breath Volume | | 1.800 | 23:59 |
| Air Blank | | 0.000 | 23:59 |
| Air Blank | | 0.000 | 00:01 |
| Subject Sample | # 1 | 0.184 | 00:02 |
| Breath Volume | | 1.781 | 00:02 |
| Air Blank | | 0.000 | 00:03 |
| Control Test | | 0.078 | 00:03 |
| Air Blank | | 0.000 | 00:04 |
| Diagnostics Check | | OK | 00:04 |

Data Download Date/Time: 05/25/2021 13:01

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WALLACE,CHARLES,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: WALLACE,CHARLES
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 04/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:00
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:19

SUBJECT'S LAST NAME: JONES JR

DATE/TIME OF TEST: 05/25/2021 03:59:28

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:49 |
| Air Blank | | 0.000 | 03:50 |
| Control Test | | 0.079 | 03:50 |
| Air Blank | | 0.000 | 03:50 |
| Subject Sample | # 1 | 0.221 | 03:51 |
| Breath Volume | | 1.191 | 03:51 |
| Air Blank | | 0.000 | 03:52 |
| Air Blank | | 0.000 | 03:54 |
| Subject Sample | # 2 | 0.191 | 03:54 |
| Breath Volume | | 1.992 | 03:54 |
| Air Blank | | 0.000 | 03:55 |
| Air Blank | | 0.000 | 03:57 |
| Subject Sample | # 3 | 0.211 | 03:57 |
| Breath Volume | | 2.144 | 03:57 |
| Air Blank | | 0.000 | 03:58 |
| Control Test | | 0.078 | 03:58 |
| Air Blank | | 0.000 | 03:59 |
| Diagnostics Check | | OK | 03:59 |

Data Download Date/Time: 05/25/2021 13:01

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: BELCHER,ALEX
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: Yes
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:30
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:59

SUBJECT'S LAST NAME: MEDINA

DATE/TIME OF TEST: 05/26/2021 00:29:07

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:22 |
| Air Blank | | 0.000 | 00:22 |
| Control Test | | 0.080 | 00:23 |
| Air Blank | | 0.000 | 00:23 |
| Subject Sample | # 1 | 0.118 | 00:24 |
| Breath Volume | | 1.722 | 00:24 |
| Air Blank | | 0.000 | 00:25 |
| Air Blank | | 0.000 | 00:27 |
| Subject Sample | # 2 | 0.129 | 00:27 |
| Breath Volume | | 1.437 | 00:27 |
| Air Blank | | 0.000 | 00:28 |
| Control Test | | 0.080 | 00:28 |
| Air Blank | | 0.000 | 00:29 |
| Diagnostics Check | | OK | 00:29 |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: BELCHER,ALEX
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:09
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:53

SUBJECT'S LAST NAME: SANTIAGO

DATE/TIME OF TEST: 05/26/2021 04:32:34

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:22 |
| Air Blank | | 0.000 | 04:23 |
| Control Test | | 0.080 | 04:23 |
| Air Blank | | 0.000 | 04:24 |
| Subject Sample | # 1 | 0.158 | 04:26 |
| Breath Volume | | 2.031 | 04:26 |
| Air Blank | | 0.000 | 04:27 |
| Air Blank | | 0.000 | 04:29 |
| Subject Sample | # 2 | 0.150 | 04:31 |
| Breath Volume | | 2.867 | 04:31 |
| Air Blank | | 0.000 | 04:31 |
| Control Test | | 0.079 | 04:31 |
| Air Blank | | 0.000 | 04:32 |
| Diagnostics Check | | OK | 04:32 |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: BELCHER,ALEX
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 05:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 05:28

SUBJECT'S LAST NAME: FITZGERALD

DATE/TIME OF TEST: 05/26/2021 06:03:19

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 05:51 | |
| Air Blank | | 0.000 | 05:52 | |
| Control Test | | 0.080 | 05:52 | |
| Air Blank | | 0.000 | 05:53 | |
| Subject Sample | # 1 | | 05:56 | No Sample Provided |
| Breath Volume | | 0.000 | 05:56 | |
| Air Blank | | 0.000 | 05:56 | |
| Air Blank | | 0.000 | 05:58 | |
| Subject Sample | # 2 | | 06:01 | No Sample Provided |
| Breath Volume | | 0.000 | 06:01 | |
| Air Blank | | 0.000 | 06:02 | |
| Control Test | | 0.079 | 06:02 | |
| Air Blank | | 0.000 | 06:03 | |
| Diagnostics Check | | OK | 06:03 | |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SYKES,STEVEN,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SYKES,STEVEN
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 21:18
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:35

SUBJECT'S LAST NAME: TORRES PIEDRAZUL

DATE/TIME OF TEST: 05/26/2021 22:01:51

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:55 |
| Air Blank | | 0.000 | 21:55 |
| Control Test | | 0.079 | 21:55 |
| Air Blank | | 0.000 | 21:56 |
| Subject Sample | # 1 | 0.126 | 21:57 |
| Breath Volume | | 1.414 | 21:57 |
| Air Blank | | 0.000 | 21:57 |
| Air Blank | | 0.000 | 21:59 |
| Subject Sample | # 2 | 0.122 | 22:00 |
| Breath Volume | | 1.136 | 22:00 |
| Air Blank | | 0.000 | 22:00 |
| Control Test | | 0.078 | 22:01 |
| Air Blank | | 0.000 | 22:01 |
| Diagnostics Check | | OK | 22:01 |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JEUDY,RINALDO,
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: SALINAS,JOSE
ARRESTING OFFICER AGENCY: Winter Haven PD
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:12
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:48

SUBJECT'S LAST NAME: HILL

DATE/TIME OF TEST: 05/27/2021 02:20:42

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:14 |
| Air Blank | | 0.000 | 02:14 |
| Control Test | | 0.079 | 02:14 |
| Air Blank | | 0.000 | 02:15 |
| Subject Sample | # 1 | 0.216 | 02:16 |
| Breath Volume | | 1.257 | 02:16 |
| Air Blank | | 0.000 | 02:16 |
| Air Blank | | 0.000 | 02:18 |
| Subject Sample | # 2 | 0.214 | 02:19 |
| Breath Volume | | 1.210 | 02:19 |
| Air Blank | | 0.000 | 02:19 |
| Control Test | | 0.079 | 02:20 |
| Air Blank | | 0.000 | 02:20 |
| Diagnostics Check | | OK | 02:20 |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MCINTOSH,HALLIE,T
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: LEWLESS,ABIGAIL
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:05
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:56

SUBJECT'S LAST NAME: PABLO-RAMOS

DATE/TIME OF TEST: 05/28/2021 00:37:02

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:29 |
| Air Blank | | 0.000 | 00:29 |
| Control Test | | 0.080 | 00:30 |
| Air Blank | | 0.000 | 00:30 |
| Subject Sample | # 1 | 0.070 | 00:32 |
| Breath Volume | | 1.187 | 00:32 |
| Air Blank | | 0.000 | 00:32 |
| Air Blank | | 0.000 | 00:34 |
| Subject Sample | # 2 | 0.081 | 00:35 |
| Breath Volume | | 1.609 | 00:35 |
| Air Blank | | 0.000 | 00:36 |
| Control Test | | 0.078 | 00:36 |
| Air Blank | | 0.000 | 00:36 |
| Diagnostics Check | | OK | 00:37 |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MARTINEZ,SHERLY,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: COLON,JOLNETH
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:24
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:20

SUBJECT'S LAST NAME: ORTIZ

DATE/TIME OF TEST: 05/28/2021 01:56:25

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:48 |
| Air Blank | | 0.000 | 01:49 |
| Control Test | | 0.079 | 01:49 |
| Air Blank | | 0.000 | 01:50 |
| Subject Sample | # 1 | 0.137 | 01:51 |
| Breath Volume | | 1.242 | 01:51 |
| Air Blank | | 0.000 | 01:52 |
| Air Blank | | 0.000 | 01:53 |
| Subject Sample | # 2 | 0.138 | 01:54 |
| Breath Volume | | 1.816 | 01:54 |
| Air Blank | | 0.000 | 01:55 |
| Control Test | | 0.079 | 01:55 |
| Air Blank | | 0.000 | 01:56 |
| Diagnostics Check | | OK | 01:56 |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: JOHNSTON,CHRISTOPHER,T
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: JOHNSTON,CHRISTOPHER
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:59
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:32

SUBJECT'S LAST NAME: CAMERON

DATE/TIME OF TEST: 05/28/2021 03:45:16

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:35 |
| Air Blank | | 0.000 | 03:35 |
| Control Test | | 0.080 | 03:36 |
| Air Blank | | 0.000 | 03:36 |
| Subject Sample | # 1 | 0.183 | 03:37 |
| Breath Volume | | 1.179 | 03:37 |
| Air Blank | | 0.000 | 03:37 |
| Air Blank | | 0.000 | 03:39 |
| Subject Sample | # 2 | 0.208 | 03:40 |
| Breath Volume | | 1.175 | 03:40 |
| Air Blank | | 0.000 | 03:41 |
| Air Blank | | 0.000 | 03:43 |
| Subject Sample | # 3 | 0.203 | 03:43 |
| Breath Volume | | 1.230 | 03:43 |
| Air Blank | | 0.000 | 03:44 |
| Control Test | | 0.079 | 03:44 |
| Air Blank | | 0.000 | 03:45 |
| Diagnostics Check | | OK | 03:45 |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FLETCHER,MELISSA,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: LEWLESS,ABIGAIL
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:14
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:56

SUBJECT'S LAST NAME: TILLMAN

DATE/TIME OF TEST: 05/28/2021 22:21:13

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 22:09 | |
| Air Blank | | 0.000 | 22:10 | |
| Control Test | | 0.080 | 22:10 | |
| Air Blank | | 0.000 | 22:11 | |
| Subject Sample | # 1 | | 22:14 | No Sample Provided |
| Breath Volume | | 0.000 | 22:14 | |
| Air Blank | | 0.000 | 22:14 | |
| Air Blank | | 0.000 | 22:16 | |
| Subject Sample | # 2 | | 22:19 | No Sample Provided |
| Breath Volume | | 0.000 | 22:19 | |
| Air Blank | | 0.000 | 22:20 | |
| Control Test | | 0.080 | 22:20 | |
| Air Blank | | 0.000 | 22:21 | |
| Diagnostics Check | | OK | 22:21 | |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: BELCHER,ALEX
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:06
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:37

SUBJECT'S LAST NAME: HAWKINS

DATE/TIME OF TEST: 05/29/2021 01:10:05

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:01 |
| Air Blank | | 0.000 | 01:02 |
| Control Test | | 0.080 | 01:02 |
| Air Blank | | 0.000 | 01:03 |
| Subject Sample | # 1 | 0.263 | 01:04 |
| Breath Volume | | 1.554 | 01:04 |
| Air Blank | | 0.000 | 01:05 |
| Air Blank | | 0.000 | 01:07 |
| Subject Sample | # 2 | 0.246 | 01:08 |
| Breath Volume | | 1.785 | 01:08 |
| Air Blank | | 0.000 | 01:09 |
| Control Test | | 0.079 | 01:09 |
| Air Blank | | 0.000 | 01:09 |
| Diagnostics Check | | OK | 01:10 |

Data Download Date/Time: 06/23/2021 13:02

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SOTO,MAVERICK,
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: SOTO,MAVERICK
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:33
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:13

SUBJECT'S LAST NAME: ESCOBEDO

DATE/TIME OF TEST: 05/29/2021 01:41:23

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:34 |
| Air Blank | | 0.000 | 01:35 |
| Control Test | | 0.079 | 01:35 |
| Air Blank | | 0.000 | 01:35 |
| Subject Sample | # 1 | 0.112 | 01:37 |
| Breath Volume | | 2.175 | 01:37 |
| Air Blank | | 0.000 | 01:37 |
| Air Blank | | 0.000 | 01:39 |
| Subject Sample | # 2 | 0.108 | 01:39 |
| Breath Volume | | 1.277 | 01:39 |
| Air Blank | | 0.000 | 01:40 |
| Control Test | | 0.078 | 01:40 |
| Air Blank | | 0.000 | 01:41 |
| Diagnostics Check | | OK | 01:41 |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: BELCHER,ALEX
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 04:17
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:41

SUBJECT'S LAST NAME: JORDAN

DATE/TIME OF TEST: 05/29/2021 05:16:47

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 05:05 | |
| Air Blank | | 0.000 | 05:05 | |
| Control Test | | 0.079 | 05:06 | |
| Air Blank | | 0.000 | 05:06 | |
| Subject Sample | # 1 | | 05:09 | No Sample Provided |
| Breath Volume | | 0.000 | 05:09 | |
| Air Blank | | 0.000 | 05:10 | |
| Air Blank | | 0.000 | 05:12 | |
| Subject Sample | # 2 | 0.175 | 05:15 | Volume Not Met |
| Breath Volume | | 0.789 | 05:15 | |
| Air Blank | | 0.000 | 05:15 | |
| Control Test | | 0.080 | 05:16 | |
| Air Blank | | 0.000 | 05:16 | |
| Diagnostics Check | | OK | 05:16 | |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FLETCHER,MELISSA,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: FLETCHER,BRIANA
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 18:44
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:35

SUBJECT'S LAST NAME: LAGNO

DATE/TIME OF TEST: 05/29/2021 20:06:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:59 |
| Air Blank | | 0.000 | 20:00 |
| Control Test | | 0.080 | 20:00 |
| Air Blank | | 0.000 | 20:01 |
| Subject Sample | # 1 | 0.000 | 20:01 |
| Breath Volume | | 4.109 | 20:01 |
| Air Blank | | 0.000 | 20:02 |
| Air Blank | | 0.000 | 20:04 |
| Subject Sample | # 2 | 0.000 | 20:04 |
| Breath Volume | | 3.441 | 20:04 |
| Air Blank | | 0.000 | 20:05 |
| Control Test | | 0.080 | 20:05 |
| Air Blank | | 0.000 | 20:06 |
| Diagnostics Check | | OK | 20:06 |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: BELCHER,ALEX
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:14
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:50

SUBJECT'S LAST NAME: GREATENS

DATE/TIME OF TEST: 05/29/2021 21:21:27

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:12 |
| Air Blank | | 0.000 | 21:13 |
| Control Test | | 0.080 | 21:13 |
| Air Blank | | 0.000 | 21:13 |
| Subject Sample | # 1 | 0.143 | 21:16 |
| Breath Volume | | 2.125 | 21:16 |
| Air Blank | | 0.000 | 21:16 |
| Air Blank | | 0.000 | 21:18 |
| Subject Sample | # 2 | 0.142 | 21:19 |
| Breath Volume | | 2.296 | 21:19 |
| Air Blank | | 0.000 | 21:20 |
| Control Test | | 0.079 | 21:20 |
| Air Blank | | 0.000 | 21:21 |
| Diagnostics Check | | OK | 21:21 |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WALLACE,CHARLES,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: FLETCHER,BRIANA
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:21
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:50

SUBJECT'S LAST NAME: BALATA

DATE/TIME OF TEST: 05/30/2021 03:28:13

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:16 | |
| Air Blank | | 0.000 | 03:17 | |
| Control Test | | 0.080 | 03:17 | |
| Air Blank | | 0.000 | 03:17 | |
| Subject Sample | # 1 | 0.319 | 03:20 | Volume Not Met |
| Breath Volume | | 0.078 | 03:20 | |
| Air Blank | | 0.000 | 03:21 | |
| Air Blank | | 0.000 | 03:23 | |
| Subject Sample | # 2 | 0.289 | 03:26 | Volume Not Met |
| Breath Volume | | 0.125 | 03:26 | |
| Air Blank | | 0.000 | 03:27 | |
| Control Test | | 0.078 | 03:27 | |
| Air Blank | | 0.000 | 03:28 | |
| Diagnostics Check | | OK | 03:28 | |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: BELCHER,ALEX
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:03
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:03

SUBJECT'S LAST NAME: RUDOLPH

DATE/TIME OF TEST: 05/30/2021 22:46:58

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 22:35 | |
| Air Blank | | 0.000 | 22:36 | |
| Control Test | | 0.080 | 22:36 | |
| Air Blank | | 0.000 | 22:36 | |
| Subject Sample | # 1 | | 22:40 | No Sample Provided |
| Breath Volume | | 0.000 | 22:40 | |
| Air Blank | | 0.000 | 22:40 | |
| Air Blank | | 0.000 | 22:42 | |
| Subject Sample | # 2 | | 22:45 | No Sample Provided |
| Breath Volume | | 0.000 | 22:45 | |
| Air Blank | | 0.000 | 22:46 | |
| Control Test | | 0.080 | 22:46 | |
| Air Blank | | 0.000 | 22:46 | |
| Diagnostics Check | | OK | 22:46 | |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FLETCHER,MELISSA,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: LEWLESS,ABIGAIL
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:26
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:05

SUBJECT'S LAST NAME: BENNETT

DATE/TIME OF TEST: 05/31/2021 01:54:39

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:47 |
| Air Blank | | 0.000 | 01:47 |
| Control Test | | 0.079 | 01:48 |
| Air Blank | | 0.000 | 01:48 |
| Subject Sample | # 1 | 0.242 | 01:49 |
| Breath Volume | | 1.222 | 01:49 |
| Air Blank | | 0.000 | 01:50 |
| Air Blank | | 0.000 | 01:52 |
| Subject Sample | # 2 | 0.245 | 01:53 |
| Breath Volume | | 1.449 | 01:53 |
| Air Blank | | 0.000 | 01:53 |
| Control Test | | 0.079 | 01:54 |
| Air Blank | | 0.000 | 01:54 |
| Diagnostics Check | | OK | 01:54 |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FLETCHER,MELISSA,A
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: FLETCHER,BRIANA
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:11
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:53

SUBJECT'S LAST NAME: WINDISH

DATE/TIME OF TEST: 05/31/2021 02:31:32

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:24 |
| Air Blank | | 0.000 | 02:25 |
| Control Test | | 0.079 | 02:25 |
| Air Blank | | 0.000 | 02:25 |
| Subject Sample | # 1 | 0.079 | 02:26 |
| Breath Volume | | 1.175 | 02:26 |
| Air Blank | | 0.000 | 02:26 |
| Air Blank | | 0.000 | 02:28 |
| Subject Sample | # 2 | 0.079 | 02:30 |
| Breath Volume | | 1.640 | 02:30 |
| Air Blank | | 0.000 | 02:30 |
| Control Test | | 0.080 | 02:30 |
| Air Blank | | 0.000 | 02:31 |
| Diagnostics Check | | OK | 02:31 |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: BELCHER,ALEX
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:55
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:43

SUBJECT'S LAST NAME: RAMIREZ

DATE/TIME OF TEST: 05/31/2021 04:16:46

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:08 |
| Air Blank | | 0.000 | 04:08 |
| Control Test | | 0.079 | 04:09 |
| Air Blank | | 0.000 | 04:09 |
| Subject Sample | # 1 | 0.148 | 04:12 |
| Breath Volume | | 1.937 | 04:12 |
| Air Blank | | 0.000 | 04:12 |
| Air Blank | | 0.000 | 04:14 |
| Subject Sample | # 2 | 0.145 | 04:15 |
| Breath Volume | | 1.582 | 04:15 |
| Air Blank | | 0.000 | 04:15 |
| Control Test | | 0.079 | 04:16 |
| Air Blank | | 0.000 | 04:16 |
| Diagnostics Check | | OK | 04:16 |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001237

INSTRUMENT REGISTERED TO: POLK COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BELCHER,ALEX,B
BREATH TEST OPERATOR AGENCY: Polk County SO
ARRESTING OFFICER: BELCHER,ALEX
ARRESTING OFFICER AGENCY: Polk County SO
LAST AGENCY INSPECTION: 05/25/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 05:18
GENDER: Male
OBSERVATION PERIOD BEGAN: 05:18

SUBJECT'S LAST NAME: DAVIS

DATE/TIME OF TEST: 05/31/2021 05:47:23

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:39 |
| Air Blank | | 0.000 | 05:40 |
| Control Test | | 0.079 | 05:40 |
| Air Blank | | 0.000 | 05:41 |
| Subject Sample | # 1 | 0.139 | 05:42 |
| Breath Volume | | 2.781 | 05:42 |
| Air Blank | | 0.000 | 05:43 |
| Air Blank | | 0.000 | 05:45 |
| Subject Sample | # 2 | 0.142 | 05:45 |
| Breath Volume | | 2.886 | 05:45 |
| Air Blank | | 0.000 | 05:46 |
| Control Test | | 0.079 | 05:46 |
| Air Blank | | 0.000 | 05:47 |
| Diagnostics Check | | OK | 05:47 |

Data Download Date/Time: 06/23/2021 13:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

INSTRUMENT REGISTERED TO: DAYTONA BEACH SHORES
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DIEDESCH,LAURA,R
BREATH TEST OPERATOR AGENCY: Daytona Beach Shores
ARRESTING OFFICER: FRANKLIN,JACOB
ARRESTING OFFICER AGENCY: Daytona Beach Shores
LAST AGENCY INSPECTION: 04/18/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1305520
DRY GAS EXPIRY DATE: 04/01/2023
VIOLATION CODE: DUI
ARREST TIME: 02:23
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:32

SUBJECT'S LAST NAME: OCAMPO

DATE/TIME OF TEST: 05/01/2021 02:59:55

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:53 |
| Air Blank | | 0.000 | 02:53 |
| Control Test | | 0.080 | 02:53 |
| Air Blank | | 0.000 | 02:54 |
| Subject Sample | # 1 | 0.220 | 02:54 |
| Breath Volume | | 2.117 | 02:54 |
| Air Blank | | 0.000 | 02:55 |
| Air Blank | | 0.000 | 02:57 |
| Subject Sample | # 2 | 0.211 | 02:58 |
| Breath Volume | | 1.660 | 02:58 |
| Air Blank | | 0.000 | 02:59 |
| Control Test | | 0.079 | 02:59 |
| Air Blank | | 0.000 | 02:59 |
| Diagnostics Check | | OK | 02:59 |

Data Download Date/Time: 05/20/2021 23:29

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

INSTRUMENT REGISTERED TO: DAYTONA BEACH SHORES
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PHILLIPS,BILL,R
BREATH TEST OPERATOR AGENCY: Daytona Beach Shores
ARRESTING OFFICER: EPLING,ASHLEY
ARRESTING OFFICER AGENCY: Daytona Beach Shores
LAST AGENCY INSPECTION: 04/18/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1305520
DRY GAS EXPIRY DATE: 04/01/2023
VIOLATION CODE: DUI
ARREST TIME: 00:39
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:51

SUBJECT'S LAST NAME: SNODGRASS

DATE/TIME OF TEST: 05/06/2021 01:17:27

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:11 |
| Air Blank | | 0.000 | 01:11 |
| Control Test | | 0.079 | 01:12 |
| Air Blank | | 0.000 | 01:12 |
| Subject Sample | # 1 | 0.181 | 01:12 |
| Breath Volume | | 2.539 | 01:12 |
| Air Blank | | 0.000 | 01:13 |
| Air Blank | | 0.000 | 01:15 |
| Subject Sample | # 2 | 0.180 | 01:15 |
| Breath Volume | | 1.359 | 01:15 |
| Air Blank | | 0.000 | 01:16 |
| Control Test | | 0.079 | 01:16 |
| Air Blank | | 0.000 | 01:17 |
| Diagnostics Check | | OK | 01:17 |

Data Download Date/Time: 05/20/2021 23:29

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

INSTRUMENT REGISTERED TO: DAYTONA BEACH SHORES
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PHILLIPS,BILL,R
BREATH TEST OPERATOR AGENCY: Daytona Beach Shores
ARRESTING OFFICER: BILLUE,MOLLY
ARRESTING OFFICER AGENCY: Daytona Beach Shores
LAST AGENCY INSPECTION: 04/18/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1305520
DRY GAS EXPIRY DATE: 04/01/2023
VIOLATION CODE: DUI
ARREST TIME: 22:50
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:05

SUBJECT'S LAST NAME: RAMIREZ

DATE/TIME OF TEST: 05/10/2021 23:34:56

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:28 |
| Air Blank | | 0.000 | 23:28 |
| Control Test | | 0.080 | 23:29 |
| Air Blank | | 0.000 | 23:29 |
| Subject Sample | # 1 | 0.164 | 23:30 |
| Breath Volume | | 1.988 | 23:30 |
| Air Blank | | 0.000 | 23:30 |
| Air Blank | | 0.000 | 23:32 |
| Subject Sample | # 2 | 0.175 | 23:33 |
| Breath Volume | | 2.296 | 23:33 |
| Air Blank | | 0.000 | 23:34 |
| Control Test | | 0.079 | 23:34 |
| Air Blank | | 0.000 | 23:34 |
| Diagnostics Check | | OK | 23:34 |

Data Download Date/Time: 05/20/2021 23:29

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

INSTRUMENT REGISTERED TO: DAYTONA BEACH SHORES
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RADEMACHER,RICHARD,J
BREATH TEST OPERATOR AGENCY: Daytona Beach Shores
ARRESTING OFFICER: BILLUE,MOLLY
ARRESTING OFFICER AGENCY: Daytona Beach Shores
LAST AGENCY INSPECTION: 04/18/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1305520
DRY GAS EXPIRY DATE: 04/01/2023
VIOLATION CODE: DUI
ARREST TIME: 02:46
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:00

SUBJECT'S LAST NAME: ALLEN

DATE/TIME OF TEST: 05/14/2021 03:27:08

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:20 |
| Air Blank | | 0.000 | 03:21 |
| Control Test | | 0.080 | 03:21 |
| Air Blank | | 0.000 | 03:21 |
| Subject Sample | # 1 | 0.239 | 03:22 |
| Breath Volume | | 1.687 | 03:22 |
| Air Blank | | 0.000 | 03:23 |
| Air Blank | | 0.000 | 03:25 |
| Subject Sample | # 2 | 0.229 | 03:25 |
| Breath Volume | | 1.773 | 03:25 |
| Air Blank | | 0.000 | 03:26 |
| Control Test | | 0.079 | 03:26 |
| Air Blank | | 0.000 | 03:27 |
| Diagnostics Check | | OK | 03:27 |

Data Download Date/Time: 05/20/2021 23:29

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

INSTRUMENT REGISTERED TO: DAYTONA BEACH SHORES
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DIEDESCH,LAURA,R
BREATH TEST OPERATOR AGENCY: Daytona Beach Shores
ARRESTING OFFICER: KENNY,SHANE
ARRESTING OFFICER AGENCY: Daytona Beach PD
LAST AGENCY INSPECTION: 05/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1305520
DRY GAS EXPIRY DATE: 04/01/2023
VIOLATION CODE: DUI
ARREST TIME: 03:04
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:45

SUBJECT'S LAST NAME: MOORE

DATE/TIME OF TEST: 05/22/2021 04:13:18

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:06 |
| Air Blank | | 0.000 | 04:06 |
| Control Test | | 0.080 | 04:06 |
| Air Blank | | 0.000 | 04:07 |
| Subject Sample | # 1 | 0.029 | 04:08 |
| Breath Volume | | 1.164 | 04:08 |
| Air Blank | | 0.000 | 04:09 |
| Air Blank | | 0.000 | 04:11 |
| Subject Sample | # 2 | 0.028 | 04:11 |
| Breath Volume | | 1.851 | 04:11 |
| Air Blank | | 0.000 | 04:12 |
| Control Test | | 0.079 | 04:12 |
| Air Blank | | 0.000 | 04:13 |
| Diagnostics Check | | OK | 04:13 |

Data Download Date/Time: 06/21/2021 15:34

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

INSTRUMENT REGISTERED TO: DAYTONA BEACH SHORES
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HICKS,ZAKERIE,D
BREATH TEST OPERATOR AGENCY: Port Orange PD
ARRESTING OFFICER: VINES,KIRSTEN
ARRESTING OFFICER AGENCY: Port Orange PD
LAST AGENCY INSPECTION: 05/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1305520
DRY GAS EXPIRY DATE: 04/01/2023
VIOLATION CODE: DUI
ARREST TIME: 03:35
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:57

SUBJECT'S LAST NAME: LOUGHLIN

DATE/TIME OF TEST: 05/22/2021 05:07:26

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:00 |
| Air Blank | | 0.000 | 05:00 |
| Control Test | | 0.080 | 05:01 |
| Air Blank | | 0.000 | 05:01 |
| Subject Sample | # 1 | 0.196 | 05:02 |
| Breath Volume | | 1.929 | 05:02 |
| Air Blank | | 0.000 | 05:03 |
| Air Blank | | 0.000 | 05:05 |
| Subject Sample | # 2 | 0.190 | 05:05 |
| Breath Volume | | 1.621 | 05:05 |
| Air Blank | | 0.000 | 05:06 |
| Control Test | | 0.079 | 05:06 |
| Air Blank | | 0.000 | 05:07 |
| Diagnostics Check | | OK | 05:07 |

Data Download Date/Time: 06/21/2021 15:34

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

INSTRUMENT REGISTERED TO: DAYTONA BEACH SHORES
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DIEDESCH,LAURA,R
BREATH TEST OPERATOR AGENCY: Daytona Beach Shores
ARRESTING OFFICER: SMITH,KARL
ARRESTING OFFICER AGENCY: Daytona Beach PD
LAST AGENCY INSPECTION: 05/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1305520
DRY GAS EXPIRY DATE: 04/01/2023
VIOLATION CODE: DUI
ARREST TIME: 22:22
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:10

SUBJECT'S LAST NAME: JOHNSON

DATE/TIME OF TEST: 05/23/2021 23:40:28

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:32 |
| Air Blank | | 0.000 | 23:32 |
| Control Test | | 0.079 | 23:33 |
| Air Blank | | 0.000 | 23:33 |
| Subject Sample | # 1 | 0.076 | 23:35 |
| Breath Volume | | 1.394 | 23:35 |
| Air Blank | | 0.000 | 23:36 |
| Air Blank | | 0.000 | 23:37 |
| Subject Sample | # 2 | 0.075 | 23:38 |
| Breath Volume | | 1.562 | 23:38 |
| Air Blank | | 0.000 | 23:39 |
| Control Test | | 0.079 | 23:39 |
| Air Blank | | 0.000 | 23:40 |
| Diagnostics Check | | OK | 23:40 |

Data Download Date/Time: 06/21/2021 15:34

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001242

INSTRUMENT REGISTERED TO: DAYTONA BEACH SHORES
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RADEMACHER,RICHARD,J
BREATH TEST OPERATOR AGENCY: Daytona Beach Shores
ARRESTING OFFICER: DIEDESCH,LAURA
ARRESTING OFFICER AGENCY: Daytona Beach Shores
LAST AGENCY INSPECTION: 05/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1305520
DRY GAS EXPIRY DATE: 04/01/2023
VIOLATION CODE: DUI
ARREST TIME: 23:50
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:58

SUBJECT'S LAST NAME: DEAN

DATE/TIME OF TEST: 05/27/2021 00:25:44

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:18 |
| Air Blank | | 0.000 | 00:19 |
| Control Test | | 0.080 | 00:19 |
| Air Blank | | 0.000 | 00:20 |
| Subject Sample | # 1 | 0.241 | 00:20 |
| Breath Volume | | 1.683 | 00:20 |
| Air Blank | | 0.000 | 00:21 |
| Air Blank | | 0.000 | 00:23 |
| Subject Sample | # 2 | 0.228 | 00:24 |
| Breath Volume | | 1.460 | 00:24 |
| Air Blank | | 0.000 | 00:24 |
| Control Test | | 0.079 | 00:25 |
| Air Blank | | 0.000 | 00:25 |
| Diagnostics Check | | OK | 00:25 |

Data Download Date/Time: 06/21/2021 15:34

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001243

INSTRUMENT REGISTERED TO: EDGEWATER P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FEGER,JOSHUA,D
BREATH TEST OPERATOR AGENCY: Edgewater PD
ARRESTING OFFICER: FEGER,JOSHUA
ARRESTING OFFICER AGENCY: Edgewater PD
LAST AGENCY INSPECTION: 04/09/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1217042
DRY GAS EXPIRY DATE: 10/10/2022
VIOLATION CODE: DUI
ARREST TIME: 18:13
GENDER: Female
OBSERVATION PERIOD BEGAN: 19:05

SUBJECT'S LAST NAME: DIDIO

DATE/TIME OF TEST: 05/04/2021 19:32:21

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:26 |
| Air Blank | | 0.000 | 19:26 |
| Control Test | | 0.078 | 19:27 |
| Air Blank | | 0.000 | 19:27 |
| Subject Sample | # 1 | 0.000 | 19:28 |
| Breath Volume | | 1.750 | 19:28 |
| Air Blank | | 0.000 | 19:28 |
| Air Blank | | 0.000 | 19:30 |
| Subject Sample | # 2 | 0.000 | 19:30 |
| Breath Volume | | 1.179 | 19:30 |
| Air Blank | | 0.000 | 19:31 |
| Control Test | | 0.078 | 19:31 |
| Air Blank | | 0.000 | 19:32 |
| Diagnostics Check | | OK | 19:32 |

Data Download Date/Time: 06/01/2021 12:05

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001243

INSTRUMENT REGISTERED TO: EDGEWATER P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FEGER,JOSHUA,D
BREATH TEST OPERATOR AGENCY: Edgewater PD
ARRESTING OFFICER: FEGER,JOSHUA
ARRESTING OFFICER AGENCY: Edgewater PD
LAST AGENCY INSPECTION: 04/09/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1217042
DRY GAS EXPIRY DATE: 10/10/2022
VIOLATION CODE: DUI
ARREST TIME: 16:05
GENDER: Male
OBSERVATION PERIOD BEGAN: 16:20

SUBJECT'S LAST NAME: DUNNE

DATE/TIME OF TEST: 05/06/2021 16:43:28

| | | | |
|---|---|---|---|
| Diagnostics Check | OK | 16:42 | |
| Air Blank | 0.000 | 16:42 | |
| | | 16:42 | Sequence Aborted |
| Air Blank | 0.000 | 16:43 | |

Data Download Date/Time: 06/01/2021 12:05

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001243

INSTRUMENT REGISTERED TO: EDGEWATER P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FEGER,JOSHUA,D
BREATH TEST OPERATOR AGENCY: Edgewater PD
ARRESTING OFFICER: FEGER,JOSHUA
ARRESTING OFFICER AGENCY: Edgewater PD
LAST AGENCY INSPECTION: 04/09/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1217042
DRY GAS EXPIRY DATE: 10/10/2022
VIOLATION CODE: DUI
ARREST TIME: 16:05
GENDER: Male
OBSERVATION PERIOD BEGAN: 16:40

SUBJECT'S LAST NAME: DUNNE

DATE/TIME OF TEST: 05/06/2021 17:07:25

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 17:01 |
| Air Blank | | 0.000 | 17:01 |
| Control Test | | 0.077 | 17:02 |
| Air Blank | | 0.000 | 17:02 |
| Subject Sample | # 1 | 0.222 | 17:02 |
| Breath Volume | | 2.550 | 17:02 |
| Air Blank | | 0.000 | 17:03 |
| Air Blank | | 0.000 | 17:05 |
| Subject Sample | # 2 | 0.221 | 17:05 |
| Breath Volume | | 2.367 | 17:05 |
| Air Blank | | 0.000 | 17:06 |
| Control Test | | 0.075 | 17:06 |
| Air Blank | | 0.000 | 17:07 |
| Diagnostics Check | | OK | 17:07 |

Data Download Date/Time: 06/01/2021 12:05

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

INSTRUMENT REGISTERED TO: SOUTH DAYTONA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GRONDIN,BRYAN,D
BREATH TEST OPERATOR AGENCY: South Daytona PD
ARRESTING OFFICER: MENDOZA,JOHNATHAN
ARRESTING OFFICER AGENCY: South Daytona PD
LAST AGENCY INSPECTION: 04/18/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1249794
DRY GAS EXPIRY DATE: 12/13/2022
VIOLATION CODE: DUI
ARREST TIME: 01:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:07

SUBJECT'S LAST NAME: COLLINS

DATE/TIME OF TEST: 05/01/2021 02:40:06

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:33 |
| Air Blank | | 0.000 | 02:33 |
| Control Test | | 0.081 | 02:34 |
| Air Blank | | 0.000 | 02:34 |
| Subject Sample | # 1 | 0.165 | 02:35 |
| Breath Volume | | 2.347 | 02:35 |
| Air Blank | | 0.000 | 02:36 |
| Air Blank | | 0.000 | 02:37 |
| Subject Sample | # 2 | 0.165 | 02:38 |
| Breath Volume | | 2.488 | 02:38 |
| Air Blank | | 0.000 | 02:39 |
| Control Test | | 0.081 | 02:39 |
| Air Blank | | 0.000 | 02:40 |
| Diagnostics Check | | OK | 02:40 |

Data Download Date/Time: 05/25/2021 13:38

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

INSTRUMENT REGISTERED TO: SOUTH DAYTONA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GRONDIN,BRYAN,D
BREATH TEST OPERATOR AGENCY: South Daytona PD
ARRESTING OFFICER: MENDOZA,JONATHAN
ARRESTING OFFICER AGENCY: South Daytona PD
LAST AGENCY INSPECTION: 04/18/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1249794
DRY GAS EXPIRY DATE: 12/13/2022
VIOLATION CODE: DUI
ARREST TIME: 02:39
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:50

SUBJECT'S LAST NAME: HOLMSTROM

DATE/TIME OF TEST: 05/02/2021 03:23:58

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:17 |
| Air Blank | | 0.000 | 03:17 |
| Control Test | | 0.081 | 03:18 |
| Air Blank | | 0.000 | 03:18 |
| Subject Sample | # 1 | 0.224 | 03:19 |
| Breath Volume | | 3.484 | 03:19 |
| Air Blank | | 0.000 | 03:19 |
| Air Blank | | 0.000 | 03:21 |
| Subject Sample | # 2 | 0.219 | 03:22 |
| Breath Volume | | 3.023 | 03:22 |
| Air Blank | | 0.000 | 03:23 |
| Control Test | | 0.082 | 03:23 |
| Air Blank | | 0.000 | 03:23 |
| Diagnostics Check | | OK | 03:23 |

Data Download Date/Time: 05/25/2021 13:38

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

INSTRUMENT REGISTERED TO: SOUTH DAYTONA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GAFFNEY,CASEY,M
BREATH TEST OPERATOR AGENCY: South Daytona PD
ARRESTING OFFICER: GAFFNEY,CASEY
ARRESTING OFFICER AGENCY: South Daytona PD
LAST AGENCY INSPECTION: 04/18/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1249794
DRY GAS EXPIRY DATE: 12/13/2022
VIOLATION CODE: DUI
ARREST TIME: 23:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:45

SUBJECT'S LAST NAME: LYON

DATE/TIME OF TEST: 05/04/2021 00:29:35

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:22 |
| Air Blank | | 0.000 | 00:22 |
| Control Test | | 0.082 | 00:23 |
| Air Blank | | 0.000 | 00:23 |
| Subject Sample | # 1 | 0.191 | 00:24 |
| Breath Volume | | 1.425 | 00:24 |
| Air Blank | | 0.000 | 00:25 |
| Air Blank | | 0.000 | 00:27 |
| Subject Sample | # 2 | 0.195 | 00:28 |
| Breath Volume | | 1.804 | 00:28 |
| Air Blank | | 0.000 | 00:28 |
| Control Test | | 0.082 | 00:28 |
| Air Blank | | 0.000 | 00:29 |
| Diagnostics Check | | OK | 00:29 |

Data Download Date/Time: 05/25/2021 13:38

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

INSTRUMENT REGISTERED TO: SOUTH DAYTONA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GRONDIN,BRYAN,D
BREATH TEST OPERATOR AGENCY: South Daytona PD
ARRESTING OFFICER: GAFFNEY,CASEY
ARRESTING OFFICER AGENCY: South Daytona PD
LAST AGENCY INSPECTION: 04/18/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1249794
DRY GAS EXPIRY DATE: 12/13/2022
VIOLATION CODE: DUI
ARREST TIME: 23:44
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:30

SUBJECT'S LAST NAME: BITTNER

DATE/TIME OF TEST: 05/08/2021 01:02:29

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:55 |
| Air Blank | | 0.000 | 00:56 |
| Control Test | | 0.082 | 00:56 |
| Air Blank | | 0.000 | 00:57 |
| Subject Sample | # 1 | 0.246 | 00:57 |
| Breath Volume | | 2.609 | 00:57 |
| Air Blank | | 0.000 | 00:58 |
| Air Blank | | 0.000 | 01:00 |
| Subject Sample | # 2 | 0.239 | 01:00 |
| Breath Volume | | 3.550 | 01:00 |
| Air Blank | | 0.000 | 01:01 |
| Control Test | | 0.083 | 01:01 |
| Air Blank | | 0.000 | 01:02 |
| Diagnostics Check | | OK | 01:02 |

Data Download Date/Time: 05/25/2021 13:38

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

INSTRUMENT REGISTERED TO: SOUTH DAYTONA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KURTZ,THEODORE,F
BREATH TEST OPERATOR AGENCY: Port Orange PD
ARRESTING OFFICER: KURTZ,THEODORE
ARRESTING OFFICER AGENCY: Port Orange PD
LAST AGENCY INSPECTION: 04/18/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1249794
DRY GAS EXPIRY DATE: 12/13/2022
VIOLATION CODE: DUI
ARREST TIME: 09:04
GENDER: Male
OBSERVATION PERIOD BEGAN: 09:52

SUBJECT'S LAST NAME: WOODMAN

DATE/TIME OF TEST: 05/22/2021 10:19:09

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 10:12 |
| Air Blank | | 0.000 | 10:12 |
| Control Test | | 0.082 | 10:13 |
| Air Blank | | 0.000 | 10:13 |
| Subject Sample | # 1 | 0.000 | 10:14 |
| Breath Volume | | 2.164 | 10:14 |
| Air Blank | | 0.000 | 10:15 |
| Air Blank | | 0.000 | 10:17 |
| Subject Sample | # 2 | 0.000 | 10:17 |
| Breath Volume | | 1.980 | 10:17 |
| Air Blank | | 0.000 | 10:18 |
| Control Test | | 0.081 | 10:18 |
| Air Blank | | 0.000 | 10:19 |
| Diagnostics Check | | OK | 10:19 |

Data Download Date/Time: 05/25/2021 13:38

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001246

INSTRUMENT REGISTERED TO: SOUTH DAYTONA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: AVILA,NICOLE,M
BREATH TEST OPERATOR AGENCY: Port Orange PD
ARRESTING OFFICER: AVILA,NICOLE
ARRESTING OFFICER AGENCY: Port Orange PD
LAST AGENCY INSPECTION: 05/24/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1249794
DRY GAS EXPIRY DATE: 12/13/2022
VIOLATION CODE: DUI
ARREST TIME: 01:48
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:19

SUBJECT'S LAST NAME: RICHMOND

DATE/TIME OF TEST: 05/25/2021 02:59:48

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:53 | |
| Air Blank | | 0.000 | 02:53 | |
| Control Test | | 0.083 | 02:54 | |
| Air Blank | | 0.000 | 02:54 | |
| Subject Sample | # 1 | 0.000 | 02:55 | |
| Breath Volume | | 5.343 | 02:55 | |
| Air Blank | | 0.000 | 02:55 | |
| Air Blank | | 0.000 | 02:57 | |
| Subject Sample | # 2 | 0.000 | 02:58 | |
| Breath Volume | | 4.750 | 02:58 | |
| Air Blank | | 0.000 | 02:58 | |
| Control Test | | 0.082 | 02:59 | |
| Air Blank | | | 02:59 | RFI Detect |
| Air Blank | | 0.000 | 02:59 | |

Data Download Date/Time: 05/25/2021 13:38

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

INSTRUMENT REGISTERED TO: ORANGE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARDEN,WILLIAM,L
BREATH TEST OPERATOR AGENCY: Orange County SO
ARRESTING OFFICER: LIESENFELT,JASON
ARRESTING OFFICER AGENCY: Orange County SO
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 07220080A2
DRY GAS EXPIRY DATE: 05/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:22
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:37

SUBJECT'S LAST NAME: LOPEZ-DE LEON

DATE/TIME OF TEST: 05/09/2021 04:10:24

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:03 |
| Air Blank | | 0.000 | 04:03 |
| Control Test | | 0.080 | 04:04 |
| Air Blank | | 0.000 | 04:04 |
| Subject Sample | # 1 | 0.185 | 04:05 |
| Breath Volume | | 1.558 | 04:05 |
| Air Blank | | 0.000 | 04:06 |
| Air Blank | | 0.000 | 04:08 |
| Subject Sample | # 2 | 0.191 | 04:08 |
| Breath Volume | | 2.015 | 04:08 |
| Air Blank | | 0.000 | 04:09 |
| Control Test | | 0.080 | 04:09 |
| Air Blank | | 0.000 | 04:10 |
| Diagnostics Check | | OK | 04:10 |

Data Download Date/Time: 06/08/2021 12:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

INSTRUMENT REGISTERED TO: ORANGE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARDEN,WILLIAM,L
BREATH TEST OPERATOR AGENCY: Orange County SO
ARRESTING OFFICER: DUBIC,JUD
ARRESTING OFFICER AGENCY: Orlando PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 07220080A2
DRY GAS EXPIRY DATE: 05/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:55
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:17

SUBJECT'S LAST NAME: DELEMOS

DATE/TIME OF TEST: 05/11/2021 03:51:27

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:43 |
| Air Blank | | 0.000 | 03:43 |
| Control Test | | 0.080 | 03:44 |
| Air Blank | | 0.000 | 03:44 |
| Subject Sample | # 1 | 0.209 | 03:46 |
| Breath Volume | | 1.281 | 03:46 |
| Air Blank | | 0.000 | 03:47 |
| Air Blank | | 0.000 | 03:48 |
| Subject Sample | # 2 | 0.227 | 03:49 |
| Breath Volume | | 1.304 | 03:49 |
| Air Blank | | 0.000 | 03:50 |
| Control Test | | 0.079 | 03:50 |
| Air Blank | | 0.000 | 03:51 |
| Diagnostics Check | | OK | 03:51 |

Data Download Date/Time: 06/08/2021 12:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

INSTRUMENT REGISTERED TO: ORANGE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARDEN,WILLIAM,L
BREATH TEST OPERATOR AGENCY: Orange County SO
ARRESTING OFFICER: SINGSON,ROLAND
ARRESTING OFFICER AGENCY: FHP Troop D
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 07220080A2
DRY GAS EXPIRY DATE: 05/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:55
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:33

SUBJECT'S LAST NAME: KELLY

DATE/TIME OF TEST: 05/17/2021 01:08:23

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:01 |
| Air Blank | | 0.000 | 01:02 |
| Control Test | | 0.080 | 01:02 |
| Air Blank | | 0.000 | 01:03 |
| Subject Sample | # 1 | 0.196 | 01:03 |
| Breath Volume | | 1.949 | 01:03 |
| Air Blank | | 0.000 | 01:04 |
| Air Blank | | 0.000 | 01:06 |
| Subject Sample | # 2 | 0.198 | 01:06 |
| Breath Volume | | 1.628 | 01:06 |
| Air Blank | | 0.000 | 01:07 |
| Control Test | | 0.079 | 01:07 |
| Air Blank | | 0.000 | 01:08 |
| Diagnostics Check | | OK | 01:08 |

Data Download Date/Time: 06/08/2021 12:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

INSTRUMENT REGISTERED TO: ORANGE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARDEN,WILLIAM,L
BREATH TEST OPERATOR AGENCY: Orange County SO
ARRESTING OFFICER: LOPEZ,JOSHUA
ARRESTING OFFICER AGENCY: FHP Troop D
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 07220080A2
DRY GAS EXPIRY DATE: 05/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:10
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:22

SUBJECT'S LAST NAME: ORTIZ

DATE/TIME OF TEST: 05/22/2021 01:54:03

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:47 |
| Air Blank | | 0.000 | 01:47 |
| Control Test | | 0.080 | 01:48 |
| Air Blank | | 0.000 | 01:48 |
| Subject Sample | # 1 | 0.204 | 01:49 |
| Breath Volume | | 1.261 | 01:49 |
| Air Blank | | 0.000 | 01:49 |
| Air Blank | | 0.000 | 01:51 |
| Subject Sample | # 2 | 0.201 | 01:52 |
| Breath Volume | | 1.597 | 01:52 |
| Air Blank | | 0.000 | 01:53 |
| Control Test | | 0.081 | 01:53 |
| Air Blank | | 0.000 | 01:53 |
| Diagnostics Check | | OK | 01:54 |

Data Download Date/Time: 06/08/2021 12:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

INSTRUMENT REGISTERED TO: ORANGE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARDEN,WILLIAM,L
BREATH TEST OPERATOR AGENCY: Orange County SO
ARRESTING OFFICER: BLACKWELL,ROBERT
ARRESTING OFFICER AGENCY: Maitland PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 07220080A2
DRY GAS EXPIRY DATE: 05/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:35
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:03

SUBJECT'S LAST NAME: HAYES

DATE/TIME OF TEST: 05/23/2021 03:39:18

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:33 |
| Air Blank | | 0.000 | 03:33 |
| Control Test | | 0.080 | 03:33 |
| Air Blank | | 0.000 | 03:34 |
| Subject Sample | # 1 | 0.244 | 03:34 |
| Breath Volume | | 3.597 | 03:34 |
| Air Blank | | 0.000 | 03:35 |
| Air Blank | | 0.000 | 03:37 |
| Subject Sample | # 2 | 0.231 | 03:37 |
| Breath Volume | | 1.148 | 03:37 |
| Air Blank | | 0.000 | 03:38 |
| Control Test | | 0.080 | 03:38 |
| Air Blank | | 0.000 | 03:39 |
| Diagnostics Check | | OK | 03:39 |

Data Download Date/Time: 06/08/2021 12:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

INSTRUMENT REGISTERED TO: ORANGE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARDEN,WILLIAM,L
BREATH TEST OPERATOR AGENCY: Orange County SO
ARRESTING OFFICER: LIESENFELT,JASON
ARRESTING OFFICER AGENCY: Orange County SO
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 07220080A2
DRY GAS EXPIRY DATE: 05/05/2022
VIOLATION CODE: DUI
ARREST TIME: 04:11
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:14

SUBJECT'S LAST NAME: PRESENDIEU

DATE/TIME OF TEST: 05/23/2021 05:01:16

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:52 |
| Air Blank | | 0.000 | 04:53 |
| Control Test | | 0.080 | 04:53 |
| Air Blank | | 0.000 | 04:53 |
| Subject Sample | # 1 | 0.203 | 04:56 |
| Breath Volume | | 1.417 | 04:56 |
| Air Blank | | 0.000 | 04:56 |
| Air Blank | | 0.000 | 04:58 |
| Subject Sample | # 2 | 0.213 | 04:59 |
| Breath Volume | | 2.019 | 04:59 |
| Air Blank | | 0.000 | 05:00 |
| Control Test | | 0.080 | 05:00 |
| Air Blank | | 0.000 | 05:01 |
| Diagnostics Check | | OK | 05:01 |

Data Download Date/Time: 06/08/2021 12:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

INSTRUMENT REGISTERED TO: ORANGE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARDEN,WILLIAM,L
BREATH TEST OPERATOR AGENCY: Orange County SO
ARRESTING OFFICER: ALVELO,RICHARD
ARRESTING OFFICER AGENCY: Apopka PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 07220080A2
DRY GAS EXPIRY DATE: 05/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:20
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:25

SUBJECT'S LAST NAME: PUTTMAN

DATE/TIME OF TEST: 05/24/2021 01:56:54

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:50 |
| Air Blank | | 0.000 | 01:51 |
| Control Test | | 0.080 | 01:51 |
| Air Blank | | 0.000 | 01:51 |
| Subject Sample | # 1 | 0.168 | 01:52 |
| Breath Volume | | 2.546 | 01:52 |
| Air Blank | | 0.000 | 01:52 |
| Air Blank | | 0.000 | 01:54 |
| Subject Sample | # 2 | 0.165 | 01:55 |
| Breath Volume | | 2.042 | 01:55 |
| Air Blank | | 0.000 | 01:56 |
| Control Test | | 0.080 | 01:56 |
| Air Blank | | 0.000 | 01:56 |
| Diagnostics Check | | OK | 01:56 |

Data Download Date/Time: 06/08/2021 12:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

INSTRUMENT REGISTERED TO: ORANGE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARDEN,WILLIAM,L
BREATH TEST OPERATOR AGENCY: Orange County SO
ARRESTING OFFICER: MATIAS,ROLANDO
ARRESTING OFFICER AGENCY: Apopka PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 07220080A2
DRY GAS EXPIRY DATE: 05/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:54
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:49

SUBJECT'S LAST NAME: BUSH

DATE/TIME OF TEST: 05/24/2021 03:19:06

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:12 |
| Air Blank | | 0.000 | 03:13 |
| Control Test | | 0.080 | 03:13 |
| Air Blank | | 0.000 | 03:14 |
| Subject Sample | # 1 | 0.109 | 03:14 |
| Breath Volume | | 4.605 | 03:14 |
| Air Blank | | 0.000 | 03:15 |
| Air Blank | | 0.000 | 03:17 |
| Subject Sample | # 2 | 0.096 | 03:17 |
| Breath Volume | | 2.308 | 03:17 |
| Air Blank | | 0.000 | 03:18 |
| Control Test | | 0.080 | 03:18 |
| Air Blank | | 0.000 | 03:19 |
| Diagnostics Check | | OK | 03:19 |

Data Download Date/Time: 06/08/2021 12:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001256

INSTRUMENT REGISTERED TO: ORANGE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SKOWRONSKI,JEFFREY,J
BREATH TEST OPERATOR AGENCY: Orange County SO
ARRESTING OFFICER: RAMIREZ,MATTHEW
ARRESTING OFFICER AGENCY: Ocoee PD
LAST AGENCY INSPECTION: 05/05/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 07220080A2
DRY GAS EXPIRY DATE: 05/05/2022
VIOLATION CODE: DUI
ARREST TIME: 01:12
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:13

SUBJECT'S LAST NAME: HIGARERAPEREZ

DATE/TIME OF TEST: 05/29/2021 02:48:07

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:39 |
| Air Blank | | 0.000 | 02:39 |
| Control Test | | 0.080 | 02:40 |
| Air Blank | | 0.000 | 02:40 |
| Subject Sample | # 1 | 0.179 | 02:42 |
| Breath Volume | | 1.105 | 02:42 |
| Air Blank | | 0.000 | 02:43 |
| Air Blank | | 0.000 | 02:45 |
| Subject Sample | # 2 | 0.170 | 02:46 |
| Breath Volume | | 1.437 | 02:46 |
| Air Blank | | 0.000 | 02:47 |
| Control Test | | 0.080 | 02:47 |
| Air Blank | | 0.000 | 02:48 |
| Diagnostics Check | | OK | 02:48 |

Data Download Date/Time: 06/08/2021 12:17

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

INSTRUMENT REGISTERED TO: COCOA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PICHECO,JOHN,A
BREATH TEST OPERATOR AGENCY: Cocoa PD
ARRESTING OFFICER: MANNING,AUSTIN
ARRESTING OFFICER AGENCY: Cocoa PD
LAST AGENCY INSPECTION: 04/06/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 30219080A4
DRY GAS EXPIRY DATE: 01/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:04
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:14

SUBJECT'S LAST NAME: MAZZARELL

DATE/TIME OF TEST: 05/05/2021 01:41:49

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:35 |
| Air Blank | | 0.000 | 01:35 |
| Control Test | | 0.079 | 01:36 |
| Air Blank | | 0.000 | 01:36 |
| Subject Sample | # 1 | 0.000 | 01:37 |
| Breath Volume | | 3.433 | 01:37 |
| Air Blank | | 0.000 | 01:37 |
| Air Blank | | 0.000 | 01:39 |
| Subject Sample | # 2 | 0.000 | 01:40 |
| Breath Volume | | 3.757 | 01:40 |
| Air Blank | | 0.000 | 01:40 |
| Control Test | | 0.078 | 01:41 |
| Air Blank | | 0.000 | 01:41 |
| Diagnostics Check | | OK | 01:41 |

Data Download Date/Time: 05/12/2021 19:34

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

INSTRUMENT REGISTERED TO: COCOA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FRAZIER,JAMES,H
BREATH TEST OPERATOR AGENCY: Cocoa PD
ARRESTING OFFICER: HOUCHENS,M
ARRESTING OFFICER AGENCY: Cocoa PD
LAST AGENCY INSPECTION: 05/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 30219080A4
DRY GAS EXPIRY DATE: 01/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:58
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:22

SUBJECT'S LAST NAME: GLOCHICK

DATE/TIME OF TEST: 05/11/2021 21:49:48

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:42 |
| Air Blank | | 0.000 | 21:43 |
| Control Test | | 0.076 | 21:43 |
| Air Blank | | 0.000 | 21:43 |
| Subject Sample | # 1 | 0.233 | 21:45 |
| Breath Volume | | 2.414 | 21:45 |
| Air Blank | | 0.000 | 21:46 |
| Air Blank | | 0.000 | 21:47 |
| Subject Sample | # 2 | 0.241 | 21:48 |
| Breath Volume | | 1.496 | 21:48 |
| Air Blank | | 0.000 | 21:48 |
| Control Test | | 0.075 | 21:49 |
| Air Blank | | 0.000 | 21:49 |
| Diagnostics Check | | OK | 21:49 |

Data Download Date/Time: 05/12/2021 19:34

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

INSTRUMENT REGISTERED TO: COCOA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FRAZIER,JAMES,H
BREATH TEST OPERATOR AGENCY: Cocoa PD
ARRESTING OFFICER: HOLLAND,C
ARRESTING OFFICER AGENCY: Cocoa PD
LAST AGENCY INSPECTION: 05/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 30219080A4
DRY GAS EXPIRY DATE: 01/05/2022
VIOLATION CODE: DUI
ARREST TIME: 17:57
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:06

SUBJECT'S LAST NAME: REDDEN

DATE/TIME OF TEST: 05/19/2021 18:55:58

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 18:53 | |
| Air Blank | | 0.000 | 18:53 | |
| Control Test | | 0.080 | 18:53 | |
| Air Blank | | 0.000 | 18:54 | |
| Subject Sample | # 1 | | 18:54 | Subject Test Refused |
| Breath Volume | | 0.000 | 18:54 | |
| Air Blank | | 0.000 | 18:55 | |
| Control Test | | 0.079 | 18:55 | |
| Air Blank | | 0.000 | 18:55 | |
| Diagnostics Check | | OK | 18:55 | |

Data Download Date/Time: 06/20/2021 00:43

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

INSTRUMENT REGISTERED TO: COCOA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BRADSHAW,CHRISTOPHER,B
BREATH TEST OPERATOR AGENCY: Cocoa PD
ARRESTING OFFICER: BENITEZ,R
ARRESTING OFFICER AGENCY: Cocoa PD
LAST AGENCY INSPECTION: 05/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 30219080A4
DRY GAS EXPIRY DATE: 01/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:31
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:44

SUBJECT'S LAST NAME: CUDA

DATE/TIME OF TEST: 05/29/2021 01:12:49

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:05 |
| Air Blank | | 0.000 | 01:05 |
| Control Test | | 0.079 | 01:05 |
| Air Blank | | 0.000 | 01:06 |
| Subject Sample | # 1 | 0.253 | 01:07 |
| Breath Volume | | 1.644 | 01:07 |
| Air Blank | | 0.000 | 01:08 |
| Air Blank | | 0.000 | 01:10 |
| Subject Sample | # 2 | 0.251 | 01:11 |
| Breath Volume | | 1.488 | 01:11 |
| Air Blank | | 0.000 | 01:11 |
| Control Test | | 0.079 | 01:12 |
| Air Blank | | 0.000 | 01:12 |
| Diagnostics Check | | OK | 01:12 |

Data Download Date/Time: 06/20/2021 00:43

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

INSTRUMENT REGISTERED TO: COCOA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LAKEMAN,TAYLOR,J
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: LEITCH,RICKFORD
ARRESTING OFFICER AGENCY: Cocoa PD
LAST AGENCY INSPECTION: 05/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 30219080A4
DRY GAS EXPIRY DATE: 01/05/2022
VIOLATION CODE: DUI
ARREST TIME: 13:18
GENDER: Male
OBSERVATION PERIOD BEGAN: 13:54

SUBJECT'S LAST NAME: PERRON

DATE/TIME OF TEST: 05/29/2021 14:23:55

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 14:17 |
| Air Blank | | 0.000 | 14:18 |
| Control Test | | 0.079 | 14:18 |
| Air Blank | | 0.000 | 14:18 |
| Subject Sample | # 1 | 0.292 | 14:19 |
| Breath Volume | | 3.144 | 14:19 |
| Air Blank | | 0.000 | 14:20 |
| Air Blank | | 0.000 | 14:21 |
| Subject Sample | # 2 | 0.277 | 14:22 |
| Breath Volume | | 3.273 | 14:22 |
| Air Blank | | 0.000 | 14:23 |
| Control Test | | 0.078 | 14:23 |
| Air Blank | | 0.000 | 14:23 |
| Diagnostics Check | | OK | 14:23 |

Data Download Date/Time: 06/20/2021 00:43

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001260

INSTRUMENT REGISTERED TO: COCOA P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: FRAZIER,JAMES,H
BREATH TEST OPERATOR AGENCY: Cocoa PD
ARRESTING OFFICER: DEAN,I
ARRESTING OFFICER AGENCY: Cocoa PD
LAST AGENCY INSPECTION: 05/07/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 30219080A4
DRY GAS EXPIRY DATE: 01/05/2022
VIOLATION CODE: DUI
ARREST TIME: 21:39
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:49

SUBJECT'S LAST NAME: SMITH

DATE/TIME OF TEST: 05/29/2021 22:24:32

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 22:21 | |
| Air Blank | | 0.000 | 22:22 | |
| Control Test | | 0.080 | 22:22 | |
| Air Blank | | 0.000 | 22:23 | |
| Subject Sample | # 1 | | 22:23 | Subject Test Refused |
| Breath Volume | | 0.000 | 22:23 | |
| Air Blank | | 0.000 | 22:23 | |
| Control Test | | 0.080 | 22:23 | |
| Air Blank | | 0.000 | 22:24 | |
| Diagnostics Check | | OK | 22:24 | |

Data Download Date/Time: 06/20/2021 00:43

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001261

INSTRUMENT REGISTERED TO: ROCKLEDGE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: PENDER,DEREK,A
BREATH TEST OPERATOR AGENCY: Rockledge PD
ARRESTING OFFICER: PENDER,DEREK
ARRESTING OFFICER AGENCY: Rockledge PD
LAST AGENCY INSPECTION: 04/19/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1175968
DRY GAS EXPIRY DATE: 07/22/2022
VIOLATION CODE: DUI
ARREST TIME: 00:27
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:27

SUBJECT'S LAST NAME: STOCKMAN

DATE/TIME OF TEST: 05/10/2021 01:16:15

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:09 |
| Air Blank | | 0.000 | 01:09 |
| Control Test | | 0.079 | 01:10 |
| Air Blank | | 0.000 | 01:10 |
| Subject Sample | # 1 | 0.173 | 01:11 |
| Breath Volume | | 3.242 | 01:11 |
| Air Blank | | 0.000 | 01:12 |
| Air Blank | | 0.000 | 01:14 |
| Subject Sample | # 2 | 0.181 | 01:14 |
| Breath Volume | | 3.761 | 01:14 |
| Air Blank | | 0.000 | 01:15 |
| Control Test | | 0.079 | 01:15 |
| Air Blank | | 0.000 | 01:16 |
| Diagnostics Check | | OK | 01:16 |

Data Download Date/Time: 06/07/2021 14:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001261

INSTRUMENT REGISTERED TO: ROCKLEDGE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HOLBROOK,NICHOLAS,B
BREATH TEST OPERATOR AGENCY: Rockledge PD
ARRESTING OFFICER: PAVLAKOS,PAVLOS
ARRESTING OFFICER AGENCY: Rockledge PD
LAST AGENCY INSPECTION: 04/19/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1175968
DRY GAS EXPIRY DATE: 07/22/2022
VIOLATION CODE: DUI
ARREST TIME: 02:04
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:27

SUBJECT'S LAST NAME: GONZALEZ

DATE/TIME OF TEST: 05/16/2021 02:53:51

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:47 |
| Air Blank | | 0.000 | 02:48 |
| Control Test | | 0.080 | 02:48 |
| Air Blank | | 0.000 | 02:49 |
| Subject Sample | # 1 | 0.129 | 02:49 |
| Breath Volume | | 3.644 | 02:49 |
| Air Blank | | 0.000 | 02:50 |
| Air Blank | | 0.000 | 02:51 |
| Subject Sample | # 2 | 0.128 | 02:52 |
| Breath Volume | | 3.906 | 02:52 |
| Air Blank | | 0.000 | 02:52 |
| Control Test | | 0.078 | 02:53 |
| Air Blank | | 0.000 | 02:53 |
| Diagnostics Check | | OK | 02:53 |

Data Download Date/Time: 06/07/2021 14:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001261

INSTRUMENT REGISTERED TO: ROCKLEDGE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HOLBROOK,NICHOLAS,B
BREATH TEST OPERATOR AGENCY: Rockledge PD
ARRESTING OFFICER: LORAINE,CHARLES
ARRESTING OFFICER AGENCY: Rockledge PD
LAST AGENCY INSPECTION: 04/19/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1175968
DRY GAS EXPIRY DATE: 07/22/2022
VIOLATION CODE: DUI
ARREST TIME: 22:19
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:41

SUBJECT'S LAST NAME: JUAREZ CALDERON

DATE/TIME OF TEST: 05/19/2021 23:07:05

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:01 |
| Air Blank | | 0.000 | 23:01 |
| Control Test | | 0.079 | 23:01 |
| Air Blank | | 0.000 | 23:02 |
| Subject Sample | # 1 | 0.231 | 23:02 |
| Breath Volume | | 1.726 | 23:02 |
| Air Blank | | 0.000 | 23:03 |
| Air Blank | | 0.000 | 23:05 |
| Subject Sample | # 2 | 0.238 | 23:05 |
| Breath Volume | | 2.347 | 23:05 |
| Air Blank | | 0.000 | 23:06 |
| Control Test | | 0.078 | 23:06 |
| Air Blank | | 0.000 | 23:07 |
| Diagnostics Check | | OK | 23:07 |

Data Download Date/Time: 06/07/2021 14:16

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARRISON,A,
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: DOLCI,P
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 00:33
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:33

SUBJECT'S LAST NAME: WALKER

DATE/TIME OF TEST: 05/01/2021 01:39:57

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 01:27 | |
| Air Blank | | 0.000 | 01:27 | |
| Control Test | | 0.081 | 01:27 | |
| Air Blank | | 0.000 | 01:28 | |
| Subject Sample | # 1 | 0.061 | 01:31 | Volume Not Met |
| Breath Volume | | 0.417 | 01:31 | |
| Air Blank | | 0.000 | 01:32 | |
| Air Blank | | 0.000 | 01:34 | |
| Subject Sample | # 2 | 0.078 | 01:35 | |
| Breath Volume | | 2.406 | 01:35 | |
| Air Blank | | 0.000 | 01:35 | |
| Air Blank | | 0.000 | 01:37 | |
| Subject Sample | # 3 | 0.074 | 01:38 | |
| Breath Volume | | 1.562 | 01:38 | |
| Air Blank | | 0.000 | 01:39 | |
| Control Test | | 0.081 | 01:39 | |
| Air Blank | | 0.000 | 01:39 | |
| Diagnostics Check | | OK | 01:39 | |

Data Download Date/Time: 06/01/2021 06:30

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAZEWICZ,ALISON,E
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: BLAZEWICZ,ALISON
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 23:02
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:32

SUBJECT'S LAST NAME: SEVEL

DATE/TIME OF TEST: 05/08/2021 00:42:28

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:35 |
| Air Blank | | 0.000 | 00:35 |
| Control Test | | 0.081 | 00:36 |
| Air Blank | | 0.000 | 00:36 |
| Subject Sample | # 1 | 0.000 | 00:37 |
| Breath Volume | | 1.226 | 00:37 |
| Air Blank | | 0.000 | 00:38 |
| Air Blank | | 0.000 | 00:40 |
| Subject Sample | # 2 | 0.000 | 00:41 |
| Breath Volume | | 2.335 | 00:41 |
| Air Blank | | 0.000 | 00:41 |
| Control Test | | 0.081 | 00:41 |
| Air Blank | | 0.000 | 00:42 |
| Diagnostics Check | | OK | 00:42 |

Data Download Date/Time: 06/01/2021 06:30

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUBRANO,OLIVIA,C
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: DUMMER,LUKE
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 03:41
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:42

SUBJECT'S LAST NAME: MALONE

DATE/TIME OF TEST: 05/11/2021 04:34:54

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:27 |
| Air Blank | | 0.000 | 04:28 |
| Control Test | | 0.081 | 04:28 |
| Air Blank | | 0.000 | 04:29 |
| Subject Sample | # 1 | 0.166 | 04:30 |
| Breath Volume | | 2.769 | 04:30 |
| Air Blank | | 0.000 | 04:30 |
| Air Blank | | 0.000 | 04:32 |
| Subject Sample | # 2 | 0.168 | 04:33 |
| Breath Volume | | 1.976 | 04:33 |
| Air Blank | | 0.000 | 04:33 |
| Control Test | | 0.080 | 04:34 |
| Air Blank | | 0.000 | 04:34 |
| Diagnostics Check | | OK | 04:34 |

Data Download Date/Time: 06/01/2021 06:30

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAZEWICZ,ALISON,E
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: BLAZEWICZ,ALISON
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 18:55
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:30

SUBJECT'S LAST NAME: WRIGHT

DATE/TIME OF TEST: 05/12/2021 20:10:43

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:03 |
| Air Blank | | 0.000 | 20:04 |
| Control Test | | 0.082 | 20:04 |
| Air Blank | | 0.000 | 20:04 |
| Subject Sample | # 1 | 0.000 | 20:06 |
| Breath Volume | | 1.425 | 20:06 |
| Air Blank | | 0.000 | 20:06 |
| Air Blank | | 0.000 | 20:08 |
| Subject Sample | # 2 | 0.000 | 20:09 |
| Breath Volume | | 1.292 | 20:09 |
| Air Blank | | 0.000 | 20:09 |
| Control Test | | 0.080 | 20:10 |
| Air Blank | | 0.000 | 20:10 |
| Diagnostics Check | | OK | 20:10 |

Data Download Date/Time: 06/01/2021 06:30

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SMITH,B,
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: KRAVTZOFF,J
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 10:31
GENDER: Male
OBSERVATION PERIOD BEGAN: 10:56

SUBJECT'S LAST NAME: GULI

DATE/TIME OF TEST: 05/17/2021 11:29:27

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 11:23 |
| Air Blank | | 0.000 | 11:23 |
| Control Test | | 0.081 | 11:24 |
| Air Blank | | 0.000 | 11:24 |
| Subject Sample | # 1 | 0.000 | 11:25 |
| Breath Volume | | 3.953 | 11:25 |
| Air Blank | | 0.000 | 11:25 |
| Air Blank | | 0.000 | 11:27 |
| Subject Sample | # 2 | 0.000 | 11:28 |
| Breath Volume | | 4.082 | 11:28 |
| Air Blank | | 0.000 | 11:28 |
| Control Test | | 0.081 | 11:28 |
| Air Blank | | 0.000 | 11:29 |
| Diagnostics Check | | OK | 11:29 |

Data Download Date/Time: 06/01/2021 06:31

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VAZQUEZ,ANDREW,
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: CLERMONT,ENITH
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 00:47
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:52

SUBJECT'S LAST NAME: URDAZ

DATE/TIME OF TEST: 05/22/2021 01:38:42

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:32 |
| Air Blank | | 0.000 | 01:32 |
| Control Test | | 0.082 | 01:33 |
| Air Blank | | 0.000 | 01:33 |
| Subject Sample | # 1 | 0.170 | 01:34 |
| Breath Volume | | 2.167 | 01:34 |
| Air Blank | | 0.000 | 01:34 |
| Air Blank | | 0.000 | 01:36 |
| Subject Sample | # 2 | 0.169 | 01:37 |
| Breath Volume | | 1.433 | 01:37 |
| Air Blank | | 0.000 | 01:37 |
| Control Test | | 0.081 | 01:38 |
| Air Blank | | 0.000 | 01:38 |
| Diagnostics Check | | OK | 01:38 |

Data Download Date/Time: 06/01/2021 06:31

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VAZQUEZ,ANDREW,
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: VAZQUEZ,ANDREW
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 19:22
GENDER: Female
OBSERVATION PERIOD BEGAN: 19:30

SUBJECT'S LAST NAME: LECROY

DATE/TIME OF TEST: 05/22/2021 20:27:27

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 20:23 | |
| Air Blank | | 0.000 | 20:23 | |
| Control Test | | 0.080 | 20:24 | |
| Air Blank | | 0.000 | 20:24 | |
| Subject Sample | # 1 | | 20:26 | Subject Test Refused |
| Breath Volume | | 0.000 | 20:26 | |
| Air Blank | | 0.000 | 20:26 | |
| Control Test | | 0.080 | 20:26 | |
| Air Blank | | 0.000 | 20:27 | |
| Diagnostics Check | | OK | 20:27 | |

Data Download Date/Time: 06/01/2021 06:32

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VAZQUEZ,ANDREW,
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: VAZQUEZ,ANDREW
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 19:22
GENDER: Female
OBSERVATION PERIOD BEGAN: 19:30

SUBJECT'S LAST NAME: LECROY

DATE/TIME OF TEST: 05/22/2021 20:51:59

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 20:42 | |
| Air Blank | | 0.000 | 20:42 | |
| Control Test | | 0.082 | 20:43 | |
| Air Blank | | 0.000 | 20:43 | |
| Subject Sample | # 1 | 0.162 | 20:45 | |
| Breath Volume | | 1.300 | 20:45 | |
| Air Blank | | 0.000 | 20:45 | |
| Air Blank | | 0.000 | 20:47 | |
| Subject Sample | # 2 | 0.127 | 20:50 | Volume Not Met |
| Breath Volume | | 0.847 | 20:50 | |
| Air Blank | | | 20:51 | Purge Fail |
| Air Blank | | 0.000 | 20:51 | |

Data Download Date/Time: 06/01/2021 06:32

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VAZQUEZ,ANDREW,
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: VAZQUEZ,ANDREW
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 19:30
GENDER: Female
OBSERVATION PERIOD BEGAN: 19:30

SUBJECT'S LAST NAME: LECROY

DATE/TIME OF TEST: 05/22/2021 21:10:34

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 20:54 | |
| Air Blank | | 0.000 | 20:54 | |
| Control Test | | 0.079 | 20:55 | |
| Air Blank | | 0.000 | 20:55 | |
| Subject Sample | # 1 | 0.138 | 20:57 | |
| Breath Volume | | 1.328 | 20:57 | |
| Air Blank | | 0.000 | 20:58 | |
| Air Blank | | 0.000 | 20:59 | |
| Subject Sample | # 2 | 0.126 | 21:03 | Volume Not Met |
| Breath Volume | | 0.292 | 21:03 | |
| Air Blank | | 0.000 | 21:03 | |
| Air Blank | | 0.000 | 21:05 | |
| Subject Sample | # 3 | 0.124 | 21:08 | Volume Not Met |
| Breath Volume | | 0.976 | 21:08 | |
| Air Blank | | 0.000 | 21:09 | |
| Control Test | | 0.080 | 21:09 | |
| Air Blank | | 0.000 | 21:10 | |
| Diagnostics Check | | OK | 21:10 | |

Data Download Date/Time: 06/01/2021 06:33

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAZEWICZ,ALISON,E
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: BLAZEWICZ,ALISON
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 02:53
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:45

SUBJECT'S LAST NAME: REGALADO

DATE/TIME OF TEST: 05/23/2021 04:30:53

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:23 |
| Air Blank | | 0.000 | 04:24 |
| Control Test | | 0.081 | 04:24 |
| Air Blank | | 0.000 | 04:25 |
| Subject Sample | # 1 | 0.107 | 04:25 |
| Breath Volume | | 1.238 | 04:25 |
| Air Blank | | 0.000 | 04:26 |
| Air Blank | | 0.000 | 04:28 |
| Subject Sample | # 2 | 0.103 | 04:29 |
| Breath Volume | | 1.722 | 04:29 |
| Air Blank | | 0.000 | 04:29 |
| Control Test | | 0.082 | 04:30 |
| Air Blank | | 0.000 | 04:30 |
| Diagnostics Check | | OK | 04:30 |

Data Download Date/Time: 06/01/2021 06:33

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUBRANO,OLIVIA,C
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: MODERSON,TUCKER
ARRESTING OFFICER AGENCY: Indian Harbour Beach
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 22:40
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:32

SUBJECT'S LAST NAME: NATHAN

DATE/TIME OF TEST: 05/25/2021 00:21:26

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:15 |
| Air Blank | | 0.000 | 00:15 |
| Control Test | | 0.082 | 00:15 |
| Air Blank | | 0.000 | 00:16 |
| Subject Sample | # 1 | 0.261 | 00:16 |
| Breath Volume | | 2.191 | 00:16 |
| Air Blank | | 0.000 | 00:17 |
| Air Blank | | 0.000 | 00:19 |
| Subject Sample | # 2 | 0.247 | 00:19 |
| Breath Volume | | 2.210 | 00:19 |
| Air Blank | | 0.000 | 00:20 |
| Control Test | | 0.076 | 00:20 |
| Air Blank | | 0.000 | 00:21 |
| Diagnostics Check | | OK | 00:21 |

Data Download Date/Time: 06/01/2021 06:33

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HARRISON,A,
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: DOLCI,P
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 02:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:28

SUBJECT'S LAST NAME: GRAY

DATE/TIME OF TEST: 05/25/2021 03:22:19

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:15 |
| Air Blank | | 0.000 | 03:15 |
| Control Test | | 0.081 | 03:16 |
| Air Blank | | 0.000 | 03:16 |
| Subject Sample | # 1 | 0.000 | 03:17 |
| Breath Volume | | 2.960 | 03:17 |
| Air Blank | | 0.000 | 03:18 |
| Air Blank | | 0.000 | 03:20 |
| Subject Sample | # 2 | 0.000 | 03:20 |
| Breath Volume | | 3.710 | 03:20 |
| Air Blank | | 0.000 | 03:21 |
| Control Test | | 0.080 | 03:21 |
| Air Blank | | 0.000 | 03:22 |
| Diagnostics Check | | OK | 03:22 |

Data Download Date/Time: 06/01/2021 06:33

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VAZQUEZ,ANDREW,
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: VAZQUEZ,ANDREW
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 04/20/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 22:30
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:38

SUBJECT'S LAST NAME: INGALLS

DATE/TIME OF TEST: 05/26/2021 23:05:10

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:58 |
| Air Blank | | 0.000 | 22:59 |
| Control Test | | 0.081 | 22:59 |
| Air Blank | | 0.000 | 23:00 |
| Subject Sample | # 1 | 0.000 | 23:00 |
| Breath Volume | | 1.457 | 23:00 |
| Air Blank | | 0.000 | 23:01 |
| Air Blank | | 0.000 | 23:03 |
| Subject Sample | # 2 | 0.000 | 23:03 |
| Breath Volume | | 1.921 | 23:03 |
| Air Blank | | 0.000 | 23:04 |
| Control Test | | 0.081 | 23:04 |
| Air Blank | | 0.000 | 23:05 |
| Diagnostics Check | | OK | 23:05 |

Data Download Date/Time: 06/01/2021 06:33

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VAZQUEZ,ANDREW,
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: GRAHAM,EMMA
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 05/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 03:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:48

SUBJECT'S LAST NAME: GORMAN

DATE/TIME OF TEST: 05/28/2021 04:21:51

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:09 | |
| Air Blank | | 0.000 | 04:10 | |
| Control Test | | 0.082 | 04:10 | |
| Air Blank | | 0.000 | 04:11 | |
| Subject Sample | # 1 | 0.176 | 04:14 | Volume Not Met |
| Breath Volume | | 0.195 | 04:14 | |
| Air Blank | | 0.000 | 04:14 | |
| Air Blank | | 0.000 | 04:16 | |
| Subject Sample | # 2 | 0.157 | 04:19 | Volume Not Met |
| Breath Volume | | 0.144 | 04:19 | |
| Air Blank | | 0.000 | 04:20 | |
| Control Test | | 0.079 | 04:21 | |
| Air Blank | | 0.000 | 04:21 | |
| Diagnostics Check | | OK | 04:21 | |

Data Download Date/Time: 06/01/2021 06:34

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HOWARD,WILLIAM,
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: PALFREY,WILLIAM
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 05/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 00:21
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:24

SUBJECT'S LAST NAME: WEPPLER

DATE/TIME OF TEST: 05/30/2021 01:32:58

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:25 |
| Air Blank | | 0.000 | 01:26 |
| Control Test | | 0.081 | 01:26 |
| Air Blank | | 0.000 | 01:27 |
| Subject Sample | # 1 | 0.077 | 01:28 |
| Breath Volume | | 1.964 | 01:28 |
| Air Blank | | 0.000 | 01:28 |
| Air Blank | | 0.000 | 01:30 |
| Subject Sample | # 2 | 0.077 | 01:31 |
| Breath Volume | | 1.687 | 01:31 |
| Air Blank | | 0.000 | 01:32 |
| Control Test | | 0.081 | 01:32 |
| Air Blank | | 0.000 | 01:32 |
| Diagnostics Check | | OK | 01:32 |

Data Download Date/Time: 06/01/2021 06:34

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001262

INSTRUMENT REGISTERED TO: MELBOURNE P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUBRANO,OLIVIA,C
BREATH TEST OPERATOR AGENCY: Melbourne PD
ARRESTING OFFICER: DOLCI,PETER
ARRESTING OFFICER AGENCY: Melbourne PD
LAST AGENCY INSPECTION: 05/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1408275
DRY GAS EXPIRY DATE: 11/19/2023
VIOLATION CODE: DUI
ARREST TIME: 17:42
GENDER: Male
OBSERVATION PERIOD BEGAN: 17:42

SUBJECT'S LAST NAME: MARTIN

DATE/TIME OF TEST: 05/30/2021 18:19:45

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 18:13 |
| Air Blank | | 0.000 | 18:13 |
| Control Test | | 0.081 | 18:13 |
| Air Blank | | 0.000 | 18:14 |
| Subject Sample | # 1 | 0.000 | 18:15 |
| Breath Volume | | 1.683 | 18:15 |
| Air Blank | | 0.000 | 18:15 |
| Air Blank | | 0.000 | 18:17 |
| Subject Sample | # 2 | 0.000 | 18:18 |
| Breath Volume | | 2.476 | 18:18 |
| Air Blank | | 0.000 | 18:18 |
| Control Test | | 0.080 | 18:19 |
| Air Blank | | 0.000 | 18:19 |
| Diagnostics Check | | OK | 18:19 |

Data Download Date/Time: 06/01/2021 06:34

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CLEVELAND,WILLIAM,S
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: CLEVELAND,WILLIAM
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 09:54
GENDER: Male
OBSERVATION PERIOD BEGAN: 13:00

SUBJECT'S LAST NAME: COOPER

DATE/TIME OF TEST: 05/02/2021 13:27:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 13:20 |
| Air Blank | | 0.000 | 13:21 |
| Control Test | | 0.080 | 13:21 |
| Air Blank | | 0.000 | 13:22 |
| Subject Sample | # 1 | 0.132 | 13:22 |
| Breath Volume | | 3.109 | 13:22 |
| Air Blank | | 0.000 | 13:23 |
| Air Blank | | 0.000 | 13:25 |
| Subject Sample | # 2 | 0.130 | 13:25 |
| Breath Volume | | 3.093 | 13:25 |
| Air Blank | | 0.000 | 13:26 |
| Control Test | | 0.080 | 13:26 |
| Air Blank | | 0.000 | 13:27 |
| Diagnostics Check | | OK | 13:27 |

Data Download Date/Time: 05/27/2021 20:27

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WAGNER,ROBERT,F
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: SANTIAGO,FRANK
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 08:29
GENDER: Male
OBSERVATION PERIOD BEGAN: 09:10

SUBJECT'S LAST NAME: WEBER

DATE/TIME OF TEST: 05/04/2021 09:39:43

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 09:33 |
| Air Blank | | 0.000 | 09:33 |
| Control Test | | 0.080 | 09:33 |
| Air Blank | | 0.000 | 09:34 |
| Subject Sample | # 1 | 0.000 | 09:35 |
| Breath Volume | | 1.527 | 09:35 |
| Air Blank | | 0.000 | 09:35 |
| Air Blank | | 0.000 | 09:37 |
| Subject Sample | # 2 | 0.000 | 09:38 |
| Breath Volume | | 1.281 | 09:38 |
| Air Blank | | 0.000 | 09:38 |
| Control Test | | 0.079 | 09:39 |
| Air Blank | | 0.000 | 09:39 |
| Diagnostics Check | | OK | 09:39 |

Data Download Date/Time: 05/27/2021 20:28

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ADAMS,JUSTIN,A
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: BATCH,JOSEPH
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 03:27
GENDER: Female
OBSERVATION PERIOD BEGAN: 04:55

SUBJECT'S LAST NAME: YOUNG

DATE/TIME OF TEST: 05/07/2021 05:23:35

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:16 |
| Air Blank | | 0.000 | 05:16 |
| Control Test | | 0.079 | 05:17 |
| Air Blank | | 0.000 | 05:17 |
| Subject Sample | # 1 | 0.171 | 05:18 |
| Breath Volume | | 1.812 | 05:18 |
| Air Blank | | 0.000 | 05:19 |
| Air Blank | | 0.000 | 05:21 |
| Subject Sample | # 2 | 0.168 | 05:22 |
| Breath Volume | | 1.511 | 05:22 |
| Air Blank | | 0.000 | 05:22 |
| Control Test | | 0.078 | 05:22 |
| Air Blank | | 0.000 | 05:23 |
| Diagnostics Check | | OK | 05:23 |

Data Download Date/Time: 05/27/2021 20:28

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: EDWARDS,KIMONE,V
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: DOMINGUEZ,EZRA
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 10:43
GENDER: Male
OBSERVATION PERIOD BEGAN: 10:10

SUBJECT'S LAST NAME: CAMPBELL

DATE/TIME OF TEST: 05/11/2021 11:48:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 11:42 |
| Air Blank | | 0.000 | 11:42 |
| Control Test | | 0.080 | 11:42 |
| Air Blank | | 0.000 | 11:43 |
| Subject Sample | # 1 | 0.024 | 11:43 |
| Breath Volume | | 2.246 | 11:43 |
| Air Blank | | 0.000 | 11:44 |
| Air Blank | | 0.000 | 11:46 |
| Subject Sample | # 2 | 0.023 | 11:46 |
| Breath Volume | | 2.277 | 11:46 |
| Air Blank | | 0.000 | 11:47 |
| Control Test | | 0.079 | 11:47 |
| Air Blank | | 0.000 | 11:48 |
| Diagnostics Check | | OK | 11:48 |

Data Download Date/Time: 05/27/2021 20:28

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAIR,TIMOTHY,D
BREATH TEST OPERATOR AGENCY: FHP Troop D
ARRESTING OFFICER: BLAIR,TIMOTHY
ARRESTING OFFICER AGENCY: FHP Troop D
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 01:47
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:38

SUBJECT'S LAST NAME: DAVIS

DATE/TIME OF TEST: 05/16/2021 03:17:43

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:09 |
| Air Blank | | 0.000 | 03:09 |
| Control Test | | 0.080 | 03:09 |
| Air Blank | | 0.000 | 03:10 |
| Subject Sample | # 1 | 0.178 | 03:13 |
| Breath Volume | | 1.550 | 03:13 |
| Air Blank | | 0.000 | 03:13 |
| Air Blank | | 0.000 | 03:15 |
| Subject Sample | # 2 | 0.175 | 03:16 |
| Breath Volume | | 1.894 | 03:16 |
| Air Blank | | 0.000 | 03:16 |
| Control Test | | 0.078 | 03:17 |
| Air Blank | | 0.000 | 03:17 |
| Diagnostics Check | | OK | 03:17 |

Data Download Date/Time: 05/27/2021 20:28

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: WEIDNER,CODY,M
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: WILLIAMS,BRANDON
ARRESTING OFFICER AGENCY: Titusville PD
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 19:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:10

SUBJECT'S LAST NAME: RENAUD

DATE/TIME OF TEST: 05/16/2021 20:37:55

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:30 |
| Air Blank | | 0.000 | 20:31 |
| Control Test | | 0.079 | 20:31 |
| Air Blank | | 0.000 | 20:32 |
| Subject Sample | # 1 | 0.219 | 20:33 |
| Breath Volume | | 1.343 | 20:33 |
| Air Blank | | 0.000 | 20:33 |
| Air Blank | | 0.000 | 20:35 |
| Subject Sample | # 2 | 0.213 | 20:36 |
| Breath Volume | | 1.261 | 20:36 |
| Air Blank | | 0.000 | 20:37 |
| Control Test | | 0.079 | 20:37 |
| Air Blank | | 0.000 | 20:37 |
| Diagnostics Check | | OK | 20:37 |

Data Download Date/Time: 05/27/2021 20:28

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: VILLACRES,NICHOLAS,J
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: CHAPARRO,JOSE
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 19:35
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:35

SUBJECT'S LAST NAME: MARSHALL

DATE/TIME OF TEST: 05/17/2021 21:33:59

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:26 |
| Air Blank | | 0.000 | 21:26 |
| Control Test | | 0.081 | 21:27 |
| Air Blank | | 0.000 | 21:27 |
| Subject Sample | # 1 | 0.298 | 21:28 |
| Breath Volume | | 1.562 | 21:28 |
| Air Blank | | 0.000 | 21:29 |
| Air Blank | | 0.000 | 21:31 |
| Subject Sample | # 2 | 0.294 | 21:32 |
| Breath Volume | | 1.503 | 21:32 |
| Air Blank | | 0.000 | 21:33 |
| Control Test | | 0.079 | 21:33 |
| Air Blank | | 0.000 | 21:33 |
| Diagnostics Check | | OK | 21:33 |

Data Download Date/Time: 05/27/2021 20:28

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MELIONE,MICHAEL,S
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: NELSON,BRYAN
ARRESTING OFFICER AGENCY: Titusville PD
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 02:42
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:42

SUBJECT'S LAST NAME: KOEPKE

DATE/TIME OF TEST: 05/19/2021 03:39:35

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:31 |
| Air Blank | | 0.000 | 03:32 |
| Control Test | | 0.080 | 03:32 |
| Air Blank | | 0.000 | 03:33 |
| Subject Sample | # 1 | 0.199 | 03:34 |
| Breath Volume | | 1.867 | 03:34 |
| Air Blank | | 0.000 | 03:35 |
| Air Blank | | 0.000 | 03:36 |
| Subject Sample | # 2 | 0.193 | 03:37 |
| Breath Volume | | 2.218 | 03:37 |
| Air Blank | | 0.000 | 03:38 |
| Control Test | | 0.077 | 03:39 |
| Air Blank | | 0.000 | 03:39 |
| Diagnostics Check | | OK | 03:39 |

Data Download Date/Time: 05/27/2021 20:28

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LANG,MATTHEW,J
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: BARRERA,CHRISTINA
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 21:38
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:38

SUBJECT'S LAST NAME: CRAWFORD

DATE/TIME OF TEST: 05/19/2021 23:02:15

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:56 |
| Air Blank | | 0.000 | 22:56 |
| Control Test | | 0.080 | 22:57 |
| Air Blank | | 0.000 | 22:57 |
| Subject Sample | # 1 | 0.237 | 22:57 |
| Breath Volume | | 2.925 | 22:57 |
| Air Blank | | 0.000 | 22:58 |
| Air Blank | | 0.000 | 23:00 |
| Subject Sample | # 2 | 0.234 | 23:00 |
| Breath Volume | | 2.718 | 23:00 |
| Air Blank | | 0.000 | 23:01 |
| Control Test | | 0.080 | 23:01 |
| Air Blank | | 0.000 | 23:02 |
| Diagnostics Check | | OK | 23:02 |

Data Download Date/Time: 05/27/2021 20:28

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GRAY,CONNOR,M
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: UMMEL,JOSHUA
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/02/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 15:10
GENDER: Male
OBSERVATION PERIOD BEGAN: 16:07

SUBJECT'S LAST NAME: BEARSE

DATE/TIME OF TEST: 05/22/2021 17:23:12

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 17:16 |
| Air Blank | | 0.000 | 17:17 |
| Control Test | | 0.081 | 17:17 |
| Air Blank | | 0.000 | 17:18 |
| Subject Sample | # 1 | 0.000 | 17:18 |
| Breath Volume | | 1.535 | 17:18 |
| Air Blank | | 0.000 | 17:19 |
| Air Blank | | 0.000 | 17:21 |
| Subject Sample | # 2 | 0.000 | 17:21 |
| Breath Volume | | 2.210 | 17:21 |
| Air Blank | | 0.000 | 17:22 |
| Control Test | | 0.079 | 17:22 |
| Air Blank | | 0.000 | 17:23 |
| Diagnostics Check | | OK | 17:23 |

Data Download Date/Time: 05/27/2021 20:28

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ANTERIO,CHRISTOPHER,J
BREATH TEST OPERATOR AGENCY: Brevard County SO
ARRESTING OFFICER: YANICK,MICHAEL
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 05/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: DUI
ARREST TIME: 03:05
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:20

SUBJECT'S LAST NAME: HOBAN

DATE/TIME OF TEST: 05/30/2021 03:48:20

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:41 |
| Air Blank | | 0.000 | 03:42 |
| Control Test | | 0.080 | 03:42 |
| Air Blank | | 0.000 | 03:43 |
| Subject Sample | # 1 | 0.000 | 03:43 |
| Breath Volume | | 1.792 | 03:43 |
| Air Blank | | 0.000 | 03:44 |
| Air Blank | | 0.000 | 03:46 |
| Subject Sample | # 2 | 0.000 | 03:46 |
| Breath Volume | | 1.554 | 03:46 |
| Air Blank | | 0.000 | 03:47 |
| Control Test | | 0.079 | 03:47 |
| Air Blank | | 0.000 | 03:48 |
| Diagnostics Check | | OK | 03:48 |

Data Download Date/Time: 07/23/2021 20:53

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001264

INSTRUMENT REGISTERED TO: BREVARD COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HALLSTEN,CALEB,A
BREATH TEST OPERATOR AGENCY: FFWCC (Ocala)
ARRESTING OFFICER: HALLSTEN,CALEB
ARRESTING OFFICER AGENCY: FFWCC (Ocala)
LAST AGENCY INSPECTION: 05/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 22419080A2
DRY GAS EXPIRY DATE: 10/05/2021
VIOLATION CODE: BUI
ARREST TIME: 18:07
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:07

SUBJECT'S LAST NAME: FLORES ORTIZ

DATE/TIME OF TEST: 05/31/2021 18:59:19

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 18:52 |
| Air Blank | | 0.000 | 18:53 |
| Control Test | | 0.080 | 18:53 |
| Air Blank | | 0.000 | 18:54 |
| Subject Sample | # 1 | 0.134 | 18:54 |
| Breath Volume | | 1.882 | 18:54 |
| Air Blank | | 0.000 | 18:55 |
| Air Blank | | 0.000 | 18:57 |
| Subject Sample | # 2 | 0.128 | 18:57 |
| Breath Volume | | 3.054 | 18:57 |
| Air Blank | | 0.000 | 18:58 |
| Control Test | | 0.079 | 18:58 |
| Air Blank | | 0.000 | 18:59 |
| Diagnostics Check | | OK | 18:59 |

Data Download Date/Time: 07/23/2021 20:53


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:30

SUBJECT'S LAST NAME: JITTA

DATE/TIME OF TEST: 05/04/2021 23:02:23

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:55 |
| Air Blank | | 0.000 | 22:55 |
| Control Test | | 0.079 | 22:56 |
| Air Blank | | 0.000 | 22:56 |
| Subject Sample | # 1 | 0.109 | 22:57 |
| Breath Volume | | 1.265 | 22:57 |
| Air Blank | | 0.000 | 22:57 |
| Air Blank | | 0.000 | 22:59 |
| Subject Sample | # 2 | 0.106 | 23:00 |
| Breath Volume | | 1.566 | 23:00 |
| Air Blank | | 0.000 | 23:01 |
| Control Test | | 0.079 | 23:01 |
| Air Blank | | 0.000 | 23:02 |
| Diagnostics Check | | OK | 23:02 |

Data Download Date/Time: 05/28/2021 17:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:03
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:59

SUBJECT'S LAST NAME: SALAZAR

DATE/TIME OF TEST: 05/06/2021 00:25:20

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:19 |
| Air Blank | | 0.000 | 00:19 |
| Control Test | | 0.080 | 00:20 |
| Air Blank | | 0.000 | 00:20 |
| Subject Sample | # 1 | 0.204 | 00:21 |
| Breath Volume | | 1.902 | 00:21 |
| Air Blank | | 0.000 | 00:21 |
| Air Blank | | 0.000 | 00:23 |
| Subject Sample | # 2 | 0.199 | 00:23 |
| Breath Volume | | 3.027 | 00:23 |
| Air Blank | | 0.000 | 00:24 |
| Control Test | | 0.079 | 00:24 |
| Air Blank | | 0.000 | 00:25 |
| Diagnostics Check | | OK | 00:25 |

Data Download Date/Time: 05/28/2021 17:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 03:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:15

SUBJECT'S LAST NAME: DEKLE

DATE/TIME OF TEST: 05/15/2021 03:48:31

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:37 | |
| Air Blank | | 0.000 | 03:37 | |
| Control Test | | 0.080 | 03:37 | |
| Air Blank | | 0.000 | 03:38 | |
| Subject Sample | # 1 | | 03:41 | No Sample Provided |
| Breath Volume | | 0.000 | 03:41 | |
| Air Blank | | 0.000 | 03:42 | |
| Air Blank | | 0.000 | 03:44 | |
| Subject Sample | # 2 | | 03:47 | No Sample Provided |
| Breath Volume | | 0.000 | 03:47 | |
| Air Blank | | 0.000 | 03:47 | |
| Control Test | | 0.080 | 03:47 | |
| Air Blank | | 0.000 | 03:48 | |
| Diagnostics Check | | OK | 03:48 | |

Data Download Date/Time: 05/28/2021 17:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LABOY,L
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 20:09
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:29

SUBJECT'S LAST NAME: FERRARO

DATE/TIME OF TEST: 05/15/2021 21:56:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:50 |
| Air Blank | | 0.000 | 21:50 |
| Control Test | | 0.080 | 21:50 |
| Air Blank | | 0.000 | 21:51 |
| Subject Sample | # 1 | 0.093 | 21:51 |
| Breath Volume | | 1.824 | 21:51 |
| Air Blank | | 0.000 | 21:52 |
| Air Blank | | 0.000 | 21:54 |
| Subject Sample | # 2 | 0.096 | 21:54 |
| Breath Volume | | 2.140 | 21:54 |
| Air Blank | | 0.000 | 21:55 |
| Control Test | | 0.080 | 21:55 |
| Air Blank | | 0.000 | 21:56 |
| Diagnostics Check | | OK | 21:56 |

Data Download Date/Time: 05/28/2021 17:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:13
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:01

SUBJECT'S LAST NAME: SARGENT

DATE/TIME OF TEST: 05/16/2021 00:33:39

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 00:22 | |
| Air Blank | | 0.000 | 00:22 | |
| Control Test | | 0.081 | 00:22 | |
| Air Blank | | 0.000 | 00:23 | |
| Subject Sample | # 1 | | 00:26 | No Sample Provided |
| Breath Volume | | 0.000 | 00:26 | |
| Air Blank | | 0.000 | 00:27 | |
| Air Blank | | 0.000 | 00:29 | |
| Subject Sample | # 2 | 0.095 | 00:32 | Volume Not Met |
| Breath Volume | | 0.566 | 00:32 | |
| Air Blank | | 0.000 | 00:32 | |
| Control Test | | 0.081 | 00:33 | |
| Air Blank | | 0.000 | 00:33 | |
| Diagnostics Check | | OK | 00:33 | |

Data Download Date/Time: 05/28/2021 17:12

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:13
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:01

SUBJECT'S LAST NAME: SARGENT

DATE/TIME OF TEST: 05/16/2021 00:43:02

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:34 |
| Air Blank | | 0.000 | 00:34 |
| Control Test | | 0.081 | 00:35 |
| Air Blank | | 0.000 | 00:35 |
| Subject Sample | # 1 | 0.112 | 00:38 |
| Breath Volume | | 1.484 | 00:38 |
| Air Blank | | 0.000 | 00:39 |
| Air Blank | | 0.000 | 00:41 |
| Subject Sample | # 2 | 0.107 | 00:41 |
| Breath Volume | | 1.218 | 00:41 |
| Air Blank | | 0.000 | 00:42 |
| Control Test | | 0.080 | 00:42 |
| Air Blank | | 0.000 | 00:42 |
| Diagnostics Check | | OK | 00:43 |

Data Download Date/Time: 05/28/2021 17:12

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: BLASSINGAND,A
ARRESTING OFFICER AGENCY: Brevard County SO
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 00:59
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:21

SUBJECT'S LAST NAME: CLARKE

DATE/TIME OF TEST: 05/16/2021 01:49:27

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:41 |
| Air Blank | | 0.000 | 01:42 |
| Control Test | | 0.080 | 01:42 |
| Air Blank | | 0.000 | 01:43 |
| Subject Sample | # 1 | 0.223 | 01:44 |
| Breath Volume | | 1.781 | 01:44 |
| Air Blank | | 0.000 | 01:44 |
| Air Blank | | 0.000 | 01:46 |
| Subject Sample | # 2 | 0.215 | 01:47 |
| Breath Volume | | 2.023 | 01:47 |
| Air Blank | | 0.000 | 01:48 |
| Control Test | | 0.080 | 01:48 |
| Air Blank | | 0.000 | 01:49 |
| Diagnostics Check | | OK | 01:49 |

Data Download Date/Time: 05/28/2021 17:12

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:56
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:43

SUBJECT'S LAST NAME: SZILAGYI

DATE/TIME OF TEST: 05/16/2021 03:09:34

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:03 |
| Air Blank | | 0.000 | 03:03 |
| Control Test | | 0.080 | 03:04 |
| Air Blank | | 0.000 | 03:04 |
| Subject Sample | # 1 | 0.109 | 03:05 |
| Breath Volume | | 2.140 | 03:05 |
| Air Blank | | 0.000 | 03:05 |
| Air Blank | | 0.000 | 03:07 |
| Subject Sample | # 2 | 0.110 | 03:08 |
| Breath Volume | | 2.011 | 03:08 |
| Air Blank | | 0.000 | 03:08 |
| Control Test | | 0.081 | 03:08 |
| Air Blank | | 0.000 | 03:09 |
| Diagnostics Check | | OK | 03:09 |

Data Download Date/Time: 05/28/2021 17:12

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 18:03
GENDER: Male
OBSERVATION PERIOD BEGAN: 17:50

SUBJECT'S LAST NAME: HARDEN

DATE/TIME OF TEST: 05/16/2021 18:19:49

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 18:13 |
| Air Blank | | 0.000 | 18:13 |
| Control Test | | 0.081 | 18:13 |
| Air Blank | | 0.000 | 18:14 |
| Subject Sample | # 1 | 0.000 | 18:15 |
| Breath Volume | | 2.429 | 18:15 |
| Air Blank | | 0.000 | 18:15 |
| Air Blank | | 0.000 | 18:17 |
| Subject Sample | # 2 | 0.000 | 18:18 |
| Breath Volume | | 2.546 | 18:18 |
| Air Blank | | 0.000 | 18:18 |
| Control Test | | 0.080 | 18:19 |
| Air Blank | | 0.000 | 18:19 |
| Diagnostics Check | | OK | 18:19 |

Data Download Date/Time: 05/28/2021 17:12

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 04/27/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 22:24
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:10

SUBJECT'S LAST NAME: SESSION

DATE/TIME OF TEST: 05/20/2021 22:37:59

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:30 |
| Air Blank | | 0.000 | 22:30 |
| Control Test | | 0.079 | 22:30 |
| Air Blank | | 0.000 | 22:31 |
| Subject Sample | # 1 | 0.110 | 22:31 |
| Breath Volume | | 1.546 | 22:31 |
| Air Blank | | 0.000 | 22:32 |
| Air Blank | | 0.000 | 22:34 |
| Subject Sample | # 2 | 0.097 | 22:36 |
| Breath Volume | | 1.242 | 22:36 |
| Air Blank | | 0.000 | 22:37 |
| Control Test | | 0.080 | 22:37 |
| Air Blank | | 0.000 | 22:37 |
| Diagnostics Check | | OK | 22:37 |

Data Download Date/Time: 05/28/2021 17:12

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 05/28/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:35
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:24

SUBJECT'S LAST NAME: TRYTHALL

DATE/TIME OF TEST: 05/29/2021 02:51:26

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:44 |
| Air Blank | | 0.000 | 02:45 |
| Control Test | | 0.080 | 02:45 |
| Air Blank | | 0.000 | 02:46 |
| Subject Sample | # 1 | 0.178 | 02:46 |
| Breath Volume | | 1.566 | 02:46 |
| Air Blank | | 0.000 | 02:47 |
| Air Blank | | 0.000 | 02:49 |
| Subject Sample | # 2 | 0.181 | 02:49 |
| Breath Volume | | 1.628 | 02:49 |
| Air Blank | | 0.000 | 02:50 |
| Control Test | | 0.079 | 02:50 |
| Air Blank | | 0.000 | 02:51 |
| Diagnostics Check | | OK | 02:51 |

Data Download Date/Time: 06/28/2021 15:21

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 05/28/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 02:23
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:12

SUBJECT'S LAST NAME: LACEY

DATE/TIME OF TEST: 05/30/2021 02:38:36

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:32 |
| Air Blank | | 0.000 | 02:32 |
| Control Test | | 0.080 | 02:33 |
| Air Blank | | 0.000 | 02:33 |
| Subject Sample | # 1 | 0.110 | 02:34 |
| Breath Volume | | 3.617 | 02:34 |
| Air Blank | | 0.000 | 02:34 |
| Air Blank | | 0.000 | 02:36 |
| Subject Sample | # 2 | 0.111 | 02:37 |
| Breath Volume | | 3.207 | 02:37 |
| Air Blank | | 0.000 | 02:37 |
| Control Test | | 0.080 | 02:38 |
| Air Blank | | 0.000 | 02:38 |
| Diagnostics Check | | OK | 02:38 |

Data Download Date/Time: 06/28/2021 15:21

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: LUTZ,EDWIN
ARRESTING OFFICER AGENCY: Palm Bay PD
LAST AGENCY INSPECTION: 05/28/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 21:03
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:21

SUBJECT'S LAST NAME: BOWER

DATE/TIME OF TEST: 05/30/2021 21:47:46

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:41 |
| Air Blank | | 0.000 | 21:42 |
| Control Test | | 0.079 | 21:42 |
| Air Blank | | 0.000 | 21:42 |
| Subject Sample | # 1 | 0.209 | 21:43 |
| Breath Volume | | 2.300 | 21:43 |
| Air Blank | | 0.000 | 21:43 |
| Air Blank | | 0.000 | 21:45 |
| Subject Sample | # 2 | 0.200 | 21:46 |
| Breath Volume | | 1.621 | 21:46 |
| Air Blank | | 0.000 | 21:46 |
| Control Test | | 0.079 | 21:47 |
| Air Blank | | 0.000 | 21:47 |
| Diagnostics Check | | OK | 21:47 |

Data Download Date/Time: 06/28/2021 15:21

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001266

INSTRUMENT REGISTERED TO: PALM BAY P.D.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LUTZ,EDWIN,J
BREATH TEST OPERATOR AGENCY: Palm Bay PD
ARRESTING OFFICER: ROSAS,CARLY
ARRESTING OFFICER AGENCY: Titusville PD
LAST AGENCY INSPECTION: 05/28/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 24620080A2
DRY GAS EXPIRY DATE: 11/05/2022
VIOLATION CODE: DUI
ARREST TIME: 23:52
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:16

SUBJECT'S LAST NAME: INGRAM

DATE/TIME OF TEST: 05/31/2021 00:42:42

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:36 |
| Air Blank | | 0.000 | 00:36 |
| Control Test | | 0.080 | 00:37 |
| Air Blank | | 0.000 | 00:37 |
| Subject Sample | # 1 | 0.237 | 00:38 |
| Breath Volume | | 2.398 | 00:38 |
| Air Blank | | 0.000 | 00:38 |
| Air Blank | | 0.000 | 00:40 |
| Subject Sample | # 2 | 0.238 | 00:41 |
| Breath Volume | | 1.722 | 00:41 |
| Air Blank | | 0.000 | 00:41 |
| Control Test | | 0.079 | 00:42 |
| Air Blank | | 0.000 | 00:42 |
| Diagnostics Check | | OK | 00:42 |

Data Download Date/Time: 06/28/2021 15:21


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BETHAM,KEITH,D
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: GRUNAT,JERRY
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 23:31
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:04

SUBJECT'S LAST NAME: JONES

DATE/TIME OF TEST: 05/01/2021 00:34:20

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:27 |
| Air Blank | | 0.000 | 00:28 |
| Control Test | | 0.082 | 00:28 |
| Air Blank | | 0.000 | 00:29 |
| Subject Sample | # 1 | 0.263 | 00:29 |
| Breath Volume | | 3.285 | 00:29 |
| Air Blank | | 0.000 | 00:30 |
| Air Blank | | 0.000 | 00:32 |
| Subject Sample | # 2 | 0.274 | 00:32 |
| Breath Volume | | 3.191 | 00:32 |
| Air Blank | | 0.000 | 00:33 |
| Control Test | | 0.082 | 00:33 |
| Air Blank | | 0.000 | 00:34 |
| Diagnostics Check | | OK | 00:34 |

Data Download Date/Time: 05/31/2021 00:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BERRIOS,STEPHANIE,A
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: RODRIGUEZ,ALEX
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 01:55
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:39

SUBJECT'S LAST NAME: FRESON

DATE/TIME OF TEST: 05/01/2021 03:22:42

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:15 |
| Air Blank | | 0.000 | 03:16 |
| Control Test | | 0.078 | 03:16 |
| Air Blank | | 0.000 | 03:17 |
| Subject Sample | # 1 | 0.150 | 03:17 |
| Breath Volume | | 1.648 | 03:17 |
| Air Blank | | 0.000 | 03:18 |
| Air Blank | | 0.000 | 03:20 |
| Subject Sample | # 2 | 0.158 | 03:21 |
| Breath Volume | | 1.625 | 03:21 |
| Air Blank | | 0.000 | 03:21 |
| Control Test | | 0.077 | 03:22 |
| Air Blank | | 0.000 | 03:22 |
| Diagnostics Check | | OK | 03:22 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BETHAM,KEITH,D
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: KEE,CHRISTOPHER
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 03:17
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:38

SUBJECT'S LAST NAME: MONTALVO RAMOS

DATE/TIME OF TEST: 05/02/2021 04:07:06

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:00 |
| Air Blank | | 0.000 | 04:00 |
| Control Test | | 0.083 | 04:01 |
| Air Blank | | 0.000 | 04:01 |
| Subject Sample | # 1 | 0.222 | 04:02 |
| Breath Volume | | 3.265 | 04:02 |
| Air Blank | | 0.000 | 04:03 |
| Air Blank | | 0.000 | 04:04 |
| Subject Sample | # 2 | 0.219 | 04:05 |
| Breath Volume | | 2.488 | 04:05 |
| Air Blank | | 0.000 | 04:06 |
| Control Test | | 0.080 | 04:06 |
| Air Blank | | 0.000 | 04:07 |
| Diagnostics Check | | OK | 04:07 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BERRIOS,STEPHANIE,A
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: HAMILTON,DWAYNE
ARRESTING OFFICER AGENCY: Sanford PD
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 03:35
GENDER: Female
OBSERVATION PERIOD BEGAN: 04:15

SUBJECT'S LAST NAME: NGO

DATE/TIME OF TEST: 05/02/2021 04:42:42

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:35 |
| Air Blank | | 0.000 | 04:35 |
| Control Test | | 0.082 | 04:36 |
| Air Blank | | 0.000 | 04:36 |
| Subject Sample | # 1 | 0.175 | 04:37 |
| Breath Volume | | 1.433 | 04:37 |
| Air Blank | | 0.000 | 04:38 |
| Air Blank | | 0.000 | 04:40 |
| Subject Sample | # 2 | 0.184 | 04:41 |
| Breath Volume | | 1.957 | 04:41 |
| Air Blank | | 0.000 | 04:41 |
| Control Test | | 0.080 | 04:42 |
| Air Blank | | 0.000 | 04:42 |
| Diagnostics Check | | OK | 04:42 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: CALAMO,KATIE
ARRESTING OFFICER AGENCY: Casselberry PD
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 03:26
GENDER: Female
OBSERVATION PERIOD BEGAN: 04:10

SUBJECT'S LAST NAME: DOWNEY

DATE/TIME OF TEST: 05/05/2021 04:36:46

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:30 |
| Air Blank | | 0.000 | 04:30 |
| Control Test | | 0.082 | 04:30 |
| Air Blank | | 0.000 | 04:31 |
| Subject Sample | # 1 | 0.221 | 04:31 |
| Breath Volume | | 1.144 | 04:31 |
| Air Blank | | 0.000 | 04:32 |
| Air Blank | | 0.000 | 04:34 |
| Subject Sample | # 2 | 0.224 | 04:35 |
| Breath Volume | | 2.597 | 04:35 |
| Air Blank | | 0.000 | 04:35 |
| Control Test | | 0.082 | 04:36 |
| Air Blank | | 0.000 | 04:36 |
| Diagnostics Check | | OK | 04:36 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: BERGKVIST,ANDREW
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 23:03
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:47

SUBJECT'S LAST NAME: RUSSELL

DATE/TIME OF TEST: 05/06/2021 00:13:38

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:07 |
| Air Blank | | 0.000 | 00:07 |
| Control Test | | 0.082 | 00:07 |
| Air Blank | | 0.000 | 00:08 |
| Subject Sample | # 1 | 0.196 | 00:08 |
| Breath Volume | | 1.714 | 00:08 |
| Air Blank | | 0.000 | 00:09 |
| Air Blank | | 0.000 | 00:11 |
| Subject Sample | # 2 | 0.200 | 00:12 |
| Breath Volume | | 3.652 | 00:12 |
| Air Blank | | 0.000 | 00:12 |
| Control Test | | 0.081 | 00:13 |
| Air Blank | | 0.000 | 00:13 |
| Diagnostics Check | | OK | 00:13 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: TOZZI,SHAUN
ARRESTING OFFICER AGENCY: Altamonte Springs PD
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 00:07
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:50

SUBJECT'S LAST NAME: BERRY

DATE/TIME OF TEST: 05/06/2021 01:16:50

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:10 |
| Air Blank | | 0.000 | 01:10 |
| Control Test | | 0.081 | 01:11 |
| Air Blank | | 0.000 | 01:11 |
| Subject Sample | # 1 | 0.199 | 01:12 |
| Breath Volume | | 3.781 | 01:12 |
| Air Blank | | 0.000 | 01:12 |
| Air Blank | | 0.000 | 01:14 |
| Subject Sample | # 2 | 0.196 | 01:15 |
| Breath Volume | | 3.726 | 01:15 |
| Air Blank | | 0.000 | 01:15 |
| Control Test | | 0.080 | 01:16 |
| Air Blank | | 0.000 | 01:16 |
| Diagnostics Check | | OK | 01:16 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: MCCLELLAND,KIMBERLY
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 01:56
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:20

SUBJECT'S LAST NAME: SALES LOPEZ

DATE/TIME OF TEST: 05/06/2021 02:50:17

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:43 |
| Air Blank | | 0.000 | 02:43 |
| Control Test | | 0.082 | 02:43 |
| Air Blank | | 0.000 | 02:44 |
| Subject Sample | # 1 | 0.237 | 02:45 |
| Breath Volume | | 2.601 | 02:45 |
| Air Blank | | 0.000 | 02:46 |
| Air Blank | | 0.000 | 02:47 |
| Subject Sample | # 2 | 0.233 | 02:48 |
| Breath Volume | | 1.632 | 02:48 |
| Air Blank | | 0.000 | 02:49 |
| Control Test | | 0.080 | 02:49 |
| Air Blank | | 0.000 | 02:50 |
| Diagnostics Check | | OK | 02:50 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: MASSIP,LEONARDO
ARRESTING OFFICER AGENCY: Oviedo PD
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 02:31
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:00

SUBJECT'S LAST NAME: SANCHEZ GABRIEL

DATE/TIME OF TEST: 05/06/2021 03:34:52

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:25 |
| Air Blank | | 0.000 | 03:26 |
| Control Test | | 0.082 | 03:26 |
| Air Blank | | 0.000 | 03:27 |
| Subject Sample | # 1 | 0.203 | 03:29 |
| Breath Volume | | 1.636 | 03:29 |
| Air Blank | | 0.000 | 03:30 |
| Air Blank | | 0.000 | 03:32 |
| Subject Sample | # 2 | 0.197 | 03:33 |
| Breath Volume | | 1.660 | 03:33 |
| Air Blank | | 0.000 | 03:33 |
| Control Test | | 0.079 | 03:34 |
| Air Blank | | 0.000 | 03:34 |
| Diagnostics Check | | OK | 03:34 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: RODRIGUEZ,ALEX
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 02:52
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:30

SUBJECT'S LAST NAME: ROLLE

DATE/TIME OF TEST: 05/06/2021 04:25:47

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:18 |
| Air Blank | | 0.000 | 04:18 |
| Control Test | | 0.081 | 04:18 |
| Air Blank | | 0.000 | 04:19 |
| Subject Sample | # 1 | 0.190 | 04:20 |
| Breath Volume | | 1.234 | 04:20 |
| Air Blank | | 0.000 | 04:21 |
| Air Blank | | 0.000 | 04:23 |
| Subject Sample | # 2 | 0.207 | 04:24 |
| Breath Volume | | 1.800 | 04:24 |
| Air Blank | | 0.000 | 04:24 |
| Control Test | | 0.081 | 04:25 |
| Air Blank | | 0.000 | 04:25 |
| Diagnostics Check | | OK | 04:25 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MASSIP,LEONARDO,
BREATH TEST OPERATOR AGENCY: Oviedo PD
ARRESTING OFFICER: DAUZAT,RYAN
ARRESTING OFFICER AGENCY: Oviedo PD
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 17:36
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:20

SUBJECT'S LAST NAME: DICLEMENTI

DATE/TIME OF TEST: 05/06/2021 19:06:28

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 18:56 | |
| Air Blank | | 0.000 | 18:57 | |
| Control Test | | 0.082 | 18:57 | |
| Air Blank | | 0.000 | 18:58 | |
| Subject Sample | # 1 | 0.251 | 18:58 | No .020 agreement |
| Breath Volume | | 4.636 | 18:58 | |
| Air Blank | | 0.000 | 18:59 | |
| Air Blank | | 0.000 | 19:01 | |
| Subject Sample | # 2 | 0.222 | 19:01 | No .020 agreement |
| Breath Volume | | 4.449 | 19:01 | |
| Air Blank | | 0.000 | 19:02 | |
| Air Blank | | 0.000 | 19:04 | |
| Subject Sample | # 3 | 0.184 | 19:04 | No .020 agreement |
| Breath Volume | | 1.296 | 19:04 | |
| Air Blank | | 0.000 | 19:05 | |
| Control Test | | 0.078 | 19:05 | |
| Air Blank | | 0.000 | 19:06 | |
| Diagnostics Check | | OK | 19:06 | |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KOUROUMOUSIS,GEORGE,T
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: CASSEL,CHRISTOPHER
ARRESTING OFFICER AGENCY: Lake Mary PD
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 19:00
GENDER: Female
OBSERVATION PERIOD BEGAN: 20:00

SUBJECT'S LAST NAME: ROLON

DATE/TIME OF TEST: 05/08/2021 21:37:28

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:30 |
| Air Blank | | 0.000 | 21:30 |
| Control Test | | 0.082 | 21:30 |
| Air Blank | | 0.000 | 21:31 |
| Subject Sample | # 1 | 0.267 | 21:32 |
| Breath Volume | | 1.867 | 21:32 |
| Air Blank | | 0.000 | 21:33 |
| Air Blank | | 0.000 | 21:34 |
| Subject Sample | # 2 | 0.263 | 21:35 |
| Breath Volume | | 1.820 | 21:35 |
| Air Blank | | 0.000 | 21:36 |
| Control Test | | 0.080 | 21:36 |
| Air Blank | | 0.000 | 21:37 |
| Diagnostics Check | | OK | 21:37 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: CANNADAY,ZACHARY
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 02:38
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:00

SUBJECT'S LAST NAME: SCHUTT

DATE/TIME OF TEST: 05/09/2021 03:27:43

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:21 |
| Air Blank | | 0.000 | 03:21 |
| Control Test | | 0.082 | 03:21 |
| Air Blank | | 0.000 | 03:22 |
| Subject Sample | # 1 | 0.192 | 03:23 |
| Breath Volume | | 3.597 | 03:23 |
| Air Blank | | 0.000 | 03:23 |
| Air Blank | | 0.000 | 03:25 |
| Subject Sample | # 2 | 0.201 | 03:26 |
| Breath Volume | | 3.753 | 03:26 |
| Air Blank | | 0.000 | 03:26 |
| Control Test | | 0.081 | 03:27 |
| Air Blank | | 0.000 | 03:27 |
| Diagnostics Check | | OK | 03:27 |

Data Download Date/Time: 05/31/2021 00:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KINKOPF,TIM,E
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: BLUMSTEIN,REBEKAH
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 22:21
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:15

SUBJECT'S LAST NAME: OGLESBY

DATE/TIME OF TEST: 05/12/2021 01:57:01

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:50 |
| Air Blank | | 0.000 | 01:50 |
| Control Test | | 0.082 | 01:51 |
| Air Blank | | 0.000 | 01:51 |
| Subject Sample | # 1 | 0.205 | 01:52 |
| Breath Volume | | 3.500 | 01:52 |
| Air Blank | | 0.000 | 01:52 |
| Air Blank | | 0.000 | 01:54 |
| Subject Sample | # 2 | 0.198 | 01:55 |
| Breath Volume | | 3.390 | 01:55 |
| Air Blank | | 0.000 | 01:56 |
| Control Test | | 0.082 | 01:56 |
| Air Blank | | 0.000 | 01:56 |
| Diagnostics Check | | OK | 01:57 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KINKOPF,TIM,E
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: CANADY,CHRISTINA
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 03:15
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:52

SUBJECT'S LAST NAME: COBB

DATE/TIME OF TEST: 05/13/2021 04:20:22

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:13 |
| Air Blank | | 0.000 | 04:13 |
| Control Test | | 0.082 | 04:13 |
| Air Blank | | 0.000 | 04:14 |
| Subject Sample | # 1 | 0.128 | 04:15 |
| Breath Volume | | 3.566 | 04:15 |
| Air Blank | | 0.000 | 04:16 |
| Air Blank | | 0.000 | 04:17 |
| Subject Sample | # 2 | 0.122 | 04:18 |
| Breath Volume | | 3.074 | 04:18 |
| Air Blank | | 0.000 | 04:19 |
| Control Test | | 0.083 | 04:19 |
| Air Blank | | 0.000 | 04:20 |
| Diagnostics Check | | OK | 04:20 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BETHAM,KEITH,D
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: CANNADAY,ZACH
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 02:47
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:28

SUBJECT'S LAST NAME: HUGHES

DATE/TIME OF TEST: 05/14/2021 03:54:31

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:48 |
| Air Blank | | 0.000 | 03:48 |
| Control Test | | 0.082 | 03:48 |
| Air Blank | | 0.000 | 03:49 |
| Subject Sample | # 1 | 0.171 | 03:50 |
| Breath Volume | | 2.855 | 03:50 |
| Air Blank | | 0.000 | 03:50 |
| Air Blank | | 0.000 | 03:52 |
| Subject Sample | # 2 | 0.165 | 03:52 |
| Breath Volume | | 2.449 | 03:52 |
| Air Blank | | 0.000 | 03:53 |
| Control Test | | 0.082 | 03:53 |
| Air Blank | | 0.000 | 03:54 |
| Diagnostics Check | | OK | 03:54 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: UCELO,BRYAN
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 03:57
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:35

SUBJECT'S LAST NAME: VELEZ

DATE/TIME OF TEST: 05/18/2021 05:02:22

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:55 |
| Air Blank | | 0.000 | 04:56 |
| Control Test | | 0.083 | 04:56 |
| Air Blank | | 0.000 | 04:56 |
| Subject Sample | # 1 | 0.174 | 04:57 |
| Breath Volume | | 1.402 | 04:57 |
| Air Blank | | 0.000 | 04:58 |
| Air Blank | | 0.000 | 05:00 |
| Subject Sample | # 2 | 0.182 | 05:00 |
| Breath Volume | | 2.042 | 05:00 |
| Air Blank | | 0.000 | 05:01 |
| Control Test | | 0.082 | 05:01 |
| Air Blank | | 0.000 | 05:02 |
| Diagnostics Check | | OK | 05:02 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: OWENS,JOSHUA
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 04:42
GENDER: Female
OBSERVATION PERIOD BEGAN: 05:00

SUBJECT'S LAST NAME: DRAPER

DATE/TIME OF TEST: 05/18/2021 05:38:33

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:31 |
| Air Blank | | 0.000 | 05:32 |
| Control Test | | 0.082 | 05:32 |
| Air Blank | | 0.000 | 05:32 |
| Subject Sample | # 1 | 0.287 | 05:33 |
| Breath Volume | | 2.734 | 05:33 |
| Air Blank | | 0.000 | 05:34 |
| Air Blank | | 0.000 | 05:36 |
| Subject Sample | # 2 | 0.282 | 05:36 |
| Breath Volume | | 2.875 | 05:36 |
| Air Blank | | 0.000 | 05:37 |
| Control Test | | 0.081 | 05:37 |
| Air Blank | | 0.000 | 05:38 |
| Diagnostics Check | | OK | 05:38 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KINKOPF,TIM,E
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: WATSON,ERIC
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 02:46
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:22

SUBJECT'S LAST NAME: GONZALEZ DEL VALLE

DATE/TIME OF TEST: 05/20/2021 03:53:21

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:46 |
| Air Blank | | 0.000 | 03:47 |
| Control Test | | 0.082 | 03:47 |
| Air Blank | | 0.000 | 03:47 |
| Subject Sample | # 1 | 0.097 | 03:48 |
| Breath Volume | | 2.796 | 03:48 |
| Air Blank | | 0.000 | 03:49 |
| Air Blank | | 0.000 | 03:51 |
| Subject Sample | # 2 | 0.095 | 03:51 |
| Breath Volume | | 3.027 | 03:51 |
| Air Blank | | 0.000 | 03:52 |
| Control Test | | 0.082 | 03:52 |
| Air Blank | | 0.000 | 03:53 |
| Diagnostics Check | | OK | 03:53 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: GARCIA,RAY,
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: KUIPER,DERRICK
ARRESTING OFFICER AGENCY: FHP Troop D
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 02:03
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:32

SUBJECT'S LAST NAME: LUCAS GREGORIO

DATE/TIME OF TEST: 05/22/2021 03:05:44

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:59 |
| Air Blank | | 0.000 | 02:59 |
| Control Test | | 0.082 | 03:00 |
| Air Blank | | 0.000 | 03:00 |
| Subject Sample | # 1 | 0.187 | 03:01 |
| Breath Volume | | 2.652 | 03:01 |
| Air Blank | | 0.000 | 03:01 |
| Air Blank | | 0.000 | 03:03 |
| Subject Sample | # 2 | 0.178 | 03:04 |
| Breath Volume | | 2.449 | 03:04 |
| Air Blank | | 0.000 | 03:04 |
| Control Test | | 0.081 | 03:05 |
| Air Blank | | 0.000 | 03:05 |
| Diagnostics Check | | OK | 03:05 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BERRIOS,STEPHANIE,A
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: WATSON,ERIC
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 04/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 22:58
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:39

SUBJECT'S LAST NAME: WHACK

DATE/TIME OF TEST: 05/29/2021 00:05:41

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:59 |
| Air Blank | | 0.000 | 23:59 |
| Control Test | | 0.082 | 00:00 |
| Air Blank | | 0.000 | 00:00 |
| Subject Sample | # 1 | 0.192 | 00:01 |
| Breath Volume | | 2.859 | 00:01 |
| Air Blank | | 0.000 | 00:01 |
| Air Blank | | 0.000 | 00:03 |
| Subject Sample | # 2 | 0.190 | 00:04 |
| Breath Volume | | 2.687 | 00:04 |
| Air Blank | | 0.000 | 00:04 |
| Control Test | | 0.081 | 00:05 |
| Air Blank | | 0.000 | 00:05 |
| Diagnostics Check | | OK | 00:05 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BETHAM,KEITH,D
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: SCHWARTZ,ERIC
ARRESTING OFFICER AGENCY: Winter Springs PD
LAST AGENCY INSPECTION: 05/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 00:54
GENDER: Female
OBSERVATION PERIOD BEGAN: 04:40

SUBJECT'S LAST NAME: MANICCIA

DATE/TIME OF TEST: 05/29/2021 05:13:59

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:07 |
| Air Blank | | 0.000 | 05:07 |
| Control Test | | 0.082 | 05:07 |
| Air Blank | | 0.000 | 05:08 |
| Subject Sample | # 1 | 0.000 | 05:09 |
| Breath Volume | | 2.101 | 05:09 |
| Air Blank | | 0.000 | 05:09 |
| Air Blank | | 0.000 | 05:11 |
| Subject Sample | # 2 | 0.000 | 05:12 |
| Breath Volume | | 1.871 | 05:12 |
| Air Blank | | 0.000 | 05:13 |
| Control Test | | 0.081 | 05:13 |
| Air Blank | | 0.000 | 05:13 |
| Diagnostics Check | | OK | 05:13 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BETHAM,KEITH,D
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: RODRIGUEZ,ALEX
ARRESTING OFFICER AGENCY: Seminole County SO
LAST AGENCY INSPECTION: 05/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 21:36
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:10

SUBJECT'S LAST NAME: MOORE JR

DATE/TIME OF TEST: 05/29/2021 22:45:49

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:39 |
| Air Blank | | 0.000 | 22:39 |
| Control Test | | 0.082 | 22:39 |
| Air Blank | | 0.000 | 22:40 |
| Subject Sample | # 1 | 0.089 | 22:41 |
| Breath Volume | | 1.761 | 22:41 |
| Air Blank | | 0.000 | 22:41 |
| Air Blank | | 0.000 | 22:43 |
| Subject Sample | # 2 | 0.088 | 22:44 |
| Breath Volume | | 1.382 | 22:44 |
| Air Blank | | 0.000 | 22:44 |
| Control Test | | 0.081 | 22:45 |
| Air Blank | | 0.000 | 22:45 |
| Diagnostics Check | | OK | 22:45 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BETHAM,KEITH,D
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: MOONEY,RYAN
ARRESTING OFFICER AGENCY: FHP Troop D
LAST AGENCY INSPECTION: 05/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 22:38
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:59

SUBJECT'S LAST NAME: TABOR

DATE/TIME OF TEST: 05/30/2021 00:32:30

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:24 |
| Air Blank | | 0.000 | 00:24 |
| Control Test | | 0.081 | 00:24 |
| Air Blank | | 0.000 | 00:25 |
| Subject Sample | # 1 | 0.000 | 00:27 |
| Breath Volume | | 4.046 | 00:27 |
| Air Blank | | 0.000 | 00:28 |
| Air Blank | | 0.000 | 00:30 |
| Subject Sample | # 2 | 0.000 | 00:31 |
| Breath Volume | | 3.117 | 00:31 |
| Air Blank | | 0.000 | 00:31 |
| Control Test | | 0.081 | 00:31 |
| Air Blank | | 0.000 | 00:32 |
| Diagnostics Check | | OK | 00:32 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001271

INSTRUMENT REGISTERED TO: SEMINOLE COUNTY S.O.
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BERRIOS,STEPHANIE,A
BREATH TEST OPERATOR AGENCY: Seminole County SO
ARRESTING OFFICER: SCHWARTZ,ERIC
ARRESTING OFFICER AGENCY: Winter Springs PD
LAST AGENCY INSPECTION: 05/29/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: 1433248
DRY GAS EXPIRY DATE: 01/06/2024
VIOLATION CODE: DUI
ARREST TIME: 01:35
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:47

SUBJECT'S LAST NAME: VOLDSETH

DATE/TIME OF TEST: 05/30/2021 05:13:54

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:07 |
| Air Blank | | 0.000 | 05:08 |
| Control Test | | 0.082 | 05:08 |
| Air Blank | | 0.000 | 05:08 |
| Subject Sample | # 1 | 0.073 | 05:09 |
| Breath Volume | | 3.031 | 05:09 |
| Air Blank | | 0.000 | 05:10 |
| Air Blank | | 0.000 | 05:11 |
| Subject Sample | # 2 | 0.072 | 05:12 |
| Breath Volume | | 3.714 | 05:12 |
| Air Blank | | 0.000 | 05:12 |
| Control Test | | 0.082 | 05:13 |
| Air Blank | | 0.000 | 05:13 |
| Diagnostics Check | | OK | 05:13 |

Data Download Date/Time: 05/31/2021 00:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SMITH,WILLIAM,T
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: LAMOUREUX,MATTHEW
ARRESTING OFFICER AGENCY: FFWCC (Lakeland)
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: BUI
ARREST TIME: 22:40
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:05

SUBJECT'S LAST NAME: ROMAN

DATE/TIME OF TEST: 05/01/2021 01:41:38

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 01:27 | |
| Air Blank | | 0.000 | 01:27 | |
| Control Test | | 0.079 | 01:28 | |
| Air Blank | | 0.000 | 01:28 | |
| Subject Sample | # 1 | | 01:31 | No Sample Provided |
| Breath Volume | | 0.000 | 01:31 | |
| Air Blank | | 0.000 | 01:32 | |
| Air Blank | | 0.000 | 01:34 | |
| Subject Sample | # 2 | 0.098 | 01:36 | |
| Breath Volume | | 3.027 | 01:36 | |
| Air Blank | | 0.000 | 01:37 | |
| Air Blank | | 0.000 | 01:39 | |
| Subject Sample | # 3 | 0.094 | 01:39 | |
| Breath Volume | | 2.128 | 01:39 | |
| Air Blank | | 0.000 | 01:40 | |
| Control Test | | 0.078 | 01:41 | |
| Air Blank | | 0.000 | 01:41 | |
| Diagnostics Check | | OK | 01:41 | |

Data Download Date/Time: 05/13/2021 19:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: GAMBEL,Z
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 03:00
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:17

SUBJECT'S LAST NAME: COTTINI

DATE/TIME OF TEST: 05/01/2021 03:44:32

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:37 |
| Air Blank | | 0.000 | 03:38 |
| Control Test | | 0.079 | 03:38 |
| Air Blank | | 0.000 | 03:39 |
| Subject Sample | # 1 | 0.176 | 03:39 |
| Breath Volume | | 2.113 | 03:39 |
| Air Blank | | 0.000 | 03:40 |
| Air Blank | | 0.000 | 03:42 |
| Subject Sample | # 2 | 0.179 | 03:42 |
| Breath Volume | | 1.855 | 03:42 |
| Air Blank | | 0.000 | 03:43 |
| Control Test | | 0.079 | 03:43 |
| Air Blank | | 0.000 | 03:44 |
| Diagnostics Check | | OK | 03:44 |

Data Download Date/Time: 05/13/2021 19:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: GROFF,R
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 20:52
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:19

SUBJECT'S LAST NAME: YOUNG

DATE/TIME OF TEST: 05/01/2021 21:43:02

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 21:40 | |
| Air Blank | | 0.000 | 21:40 | |
| Control Test | | 0.079 | 21:40 | |
| Air Blank | | 0.000 | 21:41 | |
| Subject Sample | # 1 | | 21:41 | Subject Test Refused |
| Breath Volume | | 0.000 | 21:41 | |
| Air Blank | | 0.000 | 21:42 | |
| Control Test | | 0.080 | 21:42 | |
| Air Blank | | 0.000 | 21:42 | |
| Diagnostics Check | | OK | 21:43 | |

Data Download Date/Time: 05/13/2021 19:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: MULLINS,J
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 22:30
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:00

SUBJECT'S LAST NAME: BLACK

DATE/TIME OF TEST: 05/01/2021 23:28:04

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:21 |
| Air Blank | | 0.000 | 23:21 |
| Control Test | | 0.079 | 23:21 |
| Air Blank | | 0.000 | 23:22 |
| Subject Sample | # 1 | 0.133 | 23:23 |
| Breath Volume | | 2.164 | 23:23 |
| Air Blank | | 0.000 | 23:23 |
| Air Blank | | 0.000 | 23:25 |
| Subject Sample | # 2 | 0.126 | 23:26 |
| Breath Volume | | 1.761 | 23:26 |
| Air Blank | | 0.000 | 23:27 |
| Control Test | | 0.079 | 23:27 |
| Air Blank | | 0.000 | 23:27 |
| Diagnostics Check | | OK | 23:28 |

Data Download Date/Time: 05/13/2021 19:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: GROFF,R
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 02:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:10

SUBJECT'S LAST NAME: MILANO

DATE/TIME OF TEST: 05/02/2021 03:37:54

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:31 |
| Air Blank | | 0.000 | 03:31 |
| Control Test | | 0.080 | 03:31 |
| Air Blank | | 0.000 | 03:32 |
| Subject Sample | # 1 | 0.082 | 03:33 |
| Breath Volume | | 1.703 | 03:33 |
| Air Blank | | 0.000 | 03:34 |
| Air Blank | | 0.000 | 03:35 |
| Subject Sample | # 2 | 0.078 | 03:36 |
| Breath Volume | | 1.632 | 03:36 |
| Air Blank | | 0.000 | 03:36 |
| Control Test | | 0.079 | 03:37 |
| Air Blank | | 0.000 | 03:37 |
| Diagnostics Check | | OK | 03:37 |

Data Download Date/Time: 05/13/2021 19:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KASELAK,STEPHEN,G
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: KASELAK,STEPHEN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 04:01
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:21

SUBJECT'S LAST NAME: DIAZ

DATE/TIME OF TEST: 05/02/2021 05:07:45

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 05:04 | |
| Air Blank | | 0.000 | 05:05 | |
| Control Test | | 0.079 | 05:05 | |
| Air Blank | | 0.000 | 05:06 | |
| Subject Sample | # 1 | | 05:06 | Subject Test Refused |
| Breath Volume | | 0.000 | 05:06 | |
| Air Blank | | 0.000 | 05:06 | |
| Control Test | | 0.079 | 05:07 | |
| Air Blank | | 0.000 | 05:07 | |
| Diagnostics Check | | OK | 05:07 | |

Data Download Date/Time: 05/13/2021 19:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MITCHELL,ALEXANDRA,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: MCKEE,KATHLEEN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 23:16
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:47

SUBJECT'S LAST NAME: ORTIZ

DATE/TIME OF TEST: 05/03/2021 00:15:28

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:08 |
| Air Blank | | 0.000 | 00:08 |
| Control Test | | 0.079 | 00:09 |
| Air Blank | | 0.000 | 00:09 |
| Subject Sample | # 1 | 0.104 | 00:10 |
| Breath Volume | | 1.710 | 00:10 |
| Air Blank | | 0.000 | 00:11 |
| Air Blank | | 0.000 | 00:13 |
| Subject Sample | # 2 | 0.107 | 00:13 |
| Breath Volume | | 1.542 | 00:13 |
| Air Blank | | 0.000 | 00:14 |
| Control Test | | 0.079 | 00:14 |
| Air Blank | | 0.000 | 00:15 |
| Diagnostics Check | | OK | 00:15 |

Data Download Date/Time: 05/13/2021 19:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MITCHELL,ALEXANDRA,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: TORO,JARED
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 01:16
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:40

SUBJECT'S LAST NAME: DE SOUZA

DATE/TIME OF TEST: 05/03/2021 02:07:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:00 |
| Air Blank | | 0.000 | 02:01 |
| Control Test | | 0.079 | 02:01 |
| Air Blank | | 0.000 | 02:02 |
| Subject Sample | # 1 | 0.175 | 02:02 |
| Breath Volume | | 2.796 | 02:02 |
| Air Blank | | 0.000 | 02:03 |
| Air Blank | | 0.000 | 02:04 |
| Subject Sample | # 2 | 0.180 | 02:05 |
| Breath Volume | | 2.359 | 02:05 |
| Air Blank | | 0.000 | 02:06 |
| Control Test | | 0.079 | 02:06 |
| Air Blank | | 0.000 | 02:07 |
| Diagnostics Check | | OK | 02:07 |

Data Download Date/Time: 05/13/2021 19:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CAREY,K,P
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: HUCKABEE,S
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 04:04
GENDER: Female
OBSERVATION PERIOD BEGAN: 04:40

SUBJECT'S LAST NAME: KRZYKWA

DATE/TIME OF TEST: 05/03/2021 05:16:05

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:07 |
| Air Blank | | 0.000 | 05:08 |
| Control Test | | 0.080 | 05:08 |
| Air Blank | | 0.000 | 05:08 |
| Subject Sample | # 1 | 0.215 | 05:11 |
| Breath Volume | | 2.167 | 05:11 |
| Air Blank | | 0.000 | 05:12 |
| Air Blank | | 0.000 | 05:13 |
| Subject Sample | # 2 | 0.205 | 05:14 |
| Breath Volume | | 2.148 | 05:14 |
| Air Blank | | 0.000 | 05:15 |
| Control Test | | 0.078 | 05:15 |
| Air Blank | | 0.000 | 05:16 |
| Diagnostics Check | | OK | 05:16 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DOBSON,JON,B
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: SMITH,BRANDON
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 15:49
GENDER: Female
OBSERVATION PERIOD BEGAN: 16:31

SUBJECT'S LAST NAME: BRAWNER

DATE/TIME OF TEST: 05/03/2021 17:02:54

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 16:51 | |
| Air Blank | | 0.000 | 16:51 | |
| Control Test | | 0.078 | 16:52 | |
| Air Blank | | 0.000 | 16:52 | |
| Subject Sample | # 1 | | 16:55 | No Sample Provided |
| Breath Volume | | 0.000 | 16:55 | |
| Air Blank | | 0.000 | 16:56 | |
| Air Blank | | 0.000 | 16:58 | |
| Subject Sample | # 2 | | 17:01 | No Sample Provided |
| Breath Volume | | 0.000 | 17:01 | |
| Air Blank | | 0.000 | 17:01 | |
| Control Test | | 0.079 | 17:02 | |
| Air Blank | | 0.000 | 17:02 | |
| Diagnostics Check | | OK | 17:02 | |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DOBSON,JON,B
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: SMITH,BRANDON
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 15:49
GENDER: Female
OBSERVATION PERIOD BEGAN: 16:31

SUBJECT'S LAST NAME: BRAWNER

DATE/TIME OF TEST: 05/03/2021 17:07:56

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 17:04 | |
| Air Blank | | 0.000 | 17:05 | |
| Control Test | | 0.079 | 17:05 | |
| Air Blank | | 0.000 | 17:06 | |
| Subject Sample | # 1 | | 17:06 | Subject Test Refused |
| Breath Volume | | 0.000 | 17:06 | |
| Air Blank | | 0.000 | 17:06 | |
| Control Test | | 0.079 | 17:07 | |
| Air Blank | | 0.000 | 17:07 | |
| Diagnostics Check | | OK | 17:07 | |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAKE,LEVI,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: BLAKE,LEVI
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 22:36
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:54

SUBJECT'S LAST NAME: MCCLOUD

DATE/TIME OF TEST: 05/05/2021 23:20:48

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:14 |
| Air Blank | | 0.000 | 23:14 |
| Control Test | | 0.079 | 23:14 |
| Air Blank | | 0.000 | 23:15 |
| Subject Sample | # 1 | 0.162 | 23:16 |
| Breath Volume | | 1.144 | 23:16 |
| Air Blank | | 0.000 | 23:17 |
| Air Blank | | 0.000 | 23:18 |
| Subject Sample | # 2 | 0.178 | 23:19 |
| Breath Volume | | 1.800 | 23:19 |
| Air Blank | | 0.000 | 23:19 |
| Control Test | | 0.078 | 23:20 |
| Air Blank | | 0.000 | 23:20 |
| Diagnostics Check | | OK | 23:20 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CAREY,K,P
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: CAREY,K
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG916501
DRY GAS EXPIRY DATE: 06/14/2021
VIOLATION CODE: DUI
ARREST TIME: 01:18
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:43

SUBJECT'S LAST NAME: STOWERS

DATE/TIME OF TEST: 05/06/2021 02:13:09

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:06 |
| Air Blank | | 0.000 | 02:06 |
| Control Test | | 0.079 | 02:07 |
| Air Blank | | 0.000 | 02:07 |
| Subject Sample | # 1 | 0.077 | 02:08 |
| Breath Volume | | 1.468 | 02:08 |
| Air Blank | | 0.000 | 02:09 |
| Air Blank | | 0.000 | 02:10 |
| Subject Sample | # 2 | 0.072 | 02:11 |
| Breath Volume | | 1.367 | 02:11 |
| Air Blank | | 0.000 | 02:12 |
| Control Test | | 0.079 | 02:12 |
| Air Blank | | 0.000 | 02:13 |
| Diagnostics Check | | OK | 02:13 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KASELAK,STEPHEN,G
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: KASELAK,STEPHEN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 04:04
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:30

SUBJECT'S LAST NAME: COOPER

DATE/TIME OF TEST: 05/06/2021 04:54:48

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:51 | |
| Air Blank | | 0.000 | 04:51 | |
| Control Test | | 0.079 | 04:52 | |
| Air Blank | | 0.000 | 04:52 | |
| Subject Sample | # 1 | | 04:53 | Subject Test Refused |
| Breath Volume | | 0.000 | 04:53 | |
| Air Blank | | 0.000 | 04:53 | |
| Control Test | | 0.079 | 04:54 | |
| Air Blank | | 0.000 | 04:54 | |
| Diagnostics Check | | OK | 04:54 | |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SNAVELY,KENT,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: SNAVELY,KENT
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 15:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 16:28

SUBJECT'S LAST NAME: HAMBACHER

DATE/TIME OF TEST: 05/06/2021 16:54:54

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 16:48 |
| Air Blank | | 0.000 | 16:49 |
| Control Test | | 0.079 | 16:49 |
| Air Blank | | 0.000 | 16:50 |
| Subject Sample | # 1 | 0.246 | 16:50 |
| Breath Volume | | 2.878 | 16:50 |
| Air Blank | | 0.000 | 16:51 |
| Air Blank | | 0.000 | 16:52 |
| Subject Sample | # 2 | 0.246 | 16:53 |
| Breath Volume | | 2.074 | 16:53 |
| Air Blank | | 0.000 | 16:53 |
| Control Test | | 0.079 | 16:54 |
| Air Blank | | 0.000 | 16:54 |
| Diagnostics Check | | OK | 16:54 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: DELLECHIAIE,D
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 23:30
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:05

SUBJECT'S LAST NAME: RUBIN

DATE/TIME OF TEST: 05/07/2021 00:33:19

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:26 |
| Air Blank | | 0.000 | 00:26 |
| Control Test | | 0.079 | 00:27 |
| Air Blank | | 0.000 | 00:27 |
| Subject Sample | # 1 | 0.095 | 00:28 |
| Breath Volume | | 1.382 | 00:28 |
| Air Blank | | 0.000 | 00:29 |
| Air Blank | | 0.000 | 00:30 |
| Subject Sample | # 2 | 0.098 | 00:31 |
| Breath Volume | | 1.835 | 00:31 |
| Air Blank | | 0.000 | 00:32 |
| Control Test | | 0.079 | 00:32 |
| Air Blank | | 0.000 | 00:33 |
| Diagnostics Check | | OK | 00:33 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: NEWTON,T
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 23:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:17

SUBJECT'S LAST NAME: LARSON

DATE/TIME OF TEST: 05/07/2021 00:44:18

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 00:39 | |
| Air Blank | | 0.000 | 00:39 | |
| Control Test | | 0.079 | 00:40 | |
| Air Blank | | 0.000 | 00:40 | |
| Subject Sample | # 1 | | 00:42 | Subject Test Refused |
| Breath Volume | | 0.000 | 00:42 | |
| Air Blank | | 0.000 | 00:43 | |
| Control Test | | 0.079 | 00:43 | |
| Air Blank | | 0.000 | 00:44 | |
| Diagnostics Check | | OK | 00:44 | |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DETRANO,JEFFREY,J
BREATH TEST OPERATOR AGENCY: Pinellas Park PD
ARRESTING OFFICER: DETRANO,JEFFREY
ARRESTING OFFICER AGENCY: Pinellas Park PD
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 01:31
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:24

SUBJECT'S LAST NAME: CHRISTOPHER

DATE/TIME OF TEST: 05/07/2021 02:51:02

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:44 |
| Air Blank | | 0.000 | 02:45 |
| Control Test | | 0.079 | 02:45 |
| Air Blank | | 0.000 | 02:46 |
| Subject Sample | # 1 | 0.156 | 02:46 |
| Breath Volume | | 2.367 | 02:46 |
| Air Blank | | 0.000 | 02:47 |
| Air Blank | | 0.000 | 02:48 |
| Subject Sample | # 2 | 0.153 | 02:49 |
| Breath Volume | | 1.953 | 02:49 |
| Air Blank | | 0.000 | 02:50 |
| Control Test | | 0.078 | 02:50 |
| Air Blank | | 0.000 | 02:50 |
| Diagnostics Check | | OK | 02:51 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: MCKEE,K
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 02:35
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:06

SUBJECT'S LAST NAME: SHEELER

DATE/TIME OF TEST: 05/07/2021 03:29:12

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:26 | |
| Air Blank | | 0.000 | 03:26 | |
| Control Test | | 0.079 | 03:27 | |
| Air Blank | | 0.000 | 03:27 | |
| Subject Sample | # 1 | | 03:27 | Subject Test Refused |
| Breath Volume | | 0.000 | 03:27 | |
| Air Blank | | 0.000 | 03:28 | |
| Control Test | | 0.078 | 03:28 | |
| Air Blank | | 0.000 | 03:29 | |
| Diagnostics Check | | OK | 03:29 | |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: TEMPLE,ELIZABETH,R
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: AMIN,NAZIR
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 04:31
GENDER: Female
OBSERVATION PERIOD BEGAN: 04:58

SUBJECT'S LAST NAME: HANNAN

DATE/TIME OF TEST: 05/08/2021 05:26:06

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:19 |
| Air Blank | | 0.000 | 05:19 |
| Control Test | | 0.079 | 05:20 |
| Air Blank | | 0.000 | 05:20 |
| Subject Sample | # 1 | 0.160 | 05:21 |
| Breath Volume | | 2.003 | 05:21 |
| Air Blank | | 0.000 | 05:22 |
| Air Blank | | 0.000 | 05:23 |
| Subject Sample | # 2 | 0.149 | 05:24 |
| Breath Volume | | 1.476 | 05:24 |
| Air Blank | | 0.000 | 05:25 |
| Control Test | | 0.079 | 05:25 |
| Air Blank | | 0.000 | 05:26 |
| Diagnostics Check | | OK | 05:26 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: MONTGOMERY,J
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 21:00
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:29

SUBJECT'S LAST NAME: SWEET

DATE/TIME OF TEST: 05/08/2021 21:56:22

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:49 |
| Air Blank | | 0.000 | 21:49 |
| Control Test | | 0.079 | 21:50 |
| Air Blank | | 0.000 | 21:50 |
| Subject Sample | # 1 | 0.154 | 21:51 |
| Breath Volume | | 2.871 | 21:51 |
| Air Blank | | 0.000 | 21:52 |
| Air Blank | | 0.000 | 21:53 |
| Subject Sample | # 2 | 0.161 | 21:54 |
| Breath Volume | | 3.261 | 21:54 |
| Air Blank | | 0.000 | 21:55 |
| Control Test | | 0.079 | 21:55 |
| Air Blank | | 0.000 | 21:56 |
| Diagnostics Check | | OK | 21:56 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: KNOPICK,T
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 21:51
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:15

SUBJECT'S LAST NAME: BELLAMY

DATE/TIME OF TEST: 05/08/2021 22:38:50

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 22:35 | |
| Air Blank | | 0.000 | 22:36 | |
| Control Test | | 0.078 | 22:36 | |
| Air Blank | | 0.000 | 22:37 | |
| Subject Sample | # 1 | | 22:37 | Subject Test Refused |
| Breath Volume | | 0.000 | 22:37 | |
| Air Blank | | 0.000 | 22:37 | |
| Control Test | | 0.078 | 22:38 | |
| Air Blank | | 0.000 | 22:38 | |
| Diagnostics Check | | OK | 22:38 | |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: GUIRAL,L
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 23:30
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:02

SUBJECT'S LAST NAME: PICARD

DATE/TIME OF TEST: 05/09/2021 00:25:34

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 00:22 | |
| Air Blank | | 0.000 | 00:23 | |
| Control Test | | 0.080 | 00:23 | |
| Air Blank | | 0.000 | 00:24 | |
| Subject Sample | # 1 | | 00:24 | Subject Test Refused |
| Breath Volume | | 0.000 | 00:24 | |
| Air Blank | | 0.000 | 00:24 | |
| Control Test | | 0.079 | 00:24 | |
| Air Blank | | 0.000 | 00:25 | |
| Diagnostics Check | | OK | 00:25 | |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MORRIS,BRIDGETT,A
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: CHRISTIE,MATTHEW
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 20:52
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:38

SUBJECT'S LAST NAME: VAFIADIS

DATE/TIME OF TEST: 05/09/2021 22:02:15

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 21:58 | |
| Air Blank | | 0.000 | 21:59 | |
| Control Test | | 0.079 | 21:59 | |
| Air Blank | | 0.000 | 22:00 | |
| Subject Sample | # 1 | | 22:00 | Subject Test Refused |
| Breath Volume | | 0.000 | 22:00 | |
| Air Blank | | 0.000 | 22:01 | |
| Control Test | | 0.079 | 22:01 | |
| Air Blank | | 0.000 | 22:02 | |
| Diagnostics Check | | OK | 22:02 | |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CROSS,M,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: CHURCHILL,C
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 03:50
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:15

SUBJECT'S LAST NAME: AZIZI

DATE/TIME OF TEST: 05/10/2021 04:39:49

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:35 | |
| Air Blank | | 0.000 | 04:35 | |
| Control Test | | 0.079 | 04:36 | |
| Air Blank | | 0.000 | 04:36 | |
| Subject Sample | # 1 | | 04:38 | Subject Test Refused |
| Breath Volume | | 1.046 | 04:38 | |
| Air Blank | | 0.000 | 04:38 | |
| Control Test | | 0.078 | 04:39 | |
| Air Blank | | 0.000 | 04:39 | |
| Diagnostics Check | | OK | 04:39 | |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: STAFFORD,BRIAN,A
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: SPENCER,TYLER
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: Yes
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 17:20
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:00

SUBJECT'S LAST NAME: POUZANOV

DATE/TIME OF TEST: 05/10/2021 18:28:58

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 18:20 |
| Air Blank | | 0.000 | 18:21 |
| Control Test | | 0.079 | 18:21 |
| Air Blank | | 0.000 | 18:22 |
| Subject Sample | # 1 | 0.178 | 18:24 |
| Breath Volume | | 1.671 | 18:24 |
| Air Blank | | 0.000 | 18:25 |
| Air Blank | | 0.000 | 18:26 |
| Subject Sample | # 2 | 0.178 | 18:27 |
| Breath Volume | | 1.714 | 18:27 |
| Air Blank | | 0.000 | 18:28 |
| Control Test | | 0.077 | 18:28 |
| Air Blank | | 0.000 | 18:28 |
| Diagnostics Check | | OK | 18:28 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CAREY,K,P
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: TORO,J
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 04:13
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:37

SUBJECT'S LAST NAME: BUCK

DATE/TIME OF TEST: 05/11/2021 05:07:13

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:00 |
| Air Blank | | 0.000 | 05:01 |
| Control Test | | 0.079 | 05:01 |
| Air Blank | | 0.000 | 05:02 |
| Subject Sample | # 1 | 0.000 | 05:02 |
| Breath Volume | | 1.746 | 05:02 |
| Air Blank | | 0.000 | 05:03 |
| Air Blank | | 0.000 | 05:05 |
| Subject Sample | # 2 | 0.000 | 05:05 |
| Breath Volume | | 1.593 | 05:05 |
| Air Blank | | 0.000 | 05:06 |
| Control Test | | 0.079 | 05:06 |
| Air Blank | | 0.000 | 05:07 |
| Diagnostics Check | | OK | 05:07 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CAREY,K,P
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: ZAPATA,F
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 01:10
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:10

SUBJECT'S LAST NAME: DAIGLE

DATE/TIME OF TEST: 05/12/2021 02:39:41

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:32 |
| Air Blank | | 0.000 | 02:33 |
| Control Test | | 0.079 | 02:33 |
| Air Blank | | 0.000 | 02:33 |
| Subject Sample | # 1 | 0.000 | 02:35 |
| Breath Volume | | 1.531 | 02:35 |
| Air Blank | | 0.000 | 02:35 |
| Air Blank | | 0.000 | 02:37 |
| Subject Sample | # 2 | 0.000 | 02:38 |
| Breath Volume | | 1.652 | 02:38 |
| Air Blank | | 0.000 | 02:38 |
| Control Test | | 0.079 | 02:39 |
| Air Blank | | 0.000 | 02:39 |
| Diagnostics Check | | OK | 02:39 |

Data Download Date/Time: 05/13/2021 19:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAKE,LEVI,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: BLAKE,LEVI
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 03:50
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:58

SUBJECT'S LAST NAME: HEADLEY

DATE/TIME OF TEST: 05/14/2021 04:26:23

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:18 |
| Air Blank | | 0.000 | 04:19 |
| Control Test | | 0.079 | 04:19 |
| Air Blank | | 0.000 | 04:20 |
| Subject Sample | # 1 | 0.129 | 04:20 |
| Breath Volume | | 1.132 | 04:20 |
| Air Blank | | 0.000 | 04:21 |
| Air Blank | | 0.000 | 04:23 |
| Subject Sample | # 2 | 0.133 | 04:24 |
| Breath Volume | | 1.992 | 04:24 |
| Air Blank | | 0.000 | 04:25 |
| Control Test | | 0.078 | 04:25 |
| Air Blank | | 0.000 | 04:26 |
| Diagnostics Check | | OK | 04:26 |

Data Download Date/Time: 06/16/2021 20:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ZSIDO,DANIELLE,M
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: ZSIDO,DANIELLE
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 05:57
GENDER: Male
OBSERVATION PERIOD BEGAN: 06:36

SUBJECT'S LAST NAME: VALENTINO

DATE/TIME OF TEST: 05/14/2021 07:03:12

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 06:56 |
| Air Blank | | 0.000 | 06:56 |
| Control Test | | 0.079 | 06:57 |
| Air Blank | | 0.000 | 06:57 |
| Subject Sample | # 1 | 0.000 | 06:58 |
| Breath Volume | | 1.792 | 06:58 |
| Air Blank | | 0.000 | 06:58 |
| Air Blank | | 0.000 | 07:00 |
| Subject Sample | # 2 | 0.000 | 07:01 |
| Breath Volume | | 1.433 | 07:01 |
| Air Blank | | 0.000 | 07:02 |
| Control Test | | 0.079 | 07:02 |
| Air Blank | | 0.000 | 07:03 |
| Diagnostics Check | | OK | 07:03 |

Data Download Date/Time: 06/16/2021 20:03

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ZSIDO,DANIELLE,M
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: ZSIDO,DANIELLE
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 02:22
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:38

SUBJECT'S LAST NAME: FRAZE

DATE/TIME OF TEST: 05/15/2021 03:34:57

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:28 |
| Air Blank | | 0.000 | 03:28 |
| Control Test | | 0.080 | 03:29 |
| Air Blank | | 0.000 | 03:29 |
| Subject Sample | # 1 | 0.000 | 03:30 |
| Breath Volume | | 2.328 | 03:30 |
| Air Blank | | 0.000 | 03:30 |
| Air Blank | | 0.000 | 03:32 |
| Subject Sample | # 2 | 0.000 | 03:33 |
| Breath Volume | | 1.699 | 03:33 |
| Air Blank | | 0.000 | 03:34 |
| Control Test | | 0.080 | 03:34 |
| Air Blank | | 0.000 | 03:34 |
| Diagnostics Check | | OK | 03:34 |

Data Download Date/Time: 06/16/2021 20:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: TORO,J
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 04:30
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:42

SUBJECT'S LAST NAME: PENCA-MAYE

DATE/TIME OF TEST: 05/15/2021 05:05:23

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 05:02 | |
| Air Blank | | 0.000 | 05:02 | |
| Control Test | | 0.079 | 05:03 | |
| Air Blank | | 0.000 | 05:03 | |
| Subject Sample | # 1 | | 05:03 | Subject Test Refused |
| Breath Volume | | 0.000 | 05:03 | |
| Air Blank | | 0.000 | 05:04 | |
| Control Test | | 0.079 | 05:04 | |
| Air Blank | | 0.000 | 05:05 | |
| Diagnostics Check | | OK | 05:05 | |

Data Download Date/Time: 06/16/2021 20:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: LAMOUREUX,MATTHEW
ARRESTING OFFICER AGENCY: FFWCC (Lakeland)
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: BUI
ARREST TIME: 17:40
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:40

SUBJECT'S LAST NAME: VATH

DATE/TIME OF TEST: 05/15/2021 20:18:09

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:08 |
| Air Blank | | 0.000 | 20:09 |
| Control Test | | 0.079 | 20:09 |
| Air Blank | | 0.000 | 20:10 |
| Subject Sample | # 1 | 0.134 | 20:13 |
| Breath Volume | | 1.601 | 20:13 |
| Air Blank | | 0.000 | 20:14 |
| Air Blank | | 0.000 | 20:15 |
| Subject Sample | # 2 | 0.129 | 20:16 |
| Breath Volume | | 1.507 | 20:16 |
| Air Blank | | 0.000 | 20:17 |
| Control Test | | 0.078 | 20:17 |
| Air Blank | | 0.000 | 20:18 |
| Diagnostics Check | | OK | 20:18 |

Data Download Date/Time: 06/16/2021 20:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ZSIDO,DANIELLE,M
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: ZSIDO,DANIELLE
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 23:42
GENDER: Female
OBSERVATION PERIOD BEGAN: 00:18

SUBJECT'S LAST NAME: GRAY

DATE/TIME OF TEST: 05/16/2021 00:46:01

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:40 |
| Air Blank | | 0.000 | 00:40 |
| Control Test | | 0.079 | 00:40 |
| Air Blank | | 0.000 | 00:41 |
| Subject Sample | # 1 | 0.000 | 00:41 |
| Breath Volume | | 1.835 | 00:41 |
| Air Blank | | 0.000 | 00:42 |
| Air Blank | | 0.000 | 00:44 |
| Subject Sample | # 2 | 0.000 | 00:44 |
| Breath Volume | | 1.398 | 00:44 |
| Air Blank | | 0.000 | 00:45 |
| Control Test | | 0.079 | 00:45 |
| Air Blank | | 0.000 | 00:45 |
| Diagnostics Check | | OK | 00:46 |

Data Download Date/Time: 06/16/2021 20:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: NEWTON,T
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 01:00
GENDER: Female
OBSERVATION PERIOD BEGAN: 01:32

SUBJECT'S LAST NAME: SIMONS

DATE/TIME OF TEST: 05/16/2021 02:00:14

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:52 |
| Air Blank | | 0.000 | 01:52 |
| Control Test | | 0.079 | 01:53 |
| Air Blank | | 0.000 | 01:53 |
| Subject Sample | # 1 | 0.154 | 01:55 |
| Breath Volume | | 1.695 | 01:55 |
| Air Blank | | 0.000 | 01:56 |
| Air Blank | | 0.000 | 01:57 |
| Subject Sample | # 2 | 0.153 | 01:58 |
| Breath Volume | | 1.859 | 01:58 |
| Air Blank | | 0.000 | 01:59 |
| Control Test | | 0.079 | 01:59 |
| Air Blank | | 0.000 | 02:00 |
| Diagnostics Check | | OK | 02:00 |

Data Download Date/Time: 06/16/2021 20:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KASELAK,STEPHEN,G
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: KASELAK,STEPHEN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 04:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:42

SUBJECT'S LAST NAME: JONES

DATE/TIME OF TEST: 05/16/2021 05:14:29

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 05:07 |
| Air Blank | | 0.000 | 05:08 |
| Control Test | | 0.079 | 05:08 |
| Air Blank | | 0.000 | 05:09 |
| Subject Sample | # 1 | 0.179 | 05:09 |
| Breath Volume | | 4.035 | 05:09 |
| Air Blank | | 0.000 | 05:10 |
| Air Blank | | 0.000 | 05:12 |
| Subject Sample | # 2 | 0.173 | 05:12 |
| Breath Volume | | 4.132 | 05:12 |
| Air Blank | | 0.000 | 05:13 |
| Control Test | | 0.078 | 05:13 |
| Air Blank | | 0.000 | 05:14 |
| Diagnostics Check | | OK | 05:14 |

Data Download Date/Time: 06/16/2021 20:04

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KASELAK,STEPHEN,G
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: TRADOR,ZACHARY
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 05:29
GENDER: Male
OBSERVATION PERIOD BEGAN: 05:51

SUBJECT'S LAST NAME: HILDICK

DATE/TIME OF TEST: 05/16/2021 06:24:44

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 06:11 | |
| Air Blank | | 0.000 | 06:12 | |
| Control Test | | 0.079 | 06:12 | |
| Air Blank | | 0.000 | 06:13 | |
| Subject Sample | # 1 | | 06:16 | No Sample Provided |
| Breath Volume | | 0.000 | 06:16 | |
| Air Blank | | 0.000 | 06:16 | |
| Air Blank | | 0.000 | 06:18 | |
| Subject Sample | # 2 | 0.190 | 06:19 | |
| Breath Volume | | 4.015 | 06:19 | |
| Air Blank | | 0.000 | 06:20 | |
| Air Blank | | 0.000 | 06:22 | |
| Subject Sample | # 3 | 0.196 | 06:22 | |
| Breath Volume | | 2.890 | 06:22 | |
| Air Blank | | 0.000 | 06:23 | |
| Control Test | | 0.079 | 06:24 | |
| Air Blank | | 0.000 | 06:24 | |
| Diagnostics Check | | OK | 06:24 | |

Data Download Date/Time: 06/16/2021 20:05

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HIRSHMAN,BRIAN,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: DELLECHIAIE,DAKOTA
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 02:48
GENDER: Female
OBSERVATION PERIOD BEGAN: 04:03

SUBJECT'S LAST NAME: ALESSI

DATE/TIME OF TEST: 05/17/2021 04:27:24

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:24 | |
| Air Blank | | 0.000 | 04:24 | |
| Control Test | | 0.079 | 04:25 | |
| Air Blank | | 0.000 | 04:25 | |
| Subject Sample | # 1 | | 04:25 | Subject Test Refused |
| Breath Volume | | 0.000 | 04:25 | |
| Air Blank | | 0.000 | 04:26 | |
| Control Test | | 0.080 | 04:26 | |
| Air Blank | | 0.000 | 04:27 | |
| Diagnostics Check | | OK | 04:27 | |

Data Download Date/Time: 06/16/2021 20:05

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: STONE,KENNETH,T
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: STONE,KENNETH
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 21:10
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:02

SUBJECT'S LAST NAME: HUBER

DATE/TIME OF TEST: 05/17/2021 22:30:09

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 22:22 |
| Air Blank | | 0.000 | 22:23 |
| Control Test | | 0.079 | 22:23 |
| Air Blank | | 0.000 | 22:24 |
| Subject Sample | # 1 | 0.108 | 22:24 |
| Breath Volume | | 1.480 | 22:24 |
| Air Blank | | 0.000 | 22:25 |
| Air Blank | | 0.000 | 22:27 |
| Subject Sample | # 2 | 0.108 | 22:28 |
| Breath Volume | | 1.429 | 22:28 |
| Air Blank | | 0.000 | 22:29 |
| Control Test | | 0.078 | 22:29 |
| Air Blank | | 0.000 | 22:30 |
| Diagnostics Check | | OK | 22:30 |

Data Download Date/Time: 06/16/2021 20:05

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MORRIS,BRIDGETT,A
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: MULLINS,JOHN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 03:33
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:59

SUBJECT'S LAST NAME: CASTEL

DATE/TIME OF TEST: 05/18/2021 04:23:03

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:19 | |
| Air Blank | | 0.000 | 04:20 | |
| Control Test | | 0.079 | 04:20 | |
| Air Blank | | 0.000 | 04:21 | |
| Subject Sample | # 1 | | 04:21 | Subject Test Refused |
| Breath Volume | | 0.000 | 04:21 | |
| Air Blank | | 0.000 | 04:22 | |
| Control Test | | 0.079 | 04:22 | |
| Air Blank | | 0.000 | 04:22 | |
| Diagnostics Check | | OK | 04:23 | |

Data Download Date/Time: 06/16/2021 20:05

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: EALY,STEVEN,T
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: RUSHAKOFF,BENJAMIN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 14:49
GENDER: Male
OBSERVATION PERIOD BEGAN: 15:38

SUBJECT'S LAST NAME: LAFFERTY

DATE/TIME OF TEST: 05/18/2021 16:06:27

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 15:59 |
| Air Blank | | 0.000 | 15:59 |
| Control Test | | 0.079 | 16:00 |
| Air Blank | | 0.000 | 16:00 |
| Subject Sample | # 1 | 0.194 | 16:01 |
| Breath Volume | | 3.789 | 16:01 |
| Air Blank | | 0.000 | 16:02 |
| Air Blank | | 0.000 | 16:03 |
| Subject Sample | # 2 | 0.190 | 16:04 |
| Breath Volume | | 3.046 | 16:04 |
| Air Blank | | 0.000 | 16:05 |
| Control Test | | 0.079 | 16:05 |
| Air Blank | | 0.000 | 16:06 |
| Diagnostics Check | | OK | 16:06 |

Data Download Date/Time: 06/16/2021 20:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: TORO,J
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 02:48
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:15

SUBJECT'S LAST NAME: BROGAN

DATE/TIME OF TEST: 05/20/2021 03:48:59

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:40 |
| Air Blank | | 0.000 | 03:41 |
| Control Test | | 0.079 | 03:41 |
| Air Blank | | 0.000 | 03:42 |
| Subject Sample | # 1 | 0.140 | 03:43 |
| Breath Volume | | 1.363 | 03:43 |
| Air Blank | | 0.000 | 03:44 |
| Air Blank | | 0.000 | 03:45 |
| Subject Sample | # 2 | 0.146 | 03:47 |
| Breath Volume | | 1.808 | 03:47 |
| Air Blank | | 0.000 | 03:48 |
| Control Test | | 0.079 | 03:48 |
| Air Blank | | 0.000 | 03:48 |
| Diagnostics Check | | OK | 03:48 |

Data Download Date/Time: 06/16/2021 20:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ZSIDO,DANIELLE,M
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: ZSIDO,DANIELLE
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 00:18
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:51

SUBJECT'S LAST NAME: BUIDENS

DATE/TIME OF TEST: 05/21/2021 01:18:42

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:12 |
| Air Blank | | 0.000 | 01:12 |
| Control Test | | 0.079 | 01:13 |
| Air Blank | | 0.000 | 01:13 |
| Subject Sample | # 1 | 0.000 | 01:14 |
| Breath Volume | | 1.875 | 01:14 |
| Air Blank | | 0.000 | 01:14 |
| Air Blank | | 0.000 | 01:16 |
| Subject Sample | # 2 | 0.000 | 01:17 |
| Breath Volume | | 1.566 | 01:17 |
| Air Blank | | 0.000 | 01:17 |
| Control Test | | 0.080 | 01:18 |
| Air Blank | | 0.000 | 01:18 |
| Diagnostics Check | | OK | 01:18 |

Data Download Date/Time: 06/16/2021 20:06

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAKE,LEVI,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: HUGHES,CONNOR
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 00:54
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:30

SUBJECT'S LAST NAME: TJADEN

DATE/TIME OF TEST: 05/21/2021 01:57:11

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:50 |
| Air Blank | | 0.000 | 01:51 |
| Control Test | | 0.079 | 01:51 |
| Air Blank | | 0.000 | 01:52 |
| Subject Sample | # 1 | 0.131 | 01:52 |
| Breath Volume | | 2.269 | 01:52 |
| Air Blank | | 0.000 | 01:53 |
| Air Blank | | 0.000 | 01:55 |
| Subject Sample | # 2 | 0.126 | 01:55 |
| Breath Volume | | 2.027 | 01:55 |
| Air Blank | | 0.000 | 01:56 |
| Control Test | | 0.079 | 01:56 |
| Air Blank | | 0.000 | 01:57 |
| Diagnostics Check | | OK | 01:57 |

Data Download Date/Time: 06/16/2021 20:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAKE,LEVI,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: BLAKE,LEVI
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 04:19
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:35

SUBJECT'S LAST NAME: WEISS

DATE/TIME OF TEST: 05/21/2021 05:02:24

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:55 |
| Air Blank | | 0.000 | 04:56 |
| Control Test | | 0.080 | 04:56 |
| Air Blank | | 0.000 | 04:57 |
| Subject Sample | # 1 | 0.000 | 04:57 |
| Breath Volume | | 2.003 | 04:57 |
| Air Blank | | 0.000 | 04:58 |
| Air Blank | | 0.000 | 05:00 |
| Subject Sample | # 2 | 0.000 | 05:01 |
| Breath Volume | | 2.347 | 05:01 |
| Air Blank | | 0.000 | 05:01 |
| Control Test | | 0.080 | 05:01 |
| Air Blank | | 0.000 | 05:02 |
| Diagnostics Check | | OK | 05:02 |

Data Download Date/Time: 06/16/2021 20:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: STONE,KENNETH,T
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: STONE,KENNETH
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 13:31
GENDER: Male
OBSERVATION PERIOD BEGAN: 14:26

SUBJECT'S LAST NAME: DALAN

DATE/TIME OF TEST: 05/21/2021 15:03:17

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 14:56 |
| Air Blank | | 0.000 | 14:57 |
| Control Test | | 0.079 | 14:57 |
| Air Blank | | 0.000 | 14:58 |
| Subject Sample | # 1 | 0.000 | 14:58 |
| Breath Volume | | 1.585 | 14:58 |
| Air Blank | | 0.000 | 14:59 |
| Air Blank | | 0.000 | 15:01 |
| Subject Sample | # 2 | 0.000 | 15:01 |
| Breath Volume | | 1.281 | 15:01 |
| Air Blank | | 0.000 | 15:02 |
| Control Test | | 0.079 | 15:02 |
| Air Blank | | 0.000 | 15:03 |
| Diagnostics Check | | OK | 15:03 |

Data Download Date/Time: 06/16/2021 20:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: TEMPLE,ELIZABETH,R
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: TEMPLE,ELIZABETH
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 19:30
GENDER: Male
OBSERVATION PERIOD BEGAN: 20:00

SUBJECT'S LAST NAME: ESTER

DATE/TIME OF TEST: 05/21/2021 20:27:33

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:20 |
| Air Blank | | 0.000 | 20:21 |
| Control Test | | 0.080 | 20:21 |
| Air Blank | | 0.000 | 20:22 |
| Subject Sample | # 1 | 0.197 | 20:22 |
| Breath Volume | | 3.347 | 20:22 |
| Air Blank | | 0.000 | 20:23 |
| Air Blank | | 0.000 | 20:25 |
| Subject Sample | # 2 | 0.190 | 20:25 |
| Breath Volume | | 2.476 | 20:25 |
| Air Blank | | 0.000 | 20:26 |
| Control Test | | 0.079 | 20:26 |
| Air Blank | | 0.000 | 20:27 |
| Diagnostics Check | | OK | 20:27 |

Data Download Date/Time: 06/16/2021 20:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: CHURCHILL,C
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 22:00
GENDER: Female
OBSERVATION PERIOD BEGAN: 22:55

SUBJECT'S LAST NAME: CRAWFORD

DATE/TIME OF TEST: 05/21/2021 23:18:19

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 23:15 | |
| Air Blank | | 0.000 | 23:15 | |
| Control Test | | 0.079 | 23:16 | |
| Air Blank | | 0.000 | 23:16 | |
| Subject Sample | # 1 | | 23:16 | Subject Test Refused |
| Breath Volume | | 0.000 | 23:16 | |
| Air Blank | | 0.000 | 23:17 | |
| Control Test | | 0.080 | 23:17 | |
| Air Blank | | 0.000 | 23:18 | |
| Diagnostics Check | | OK | 23:18 | |

Data Download Date/Time: 06/16/2021 20:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAKE,LEVI,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: BLAKE,LEVI
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 03:52
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:05

SUBJECT'S LAST NAME: PHILLIPS

DATE/TIME OF TEST: 05/22/2021 04:36:10

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:33 | |
| Air Blank | | 0.000 | 04:33 | |
| Control Test | | 0.079 | 04:34 | |
| Air Blank | | 0.000 | 04:34 | |
| Subject Sample | # 1 | | 04:34 | Subject Test Refused |
| Breath Volume | | 0.000 | 04:34 | |
| Air Blank | | 0.000 | 04:35 | |
| Control Test | | 0.079 | 04:35 | |
| Air Blank | | 0.000 | 04:36 | |
| Diagnostics Check | | OK | 04:36 | |

Data Download Date/Time: 06/16/2021 20:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: OSTROSKI,N
ARRESTING OFFICER AGENCY: Treasure Island PD
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 03:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 04:45

SUBJECT'S LAST NAME: GUMOS

DATE/TIME OF TEST: 05/22/2021 05:08:45

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 05:05 | |
| Air Blank | | 0.000 | 05:06 | |
| Control Test | | 0.080 | 05:06 | |
| Air Blank | | 0.000 | 05:07 | |
| Subject Sample | # 1 | | 05:07 | Subject Test Refused |
| Breath Volume | | 0.000 | 05:07 | |
| Air Blank | | 0.000 | 05:07 | |
| Control Test | | 0.080 | 05:08 | |
| Air Blank | | 0.000 | 05:08 | |
| Diagnostics Check | | OK | 05:08 | |

Data Download Date/Time: 06/16/2021 20:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: BIGLIN,A
ARRESTING OFFICER AGENCY: Treasure Island PD
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 18:53
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:58

SUBJECT'S LAST NAME: HOWELL

DATE/TIME OF TEST: 05/22/2021 20:22:59

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 20:18 | |
| Air Blank | | 0.000 | 20:18 | |
| Control Test | | 0.080 | 20:19 | |
| Air Blank | | 0.000 | 20:19 | |
| Subject Sample | # 1 | | 20:21 | Subject Test Refused |
| Breath Volume | | 0.000 | 20:21 | |
| Air Blank | | 0.000 | 20:22 | |
| Control Test | | 0.079 | 20:22 | |
| Air Blank | | 0.000 | 20:22 | |
| Diagnostics Check | | OK | 20:22 | |

Data Download Date/Time: 06/16/2021 20:08

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CROSS,M,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: OSTROSKI,N
ARRESTING OFFICER AGENCY: Treasure Island PD
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 20:13
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:06

SUBJECT'S LAST NAME: BALLEW

DATE/TIME OF TEST: 05/23/2021 21:35:06

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 21:26 | |
| Air Blank | | 0.000 | 21:26 | |
| Control Test | | 0.080 | 21:26 | |
| Air Blank | | 0.000 | 21:27 | |
| Subject Sample | # 1 | 0.218 | 21:28 | |
| Breath Volume | | 1.535 | 21:28 | |
| Air Blank | | 0.000 | 21:29 | |
| Air Blank | | 0.000 | 21:31 | |
| Subject Sample | # 2 | | 21:33 | Subject Test Refused |
| Breath Volume | | 1.015 | 21:33 | |
| Air Blank | | 0.000 | 21:34 | |
| Control Test | | 0.078 | 21:34 | |
| Air Blank | | 0.000 | 21:35 | |
| Diagnostics Check | | OK | 21:35 | |

Data Download Date/Time: 06/16/2021 20:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: NIXON,AARON,M
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: STONE,KENNETH
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 20:42
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:25

SUBJECT'S LAST NAME: STEPHENS

DATE/TIME OF TEST: 05/23/2021 21:52:28

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:45 |
| Air Blank | | 0.000 | 21:46 |
| Control Test | | 0.077 | 21:46 |
| Air Blank | | 0.000 | 21:46 |
| Subject Sample | # 1 | 0.131 | 21:47 |
| Breath Volume | | 1.210 | 21:47 |
| Air Blank | | 0.000 | 21:48 |
| Air Blank | | 0.000 | 21:50 |
| Subject Sample | # 2 | 0.127 | 21:50 |
| Breath Volume | | 1.695 | 21:50 |
| Air Blank | | 0.000 | 21:51 |
| Control Test | | 0.079 | 21:51 |
| Air Blank | | 0.000 | 21:52 |
| Diagnostics Check | | OK | 21:52 |

Data Download Date/Time: 06/16/2021 20:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CROSS,M,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: SCHOMP,D
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 21:42
GENDER: Male
OBSERVATION PERIOD BEGAN: 22:11

SUBJECT'S LAST NAME: PINDER

DATE/TIME OF TEST: 05/23/2021 22:34:28

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 22:31 | |
| Air Blank | | 0.000 | 22:31 | |
| Control Test | | 0.079 | 22:32 | |
| Air Blank | | 0.000 | 22:32 | |
| Subject Sample | # 1 | | 22:33 | Subject Test Refused |
| Breath Volume | | 0.000 | 22:33 | |
| Air Blank | | 0.000 | 22:33 | |
| Control Test | | 0.079 | 22:33 | |
| Air Blank | | 0.000 | 22:34 | |
| Diagnostics Check | | OK | 22:34 | |

Data Download Date/Time: 06/16/2021 20:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: CROSS,M,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: TOBIAS,A
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 22:35
GENDER: Male
OBSERVATION PERIOD BEGAN: 23:21

SUBJECT'S LAST NAME: HENDERSON

DATE/TIME OF TEST: 05/23/2021 23:45:35

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 23:42 | |
| Air Blank | | 0.000 | 23:43 | |
| Control Test | | 0.080 | 23:43 | |
| Air Blank | | 0.000 | 23:44 | |
| Subject Sample | # 1 | | 23:44 | Subject Test Refused |
| Breath Volume | | 0.000 | 23:44 | |
| Air Blank | | 0.000 | 23:44 | |
| Control Test | | 0.079 | 23:44 | |
| Air Blank | | 0.000 | 23:45 | |
| Diagnostics Check | | OK | 23:45 | |

Data Download Date/Time: 06/16/2021 20:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SNAVELY,KENT,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: MITCHELL,R
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 15:53
GENDER: Male
OBSERVATION PERIOD BEGAN: 16:45

SUBJECT'S LAST NAME: RICHARDSON

DATE/TIME OF TEST: 05/25/2021 17:12:57

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 17:05 |
| Air Blank | | 0.000 | 17:06 |
| Control Test | | 0.079 | 17:06 |
| Air Blank | | 0.000 | 17:07 |
| Subject Sample | # 1 | 0.264 | 17:07 |
| Breath Volume | | 1.972 | 17:07 |
| Air Blank | | 0.000 | 17:08 |
| Air Blank | | 0.000 | 17:10 |
| Subject Sample | # 2 | 0.261 | 17:11 |
| Breath Volume | | 1.968 | 17:11 |
| Air Blank | | 0.000 | 17:11 |
| Control Test | | 0.076 | 17:12 |
| Air Blank | | 0.000 | 17:12 |
| Diagnostics Check | | OK | 17:12 |

Data Download Date/Time: 06/16/2021 20:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: CHRISTIE,M
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 23:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:34

SUBJECT'S LAST NAME: REISER

DATE/TIME OF TEST: 05/27/2021 01:09:46

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 00:59 | |
| Air Blank | | 0.000 | 01:00 | |
| Control Test | | 0.079 | 01:00 | |
| Air Blank | | 0.000 | 01:00 | |
| Subject Sample | # 1 | 0.247 | 01:02 | |
| Breath Volume | | 1.101 | 01:02 | |
| Air Blank | | 0.000 | 01:03 | |
| Air Blank | | 0.000 | 01:05 | |
| Subject Sample | # 2 | 0.202 | 01:08 | Volume Not Met |
| Breath Volume | | 0.402 | 01:08 | |
| Air Blank | | | 01:09 | Purge Fail |
| Air Blank | | 0.000 | 01:09 | |

Data Download Date/Time: 06/16/2021 20:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: CHRISTIE,M
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 23:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:34

SUBJECT'S LAST NAME: REISER

DATE/TIME OF TEST: 05/27/2021 01:13:30

| | | | |
|---|---|---|---|
| Diagnostics Check | OK | 01:12 | |
| Air Blank | 0.000 | 01:12 | |
| Control Test | 0.073 | 01:12 | Control Outside Tolerance |
| Air Blank | 0.000 | 01:13 | |

Data Download Date/Time: 06/16/2021 20:09

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: STONE,KENNETH,T
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: STONE,KENNETH
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 18:36
GENDER: Female
OBSERVATION PERIOD BEGAN: 19:28

SUBJECT'S LAST NAME: LACOILLE

DATE/TIME OF TEST: 05/27/2021 19:56:05

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:49 |
| Air Blank | | 0.000 | 19:50 |
| Control Test | | 0.079 | 19:50 |
| Air Blank | | 0.000 | 19:50 |
| Subject Sample | # 1 | 0.000 | 19:51 |
| Breath Volume | | 1.144 | 19:51 |
| Air Blank | | 0.000 | 19:52 |
| Air Blank | | 0.000 | 19:54 |
| Subject Sample | # 2 | 0.000 | 19:54 |
| Breath Volume | | 1.175 | 19:54 |
| Air Blank | | 0.000 | 19:55 |
| Control Test | | 0.079 | 19:55 |
| Air Blank | | 0.000 | 19:56 |
| Diagnostics Check | | OK | 19:56 |

Data Download Date/Time: 06/16/2021 20:10

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: SKALKO,R
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 19:10
GENDER: Male
OBSERVATION PERIOD BEGAN: 19:58

SUBJECT'S LAST NAME: AJANEL-TECUM

DATE/TIME OF TEST: 05/28/2021 20:27:17

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 20:18 |
| Air Blank | | 0.000 | 20:19 |
| Control Test | | 0.080 | 20:19 |
| Air Blank | | 0.000 | 20:20 |
| Subject Sample | # 1 | 0.162 | 20:22 |
| Breath Volume | | 1.121 | 20:22 |
| Air Blank | | 0.000 | 20:23 |
| Air Blank | | 0.000 | 20:24 |
| Subject Sample | # 2 | 0.173 | 20:25 |
| Breath Volume | | 1.363 | 20:25 |
| Air Blank | | 0.000 | 20:26 |
| Control Test | | 0.076 | 20:26 |
| Air Blank | | 0.000 | 20:27 |
| Diagnostics Check | | OK | 20:27 |

Data Download Date/Time: 06/16/2021 20:10

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: KASELAK,STEPHEN,G
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: KASELAK,STEPHEN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 23:51
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:55

SUBJECT'S LAST NAME: PANZO-CHIPAHUA

DATE/TIME OF TEST: 05/29/2021 01:29:39

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:17 |
| Air Blank | | 0.000 | 01:17 |
| Control Test | | 0.079 | 01:17 |
| Air Blank | | 0.000 | 01:18 |
| Subject Sample | # 1 | 0.189 | 01:21 |
| Breath Volume | | 1.289 | 01:21 |
| Air Blank | | 0.000 | 01:22 |
| Air Blank | | 0.000 | 01:23 |
| Subject Sample | # 2 | 0.213 | 01:24 |
| Breath Volume | | 1.890 | 01:24 |
| Air Blank | | 0.000 | 01:25 |
| Air Blank | | 0.000 | 01:27 |
| Subject Sample | # 3 | 0.205 | 01:27 |
| Breath Volume | | 1.441 | 01:27 |
| Air Blank | | 0.000 | 01:28 |
| Control Test | | 0.078 | 01:29 |
| Air Blank | | 0.000 | 01:29 |
| Diagnostics Check | | OK | 01:29 |

Data Download Date/Time: 06/16/2021 20:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: BLAKE,LEVI,S
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: BLAKE,LEVI
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 01:49
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:58

SUBJECT'S LAST NAME: DOE

DATE/TIME OF TEST: 05/29/2021 02:54:41

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:45 | |
| Air Blank | | 0.000 | 02:45 | |
| Control Test | | 0.079 | 02:46 | |
| Air Blank | | 0.000 | 02:46 | |
| Subject Sample | # 1 | | 02:49 | No Sample Provided |
| Breath Volume | | 0.000 | 02:49 | |
| Air Blank | | 0.000 | 02:50 | |
| Air Blank | | 0.000 | 02:52 | |
| Subject Sample | # 2 | | 02:53 | Subject Test Refused |
| Breath Volume | | 0.000 | 02:53 | |
| Air Blank | | 0.000 | 02:53 | |
| Control Test | | 0.079 | 02:54 | |
| Air Blank | | 0.000 | 02:54 | |
| Diagnostics Check | | OK | 02:54 | |

Data Download Date/Time: 06/16/2021 20:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: MULLINS,J
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 00:24
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:46

SUBJECT'S LAST NAME: KENCH

DATE/TIME OF TEST: 05/30/2021 01:13:41

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:06 |
| Air Blank | | 0.000 | 01:07 |
| Control Test | | 0.079 | 01:07 |
| Air Blank | | 0.000 | 01:08 |
| Subject Sample | # 1 | 0.019 | 01:08 |
| Breath Volume | | 2.335 | 01:08 |
| Air Blank | | 0.000 | 01:09 |
| Air Blank | | 0.000 | 01:11 |
| Subject Sample | # 2 | 0.018 | 01:12 |
| Breath Volume | | 2.296 | 01:12 |
| Air Blank | | 0.000 | 01:12 |
| Control Test | | 0.079 | 01:13 |
| Air Blank | | 0.000 | 01:13 |
| Diagnostics Check | | OK | 01:13 |

Data Download Date/Time: 06/16/2021 20:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: GROFF,R
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 03:12
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:38

SUBJECT'S LAST NAME: MORASH

DATE/TIME OF TEST: 05/30/2021 04:05:09

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:58 |
| Air Blank | | 0.000 | 03:58 |
| Control Test | | 0.080 | 03:59 |
| Air Blank | | 0.000 | 03:59 |
| Subject Sample | # 1 | 0.176 | 04:00 |
| Breath Volume | | 1.660 | 04:00 |
| Air Blank | | 0.000 | 04:01 |
| Air Blank | | 0.000 | 04:02 |
| Subject Sample | # 2 | 0.167 | 04:03 |
| Breath Volume | | 1.742 | 04:03 |
| Air Blank | | 0.000 | 04:04 |
| Control Test | | 0.079 | 04:04 |
| Air Blank | | 0.000 | 04:05 |
| Diagnostics Check | | OK | 04:05 |

Data Download Date/Time: 06/16/2021 20:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: EASTTY,MARK,L
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: SURITA,CHRISTIAN
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 19:43
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:05

SUBJECT'S LAST NAME: LEACOCK

DATE/TIME OF TEST: 05/30/2021 21:29:02

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 21:26 | |
| Air Blank | | 0.000 | 21:26 | |
| Control Test | | 0.079 | 21:26 | |
| Air Blank | | 0.000 | 21:27 | |
| Subject Sample | # 1 | | 21:27 | Subject Test Refused |
| Breath Volume | | 0.000 | 21:27 | |
| Air Blank | | 0.000 | 21:28 | |
| Control Test | | 0.079 | 21:28 | |
| Air Blank | | 0.000 | 21:28 | |
| Diagnostics Check | | OK | 21:29 | |

Data Download Date/Time: 06/16/2021 20:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: EASTTY,MARK,L
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: DOUGHERTY,ROBERT
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 00:07
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:40

SUBJECT'S LAST NAME: CROUCH

DATE/TIME OF TEST: 05/31/2021 01:06:40

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:00 |
| Air Blank | | 0.000 | 01:00 |
| Control Test | | 0.078 | 01:01 |
| Air Blank | | 0.000 | 01:01 |
| Subject Sample | # 1 | 0.196 | 01:02 |
| Breath Volume | | 3.050 | 01:02 |
| Air Blank | | 0.000 | 01:02 |
| Air Blank | | 0.000 | 01:04 |
| Subject Sample | # 2 | 0.190 | 01:04 |
| Breath Volume | | 3.179 | 01:04 |
| Air Blank | | 0.000 | 01:05 |
| Control Test | | 0.078 | 01:06 |
| Air Blank | | 0.000 | 01:06 |
| Diagnostics Check | | OK | 01:06 |

Data Download Date/Time: 06/16/2021 20:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LANEY,DAMON,A
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: LUNDH,KAYLA
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 18:02
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:33

SUBJECT'S LAST NAME: MARSH

DATE/TIME OF TEST: 05/31/2021 19:07:00

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 19:01 |
| Air Blank | | 0.000 | 19:01 |
| Control Test | | 0.079 | 19:01 |
| Air Blank | | 0.000 | 19:02 |
| Subject Sample | # 1 | 0.000 | 19:02 |
| Breath Volume | | 3.289 | 19:02 |
| Air Blank | | 0.000 | 19:03 |
| Air Blank | | 0.000 | 19:05 |
| Subject Sample | # 2 | 0.000 | 19:05 |
| Breath Volume | | 2.878 | 19:05 |
| Air Blank | | 0.000 | 19:06 |
| Control Test | | 0.079 | 19:06 |
| Air Blank | | 0.000 | 19:06 |
| Diagnostics Check | | OK | 19:07 |

Data Download Date/Time: 06/16/2021 20:11

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001273

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ZSIDO,DANIELLE,M
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: ZSIDO,DANIELLE
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 20:28
GENDER: Male
OBSERVATION PERIOD BEGAN: 21:07

SUBJECT'S LAST NAME: RODRIGUEZ

DATE/TIME OF TEST: 05/31/2021 21:49:45

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:43 |
| Air Blank | | 0.000 | 21:43 |
| Control Test | | 0.080 | 21:43 |
| Air Blank | | 0.000 | 21:44 |
| Subject Sample | # 1 | 0.038 | 21:45 |
| Breath Volume | | 1.304 | 21:45 |
| Air Blank | | 0.000 | 21:45 |
| Air Blank | | 0.000 | 21:47 |
| Subject Sample | # 2 | 0.035 | 21:48 |
| Breath Volume | | 1.132 | 21:48 |
| Air Blank | | 0.000 | 21:48 |
| Control Test | | 0.079 | 21:49 |
| Air Blank | | 0.000 | 21:49 |
| Diagnostics Check | | OK | 21:49 |

Data Download Date/Time: 06/16/2021 20:11


COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: HUGHES,C
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 01:00
GENDER: Male
OBSERVATION PERIOD BEGAN: 01:30

SUBJECT'S LAST NAME: LINKOWICH

DATE/TIME OF TEST: 05/01/2021 02:03:08

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:53 |
| Air Blank | | 0.000 | 01:53 |
| Control Test | | 0.080 | 01:54 |
| Air Blank | | 0.000 | 01:54 |
| Subject Sample | # 1 | 0.184 | 01:57 |
| Breath Volume | | 3.039 | 01:57 |
| Air Blank | | 0.000 | 01:57 |
| Air Blank | | 0.000 | 01:59 |
| Subject Sample | # 2 | 0.183 | 02:01 |
| Breath Volume | | 1.902 | 02:01 |
| Air Blank | | 0.000 | 02:02 |
| Control Test | | 0.080 | 02:02 |
| Air Blank | | 0.000 | 02:03 |
| Diagnostics Check | | OK | 02:03 |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MITCHELL,ALEXANDRA,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: GROFF,RANDI
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 01:29
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:09

SUBJECT'S LAST NAME: LYNN

DATE/TIME OF TEST: 05/03/2021 02:35:36

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 02:29 |
| Air Blank | | 0.000 | 02:30 |
| Control Test | | 0.079 | 02:30 |
| Air Blank | | 0.000 | 02:30 |
| Subject Sample | # 1 | 0.000 | 02:31 |
| Breath Volume | | 1.792 | 02:31 |
| Air Blank | | 0.000 | 02:31 |
| Air Blank | | 0.000 | 02:33 |
| Subject Sample | # 2 | 0.000 | 02:34 |
| Breath Volume | | 1.535 | 02:34 |
| Air Blank | | 0.000 | 02:34 |
| Control Test | | 0.080 | 02:35 |
| Air Blank | | 0.000 | 02:35 |
| Diagnostics Check | | OK | 02:35 |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,CRISTIAN,D
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: SCHOMP,DALTON
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 20:20
GENDER: Female
OBSERVATION PERIOD BEGAN: 21:02

SUBJECT'S LAST NAME: HALL

DATE/TIME OF TEST: 05/03/2021 21:28:48

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 21:22 |
| Air Blank | | 0.000 | 21:23 |
| Control Test | | 0.080 | 21:23 |
| Air Blank | | 0.000 | 21:24 |
| Subject Sample | # 1 | 0.000 | 21:24 |
| Breath Volume | | 1.386 | 21:24 |
| Air Blank | | 0.000 | 21:24 |
| Air Blank | | 0.000 | 21:26 |
| Subject Sample | # 2 | 0.000 | 21:27 |
| Breath Volume | | 1.582 | 21:27 |
| Air Blank | | 0.000 | 21:27 |
| Control Test | | 0.080 | 21:28 |
| Air Blank | | 0.000 | 21:28 |
| Diagnostics Check | | OK | 21:28 |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: MILLER,CRISTIAN,D
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: FERRETTI,JACOB
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 21:29
GENDER: Female
OBSERVATION PERIOD BEGAN: 22:19

SUBJECT'S LAST NAME: DUNCAN

DATE/TIME OF TEST: 05/03/2021 22:51:05

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 22:40 | |
| Air Blank | | 0.000 | 22:40 | |
| Control Test | | 0.081 | 22:40 | |
| Air Blank | | 0.000 | 22:41 | |
| Subject Sample | # 1 | 0.128 | 22:44 | Volume Not Met |
| Breath Volume | | 0.371 | 22:44 | |
| Air Blank | | 0.000 | 22:45 | |
| Air Blank | | 0.000 | 22:47 | |
| Subject Sample | # 2 | | 22:49 | Subject Test Refused |
| Breath Volume | | 0.753 | 22:49 | |
| Air Blank | | 0.000 | 22:50 | |
| Control Test | | 0.078 | 22:50 | |
| Air Blank | | 0.000 | 22:51 | |
| Diagnostics Check | | OK | 22:51 | |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: DONOHUE,S
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 01:29
GENDER: Female
OBSERVATION PERIOD BEGAN: 02:08

SUBJECT'S LAST NAME: MUNSON

DATE/TIME OF TEST: 05/06/2021 02:31:20

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:28 | |
| Air Blank | | 0.000 | 02:28 | |
| Control Test | | 0.080 | 02:29 | |
| Air Blank | | 0.000 | 02:29 | |
| Subject Sample | # 1 | | 02:29 | Subject Test Refused |
| Breath Volume | | 0.000 | 02:29 | |
| Air Blank | | 0.000 | 02:30 | |
| Control Test | | 0.081 | 02:30 | |
| Air Blank | | 0.000 | 02:31 | |
| Diagnostics Check | | OK | 02:31 | |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: RODRIGUEZ,NELSON,X
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: RODRIGUEZ,NELSON
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 11:16
GENDER: Female
OBSERVATION PERIOD BEGAN: 11:54

SUBJECT'S LAST NAME: CUTCHALL

DATE/TIME OF TEST: 05/07/2021 12:22:22

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 12:15 |
| Air Blank | | 0.000 | 12:15 |
| Control Test | | 0.080 | 12:15 |
| Air Blank | | 0.000 | 12:16 |
| Subject Sample | # 1 | 0.412 | 12:17 |
| Breath Volume | | 2.703 | 12:17 |
| Air Blank | | 0.000 | 12:18 |
| Air Blank | | 0.000 | 12:20 |
| Subject Sample | # 2 | 0.423 | 12:20 |
| Breath Volume | | 2.597 | 12:20 |
| Air Blank | | 0.000 | 12:21 |
| Control Test | | 0.079 | 12:21 |
| Air Blank | | 0.000 | 12:22 |
| Diagnostics Check | | OK | 12:22 |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HIRSHMAN,BRIAN,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: HIRSHMAN,BRIAN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 02:57
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:13

SUBJECT'S LAST NAME: BRITO

DATE/TIME OF TEST: 05/08/2021 03:46:31

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 03:34 | |
| Air Blank | | 0.000 | 03:35 | |
| Control Test | | 0.080 | 03:35 | |
| Air Blank | | 0.000 | 03:35 | |
| Subject Sample | # 1 | 0.154 | 03:39 | Volume Not Met |
| Breath Volume | | 0.238 | 03:39 | |
| Air Blank | | 0.000 | 03:39 | |
| Air Blank | | 0.000 | 03:41 | |
| Subject Sample | # 2 | 0.184 | 03:42 | |
| Breath Volume | | 2.500 | 03:42 | |
| Air Blank | | 0.000 | 03:42 | |
| Air Blank | | 0.000 | 03:44 | |
| Subject Sample | # 3 | 0.169 | 03:45 | |
| Breath Volume | | 1.148 | 03:45 | |
| Air Blank | | 0.000 | 03:45 | |
| Control Test | | 0.079 | 03:45 | |
| Air Blank | | 0.000 | 03:46 | |
| Diagnostics Check | | OK | 03:46 | |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DOBSON,JON,B
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: BUSCH,TYLER
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 12:01
GENDER: Female
OBSERVATION PERIOD BEGAN: 12:38

SUBJECT'S LAST NAME: COULTER

DATE/TIME OF TEST: 05/09/2021 13:11:52

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 13:00 | |
| Air Blank | | 0.000 | 13:00 | |
| Control Test | | 0.080 | 13:01 | |
| Air Blank | | 0.000 | 13:01 | |
| Subject Sample | # 1 | 0.000 | 13:04 | Volume Not Met |
| Breath Volume | | 0.039 | 13:04 | |
| Air Blank | | 0.000 | 13:05 | |
| Air Blank | | 0.000 | 13:07 | |
| Subject Sample | # 2 | | 13:10 | No Sample Provided |
| Breath Volume | | 0.000 | 13:10 | |
| Air Blank | | 0.000 | 13:10 | |
| Control Test | | 0.079 | 13:11 | |
| Air Blank | | 0.000 | 13:11 | |
| Diagnostics Check | | OK | 13:11 | |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DOBSON,JON,B
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: DAVIS,JAMES
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 14:07
GENDER: Male
OBSERVATION PERIOD BEGAN: 14:48

SUBJECT'S LAST NAME: ESPINOZA-NICOLAS

DATE/TIME OF TEST: 05/09/2021 15:16:39

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 15:10 |
| Air Blank | | 0.000 | 15:10 |
| Control Test | | 0.080 | 15:10 |
| Air Blank | | 0.000 | 15:11 |
| Subject Sample | # 1 | 0.000 | 15:12 |
| Breath Volume | | 1.929 | 15:12 |
| Air Blank | | 0.000 | 15:12 |
| Air Blank | | 0.000 | 15:14 |
| Subject Sample | # 2 | 0.000 | 15:15 |
| Breath Volume | | 2.054 | 15:15 |
| Air Blank | | 0.000 | 15:15 |
| Control Test | | 0.079 | 15:16 |
| Air Blank | | 0.000 | 15:16 |
| Diagnostics Check | | OK | 15:16 |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SUDBRINK,BRIAN,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: SUDBRINK,BRIAN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 22:32
GENDER: Female
OBSERVATION PERIOD BEGAN: 23:18

SUBJECT'S LAST NAME: KENNEDY

DATE/TIME OF TEST: 05/10/2021 23:44:49

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 23:38 |
| Air Blank | | 0.000 | 23:38 |
| Control Test | | 0.080 | 23:39 |
| Air Blank | | 0.000 | 23:39 |
| Subject Sample | # 1 | 0.230 | 23:40 |
| Breath Volume | | 1.886 | 23:40 |
| Air Blank | | 0.000 | 23:40 |
| Air Blank | | 0.000 | 23:42 |
| Subject Sample | # 2 | 0.226 | 23:43 |
| Breath Volume | | 1.433 | 23:43 |
| Air Blank | | 0.000 | 23:43 |
| Control Test | | 0.080 | 23:44 |
| Air Blank | | 0.000 | 23:44 |
| Diagnostics Check | | OK | 23:44 |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: SUDBRINK,BRIAN,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: TRADER,ZACH
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 04/14/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 23:52
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:30

SUBJECT'S LAST NAME: CELENTANO

DATE/TIME OF TEST: 05/11/2021 00:56:45

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 00:50 |
| Air Blank | | 0.000 | 00:51 |
| Control Test | | 0.080 | 00:51 |
| Air Blank | | 0.000 | 00:51 |
| Subject Sample | # 1 | 0.200 | 00:52 |
| Breath Volume | | 1.546 | 00:52 |
| Air Blank | | 0.000 | 00:52 |
| Air Blank | | 0.000 | 00:54 |
| Subject Sample | # 2 | 0.193 | 00:55 |
| Breath Volume | | 1.160 | 00:55 |
| Air Blank | | 0.000 | 00:55 |
| Control Test | | 0.079 | 00:56 |
| Air Blank | | 0.000 | 00:56 |
| Diagnostics Check | | OK | 00:56 |

Data Download Date/Time: 05/13/2021 19:07

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: TURNER,STEVEN,D
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: TURNER,STEVEN
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 01:21
GENDER: Male
OBSERVATION PERIOD BEGAN: 02:12

SUBJECT'S LAST NAME: WELDON

DATE/TIME OF TEST: 05/15/2021 02:36:56

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 02:34 | |
| Air Blank | | 0.000 | 02:34 | |
| Control Test | | 0.080 | 02:34 | |
| Air Blank | | 0.000 | 02:35 | |
| Subject Sample | # 1 | | 02:35 | Subject Test Refused |
| Breath Volume | | 0.000 | 02:35 | |
| Air Blank | | 0.000 | 02:36 | |
| Control Test | | 0.079 | 02:36 | |
| Air Blank | | 0.000 | 02:36 | |
| Diagnostics Check | | OK | 02:36 | |

Data Download Date/Time: 06/16/2021 21:29

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HUCKABEE,A,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: KING,K
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 05:52
GENDER: Female
OBSERVATION PERIOD BEGAN: 06:25

SUBJECT'S LAST NAME: JEAN PIERRE

DATE/TIME OF TEST: 05/15/2021 07:15:45

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 07:07 |
| Air Blank | | 0.000 | 07:07 |
| Control Test | | 0.080 | 07:07 |
| Air Blank | | 0.000 | 07:08 |
| Subject Sample | # 1 | 0.209 | 07:11 |
| Breath Volume | | 2.046 | 07:11 |
| Air Blank | | 0.000 | 07:12 |
| Air Blank | | 0.000 | 07:13 |
| Subject Sample | # 2 | 0.193 | 07:14 |
| Breath Volume | | 1.808 | 07:14 |
| Air Blank | | 0.000 | 07:14 |
| Control Test | | 0.078 | 07:15 |
| Air Blank | | 0.000 | 07:15 |
| Diagnostics Check | | OK | 07:15 |

Data Download Date/Time: 06/16/2021 21:53

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HIRSHMAN,BRIAN,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: HIRSHMAN,BRIAN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 03:06
GENDER: Female
OBSERVATION PERIOD BEGAN: 03:43

SUBJECT'S LAST NAME: SAMUEL

DATE/TIME OF TEST: 05/17/2021 04:07:23

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 04:03 | |
| Air Blank | | 0.000 | 04:04 | |
| Control Test | | 0.080 | 04:04 | |
| Air Blank | | 0.000 | 04:05 | |
| Subject Sample | # 1 | | 04:06 | Subject Test Refused |
| Breath Volume | | 0.000 | 04:06 | |
| Air Blank | | 0.000 | 04:06 | |
| Control Test | | 0.080 | 04:06 | |
| Air Blank | | 0.000 | 04:07 | |
| Diagnostics Check | | OK | 04:07 | |

Data Download Date/Time: 06/16/2021 21:53

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ASHCOM,TIFFANY,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: ASHCOM,TIFFANY
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 13:08
GENDER: Male
OBSERVATION PERIOD BEGAN: 14:00

SUBJECT'S LAST NAME: TYLER

DATE/TIME OF TEST: 05/19/2021 15:05:41

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 15:02 | |
| Air Blank | | 0.000 | 15:03 | |
| Control Test | | 0.080 | 15:03 | |
| Air Blank | | 0.000 | 15:04 | |
| Subject Sample | # 1 | | 15:04 | Subject Test Refused |
| Breath Volume | | 0.000 | 15:04 | |
| Air Blank | | 0.000 | 15:04 | |
| Control Test | | 0.079 | 15:05 | |
| Air Blank | | 0.000 | 15:05 | |
| Diagnostics Check | | OK | 15:05 | |

Data Download Date/Time: 06/16/2021 21:53

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: LANEY,DAMON,A
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: LANEY,DAMON
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 03:09
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:30

SUBJECT'S LAST NAME: ROBINSON

DATE/TIME OF TEST: 05/20/2021 04:01:41

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:53 |
| Air Blank | | 0.000 | 03:53 |
| Control Test | | 0.079 | 03:53 |
| Air Blank | | 0.000 | 03:54 |
| Subject Sample | # 1 | 0.150 | 03:56 |
| Breath Volume | | 1.371 | 03:56 |
| Air Blank | | 0.000 | 03:56 |
| Air Blank | | 0.000 | 03:58 |
| Subject Sample | # 2 | 0.165 | 04:00 |
| Breath Volume | | 1.566 | 04:00 |
| Air Blank | | 0.000 | 04:00 |
| Control Test | | 0.079 | 04:01 |
| Air Blank | | 0.000 | 04:01 |
| Diagnostics Check | | OK | 04:01 |

Data Download Date/Time: 06/16/2021 21:53

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: TEMPLE,ELIZABETH,R
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: TEMPLE,ELIZABETH
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 02:32
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:01

SUBJECT'S LAST NAME: RIZZO

DATE/TIME OF TEST: 05/21/2021 03:28:47

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:22 |
| Air Blank | | 0.000 | 03:22 |
| Control Test | | 0.079 | 03:23 |
| Air Blank | | 0.000 | 03:23 |
| Subject Sample | # 1 | 0.168 | 03:24 |
| Breath Volume | | 1.710 | 03:24 |
| Air Blank | | 0.000 | 03:24 |
| Air Blank | | 0.000 | 03:26 |
| Subject Sample | # 2 | 0.169 | 03:27 |
| Breath Volume | | 1.636 | 03:27 |
| Air Blank | | 0.000 | 03:27 |
| Control Test | | 0.080 | 03:28 |
| Air Blank | | 0.000 | 03:28 |
| Diagnostics Check | | OK | 03:28 |

Data Download Date/Time: 06/16/2021 21:54

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ARBANAS,SHANE,M
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: ANGELICCHI,JOSEPH
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 18:01
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:35

SUBJECT'S LAST NAME: VELASQUEZ

DATE/TIME OF TEST: 05/22/2021 18:59:34

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 18:55 | |
| Air Blank | | 0.000 | 18:56 | |
| Control Test | | 0.079 | 18:56 | |
| Air Blank | | 0.000 | 18:57 | |
| Subject Sample | # 1 | | 18:58 | Subject Test Refused |
| Breath Volume | | 0.000 | 18:58 | |
| Air Blank | | 0.000 | 18:58 | |
| Control Test | | 0.080 | 18:58 | |
| Air Blank | | 0.000 | 18:59 | |
| Diagnostics Check | | OK | 18:59 | |

Data Download Date/Time: 06/16/2021 21:54

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: ARBANAS,SHANE,M
BREATH TEST OPERATOR AGENCY: FHP Troop C
ARRESTING OFFICER: ANGELICCHI,JOSEPH
ARRESTING OFFICER AGENCY: FHP Troop C
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 18:01
GENDER: Male
OBSERVATION PERIOD BEGAN: 18:35

SUBJECT'S LAST NAME: VELASQUEZ

DATE/TIME OF TEST: 05/22/2021 19:10:46

| | | | | |
|---|---|---|---|---|
| Diagnostics Check | | OK | 19:02 | |
| Air Blank | | 0.000 | 19:02 | |
| Control Test | | 0.079 | 19:03 | |
| Air Blank | | 0.000 | 19:03 | |
| Subject Sample | # 1 | 0.243 | 19:04 | |
| Breath Volume | | 5.007 | 19:04 | |
| Air Blank | | 0.000 | 19:04 | |
| Air Blank | | 0.000 | 19:06 | |
| Subject Sample | # 2 | | 19:09 | Subject Test Refused |
| Breath Volume | | 0.000 | 19:09 | |
| Air Blank | | 0.000 | 19:09 | |
| Control Test | | 0.080 | 19:10 | |
| Air Blank | | 0.000 | 19:10 | |
| Diagnostics Check | | OK | 19:10 | |

Data Download Date/Time: 06/16/2021 21:54

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: DEANE,M,
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: CHRISTIE,M
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 23:45
GENDER: Male
OBSERVATION PERIOD BEGAN: 00:34

SUBJECT'S LAST NAME: REISER JR

DATE/TIME OF TEST: 05/27/2021 01:28:43

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 01:18 |
| Air Blank | | 0.000 | 01:19 |
| Control Test | | 0.080 | 01:19 |
| Air Blank | | 0.000 | 01:20 |
| Subject Sample | # 1 | 0.250 | 01:21 |
| Breath Volume | | 1.671 | 01:21 |
| Air Blank | | 0.000 | 01:21 |
| Air Blank | | 0.000 | 01:23 |
| Subject Sample | # 2 | 0.236 | 01:27 |
| Breath Volume | | 1.320 | 01:27 |
| Air Blank | | 0.000 | 01:27 |
| Control Test | | 0.079 | 01:28 |
| Air Blank | | 0.000 | 01:28 |
| Diagnostics Check | | OK | 01:28 |

Data Download Date/Time: 06/16/2021 21:54

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HIRSHMAN,BRIAN,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: HIRSHMAN,BRIAN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 03:19
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:44

SUBJECT'S LAST NAME: CROWELL

DATE/TIME OF TEST: 05/29/2021 04:11:23

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 04:05 |
| Air Blank | | 0.000 | 04:05 |
| Control Test | | 0.080 | 04:05 |
| Air Blank | | 0.000 | 04:06 |
| Subject Sample | # 1 | 0.156 | 04:06 |
| Breath Volume | | 2.117 | 04:06 |
| Air Blank | | 0.000 | 04:07 |
| Air Blank | | 0.000 | 04:09 |
| Subject Sample | # 2 | 0.160 | 04:09 |
| Breath Volume | | 2.222 | 04:09 |
| Air Blank | | 0.000 | 04:10 |
| Control Test | | 0.080 | 04:10 |
| Air Blank | | 0.000 | 04:11 |
| Diagnostics Check | | OK | 04:11 |

Data Download Date/Time: 06/16/2021 21:54

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.

# *Florida Department of Law Enforcement*

## *Alcohol Testing Program*

## Subject Test Electronic Data

CMI, Inc. Intoxilyzer 8000 Serial Number: 80-001274

INSTRUMENT REGISTERED TO: PINELLAS COUNTY SO
SOFTWARE VERSION: 8100.27
BREATH TEST OPERATOR: HIRSHMAN,BRIAN,J
BREATH TEST OPERATOR AGENCY: Pinellas County SO
ARRESTING OFFICER: HIRSHMAN,BRIAN
ARRESTING OFFICER AGENCY: Pinellas County SO
LAST AGENCY INSPECTION: 05/12/2021

Date or Time Changed: No
DRY GAS STANDARD LOT #: AG012501
DRY GAS EXPIRY DATE: 05/04/2022
VIOLATION CODE: DUI
ARREST TIME: 02:57
GENDER: Male
OBSERVATION PERIOD BEGAN: 03:26

SUBJECT'S LAST NAME: LOPEZ-GALEANO

DATE/TIME OF TEST: 05/31/2021 03:52:45

| | | | |
|---|---|---|---|
| Diagnostics Check | | OK | 03:46 |
| Air Blank | | 0.000 | 03:47 |
| Control Test | | 0.080 | 03:47 |
| Air Blank | | 0.000 | 03:47 |
| Subject Sample | # 1 | 0.000 | 03:48 |
| Breath Volume | | 1.296 | 03:48 |
| Air Blank | | 0.000 | 03:48 |
| Air Blank | | 0.000 | 03:50 |
| Subject Sample | # 2 | 0.000 | 03:51 |
| Breath Volume | | 1.484 | 03:51 |
| Air Blank | | 0.000 | 03:51 |
| Control Test | | 0.080 | 03:52 |
| Air Blank | | 0.000 | 03:52 |
| Diagnostics Check | | OK | 03:52 |

Data Download Date/Time: 06/16/2021 22:00

**Printed: 29 July 2021**

COBRA ©1997-2014 CMI, Inc.