



Florida Department of Law Enforcement

# FIRST AID INSTRUCTIONAL REQUIREMENTS

Incorporated by Reference in Rule 11B-21.005(7), F.A.C.



**CJSTC  
208**

--	--	--

TRAINING SCHOOL

REVIEWER

DATE and TIME

Location: \_\_\_\_\_

Rule 11B-21.005, F.A.C., requires that a Commission-certified training school conducting CJSTC first aid training have the following equipment available:

1. \_\_\_\_\_ The training materials shall include the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Adhesive tape  | <input type="checkbox"/> Improved chest seal material (commercial chest seal preferred) |
| <input type="checkbox"/> Adult resuscitation manikin  | <input type="checkbox"/> Infant resuscitation manikin                                   |
| <input type="checkbox"/> Body Substance Isolation (BSI) kit that includes gloves, eye protection, facemask or shield, gown or coverall with sleeves, shoe covers, and biohazard bag | <input type="checkbox"/> Non-disposable blanket   |
| <input type="checkbox"/> Bullet-proof/tactical vest (optional)  | <input type="checkbox"/> Pressure bandage/dressing                                      |
| <input type="checkbox"/> CPR mask with one-way valve (one for each student)   | <input type="checkbox"/> Roll-type bandages (2" or 3")                                  |
| <input type="checkbox"/> Disposable protective gloves in varying sizes  | <input type="checkbox"/> Tourniquet (commercial)  |
| <input type="checkbox"/> Gauze pads (4" x 4")   | <input type="checkbox"/> Vehicle (optional for CO)                                      |
| <input type="checkbox"/> Imitation or simulated blood   | <input type="checkbox"/> Wound packing, rolled, Z-folded, or hemostatic gauze           |
|   | <input type="checkbox"/> Writing instrument (ex. pen, marker)                           |

2. \_\_\_\_\_ For every two students actively and physically engaged in first aid practical exercises and testing, the training school shall provide 64 square feet of unobstructed floor space. For each additional student actively and physically engaged, add an additional 32 square feet. Do not include victims when calculating the total square footage requirements.

3. \_\_\_\_\_ Equip areas used for first aid practical exercises with a first aid kit. The first aid kit shall be at the facility when basic recruit students are actively engaged in practical exercises or when CJSTC training is in session, and shall be immediately accessible to instructors and basic recruit students.

**The first aid kit shall include at a minimum the following supplies:**

- |                                       |                                  |  |
|---------------------------------------|----------------------------------|--|
| Adhesive bandages, 1" or 2" (1 box)   | Eye-dressing kit (1)             | Tourniquets, commercial (2)                |
| Adhesive tape (1 roll)                | Flashlight (1)                   | Trauma shears (1)                          |
| Bandage compresses, 4" (1)            | Gauze bandage roll, any size (1) | Triangular bandages (2)                    |
| Biohazard bag (1)                     | Occlusive dressings (2)          | Wound packing, rolled, or hemostatic gauze |
| Cold packs/plastic bags and ice (3-5) | Pressure bandages/dressings (2)  | Writing instrument (e.g., pen, marker)     |
| CPR mask with one-way valve (1)       | Protective gloves, varying sizes |  |
| Emergency blanket (1)                 | Sterile eyewash                  |  |

In Compliance  Not In Compliance  Corrected on site by the Field Specialist

Rule Violation: \_\_\_\_\_, F.A.C.

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Field Specialist's Signature

Date

Training Center Director or Coordinator or Instructor Signature

Date