



INSTRUMENT PROCESSING SHEET

Agency Miami PDS/N 80-006457Florida Department of
Law EnforcementDate In 06/02/2025 DI Completion Date N/A Ship P/U H/D CMI EE

Intake By <u>TDG</u> Date <u>07/08/2025</u> <input checked="" type="checkbox"/> Annual <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE Visual Inspection: <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/ Accessories: <input type="checkbox"/> Power cord <input type="checkbox"/> Printer Cable <input checked="" type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes: <u>Agency Inspector reports last inspection did not pass due to Interferent Detect messages.</u>	Quality Checks By <u>TDG</u> Date (See Notes) <input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value <u>186</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column # <u>ATP104</u> 32 mm <u>0.156</u> (.139 - .169) 36 mm <u>0.171</u> (.156 - .190) 53 mm <u>0.230</u> (.228 - .278) 103 mm <u>0.503</u> (.447 - .547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID # <u>28199</u> <input checked="" type="checkbox"/> Stability Checks	Flow Calibration By _____ Date _____ Flow Column # _____ <input type="checkbox"/> 5L/min – 17mm <input type="checkbox"/> 15L/min – 53mm <input type="checkbox"/> 30L/min – 103mm <input type="checkbox"/> R-Value _____ <input type="checkbox"/> Post Calibration Verification (L/s) Flow Column # _____ 32 mm _____ (.139 - .169) 36 mm _____ (.156 - .190) 53 mm _____ (.228 - .278) 103 mm _____ (.447 - .547)															
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6286</td> <td>202406K 06/19/2026</td> </tr> <tr> <td>0.080</td> <td>MP6287</td> <td>202406L 06/19/2026</td> </tr> <tr> <td>0.200</td> <td>MP6288</td> <td>202406N 06/20/2026</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG429602 10/22/2026</td> </tr> </tbody> </table>	Simulator	Serial #	Lot #/Exp	0.050	MP6286	202406K 06/19/2026	0.080	MP6287	202406L 06/19/2026	0.200	MP6288	202406N 06/20/2026	0.080 DGS	N/A	AG429602 10/22/2026	Maintenance By _____ Date _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other _____
Simulator	Serial #	Lot #/Exp															
0.050	MP6286	202406K 06/19/2026															
0.080	MP6287	202406L 06/19/2026															
0.200	MP6288	202406N 06/20/2026															
0.080 DGS	N/A	AG429602 10/22/2026															

Calibration Adjustment By _____ Barometric Pressure Gauge _____ ID # _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> <input type="checkbox"/> Post Calibration Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Department Inspection By _____ Barometric Pressure ID# _____ Gauge _____ Instrument _____ Mouth Alcohol Solution Lot # _____ Acetone Stock Solution Lot # _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> </tr> <tr> <td>Interferent</td> <td></td> </tr> <tr> <td>0.050</td> <td></td> </tr> <tr> <td>0.080</td> <td></td> </tr> <tr> <td>0.200</td> <td></td> </tr> </tbody> </table> Attachments <input type="checkbox"/> Form 41 <input type="checkbox"/> Post-Stability Checks <input checked="" type="checkbox"/> Stability Checks <input type="checkbox"/> Flow Calibration <input type="checkbox"/> Calibration Certificate <input checked="" type="checkbox"/> Form 40 <input type="checkbox"/> Calibration Adjustment <input checked="" type="checkbox"/> Other <u>Form 51</u>	Simulator	Serial Number	0.000		Interferent		0.050		0.080		0.200	
Simulator	Serial #	Lot #	Expiration																																																										
0.000		N/A	N/A																																																										
0.040																																																													
0.100																																																													
0.200																																																													
0.300																																																													
0.080 DGS	N/A																																																												
Simulator	Serial #	Lot #	Expiration																																																										
0.050																																																													
0.080																																																													
0.200																																																													
0.080 DGS	N/A																																																												
Simulator	Serial Number																																																												
0.000																																																													
Interferent																																																													
0.050																																																													
0.080																																																													
0.200																																																													

Notes/Suggested Service: <u>Signal oscillating at 9-micron channel on DVM Screen. (TDG 7/8/25)</u> <u>Performed all Quality Checks except Flow Verifications and Stability Checks on 7/8. Finished Flow Verifications and Stability Checks on 7/9. Interferents were detected during Stability Checks; root cause analysis did not find user/equipment error. Sending to CMI. (TDG 7/9/25)</u>	<input type="checkbox"/> Instrument Complies with Chapter 11D-8, FAC <input checked="" type="checkbox"/> Instrument Does Not Comply with Chapter 11D-8, FAC <input type="checkbox"/> Return to/Place into Evidentiary Use <input checked="" type="checkbox"/> Remain Out of Evidentiary Use <input type="checkbox"/> Conduct an Agency Inspection Before Evidentiary Use <div style="font-size: small;"> Digitally signed by Phil Nicodemo Date: 2025.07.18 11:05:10 -04'00' </div> Tech Review / Date _____ Admin Review / Date _____
---	--

Return Material Authorization

Ship to: CMI, Inc.
 Enforcement Electronics

Shipment to repair facility authorized by: Angel Fernandez on 7/9/2025

Items Returned: Instrument Supplies Other Describe: _____
Instrument Model: Intoxilyzer 8000 Serial Number: 80-006457

Bill To Address:
Miami Police Department

Ship to Address:
Florida Department of Law Enforcement
Fort Myers Regional Operations Center
Attn: Taylor Gutschow
4700 Terminal Drive, Suite 1
Fort Myers, FL 33907

Reason for Return:
Instrument gives Interferent Detect messages. Signal keeps bouncing at the 9-micron channel.

Please choose one of the following options:

1. I _____, authorize all repairs.

2. I _____, authorize repairs up to \$_____.

3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Angel Fernandez
Phone #: 305-710-3239 Email: 28394@miami-police.org

ATP Contact Name: Taylor Gutschow ATP Email: TaylorGutschow@fdle.state.fl.us

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: MIAMI PD
Time of Inspection: 13:24

Date of Inspection: 07/08/2025

Serial Number: 80-006457
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No


Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08g/210L Test (g/210L) Lot#: _____ Exp: _____	0.20g/210L Test (g/210L) Lot#: _____ Exp: _____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: _____ Exp: _____

Number of Simulators Used: _____

Remarks:
BYPASSED AI TO OPERATE INSTRUMENT. COMPLIANCE UNDETERMINED.

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

07/08/2025
Date

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/> ≤0.003 of Wet <input checked="" type="checkbox"/>
<p>MIAMI PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006457 07/09/2025 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 14:14 Control Test INT* 14:14 Air Blank 0.000 14:15 Control Test 0.053 14:16 Air Blank 0.000 14:16 Control Test 0.039 14:17 Air Blank 0.000 14:17</p> <p>Control Test Stats Average 0.0503 Std Dev 0.0103 Rel. Std Dev(%) 20.3905</p> <p>*Interferent Detect</p>	<p>MIAMI PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006457 07/09/2025 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 14:21 Control Test 0.083 14:21 Air Blank 0.000 14:22 Control Test 0.082 14:23 Air Blank 0.000 14:23 Control Test INT* 14:24 Air Blank 0.000 14:24</p> <p>Control Test Stats Average 0.0773 Std Dev 0.0090 Rel. Std Dev(%) 11.5899</p> <p>*Interferent Detect</p>	<p>MIAMI PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006457 07/09/2025 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 14:28 Control Test 0.200 14:28 Air Blank 0.000 14:29 Control Test 0.195 14:29 Air Blank 0.000 14:30 Control Test 0.201 14:31 Air Blank 0.000 14:31</p> <p>Control Test Stats Average 0.1987 Std Dev 0.0032 Rel. Std Dev(%) 1.6181</p>	<p>MIAMI PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-006457 07/09/2025 Software: 8100.27</p> <p>Test g/210L Time</p> <p>Air Blank 0.000 14:07 Control Test 0.077 14:08 Air Blank 0.000 14:08 Control Test INT* 14:09 Air Blank 0.000 14:09 Control Test 0.071 14:09 Air Blank 0.000 14:10 Control Test Stats Average 0.0790 Std Dev 0.0092 Rel. Std Dev(%) 11.6015</p> <p>*Interferent Detect</p>
<p>Operator's Signature </p>	<p>Operator's Signature </p>	<p>Operator's Signature </p>	<p>Operator's Signature </p>