

Alcohol Testing Program - Instrument Processing Sheet

Agency: FFWCC

Instrument Serial Number: 80-007501

Date In: 7/17/2026

DI Completion Date: 7/30/2026

☒ Ship

☐ P/U

☐ H/D

☐ CMI

☐ EE

Intake By: <u>IAS</u> Date: <u>7/17/2026</u>		Quality Checks By: <u>WKP</u> Date: <u>7/22/2026</u>		Flow Adjustment By: _____																																																																														
☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes:		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>257</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP 105</u> 32 mm <u>0.152</u> (.139-.169) 36 mm <u>0.167</u> (.156-.190) 53 mm <u>0.242</u> (.228-.278) 103 mm <u>0.527</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>34419</u> Gauge: <u>1012</u> Instrument: <u>1013</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm (.139-.169) 36 mm (.156-.190) 53 mm (.228-.278) 103 mm (.447-.547)																																																																														
						<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Simulator</th> <th style="width:20%;">Serial #</th> <th style="width:20%;">Lot#/Exp</th> <th style="width:45%;">Maintenance By: _____ Date: _____</th> </tr> <tr> <td>0.050</td> <td>MP6291</td> <td>202603A 3/3/2028</td> <td rowspan="5"> ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other: </td> </tr> <tr> <td>0.080</td> <td>MP6292</td> <td>202603B 3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP6293</td> <td>202603D 3/4/2028</td> </tr> <tr> <td rowspan="2">0.080 DGS</td> <td rowspan="2">N/A</td> <td>23825080A1</td> </tr> <tr> <td>10/5/2027</td> </tr> </table>		Simulator	Serial #	Lot#/Exp	Maintenance By: _____ Date: _____	0.050	MP6291	202603A 3/3/2028	☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other:	0.080	MP6292	202603B 3/3/2028	0.200	MP6293	202603D 3/4/2028	0.080 DGS	N/A	23825080A1	10/5/2027																																																									
						Simulator	Serial #	Lot#/Exp	Maintenance By: _____ Date: _____																																																																									
						0.050	MP6291	202603A 3/3/2028	☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other:																																																																									
						0.080	MP6292	202603B 3/3/2028																																																																										
0.200	MP6293	202603D 3/4/2028																																																																																
0.080 DGS	N/A	23825080A1																																																																																
		10/5/2027																																																																																
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Simulator</th> <th style="width:20%;">Serial #</th> <th style="width:20%;">Lot #</th> <th style="width:20%;">Expiration</th> <th style="width:25%;">Gauge: <u>1009</u> Instrument: <u>1010</u></th> </tr> <tr> <td>0.000</td> <td>MP6294</td> <td>N/A</td> <td>N/A</td> <td>Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u></td> </tr> <tr> <td>0.040</td> <td>MP6295</td> <td>25090</td> <td>3/11/2027</td> <td>Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u></td> </tr> <tr> <td>0.100</td> <td>MP6296</td> <td>24390</td> <td>10/29/2026</td> <td>Simulator Serial Number</td> </tr> <tr> <td>0.200</td> <td>MP6297</td> <td>25020</td> <td>1/14/2027</td> <td>0.000 MP5086</td> </tr> <tr> <td>0.300</td> <td>MP6298</td> <td>25150</td> <td>5/6/2027</td> <td>Interferent MP5087</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG526603</td> <td>9/23/2027</td> <td>0.050 MP5088</td> </tr> <tr> <td colspan="4"> ☒ Post Optical Bench Adjustment Stability Checks </td> <td>0.080 MP5089</td> </tr> <tr> <td colspan="4"> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Simulator</th> <th style="width:20%;">Serial #</th> <th style="width:20%;">Lot #</th> <th style="width:20%;">Expiration</th> </tr> <tr> <td>0.050</td> <td>MP6291</td> <td>202603A</td> <td>3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP6292</td> <td>202603B</td> <td>3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP6293</td> <td>202603D</td> <td>3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1</td> <td>10/5/2027</td> </tr> </table> </td> <td>0.200 MP5090</td> </tr> <tr> <td colspan="4"> Gauge ID #: <u>34419</u> Gauge: <u>1008</u> Instrument: <u>1007</u> </td> <td colspan="2" style="background-color: #d3d3d3;"> Attachments ☒ Form 41 ☒ Post-Stability Checks ☒ Stability Checks ☐ Flow Adjustment ☒ Calibration Certificate ☐ Form 40 ☒ Optical Bench Adjustment ☐ Other: </td> </tr> <tr> <td colspan="4" rowspan="3"> Notes/Suggested Service: </td> <td colspan="2" style="background-color: #d3d3d3;"> ☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use </td> </tr> <tr> <td colspan="2" style="background-color: #d3d3d3;"> <table style="width:100%;"> <tr> <td style="width:50%; vertical-align: top;"> LeAndra Higginbotham Tech Review Digitally signed by LeAndra Higginbotham Date: 2026.08.03 11:41:11 -04'00' </td> <td style="width:50%; vertical-align: top;"> Kaitlyn Spearin Admin Review Digitally signed by Kaitlyn Spearin Date: 2026.08.03 12:28:09 -04'00' </td> </tr> </table> </td> </tr> </table>		Simulator	Serial #	Lot #	Expiration	Gauge: <u>1009</u> Instrument: <u>1010</u>	0.000	MP6294	N/A	N/A	Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u>	0.040	MP6295	25090	3/11/2027	Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u>	0.100	MP6296	24390	10/29/2026	Simulator Serial Number	0.200	MP6297	25020	1/14/2027	0.000 MP5086	0.300	MP6298	25150	5/6/2027	Interferent MP5087	0.080 DGS	N/A	AG526603	9/23/2027	0.050 MP5088	☒ Post Optical Bench Adjustment Stability Checks				0.080 MP5089	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Simulator</th> <th style="width:20%;">Serial #</th> <th style="width:20%;">Lot #</th> <th style="width:20%;">Expiration</th> </tr> <tr> <td>0.050</td> <td>MP6291</td> <td>202603A</td> <td>3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP6292</td> <td>202603B</td> <td>3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP6293</td> <td>202603D</td> <td>3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1</td> <td>10/5/2027</td> </tr> </table>				Simulator	Serial #	Lot #	Expiration	0.050	MP6291	202603A	3/3/2028	0.080	MP6292	202603B	3/3/2028	0.200	MP6293	202603D	3/4/2028	0.080 DGS	N/A	23825080A1	10/5/2027	0.200 MP5090	Gauge ID #: <u>34419</u> Gauge: <u>1008</u> Instrument: <u>1007</u>				Attachments ☒ Form 41 ☒ Post-Stability Checks ☒ Stability Checks ☐ Flow Adjustment ☒ Calibration Certificate ☐ Form 40 ☒ Optical Bench Adjustment ☐ Other:		Notes/Suggested Service:				☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use		<table style="width:100%;"> <tr> <td style="width:50%; vertical-align: top;"> LeAndra Higginbotham Tech Review Digitally signed by LeAndra Higginbotham Date: 2026.08.03 11:41:11 -04'00' </td> <td style="width:50%; vertical-align: top;"> Kaitlyn Spearin Admin Review Digitally signed by Kaitlyn Spearin Date: 2026.08.03 12:28:09 -04'00' </td> </tr> </table>		LeAndra Higginbotham Tech Review Digitally signed by LeAndra Higginbotham Date: 2026.08.03 11:41:11 -04'00'	Kaitlyn Spearin Admin Review Digitally signed by Kaitlyn Spearin Date: 2026.08.03 12:28:09 -04'00'
Simulator	Serial #	Lot #	Expiration	Gauge: <u>1009</u> Instrument: <u>1010</u>																																																																														
0.000	MP6294	N/A	N/A	Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u>																																																																														
0.040	MP6295	25090	3/11/2027	Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u>																																																																														
0.100	MP6296	24390	10/29/2026	Simulator Serial Number																																																																														
0.200	MP6297	25020	1/14/2027	0.000 MP5086																																																																														
0.300	MP6298	25150	5/6/2027	Interferent MP5087																																																																														
0.080 DGS	N/A	AG526603	9/23/2027	0.050 MP5088																																																																														
☒ Post Optical Bench Adjustment Stability Checks				0.080 MP5089																																																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Simulator</th> <th style="width:20%;">Serial #</th> <th style="width:20%;">Lot #</th> <th style="width:20%;">Expiration</th> </tr> <tr> <td>0.050</td> <td>MP6291</td> <td>202603A</td> <td>3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP6292</td> <td>202603B</td> <td>3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP6293</td> <td>202603D</td> <td>3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1</td> <td>10/5/2027</td> </tr> </table>				Simulator	Serial #	Lot #	Expiration	0.050	MP6291	202603A	3/3/2028	0.080	MP6292	202603B	3/3/2028	0.200	MP6293	202603D	3/4/2028	0.080 DGS	N/A	23825080A1	10/5/2027	0.200 MP5090																																																										
Simulator	Serial #	Lot #	Expiration																																																																															
0.050	MP6291	202603A	3/3/2028																																																																															
0.080	MP6292	202603B	3/3/2028																																																																															
0.200	MP6293	202603D	3/4/2028																																																																															
0.080 DGS	N/A	23825080A1	10/5/2027																																																																															
Gauge ID #: <u>34419</u> Gauge: <u>1008</u> Instrument: <u>1007</u>				Attachments ☒ Form 41 ☒ Post-Stability Checks ☒ Stability Checks ☐ Flow Adjustment ☒ Calibration Certificate ☐ Form 40 ☒ Optical Bench Adjustment ☐ Other:																																																																														
Notes/Suggested Service:				☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																																																														
				<table style="width:100%;"> <tr> <td style="width:50%; vertical-align: top;"> LeAndra Higginbotham Tech Review Digitally signed by LeAndra Higginbotham Date: 2026.08.03 11:41:11 -04'00' </td> <td style="width:50%; vertical-align: top;"> Kaitlyn Spearin Admin Review Digitally signed by Kaitlyn Spearin Date: 2026.08.03 12:28:09 -04'00' </td> </tr> </table>		LeAndra Higginbotham Tech Review Digitally signed by LeAndra Higginbotham Date: 2026.08.03 11:41:11 -04'00'	Kaitlyn Spearin Admin Review Digitally signed by Kaitlyn Spearin Date: 2026.08.03 12:28:09 -04'00'																																																																											
				LeAndra Higginbotham Tech Review Digitally signed by LeAndra Higginbotham Date: 2026.08.03 11:41:11 -04'00'	Kaitlyn Spearin Admin Review Digitally signed by Kaitlyn Spearin Date: 2026.08.03 12:28:09 -04'00'																																																																													

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083 ☒ ≤ 0.003 of Wet ☒																																																																																																																																																
FFWCC Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007501 07/22/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:11</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:12</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:12</td></tr> <tr><td>Control Test</td><td>0.049</td><td>13:13</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:13</td></tr> <tr><td>Control Test</td><td>0.049</td><td>13:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:15</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0487</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1863</td><td></td></tr> </tbody> </table> Operator's Signature: <i>menpi</i>	Test	g/210L	Time	Air Blank	0.000	13:11	Control Test	0.048	13:12	Air Blank	0.000	13:12	Control Test	0.049	13:13	Air Blank	0.000	13:13	Control Test	0.049	13:14	Air Blank	0.000	13:15	Control Test Stats			Average	0.0487		Std Dev	0.0006		Rel Std Dev(%)	1.1863		FFWCC Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007501 07/22/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:18</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:19</td></tr> <tr><td>Control Test</td><td>0.077</td><td>13:19</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:20</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:20</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:21</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0780</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.2821</td><td></td></tr> </tbody> </table> Operator's Signature: <i>menpi</i>	Test	g/210L	Time	Air Blank	0.000	13:17	Control Test	0.079	13:18	Air Blank	0.000	13:19	Control Test	0.077	13:19	Air Blank	0.000	13:20	Control Test	0.078	13:20	Air Blank	0.000	13:21	Control Test Stats			Average	0.0780		Std Dev	0.0010		Rel Std Dev(%)	1.2821		FFWCC Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007501 07/22/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:24</td></tr> <tr><td>Control Test</td><td>0.201</td><td>13:24</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:25</td></tr> <tr><td>Control Test</td><td>0.200</td><td>13:26</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:26</td></tr> <tr><td>Control Test</td><td>0.200</td><td>13:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:28</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2003</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2882</td><td></td></tr> </tbody> </table> Operator's Signature: <i>menpi</i>	Test	g/210L	Time	Air Blank	0.000	13:24	Control Test	0.201	13:24	Air Blank	0.000	13:25	Control Test	0.200	13:26	Air Blank	0.000	13:26	Control Test	0.200	13:27	Air Blank	0.000	13:28	Control Test Stats			Average	0.2003		Std Dev	0.0006		Rel Std Dev(%)	0.2882		FFWCC Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007501 07/22/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:32</td></tr> <tr><td>Control Test</td><td>0.078</td><td>13:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:33</td></tr> <tr><td>Control Test</td><td>0.077</td><td>13:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:33</td></tr> <tr><td>Control Test</td><td>0.076</td><td>13:34</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:34</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0770</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.2987</td><td></td></tr> </tbody> </table> Operator's Signature: <i>menpi</i>	Test	g/210L	Time	Air Blank	0.000	13:32	Control Test	0.078	13:32	Air Blank	0.000	13:33	Control Test	0.077	13:33	Air Blank	0.000	13:33	Control Test	0.076	13:34	Air Blank	0.000	13:34	Control Test Stats			Average	0.0770		Std Dev	0.0010		Rel Std Dev(%)	1.2987	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:11																																																																																																																																																	
Control Test	0.048	13:12																																																																																																																																																	
Air Blank	0.000	13:12																																																																																																																																																	
Control Test	0.049	13:13																																																																																																																																																	
Air Blank	0.000	13:13																																																																																																																																																	
Control Test	0.049	13:14																																																																																																																																																	
Air Blank	0.000	13:15																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0487																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1863																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:17																																																																																																																																																	
Control Test	0.079	13:18																																																																																																																																																	
Air Blank	0.000	13:19																																																																																																																																																	
Control Test	0.077	13:19																																																																																																																																																	
Air Blank	0.000	13:20																																																																																																																																																	
Control Test	0.078	13:20																																																																																																																																																	
Air Blank	0.000	13:21																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0780																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel Std Dev(%)	1.2821																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:24																																																																																																																																																	
Control Test	0.201	13:24																																																																																																																																																	
Air Blank	0.000	13:25																																																																																																																																																	
Control Test	0.200	13:26																																																																																																																																																	
Air Blank	0.000	13:26																																																																																																																																																	
Control Test	0.200	13:27																																																																																																																																																	
Air Blank	0.000	13:28																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.2003																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2882																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:32																																																																																																																																																	
Control Test	0.078	13:32																																																																																																																																																	
Air Blank	0.000	13:33																																																																																																																																																	
Control Test	0.077	13:33																																																																																																																																																	
Air Blank	0.000	13:33																																																																																																																																																	
Control Test	0.076	13:34																																																																																																																																																	
Air Blank	0.000	13:34																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0770																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel Std Dev(%)	1.2987																																																																																																																																																		

FFWCC
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-007501
07/28/2026 14:45:25

Auto Calibration
Max Power Res Value = 72
Auto Range Res Value = 51

Sol Value = 0.000 g/210L ***
Fit value = 0.0000 mg/l %
Samples Taken = 4, Discarded = 1
3um lo = 12579, 9um lo = 13816

CHANNEL 1
Sample % Abs (% Abs Ref)
Sample #1 = 0.1480 (-0.0130)
Sample #2 = 0.1070 (0.0530)
Sample #3 = 0.0800 (0.1260)
Sample #4 = 0.0780 (0.1680)
Avg % Abs = 0.0883 (0.1177)
STD DEV = 0.0162 (0.0550)
REL STD DEV = 18.336 (46.722)

CHANNEL 2
Sample % Abs (% Abs Ref)
Sample #1 = 0.1060 (-0.0030)
Sample #2 = 0.0900 (0.0180)
Sample #3 = 0.0870 (0.0430)
Sample #4 = 0.1020 (0.0490)
Avg % Abs = 0.0930 (0.0367)
STD DEV = 0.0079 (0.0164)
REL STD DEV = 8.535 (44.841)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %
Samples Taken = 4, Discarded = 1
3um lo = 12537, 9um lo = 13796

CHANNEL 1
Sample % Abs (% Abs Ref)
Sample #1 = 0.9050 (-0.0120)
Sample #2 = 0.8490 (0.0520)
Sample #3 = 0.8780 (0.0630)
Sample #4 = 0.8910 (0.0820)
Avg % Abs = 0.8727 (0.0657)
STD DEV = 0.0215 (0.0152)
REL STD DEV = 2.464 (23.112)

CHANNEL 2
Sample % Abs (% Abs Ref)
Sample #1 = 1.4640 (0.0000)
Sample #2 = 1.4540 (0.0100)
Sample #3 = 1.4650 (0.0030)
Sample #4 = 1.4610 (0.0210)
Avg % Abs = 1.4600 (0.0113)
STD DEV = 0.0056 (0.0091)
REL STD DEV = 0.381 (80.063)

Sol Value = 0.100 g/210L ***
Fit value = 0.4762 mg/l %
Samples Taken = 4, Discarded = 1
3um lo = 12520, 9um lo = 13788

CHANNEL 1
Sample % Abs (% Abs Ref)
Sample #1 = 1.9890 (-0.0090)
Sample #2 = 2.0010 (0.0000)
Sample #3 = 2.0220 (0.0220)
Sample #4 = 1.9700 (0.0580)
Avg % Abs = 1.9977 (0.0267)
STD DEV = 0.0262 (0.0293)
REL STD DEV = 1.310 (109.801)

CHANNEL 2
Sample % Abs (% Abs Ref)
Sample #1 = 3.4230 (-0.0030)
Sample #2 = 3.4520 (-0.0070)
Sample #3 = 3.4400 (0.0020)
Sample #4 = 3.4310 (0.0080)
Avg % Abs = 3.4410 (0.0010)
STD DEV = 0.0105 (0.0075)
REL STD DEV = 0.306 (754.983)

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %
Samples Taken = 4, Discarded = 1
3um lo = 12512, 9um lo = 13782

CHANNEL 1
Sample % Abs (% Abs Ref)
Sample #1 = 3.8920 (-0.0160)
Sample #2 = 3.8140 (0.0540)
Sample #3 = 3.8170 (0.0690)
Sample #4 = 3.8620 (0.0540)
Avg % Abs = 3.8310 (0.0590)
STD DEV = 0.0269 (0.0087)
REL STD DEV = 0.702 (14.678)

CHANNEL 2
Sample % Abs (% Abs Ref)
Sample #1 = 6.6180 (-0.0010)
Sample #2 = 6.5790 (0.0250)
Sample #3 = 6.5850 (0.0390)
Sample #4 = 6.6150 (0.0240)
Avg % Abs = 6.5930 (0.0293)
STD DEV = 0.0193 (0.0084)
REL STD DEV = 0.293 (28.590)

Sol Value = 0.300 g/210L ***
Fit value = 1.4286 mg/l %
Samples Taken = 4, Discarded = 1
3um lo = 12501, 9um lo = 13776

CHANNEL 1
Sample % Abs (% Abs Ref)
Sample #1 = 5.6380 (-0.0150)
Sample #2 = 5.6560 (-0.0010)
Sample #3 = 5.6050 (0.0340)
Sample #4 = 5.6550 (0.0260)
Avg % Abs = 5.6387 (0.0197)
STD DEV = 0.0292 (0.0183)
REL STD DEV = 0.517 (93.251)

CHANNEL 2
Sample % Abs (% Abs Ref)
Sample #1 = 9.6190 (-0.0090)
Sample #2 = 9.6180 (0.0000)
Sample #3 = 9.6190 (0.0060)
Sample #4 = 9.6320 (0.0000)
Avg % Abs = 9.6230 (0.0020)
STD DEV = 0.0078 (0.0035)
REL STD DEV = 0.081 (173.205)

AUTO CAL DATA
CHANNEL 1
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.088
Std Dev = 0.02 Rel Std Dev = 18.34
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 0.873
Std Dev = 0.02 Rel Std Dev = 2.46
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 1.998
Std Dev = 0.03 Rel Std Dev = 1.31
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 3.831
Std Dev = 0.03 Rel Std Dev = 0.70
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 5.639
Std Dev = 0.03 Rel Std Dev = 0.52
Zero Order Coef = -238.17
First Order Coef = 2468.23
Second Order Coef = 19.34
Standard Deviation = 20.588039

CHANNEL 2
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.093
Std Dev = 0.01 Rel Std Dev = 8.53
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.460
Std Dev = 0.01 Rel Std Dev = 0.38
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.441
Std Dev = 0.01 Rel Std Dev = 0.31
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.593
Std Dev = 0.02 Rel Std Dev = 0.29
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.623
Std Dev = 0.01 Rel Std Dev = 0.08
Zero Order Coef = -136.08
First Order Coef = 1385.09
Second Order Coef = 11.85
Standard Deviation = 9.363932

Solution Stats Quadratic Fit Chan 1
Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0004
0.040 0.041 -0.0005
0.100 0.100 -0.0002
0.200 0.200 0.0005
0.300 0.300 -0.0002

Solution Stats Quadratic Fit Chan 2
Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0002
0.040 0.040 -0.0001
0.100 0.100 -0.0002
0.200 0.200 0.0003
0.300 0.300 -0.0001

Sol Value = 0.080 g/210L ***
Fit value = 0.3810 mg/l %
Samples Taken = 4, Discarded = 1
CHANNEL 1
Sample #1 = 3184.00
Sample #2 = 3148.00
Sample #3 = 3237.00
Sample #4 = 3100.00
Average Result = 3161.6667
STD DEV = 69.5150
REL STD DEV = 2.199

CHANNEL 2
Sample #1 = 3436.00
Sample #2 = 3390.00
Sample #3 = 3430.00
Sample #4 = 3402.00
Average Result = 3407.3333
STD DEV = 20.5264
REL STD DEV = 0.602

Dry Gas H2O Adjust Results
Barometric Pressure = 1006
3 um H2O Adjust (mg/l x 10,000) = 648
9 um H2O Adjust (mg/l x 10,000) = 402
AUTO CAL PASS

Optical Bench
Calibration adjust
7/28/2026 ment
menp

Post-Cal Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083 ≤ 0.003 of Wet																																																																																																																																																
FFWCC Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007501 07/28/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:30</td></tr> <tr><td>Control Test</td><td>0.050</td><td>15:31</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:31</td></tr> <tr><td>Control Test</td><td>0.050</td><td>15:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:32</td></tr> <tr><td>Control Test</td><td>0.050</td><td>15:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:34</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0500</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> Operator's Signature: <i>menpt</i>	Test	g/210L	Time	Air Blank	0.000	15:30	Control Test	0.050	15:31	Air Blank	0.000	15:31	Control Test	0.050	15:32	Air Blank	0.000	15:32	Control Test	0.050	15:33	Air Blank	0.000	15:34	Control Test Stats			Average	0.0500		Std Dev	0.0000		Rel Std Dev(%)	0.0000		FFWCC Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007501 07/28/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:46</td></tr> <tr><td>Control Test</td><td>0.079</td><td>15:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:47</td></tr> <tr><td>Control Test</td><td>0.079</td><td>15:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:49</td></tr> <tr><td>Control Test</td><td>0.080</td><td>15:49</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:50</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> Operator's Signature: <i>menpt</i>	Test	g/210L	Time	Air Blank	0.000	15:46	Control Test	0.079	15:47	Air Blank	0.000	15:47	Control Test	0.079	15:48	Air Blank	0.000	15:49	Control Test	0.080	15:49	Air Blank	0.000	15:50	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277		FFWCC Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007501 07/28/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:51</td></tr> <tr><td>Control Test</td><td>0.198</td><td>15:52</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:52</td></tr> <tr><td>Control Test</td><td>0.199</td><td>15:53</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:54</td></tr> <tr><td>Control Test</td><td>0.198</td><td>15:54</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:55</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1983</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2911</td><td></td></tr> </tbody> </table> Operator's Signature: <i>menpt</i>	Test	g/210L	Time	Air Blank	0.000	15:51	Control Test	0.198	15:52	Air Blank	0.000	15:52	Control Test	0.199	15:53	Air Blank	0.000	15:54	Control Test	0.198	15:54	Air Blank	0.000	15:55	Control Test Stats			Average	0.1983		Std Dev	0.0006		Rel Std Dev(%)	0.2911		FFWCC Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007501 07/28/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:56</td></tr> <tr><td>Control Test</td><td>0.081</td><td>15:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:57</td></tr> <tr><td>Control Test</td><td>0.081</td><td>15:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:58</td></tr> <tr><td>Control Test</td><td>0.080</td><td>15:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:59</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0807</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7157</td><td></td></tr> </tbody> </table> Operator's Signature: <i>menpt</i>	Test	g/210L	Time	Air Blank	0.000	15:56	Control Test	0.081	15:56	Air Blank	0.000	15:57	Control Test	0.081	15:57	Air Blank	0.000	15:58	Control Test	0.080	15:58	Air Blank	0.000	15:59	Control Test Stats			Average	0.0807		Std Dev	0.0006		Rel Std Dev(%)	0.7157	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:30																																																																																																																																																	
Control Test	0.050	15:31																																																																																																																																																	
Air Blank	0.000	15:31																																																																																																																																																	
Control Test	0.050	15:32																																																																																																																																																	
Air Blank	0.000	15:32																																																																																																																																																	
Control Test	0.050	15:33																																																																																																																																																	
Air Blank	0.000	15:34																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0500																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:46																																																																																																																																																	
Control Test	0.079	15:47																																																																																																																																																	
Air Blank	0.000	15:47																																																																																																																																																	
Control Test	0.079	15:48																																																																																																																																																	
Air Blank	0.000	15:49																																																																																																																																																	
Control Test	0.080	15:49																																																																																																																																																	
Air Blank	0.000	15:50																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:51																																																																																																																																																	
Control Test	0.198	15:52																																																																																																																																																	
Air Blank	0.000	15:52																																																																																																																																																	
Control Test	0.199	15:53																																																																																																																																																	
Air Blank	0.000	15:54																																																																																																																																																	
Control Test	0.198	15:54																																																																																																																																																	
Air Blank	0.000	15:55																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1983																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2911																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:56																																																																																																																																																	
Control Test	0.081	15:56																																																																																																																																																	
Air Blank	0.000	15:57																																																																																																																																																	
Control Test	0.081	15:57																																																																																																																																																	
Air Blank	0.000	15:58																																																																																																																																																	
Control Test	0.080	15:58																																																																																																																																																	
Air Blank	0.000	15:59																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0807																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7157																																																																																																																																																		

Florida Department of Law Enforcement

Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FFWCC

Time of Inspection: 12:44

Date of Inspection: 07/30/2026

Serial Number: 80-007501

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.050	0.079	0.199	0.082
0.000	0.050	0.079	0.199	0.082
0.000	0.051	0.079	0.199	0.082
0.000	0.050	0.078	0.199	0.082
0.000	0.050	0.079	0.199	0.082
0.000	0.050	0.078	0.199	0.082
0.000	0.050	0.079	0.199	0.082
0.000	0.051	0.079	0.199	0.082
0.000	0.051	0.079	0.199	0.082
0.000	0.050	0.079	0.200	0.082

Standard Deviations	0.0004	0.0004	0.0003	0.0000
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0002 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



WEN-CHI K PIERSON

Signature and Printed Name

07/30/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007501, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-007501</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>FFWCC</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>07/30/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>12:44</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

07/30/2026

Date

Wen-Chi
Pierson

Digitally signed by Wen-Chi
Pierson
Date: 2026.07.31 09:11:49
-04'00'

WEN-CHI K PIERSON,
Department Inspector

Alcohol Testing Program - Instrument Processing Sheet

Agency: FFWCC Instrument Serial Number: 80-007501

Date In: 6/23/2026 DI Completion Date: 6/26/2026 ☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>KTS</u> Date: <u>6/23/2026</u>		Quality Checks By: <u>WKP</u> Date: <u>6/26/2026</u>		Flow Adjustment By: _____																																									
☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes:		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>255</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP 105</u> 32 mm <u>0.156</u> (.139-.169) 36 mm <u>0.175</u> (.156-.190) 53 mm <u>0.246</u> (.228-.278) 103 mm <u>0.531</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1016</u> Instrument: <u>1019</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm (.139-.169) 36 mm (.156-.190) 53 mm (.228-.278) 103 mm (.447-.547)																																									
						<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot#/Exp</th> <th style="width: 40%;">Maintenance By: _____ Date: _____</th> </tr> <tr> <td rowspan="2">0.050</td> <td rowspan="2">MP5088</td> <td>202603A</td> <td>☐ Battery Replacement</td> </tr> <tr> <td>3/3/2028</td> <td>☐ Dry Gas Regulator Replacement</td> </tr> <tr> <td rowspan="2">0.080</td> <td rowspan="2">MP5089</td> <td>202603B</td> <td>☐ Tank Sensor Tare</td> </tr> <tr> <td>3/3/2028</td> <td>☐ Breath Tube Replacement</td> </tr> <tr> <td rowspan="2">0.200</td> <td rowspan="2">MP5090</td> <td>202603D</td> <td>☐ Other:</td> </tr> <tr> <td>3/4/2028</td> <td></td> </tr> <tr> <td rowspan="2">0.080 DGS</td> <td rowspan="2">N/A</td> <td>23825080A1</td> <td></td> </tr> <tr> <td>10/5/2027</td> <td></td> </tr> </table>		Simulator	Serial #	Lot#/Exp	Maintenance By: _____ Date: _____	0.050	MP5088	202603A	☐ Battery Replacement	3/3/2028	☐ Dry Gas Regulator Replacement	0.080	MP5089	202603B	☐ Tank Sensor Tare	3/3/2028	☐ Breath Tube Replacement	0.200	MP5090	202603D	☐ Other:	3/4/2028		0.080 DGS	N/A	23825080A1		10/5/2027											
						Simulator	Serial #	Lot#/Exp	Maintenance By: _____ Date: _____																																				
						0.050	MP5088	202603A	☐ Battery Replacement																																				
								3/3/2028	☐ Dry Gas Regulator Replacement																																				
0.080	MP5089	202603B	☐ Tank Sensor Tare																																										
		3/3/2028	☐ Breath Tube Replacement																																										
0.200	MP5090	202603D	☐ Other:																																										
		3/4/2028																																											
0.080 DGS	N/A	23825080A1																																											
		10/5/2027																																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot #</th> <th style="width: 40%;">Expiration</th> </tr> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Department Inspection By: <u>WKP</u> Barometric Pressure Gauge: _____ ID#: _____ Barometric Pressure ID#: <u>34419</u> Gauge: <u>1018</u> Instrument: <u>1019</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u>															
Simulator	Serial #	Lot #	Expiration																																										
0.000		N/A	N/A																																										
0.040																																													
0.100																																													
0.200																																													
0.300																																													
0.080 DGS	N/A																																												
☐ Post Optical Bench Adjustment Stability Checks		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot #</th> <th style="width: 40%;">Expiration</th> </tr> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Simulator</th> <th style="width: 20%;">Serial #</th> <th style="width: 25%;">Lot #</th> <th style="width: 40%;">Expiration</th> </tr> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A		
Simulator	Serial #	Lot #	Expiration																																										
0.050																																													
0.080																																													
0.200																																													
0.080 DGS	N/A																																												
Simulator	Serial #	Lot #	Expiration																																										
0.050																																													
0.080																																													
0.200																																													
0.080 DGS	N/A																																												
Gauge ID #: _____ Gauge: _____ Instrument: _____		Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment		☐ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other:																																									
Notes/Suggested Service:		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC																																											
		☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use																																											
		☒ Conduct an Agency Inspection Before Evidentiary Use																																											
LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2026.07.07 08:51:37 -04'00'		Kaitlyn Spearin Digitally signed by Kaitlyn Spearin Date: 2026.07.09 10:18:00 -04'00'																																											
Tech Review		Admin Review																																											

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083
☒	☒	☒	☒
☒	☒	☒	☒
FFMCC Intoxilyzer - Alcohol Analyzer Model 8000 06/26/2026 Software: 8100.27 Test g/210L Time Air Blank 0.000 10:24 Control Test 0.049 10:25 Air Blank 0.000 10:26 Control Test 0.049 10:26 Air Blank 0.000 10:27 Control Test 0.049 10:27 Air Blank 0.000 10:28 Control Test Stats Average 0.0450 Std Dev 0.0000 Rel Std Dev(%) 0.0000 Operator's Signature <i>Went</i>	FFMCC Intoxilyzer - Alcohol Analyzer Model 8000 06/26/2026 Software: 8100.27 Test g/210L Time Air Blank 0.000 10:30 Control Test 0.079 10:30 Air Blank 0.000 10:31 Control Test 0.078 10:32 Air Blank 0.000 10:32 Control Test 0.078 10:33 Air Blank 0.000 10:34 Control Test Stats Average 0.0783 Std Dev 0.0006 Rel Std Dev(%) 0.7370 Operator's Signature <i>Went</i>	FFMCC Intoxilyzer - Alcohol Analyzer Model 8000 06/26/2026 Software: 8100.27 Test g/210L Time Air Blank 0.000 10:35 Control Test 0.199 10:36 Air Blank 0.000 10:36 Control Test 0.199 10:37 Air Blank 0.000 10:38 Control Test 0.159 10:38 Air Blank 0.000 10:39 Control Test Stats Average 0.1990 Std Dev 0.0000 Rel Std Dev(%) 0.0000 Operator's Signature <i>Went</i>	FFMCC Intoxilyzer - Alcohol Analyzer Model 8000 06/26/2026 Software: 8100.27 Test g/210L Time Air Blank 0.000 10:16 Control Test 0.079 10:16 Air Blank 0.000 10:17 Control Test 0.078 10:17 Air Blank 0.000 10:18 Control Test 0.078 10:18 Control Test Stats Average 0.0783 Std Dev 0.0006 Rel Std Dev(%) 0.7370 Operator's Signature <i>Went</i>

Florida Department of Law Enforcement

Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FFWCC

Time of Inspection: 14:27

Date of Inspection: 06/26/2026

Serial Number: 80-007501

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: 202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#: 202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#: 202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: 23825080A1 Exp: 10/05/2027
0.000	0.049	0.078	0.199	0.079
0.000	0.048	0.079	0.200	0.079
0.000	0.048	0.078	0.199	0.080
0.000	0.048	0.078	0.199	0.079
0.000	0.048	0.079	0.199	0.079
0.000	0.049	0.079	0.199	0.079
0.000	0.049	0.079	0.200	0.079
0.000	0.048	0.078	0.199	0.079
0.000	0.049	0.079	0.200	0.079
0.000	0.049	0.079	0.199	0.080

Standard Deviations	0.0005	0.0005	0.0004	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

A F / M A: No Sample Provided.

Timed out, repeated. WCP 6/26/2026

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Wen-Chi K Pierson

WEN-CHI K PIERSON

Signature and Printed Name

06/26/2026
Date



Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

Calibration Certificate

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007501, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-007501</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>FFWCC</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>06/26/2026</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>14:27</u>	0.200 g/ 210 L 0.008
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Wen-Chi
Pierson
Digitally signed by Wen-Chi Pierson
Date: 2026.06.30 09:22:51
-04'00'

06/26/2026

Date

WEN-CHI K PIERSON,
Department Inspector

FDLE/ATP Form 69 January 2026
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality