

Alcohol Testing Program - Instrument Processing Sheet

Agency: PORT ST. JOE PD

Instrument Serial Number: 80-000908

Date In: 7/22/2026

DI Completion Date: 7/30/2026

☒ Ship

☐ P/U

☐ H/D

☐ CMI

☐ EE

Intake By: <u>WKP</u> Date: <u>7/22/2026</u>		Quality Checks By: <u>WKP</u> Date: <u>7/23/2026</u>		Flow Adjustment By: _____																
☒ Annual ☐ Dropped Off ☐ Registration ☒ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes:		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>253</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP 105</u> 32 mm <u>0.160</u> (.139-.169) 36 mm <u>0.167</u> (.156-.190) 53 mm <u>0.238</u> (.228-.278) 103 mm <u>0.503</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>34419</u> Gauge: <u>1016</u> Instrument: <u>1016</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)																
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot#/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6291</td> <td>202603A 3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP6292</td> <td>202603B 3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP6293</td> <td>202603D 3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1 10/5/2027</td> </tr> </tbody> </table>		Simulator	Serial #	Lot#/Exp	0.050	MP6291	202603A 3/3/2028	0.080	MP6292	202603B 3/3/2028	0.200	MP6293	202603D 3/4/2028	0.080 DGS	N/A	23825080A1 10/5/2027	Maintenance By: _____ Date: _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other:	
Simulator	Serial #	Lot#/Exp																		
0.050	MP6291	202603A 3/3/2028																		
0.080	MP6292	202603B 3/3/2028																		
0.200	MP6293	202603D 3/4/2028																		
0.080 DGS	N/A	23825080A1 10/5/2027																		
Optical Bench Adjustment By: <u>SLH</u>		Department Inspection By: <u>WKP</u>																		
Barometric Pressure Gauge: <u>1008</u> ID#: <u>34420</u>		Barometric Pressure ID#: <u>28427</u>																		
Simulator	Serial #	Lot #	Expiration	Gauge: <u>1009</u>	Instrument: <u>1010</u>															
0.000	MP6294	N/A	N/A	Mouth Alcohol Solution Lot #: <u>2025-D</u>	Exp: <u>09/25/2027</u>															
0.040	MP6295	25090	3/11/2027	Acetone Stock Solution Lot #: <u>2025-B</u>	Exp: <u>09/22/2027</u>															
0.100	MP6296	24390	10/29/2026	Simulator	Serial Number															
0.200	MP6297	25020	1/14/2027	0.000	MP5086															
0.300	MP6298	25150	5/6/2027	Interferent	MP5087															
0.080 DGS	N/A	AG526603	9/23/2027	0.050	MP5088															
☒ Post Optical Bench Adjustment Stability Checks				0.080	MP5089															
Simulator	Serial #	Lot #	Expiration	0.200	MP5090															
0.050	MP6291	202603A	03/03/2028	Attachments																
0.080	MP6292	202603B	03/03/2028	☒ Form 41	☒ Post-Stability Checks															
0.200	MP6293	202603D	03/04/2028	☒ Stability Checks	☐ Flow Adjustment															
0.080 DGS	N/A	23825080A1	10/5/2027	☒ Calibration Certificate	☐ Form 40															
Gauge ID #: <u>34419</u>				☒ Optical Bench Adjustment	☐ Other:															
Gauge: <u>1008</u> Instrument: <u>1008</u>																				
Notes/Suggested Service:				☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																
				Digitally signed by Taylor Gutschow Date: 2026.07.31 09:39:42 -04'00' Kaitlyn Spearin Digitally signed by Kaitlyn Spearin Date: 2026.08.03 13:04:01 -04'00'																
				Tech Review Admin Review																

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083 ✓ ≤0.003 of Wet																																																																																																																																																
PORT ST JOE PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000908 07/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:07</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:07</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:08</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:09</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:09</td></tr> <tr><td>Control Test</td><td>0.048</td><td>13:10</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:10</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0480</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	13:07	Control Test	0.048	13:07	Air Blank	0.000	13:08	Control Test	0.048	13:09	Air Blank	0.000	13:09	Control Test	0.048	13:10	Air Blank	0.000	13:10	Control Test Stats			Average	0.0480		Std Dev	0.0000		Rel Std Dev(%)	0.0000		PORT ST JOE PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000908 07/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:27</td></tr> <tr><td>Control Test</td><td>0.076</td><td>13:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:28</td></tr> <tr><td>Control Test</td><td>0.076</td><td>13:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:29</td></tr> <tr><td>Control Test</td><td>0.077</td><td>13:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:30</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0763</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7564</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	13:27	Control Test	0.076	13:28	Air Blank	0.000	13:28	Control Test	0.076	13:29	Air Blank	0.000	13:29	Control Test	0.077	13:30	Air Blank	0.000	13:30	Control Test Stats			Average	0.0763		Std Dev	0.0006		Rel Std Dev(%)	0.7564		PORT ST JOE PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000908 07/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:42</td></tr> <tr><td>Control Test</td><td>0.197</td><td>13:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:43</td></tr> <tr><td>Control Test</td><td>0.197</td><td>13:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:45</td></tr> <tr><td>Control Test</td><td>0.198</td><td>13:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:46</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1973</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2926</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	13:42	Control Test	0.197	13:43	Air Blank	0.000	13:43	Control Test	0.197	13:44	Air Blank	0.000	13:45	Control Test	0.198	13:45	Air Blank	0.000	13:46	Control Test Stats			Average	0.1973		Std Dev	0.0006		Rel Std Dev(%)	0.2926		PORT ST JOE PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000908 07/23/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:15</td></tr> <tr><td>Control Test</td><td>0.081</td><td>13:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:16</td></tr> <tr><td>Control Test</td><td>0.080</td><td>13:16</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr> <tr><td>Control Test</td><td>0.080</td><td>13:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0803</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7187</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	13:15	Control Test	0.081	13:15	Air Blank	0.000	13:16	Control Test	0.080	13:16	Air Blank	0.000	13:17	Control Test	0.080	13:17	Air Blank	0.000	13:17	Control Test Stats			Average	0.0803		Std Dev	0.0006		Rel Std Dev(%)	0.7187	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:07																																																																																																																																																	
Control Test	0.048	13:07																																																																																																																																																	
Air Blank	0.000	13:08																																																																																																																																																	
Control Test	0.048	13:09																																																																																																																																																	
Air Blank	0.000	13:09																																																																																																																																																	
Control Test	0.048	13:10																																																																																																																																																	
Air Blank	0.000	13:10																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0480																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:27																																																																																																																																																	
Control Test	0.076	13:28																																																																																																																																																	
Air Blank	0.000	13:28																																																																																																																																																	
Control Test	0.076	13:29																																																																																																																																																	
Air Blank	0.000	13:29																																																																																																																																																	
Control Test	0.077	13:30																																																																																																																																																	
Air Blank	0.000	13:30																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0763																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7564																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:42																																																																																																																																																	
Control Test	0.197	13:43																																																																																																																																																	
Air Blank	0.000	13:43																																																																																																																																																	
Control Test	0.197	13:44																																																																																																																																																	
Air Blank	0.000	13:45																																																																																																																																																	
Control Test	0.198	13:45																																																																																																																																																	
Air Blank	0.000	13:46																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1973																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2926																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:15																																																																																																																																																	
Control Test	0.081	13:15																																																																																																																																																	
Air Blank	0.000	13:16																																																																																																																																																	
Control Test	0.080	13:16																																																																																																																																																	
Air Blank	0.000	13:17																																																																																																																																																	
Control Test	0.080	13:17																																																																																																																																																	
Air Blank	0.000	13:17																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0803																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7187																																																																																																																																																		
#2	Operator's Signature	Operator's Signature	Operator's Signature																																																																																																																																																

0.08 wet
#1

Changed simulator
head o-rings
and turned on fan.

Repeated.

PORT ST JOE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000908
07/23/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:22
Control Test	0.076	13:22
Air Blank	0.000	13:23
Control Test	0.076	13:23
Air Blank	0.000	13:24
Control Test	0.076	13:25
Air Blank	0.000	13:25
Control Test Stats		
Average	0.0760	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

Went

Operator's Signature

PORT ST JOE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000908 ✓
07/28/2026 10:00:13 *SNA*

pg 1 of 2

Auto Calibration

<<<<< 3um >>>>>			<<<<< 9um >>>>>		

Solution = 0.000 g/210L or 0.0000 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	0.0910	(0.0020)	0.1450	(-0.0040)	
Sample #2	0.0600	(0.0270)	0.1350	(0.0060)	
Sample #3	0.0900	(0.0270)	0.1390	(0.0100)	
Sample #4	0.0680	(0.0560)	0.1150	(0.0310)	
Avg % Abs	0.0727	(0.0367)	0.1297	(0.0157)	
STD DEV	0.0155	(0.0167)	0.0129	(0.0134)	
REL STD DEV	21.378	(45.663)	9.916	(85.716)	

Solution = 0.040 g/210L or 0.1905 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	0.7630	(-0.0060)	1.4890	(0.0070)	
Sample #2	0.7570	(0.0000)	1.5000	(0.0180)	
Sample #3	0.7290	(0.0280)	1.4790	(0.0240)	
Sample #4	0.7570	(0.0240)	1.5060	(0.0090)	
Avg % Abs	0.7477	(0.0173)	1.4950	(0.0170)	
STD DEV	0.0162	(0.0151)	0.0142	(0.0075)	
REL STD DEV	2.162	(87.368)	0.948	(44.411)	

Solution = 0.100 g/210L or 0.4762 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	1.7490	(-0.0220)	3.4830	(-0.0030)	
Sample #2	1.6990	(0.0200)	3.4520	(0.0000)	
Sample #3	1.7310	(0.0170)	3.4820	(-0.0020)	
Sample #4	1.7350	(0.0310)	3.4950	(0.0000)	
Avg % Abs	1.7217	(0.0227)	3.4763	(-0.0007)	
STD DEV	0.0197	(0.0074)	0.0221	(0.0012)	
REL STD DEV	1.146	(32.520)	0.634	(173.205)	

Solution = 0.200 g/210L or 0.9524 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	3.3460	(-0.0140)	6.6800	(-0.0020)	
Sample #2	3.3260	(0.0060)	6.6490	(0.0140)	
Sample #3	3.3080	(0.0080)	6.6570	(0.0290)	
Sample #4	3.3020	(0.0220)	6.6640	(0.0190)	
Avg % Abs	3.3120	(0.0120)	6.6567	(0.0207)	
STD DEV	0.0125	(0.0087)	0.0075	(0.0076)	
REL STD DEV	0.377	(72.648)	0.113	(36.956)	

Solution = 0.300 g/210L or 1.4286 mg/l, Samples = 4, Discarded = 1					
Sample	% Abs	(% Abs Ref)	% Abs	(% Abs Ref)	
Sample #1	4.8780	(-0.0190)	9.6940	(-0.0180)	
Sample #2	4.8820	(-0.0070)	9.6770	(0.0000)	
Sample #3	4.8570	(0.0180)	9.6890	(0.0100)	
Sample #4	4.8530	(0.0220)	9.6550	(0.0190)	
Avg % Abs	4.8640	(0.0110)	9.6737	(0.0097)	
STD DEV	0.0157	(0.0157)	0.0172	(0.0095)	
REL STD DEV	0.323	(142.875)	0.178	(98.321)	

PORT ST JOE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000908 ✓
07/28/2026 10:00:13

Auto Calibration

pg 2 of 2

<<<< 3um >>>>			<<<< 9um >>>>		
-----			-----		
Zero Order Coef	-219.31			-178.64	
First Order Coef	2844.12			1377.08	
Second Order Coef	28.55			12.19	
-----			-----		
Act	Fit	Residual	Act	Fit	Residual
(g/210L)	(g/210L)	(g/210L)	(g/210L)	(g/210L)	(g/210L)
0.000	-0.000	0.0003	0.000	0.000	-0.0000
0.040	0.040	-0.0004	0.040	0.040	-0.0001
0.100	0.100	-0.0000	0.100	0.100	0.0001
0.200	0.200	0.0002	0.200	0.200	-0.0001
0.300	0.300	-0.0001	0.300	0.300	0.0000
-----			-----		

<<<< 3um >>>>		<<<< 9um >>>>	
-----		-----	
Solution = 0.080 g/210L or 0.3810 mg/l, Samples = 4, Discarded = 1			
Sample			
Sample #1	3208.00		3386.00
Sample #2	3199.00		3391.00
Sample #3	3196.00		3413.00
Sample #4	3158.00		3374.00
Avg	3184.3333		3392.6667
STD DEV	22.8546		19.5533
REL STD DEV	0.718		0.576
H2O adjust (mg/l*10k)	625		417

Barometric Pressure = 1008

*****CALIBRATION SUCCESSFUL*****

✓
SMT

Post Optical Bench Adjustment Stability Checks 80-000908

Sut

0.050 g/210L	0.080 g/210L	0.200 g/210L	DGS 0.080 g/210L
0.047 to 0.053 g/210L PORT ST JOE PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000908 07/28/2026 Software: 8100.27	0.077 to 0.083 g/210L PORT ST JOE PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000908 07/28/2026 Software: 8100.27	0.194 to 0.206 g/210L PORT ST JOE PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000908 07/28/2026 Software: 8100.27	0.077 to 0.083 g/210L 50.003 g/210L of Wet PORT ST JOE PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000908 07/28/2026 Software: 8100.27
Test g/210L Time Air Blank 0.000 11:32 Control Test 0.050 11:33 Air Blank 0.000 11:33 Control Test 0.050 11:34 Air Blank 0.000 11:34 Control Test 0.049 11:35 Air Blank 0.000 11:35 Control Test Stats Average 0.0497 Std Dev 0.0006 Rel Std Dev(%) 1.1625	Test g/210L Time Air Blank 0.000 11:25 Control Test 0.079 11:26 Air Blank 0.000 11:26 Control Test 0.079 11:27 Air Blank 0.000 11:28 Control Test 0.079 11:28 Air Blank 0.000 11:29 Control Test Stats Average 0.0790 Std Dev 0.0000 Rel Std Dev(%) 0.0000	Test g/210L Time Air Blank 0.000 11:37 Control Test 0.198 11:38 Air Blank 0.000 11:38 Control Test 0.198 11:39 Air Blank 0.000 11:39 Control Test 0.199 11:40 Air Blank 0.000 11:40 Control Test Stats Average 0.1983 Std Dev 0.0006 Rel Std Dev(%) 0.2911	Test g/210L Time Air Blank 0.000 11:50 Control Test 0.080 11:50 Air Blank 0.000 11:50 Control Test 0.081 11:51 Air Blank 0.000 11:51 Control Test 0.080 11:52 Air Blank 0.000 11:52 Control Test Stats Average 0.0803 Std Dev 0.0006 Rel Std Dev(%) 0.7187
Miguel Operator Signature	Miguel Operator Signature	Miguel Operator Signature	Miguel Operator Signature

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: PORT ST JOE PD
Time of Inspection: 11:59

Date of Inspection: 07/30/2026

Serial Number: 80-000908
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.050	0.079	0.198	0.081
0.000	0.050	0.079	0.199	0.081
0.000	0.050	0.079	0.198	0.081
0.000	0.050	0.079	0.199	0.081
0.000	0.050	0.079	0.199	0.080
0.000	0.049	0.080	0.199	0.080
0.000	0.050	0.079	0.199	0.080
0.000	0.051	0.080	0.199	0.080
0.000	0.051	0.080	0.199	0.081
0.000	0.051	0.080	0.199	0.081


Standard Deviations	0.0006	0.0005	0.0004	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0005 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

 WEN-CHI K PIERSON
Signature and Printed Name

07/30/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000908 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000908</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>PORT ST JOE PD</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>07/30/2026</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>11:59</u>	0.200 g/ 210 L 0.008
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Wen-Chi
Pierson
Digitally signed by Wen-Chi Pierson
Date: 2026.07.31 08:59:21 -04'00'

07/30/2026

Date

WEN-CHI K PIERSON,
Department Inspector

FDLE/ATP Form 69 January 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality