Alcohol Testing Program - Instrument Processing Sheet

Agency: PORT ST LUCIE PD **Instrument Serial Number:** ~~82-001962~~ 80-001962

Date In: 1/26/2026 **DI Completion Date:** 1/30/26 ☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: WKP Date: 1/26/2026

☒ Annual
☐ Dropped Off
☐ Registration
☐ Return from CMI / EE
☐ Training Instrument

Visual Inspection

☒ Case ☒ Handle
☒ Keyboard ☒ Dry Gas Shelf
☒ Feet ☒ Breath Tube
☒ Ports ☒ Screws Tight

Other Equipment/Accessories

☐ Power Cord ☐ Printer Cable
☒ Static Bag ☐ 12V DC Cable

Notes:

Agency note included in box.
WKP 1/26/2026

Quality Checks By: KTS Date: 1/28/26

☒ Breath Tube Screen *
☒ Replace External O-Rings *
☒ Instrument Set Up Verified *
☒ R-Value: 192
☒ Flow Verification (L/s)
Flow Column #: ATP103
32 mm 0.148 (.139-.169)
36 mm 0.160 (.156-.190)
53 mm 0.234 (.228-.278)
103 mm 0.507 (.447-.547)
☒ Barometric Pressure Check
Gauge ID #: 28427
Gauge: 1014 Instrument: 1013
☒ Stability Checks

Simulator	Serial #	Lot#/Exp
0.050	MP5088	202406K 6/19/26
0.080	MP5089	202406L 6/19/26
0.200	MP5090	202406N 6/20/26
0.080 DGS	N/A	AG510701 4/17/27

Flow Adjustment By:

Flow Column #:
☐ 5L/min – 17mm
☐ 15L/min – 53mm
☐ 30L/min – 103mm
☐ R-Value:
☐ Post Adjustment Verification (L/S)
Flow Column #:
32 mm (.139-.169)
36 mm (.156-.190)
53 mm (.228-.278)
103 mm (.447-.547)

Maintenance By: Date:

☐ Battery Replacement
☐ Dry Gas Regulator Replacement
☐ Tank Sensor Tare
☐ Breath Tube Replacement
☐ Other:

Optical Bench Adjustment By: WKP

Barometric Pressure Gauge: 1024 ID#: 34419

Simulator	Serial #	Lot #	Expiration
0.000	MP5086	N/A	N/A
0.040	MP6295	25090	3/11/27
0.100	MP6296	25282	8/12/27
0.200	MP6297	25020	1/14/27
0.300	MP6298	25150	5/6/27
0.080 DGS	N/A	28424080A3	11/5/26

☒ Post Optical Bench Adjustment Stability Checks

Simulator	Serial #	Lot #	Expiration
0.050	MP5088	202406K	6/19/26
0.080	MP5089	202406L	6/19/26
0.200	MP5090	202406N	6/20/26
0.080 DGS	N/A	AG510701	4/17/27

Gauge ID #: 34420
Gauge: 1023 Instrument: 1023

Department Inspection By: KTS

Barometric Pressure ID#: 28427
Gauge: 1015 Instrument: 1016
Mouth Alcohol Solution Lot #: 2025-D Exp: 9/25/27
Acetone Stock Solution Lot #: 2025-B Exp: 9/22/27

Simulator	Serial Number
0.000	MP6294
Interferent	MP5087
0.050	MP5088
0.080	MP5089
0.200	MP5090

Attachments

☒ Form 41
☒ Stability Checks
☒ Calibration Certificate
☒ Optical Bench Adjustment
☒ Post-Stability Checks
☐ Flow Adjustment
☒ Form 40
☒ Other: Agency Note Diagnostic check 1/30/26

Notes/Suggested Service: * were performed on 1/27/26. KTS 1/30/26

Performed troubleshooting on failed stability check. Could not identify user or equipment error. KTS 1/30/26

Tech Correction: Corrected the instrument number and put instrument number, initials and date on AI note. WKP 1/30/26

Tech Correction: Added signature to Form 40, added comment to note section, checked post-optical stability check box, input post-adjustment lot information and recorded instrument's barometric pressure after adjustment. KTS 1/30/26

☒ **Instrument Complies with Chapter 11D-8, FAC**
☐ **Instrument Does Not Comply with Chapter 11D-8, FAC**

☒ **Return to/Place into Evidentiary Use**
☐ **Remain Out of Evidentiary Use**

☒ **Conduct an Agency Inspection Before Evidentiary Use**

Taylor Gutschow Digitally signed by Taylor Gutschow Date: 2026.02.27 11:41:19 -05'00'

Shayla Platt Digitally signed by Shayla Platt Date: 2026.03.06 15:39:04 -05'00'

Tech Review **Admin Review**

INSTRUMENT IS NOT WORKING

DOES NOT PASS DIAGNOSTIC CHECK

PORT ST LUCIE POLICE DEPARTMENT
AGENCY INSPECTORS
OFFICER K. APPELBAUM & B. THOMPSON
121 SW PORT ST LUCIE BLVD
PORT ST LUCIE, FLORIDA, 34984
772-871-5001

80-001962
WKP 1/30/26

Florida Department of Law Enforcement
Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: PORT ST LUCIE PD
Time of Inspection: 14:12
Date of Inspection: 01/27/2026
Serial Number: 80-001962
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:

Number of Simulators Used: _____

Remarks:
BYPASSED TO OPERATE INSTRUMENT.COMPLIANCE NOT DETERMINED.

The above instrument complies (X) does not comply ( ) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Kaitlyn Spearin — Katie, KTS 1/27/26
SPEARIN T SPEARIN
Signature and Printed Name

01/27/2026
Date

FDLE/ATP Form 40 – March 2004

Stability Checks

0.050 g/210L ✓	0.080 g/210L ✗	0.200 g/210L ✓	DGS 0.080 g/210L ✗
0.047 to 0.053 g/210L	*0.077 to 0.083 g/210L*	*0.194 to 0.206 g/210L*	*0.077 to 0.083 g/210L* *≤0.003 g/210L of Wet*

80-001962 1/30/26

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001962
01/28/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:05
Control Test	0.053	08:05
Air Blank	0.000	08:06
Control Test	0.053	08:07
Air Blank	0.000	08:07
Control Test	0.053	08:08
Air Blank	0.000	08:08
Control Test Stats		
Average	0.0530	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

Operator's Signature

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001962
01/28/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:11
Control Test	0.083	08:11
Air Blank	0.000	08:12
Control Test	0.085	08:12
Air Blank	0.000	08:13
Control Test	0.084	08:14
Air Blank	0.000	08:14
Control Test Stats		
Average	0.0840	
Std Dev	0.0010	
Rel Std Dev(%)	1.1905	

Operator's Signature

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001962
01/28/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	08:15
Control Test	0.201	08:16
Air Blank	0.000	08:17
Control Test	0.201	08:17
Air Blank	0.000	08:18
Control Test	0.202	08:18
Air Blank	0.000	08:19
Control Test Stats		
Average	0.2013	
Std Dev	0.0006	
Rel Std Dev(%)	0.2868	

Operator's Signature

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001962
01/28/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	07:59
Control Test	0.088	07:59
Air Blank	0.000	08:00
Control Test	0.087	08:00
Air Blank	0.000	08:01
Control Test	0.088	08:01
Air Blank	0.000	08:01
Control Test Stats		
Average	0.0877	
Std Dev	0.0006	
Rel Std Dev(%)	0.6586	

Operator's Signature

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 S\ 80-001962
01/28/2026 11:05:38

Auto Calibration
Max Power Res Value = 92
Auto Range Res Value = 65

Sol Value = 0.200 g/210L ***
Fit value = 0.0000 mg/l %%%%
Samples Taken = 4, Discarded = 1
Sum lo = 12801, Sum hi = 13260
<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	0.2970	(-0.0160)
Sample #2 =	0.3170	(0.0130)
Sample #3 =	0.3130	(0.0220)
Sample #4 =	0.3000	(0.0430)

Avg % Abs = 0.3033 (0.0260)
STD DEV = 0.0035 (0.0154)
REL STD DEV = 1.158 (59.211)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	0.7170	(-0.0010)
Sample #2 =	0.6880	(0.0430)
Sample #3 =	0.6610	(0.0490)
Sample #4 =	0.6570	(0.0660)

Avg % Abs = 0.6687 (0.0527)
STD DEV = 0.0169 (0.0119)
REL STD DEV = 2.522 (22.653)

Optical Bench
Calibration
adjustment
WCP 1/28/2026

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %%%%
Samples Taken = 4, Discarded = 1
Sum lo = 12790, Sum hi = 13248
<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	0.9570	(-0.0110)
Sample #2 =	0.9790	(-0.0220)
Sample #3 =	0.9830	(0.0050)
Sample #4 =	0.9560	(0.0280)

Avg % Abs = 0.9717 (0.0103)
STD DEV = 0.0136 (0.0157)
REL STD DEV = 1.397 (151.887)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	1.9810	(-0.0340)
Sample #2 =	1.9670	(-0.0050)
Sample #3 =	1.9490	(0.0060)
Sample #4 =	1.9600	(0.0170)

Avg % Abs = 1.9587 (0.0060)
STD DEV = 0.0091 (0.0110)
REL STD DEV = 0.463 (183.333)

Sol Value = 0.100 g/210L ***
Fit value = 0.4762 mg/l %%%%
Samples Taken = 4, Discarded = 1
Sum lo = 12790, Sum hi = 13249
<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	1.9790	(-0.0040)
Sample #2 =	1.9690	(0.0210)
Sample #3 =	1.9700	(0.0280)
Sample #4 =	1.9950	(0.0240)

Avg % Abs = 1.9780 (0.0243)
STD DEV = 0.0147 (0.0035)
REL STD DEV = 0.745 (14.432)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	3.8950	(-0.0160)
Sample #2 =	3.8760	(0.0330)
Sample #3 =	3.8720	(0.0320)
Sample #4 =	3.8380	(0.0490)

Avg % Abs = 3.8620 (0.0380)
STD DEV = 0.0209 (0.0095)
REL STD DEV = 0.541 (25.104)

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %%%%
Samples Taken = 4, Discarded = 1
Sum lo = 12786, Sum hi = 13246
<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	3.6270	(-0.0140)
Sample #2 =	3.6280	(0.0160)
Sample #3 =	3.5940	(0.0360)
Sample #4 =	3.5900	(0.0380)

Avg % Abs = 3.6348 (0.0300)
STD DEV = 0.0209 (0.0122)
REL STD DEV = 0.579 (40.552)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	6.9290	(-0.0100)
Sample #2 =	6.9110	(0.0250)
Sample #3 =	6.9070	(0.0300)
Sample #4 =	6.8670	(0.0400)

Avg % Abs = 6.8950 (0.0320)
STD DEV = 0.0243 (0.0072)
REL STD DEV = 0.353 (22.535)

Sol Value = 0.300 g/210L ***
Fit value = 1.4286 mg/l %%%%
Samples Taken = 4, Discarded = 1
Sum lo = 12786, Sum hi = 13244
<<<<< CHANNEL 1 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	5.1710	(0.0050)
Sample #2 =	5.1970	(0.0290)
Sample #3 =	5.1830	(0.0410)
Sample #4 =	5.1770	(0.0410)

Avg % Abs = 5.1857 (0.0370)
STD DEV = 0.0103 (0.0069)
REL STD DEV = 0.198 (18.725)

<<<<< CHANNEL 2 >>>>>

Sample	% Abs	(% Abs Ref)
Sample #1 =	9.7870	(-0.0150)
Sample #2 =	9.8340	(0.0240)
Sample #3 =	9.8100	(0.0130)
Sample #4 =	9.8020	(0.0250)

Avg % Abs = 9.8153 (0.0217)
STD DEV = 0.0167 (0.0067)
REL STD DEV = 0.170 (32.218)

***** AUTO CAL DATA *****
<<<<< CHANNEL 1 >>>>>
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.303
Std Dev = 0.00 Rel Std Dev = 1.16
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 0.972
Std Dev = 0.01 Rel Std Dev = 1.40
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 1.978
Std Dev = 0.01 Rel Std Dev = 0.74
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 3.604
Std Dev = 0.02 Rel Std Dev = 0.58
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 5.186
Std Dev = 0.01 Rel Std Dev = 0.20
Zero Order Coef = -838.55
First Order Coef = 2783.56
Second Order Coef = 25.59
Standard Deviation = 8.837339

<<<<< CHANNEL 2 >>>>>
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.669
Std Dev = 0.02 Rel Std Dev = 2.52
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.959
Std Dev = 0.01 Rel Std Dev = 0.46
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.862
Std Dev = 0.02 Rel Std Dev = 0.54
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.895
Std Dev = 0.02 Rel Std Dev = 0.35
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.815
Std Dev = 0.02 Rel Std Dev = 0.17
Zero Order Coef = -968.34
First Order Coef = 1441.71
Second Order Coef = 11.46
Standard Deviation = 6.261862

Solution Stats Quadratic Fit Chan 1

Act	Fit	Residual
g/210L	g/210L	g/210L
0.000	0.000	-0.0002
0.040	0.040	0.0003
0.100	0.100	-0.0001
0.200	0.200	-0.0000
0.300	0.300	0.0000

Solution Stats Quadratic Fit Chan 2

Act	Fit	Residual
g/210L	g/210L	g/210L
0.000	0.000	-0.0000
0.040	0.040	0.0001
0.100	0.100	-0.0002
0.200	0.200	0.0001
0.300	0.300	-0.0000

Sol Value = 0.080 g/210L ***
Fit value = 0.3810 mg/l %%%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1
Sample #1 = 2648.00
Sample #2 = 2680.00
Sample #3 = 2719.00
Sample #4 = 2751.00
Average Result = 2716.6667
STD DEV = 35.5575
REL STD DEV = 1.309
****
***** CHANNEL 2
Sample #1 = 2386.00
Sample #2 = 2410.00
Sample #3 = 2431.00
Sample #4 = 2451.00
Average Result = 2430.6667
STD DEV = 20.5020
REL STD DEV = 0.843
****
Dry Gas H2O Adjust Results **********
Barometric Pressure = 1023
3 um H2O Adjust (mg/l*10,000) = 1093
9 um H2O Adjust (mg/l*10,000) = 1379
**** AUTO CAL PASS

Inadvertently
connected diagnostic
check

WKP 1/28/2026

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001962
01/28/2026
Software: 8100.27

DIAGNOSTICS

Voltage/Current Test	OK
RAM Test	OK
EEPROM Checksum Test	OK
Real Time Clock Test	OK
DSP Test	OK
Analytical Stability Test	OK
Internal Printer Test	OK
Modem Test	OK
Temperature Regulation Test	OK

Post-Cal Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L
0.047 to 0.053 ✓	*0.077 to 0.083* ✓	*0.194 to 0.206* ✓	*0.077 to 0.083* ✓ *≤0.003 of Wet* ✓

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001962
01/28/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:55
Control Test	0.050	12:56
Air Blank	0.000	12:56
Control Test	0.048	12:57
Air Blank	0.000	12:57
Control Test	0.048	12:58
Air Blank	0.000	12:58

Control Test Stats

Average	0.0487
Std Dev	0.0012
Rel Std Dev(%)	2.3727

Operator's Signature

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001962
01/28/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:05
Control Test	0.081	13:06
Air Blank	0.000	13:06
Control Test	0.078	13:07
Air Blank	0.000	13:07
Control Test	0.077	13:08
Air Blank	0.000	13:09

Control Test Stats

Average	0.0787
Std Dev	0.0021
Rel Std Dev(%)	2.6462

Operator's Signature

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001962
01/28/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	13:17
Control Test	0.196	13:18
Air Blank	0.000	13:18
Control Test	0.194	13:19
Air Blank	0.000	13:20
Control Test	0.194	13:20
Air Blank	0.000	13:21

Control Test Stats

Average	0.1947
Std Dev	0.0012
Rel Std Dev(%)	0.5932

Operator's Signature

PORT ST LUCIE PD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001962
01/28/2026
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:41
Control Test	0.080	12:41
Air Blank	0.000	12:41
Control Test	0.080	12:42
Air Blank	0.000	12:42
Control Test	0.080	12:43
Air Blank	0.000	12:43

Control Test Stats

Average	0.0800
Std Dev	0.0000
Rel Std Dev(%)	0.0000

Operator's Signature

Florida Department of Law Enforcement
Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: PORT ST LUCIE PD
Time of Inspection: 08:22
Date of Inspection: 01/30/2026
Serial Number: 80-001962
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG510701 Exp: 04/17/2027
0.000	0.049	0.080	0.197	0.000 / 0.079
0.000	0.049	0.080	0.198	0.000 / 0.080
0.000	0.049	0.079	0.198	0.000 / 0.079
0.000	0.049	0.080	0.198	0.000 / 0.079
0.000	0.050	0.080	0.198	0.000 / 0.079
0.000	0.049	0.080	0.198	0.000 / 0.079
0.000	0.050	0.081	0.199	0.000 / 0.079
0.000	0.050	0.080	0.198	0.000 / 0.079
0.000	0.050	0.081	0.198	0.000 / 0.079
0.000	0.050	0.080	0.198	0.000 / 0.079

Standard Deviations	0.0005	0.0005	0.0004	0.0000 / 0.0003

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:
08: Control Outside Tolerance.
DGS connector not attached. Attached then reran. KTS 1/30/26

The above instrument complies (X) does not comply ( ) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Karl S
KATIE T SPEARIN
Signature and Printed Name

01/30/2026
Date

FDLE/ATP Form 41 –Revised August 2005

Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001962 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	80-001962
Owning Agency:	PORT ST LUCIE PD
Calibration Date:	01/30/2026
Calibration Time:	08:22

	UNCERTAINTY* ±
0.050 g/ 210 L	0.004
0.080 g/ 210 L	0.004
0.200 g/ 210 L	0.008
0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.
Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).
The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION
This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full,
without written approval of the Florida Department of
Law Enforcement Alcohol Testing Program.

01/30/2026
Date

KATIE T SPEARIN,
Department Inspector