

Alcohol Testing Program - Instrument Processing Sheet

Agency: LAKELAND PD Instrument Serial Number: 80-005810

Date In: 7/9/2026 DI Completion Date: 7/16/2026 ☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>WKP</u> Date: <u>7/9/2026</u> ☒ Annual ☐ Dropped Off ☐ Registration ☒ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☒ Power Cord ☐ Printer Cable ☐ Static Bag ☐ 12V DC Cable Notes:	Quality Checks By: <u>KTS</u> Date: <u>7/16/2026</u> ☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>214</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP103</u> 32 mm <u>0.140</u> (.139-.169) 36 mm <u>0.156</u> (.156-.190) 53 mm <u>0.230</u> (.228-.278) 103 mm <u>0.492</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1013</u> Instrument: <u>1016</u> ☒ Stability Checks <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot#/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5088</td> <td>202603A 3/3/2028</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> <td>202603B 3/3/2028</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>202603D 3/4/2028</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1 10/5/2027</td> </tr> </tbody> </table>	Simulator	Serial #	Lot#/Exp	0.050	MP5088	202603A 3/3/2028	0.080	MP5089	202603B 3/3/2028	0.200	MP5090	202603D 3/4/2028	0.080 DGS	N/A	23825080A1 10/5/2027	Flow Adjustment By: _____ Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)																																																																		
Simulator	Serial #	Lot#/Exp																																																																																	
0.050	MP5088	202603A 3/3/2028																																																																																	
0.080	MP5089	202603B 3/3/2028																																																																																	
0.200	MP5090	202603D 3/4/2028																																																																																	
0.080 DGS	N/A	23825080A1 10/5/2027																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">Maintenance By: _____ Date: _____</th> </tr> </thead> <tbody> <tr> <td colspan="3"> ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other: _____ </td> </tr> </tbody> </table>			Maintenance By: _____ Date: _____			☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other: _____																																																																													
Maintenance By: _____ Date: _____																																																																																			
☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other: _____																																																																																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Optical Bench Adjustment By: _____</th> <th colspan="2">Department Inspection By: <u>KTS</u></th> </tr> </thead> <tbody> <tr> <td colspan="2">Barometric Pressure Gauge: _____ ID#: _____</td> <td colspan="2">Barometric Pressure ID#: <u>28427</u></td> </tr> <tr> <td> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> </td> <td colspan="2"> Gauge: <u>1014</u> Instrument: <u>1018</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u> </td> </tr> <tr> <td colspan="2"> ☐ Post Optical Bench Adjustment Stability Checks </td> <td colspan="2"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table> </td> </tr> <tr> <td colspan="2"> Gauge ID #: _____ Gauge: _____ Instrument: _____ </td> <td colspan="2"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Attachments</th> </tr> </thead> <tbody> <tr> <td> ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment </td> <td> ☐ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other: _____ </td> </tr> </tbody> </table> </td> </tr> <tr> <td colspan="2" rowspan="2"> Notes/Suggested Service: </td> <td colspan="2"> ☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use </td> </tr> <tr> <td colspan="2"> <table style="width: 100%;"> <tr> <td style="width: 50%; text-align: center;"> Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.07.21 13:50:46 -04'00' </td> <td style="width: 50%; text-align: center;"> LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2026.07.31 09:13:11 -04'00' </td> </tr> <tr> <td style="text-align: center;">Tech Review</td> <td style="text-align: center;">Admin Review</td> </tr> </table> </td> </tr> </tbody> </table>			Optical Bench Adjustment By: _____		Department Inspection By: <u>KTS</u>		Barometric Pressure Gauge: _____ ID#: _____		Barometric Pressure ID#: <u>28427</u>		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Gauge: <u>1014</u> Instrument: <u>1018</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u>		☐ Post Optical Bench Adjustment Stability Checks		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			Gauge ID #: _____ Gauge: _____ Instrument: _____		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Attachments</th> </tr> </thead> <tbody> <tr> <td> ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment </td> <td> ☐ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other: _____ </td> </tr> </tbody> </table>		Attachments		☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment	☐ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other: _____	Notes/Suggested Service:		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use		<table style="width: 100%;"> <tr> <td style="width: 50%; text-align: center;"> Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.07.21 13:50:46 -04'00' </td> <td style="width: 50%; text-align: center;"> LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2026.07.31 09:13:11 -04'00' </td> </tr> <tr> <td style="text-align: center;">Tech Review</td> <td style="text-align: center;">Admin Review</td> </tr> </table>		Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.07.21 13:50:46 -04'00'	LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2026.07.31 09:13:11 -04'00'	Tech Review	Admin Review
Optical Bench Adjustment By: _____		Department Inspection By: <u>KTS</u>																																																																																	
Barometric Pressure Gauge: _____ ID#: _____		Barometric Pressure ID#: <u>28427</u>																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td></td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.100</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.300</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Gauge: <u>1014</u> Instrument: <u>1018</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/2027</u>																																																						
Simulator	Serial #	Lot #	Expiration																																																																																
0.000		N/A	N/A																																																																																
0.040																																																																																			
0.100																																																																																			
0.200																																																																																			
0.300																																																																																			
0.080 DGS	N/A																																																																																		
☐ Post Optical Bench Adjustment Stability Checks		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.200</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td></td> <td></td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A																																																														
Simulator	Serial #	Lot #	Expiration																																																																																
0.050																																																																																			
0.080																																																																																			
0.200																																																																																			
0.080 DGS	N/A																																																																																		
Gauge ID #: _____ Gauge: _____ Instrument: _____		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Attachments</th> </tr> </thead> <tbody> <tr> <td> ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment </td> <td> ☐ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other: _____ </td> </tr> </tbody> </table>		Attachments		☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment	☐ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other: _____																																																																												
Attachments																																																																																			
☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment	☐ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other: _____																																																																																		
Notes/Suggested Service:		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																																																																	
		<table style="width: 100%;"> <tr> <td style="width: 50%; text-align: center;"> Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.07.21 13:50:46 -04'00' </td> <td style="width: 50%; text-align: center;"> LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2026.07.31 09:13:11 -04'00' </td> </tr> <tr> <td style="text-align: center;">Tech Review</td> <td style="text-align: center;">Admin Review</td> </tr> </table>		Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.07.21 13:50:46 -04'00'	LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2026.07.31 09:13:11 -04'00'	Tech Review	Admin Review																																																																												
Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.07.21 13:50:46 -04'00'	LeAndra Higginbotham Digitally signed by LeAndra Higginbotham Date: 2026.07.31 09:13:11 -04'00'																																																																																		
Tech Review	Admin Review																																																																																		

Stability Checks

0.050 g/210L	0.080 g/210L	0.200 g/210L	DGS 0.080 g/210L																																																																																																																																																
☒ 0.047 to 0.053 g/210L	☒ 0.077 to 0.083 g/210L	☒ 0.194 to 0.206 g/210L	☒ 0.077 to 0.083 g/210L ☒ ±0.003 g/210L of Wet																																																																																																																																																
LAKELAND PD Intoxilyzer - Alcohol Analyzer Model: 8000 07/16/2026 Software: 8100.27 SN 80-005810 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>08:07</td></tr> <tr><td>Control Test</td><td>0.051</td><td>08:08</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:09</td></tr> <tr><td>Control Test</td><td>0.051</td><td>08:09</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:10</td></tr> <tr><td>Control Test</td><td>0.050</td><td>08:11</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:11</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0507</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>1.1395</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	08:07	Control Test	0.051	08:08	Air Blank	0.000	08:09	Control Test	0.051	08:09	Air Blank	0.000	08:10	Control Test	0.050	08:11	Air Blank	0.000	08:11	Control Test Stats			Average	0.0507		Std Dev	0.0006		Rel. Std Dev(%)	1.1395		LAKELAND PD Intoxilyzer - Alcohol Analyzer Model: 8000 07/16/2026 Software: 8100.27 SN 80-005810 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>08:02</td></tr> <tr><td>Control Test</td><td>0.080</td><td>08:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:04</td></tr> <tr><td>Control Test</td><td>0.080</td><td>08:04</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:05</td></tr> <tr><td>Control Test</td><td>0.080</td><td>08:05</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:06</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	08:02	Control Test	0.080	08:03	Air Blank	0.000	08:04	Control Test	0.080	08:04	Air Blank	0.000	08:05	Control Test	0.080	08:05	Air Blank	0.000	08:06	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel. Std Dev(%)	0.0000		LAKELAND PD Intoxilyzer - Alcohol Analyzer Model: 8000 07/16/2026 Software: 8100.27 SN 80-005810 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:57</td></tr> <tr><td>Control Test</td><td>0.206</td><td>07:58</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:59</td></tr> <tr><td>Control Test</td><td>0.204</td><td>07:59</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:00</td></tr> <tr><td>Control Test</td><td>0.205</td><td>08:01</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>08:01</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2050</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>0.4878</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	07:57	Control Test	0.206	07:58	Air Blank	0.000	07:59	Control Test	0.204	07:59	Air Blank	0.000	08:00	Control Test	0.205	08:01	Air Blank	0.000	08:01	Control Test Stats			Average	0.2050		Std Dev	0.0010		Rel. Std Dev(%)	0.4878		LAKELAND PD Intoxilyzer - Alcohol Analyzer Model: 8000 07/15/2026 Software: 8100.27 SN 80-005810 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>07:52</td></tr> <tr><td>Control Test</td><td>0.083</td><td>07:52</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:53</td></tr> <tr><td>Control Test</td><td>0.080</td><td>07:53</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:53</td></tr> <tr><td>Control Test</td><td>0.081</td><td>07:53</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>07:54</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0813</td><td></td></tr> <tr><td>Std Dev</td><td>0.0015</td><td></td></tr> <tr><td>Rel. Std Dev(%)</td><td>1.8761</td><td></td></tr> </tbody> </table>	Test	g/210L	Time	Air Blank	0.000	07:52	Control Test	0.083	07:52	Air Blank	0.000	07:53	Control Test	0.080	07:53	Air Blank	0.000	07:53	Control Test	0.081	07:53	Air Blank	0.000	07:54	Control Test Stats			Average	0.0813		Std Dev	0.0015		Rel. Std Dev(%)	1.8761	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:07																																																																																																																																																	
Control Test	0.051	08:08																																																																																																																																																	
Air Blank	0.000	08:09																																																																																																																																																	
Control Test	0.051	08:09																																																																																																																																																	
Air Blank	0.000	08:10																																																																																																																																																	
Control Test	0.050	08:11																																																																																																																																																	
Air Blank	0.000	08:11																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0507																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel. Std Dev(%)	1.1395																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	08:02																																																																																																																																																	
Control Test	0.080	08:03																																																																																																																																																	
Air Blank	0.000	08:04																																																																																																																																																	
Control Test	0.080	08:04																																																																																																																																																	
Air Blank	0.000	08:05																																																																																																																																																	
Control Test	0.080	08:05																																																																																																																																																	
Air Blank	0.000	08:06																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel. Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	07:57																																																																																																																																																	
Control Test	0.206	07:58																																																																																																																																																	
Air Blank	0.000	07:59																																																																																																																																																	
Control Test	0.204	07:59																																																																																																																																																	
Air Blank	0.000	08:00																																																																																																																																																	
Control Test	0.205	08:01																																																																																																																																																	
Air Blank	0.000	08:01																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.2050																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel. Std Dev(%)	0.4878																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	07:52																																																																																																																																																	
Control Test	0.083	07:52																																																																																																																																																	
Air Blank	0.000	07:53																																																																																																																																																	
Control Test	0.080	07:53																																																																																																																																																	
Air Blank	0.000	07:53																																																																																																																																																	
Control Test	0.081	07:53																																																																																																																																																	
Air Blank	0.000	07:54																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0813																																																																																																																																																		
Std Dev	0.0015																																																																																																																																																		
Rel. Std Dev(%)	1.8761																																																																																																																																																		
 Operator's Signature	 Operator's Signature	 Operator's Signature	 Operator's Signature																																																																																																																																																

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: LAKELAND PD

Time of Inspection: 12:21

Date of Inspection: 07/16/2026

Serial Number: 80-005810

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.050	0.080	0.204	0.081
0.000	0.050	0.079	0.204	0.081
0.000	0.050	0.080	0.204	0.080
0.000	0.050	0.080	0.205	0.081
0.000	0.050	0.079	0.204	0.081
0.000	0.051	0.079	0.204	0.081
0.000	0.050	0.080	0.204	0.080
0.000	0.051	0.080	0.204	0.081
0.000	0.051	0.080	0.204	0.081
0.000	0.050	0.079	0.204	0.081


Standard Deviations	0.0004	0.0005	0.0003	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



KATIE T SPEARIN

Signature and Printed Name

07/16/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-005810, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-005810</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>LAKELAND PD</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>07/16/2026</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>12:21</u>	0.200 g/ 210 L 0.008
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

07/16/2026

Date

KATIE T SPEARIN,

Department Inspector

FDLE/ATP Form 69 January 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality