

Alcohol Testing Program - Instrument Processing Sheet

Agency: JEFFERSON COUNTY SO Instrument Serial Number: 80-000954
 Date In: 1/8/2026 DI Completion Date: 01/08/2026 Ship P/U H/D CMI EE

Intake By: <u>WKP</u> Date: <u>1/8/2026</u>	Quality Checks By: <u>WKP</u> Date: <u>01/08/2026</u>	Flow Adjustment By: _____															
<input checked="" type="checkbox"/> Annual <input checked="" type="checkbox"/> Dropped Off <input type="checkbox"/> Registration <input type="checkbox"/> Return from CMI / EE <input type="checkbox"/> Training Instrument Visual Inspection <input checked="" type="checkbox"/> Case <input checked="" type="checkbox"/> Handle <input checked="" type="checkbox"/> Keyboard <input checked="" type="checkbox"/> Dry Gas Shelf <input checked="" type="checkbox"/> Feet <input checked="" type="checkbox"/> Breath Tube <input checked="" type="checkbox"/> Ports <input checked="" type="checkbox"/> Screws Tight Other Equipment/Accessories <input type="checkbox"/> Power Cord <input type="checkbox"/> Printer Cable <input type="checkbox"/> Static Bag <input type="checkbox"/> 12V DC Cable Notes:	<input checked="" type="checkbox"/> Breath Tube Screen <input checked="" type="checkbox"/> Replace External O-Rings <input checked="" type="checkbox"/> Instrument Set Up Verified <input checked="" type="checkbox"/> R-Value: <u>150</u> <input checked="" type="checkbox"/> Flow Verification (L/s) Flow Column #: <u>ATP 105</u> 32 mm <u>0.140</u> (.139-.169) 36 mm <u>0.160</u> (.156-.190) 53 mm <u>0.242</u> (.228-.278) 103 mm <u>0.507</u> (.447-.547) <input checked="" type="checkbox"/> Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1015</u> Instrument: <u>1011</u> <input checked="" type="checkbox"/> Stability Checks	Flow Column #: _____ <input type="checkbox"/> 5L/min – 17mm <input type="checkbox"/> 15L/min – 53mm <input type="checkbox"/> 30L/min – 103mm <input type="checkbox"/> R-Value: _____ <input type="checkbox"/> Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)															
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot#/Exp</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP5088</td> <td>202406K 06/19/2026</td> </tr> <tr> <td>0.080</td> <td>MP5089</td> <td>202406L 06/19/2026</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>202406N 06/20/2026</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG510701 04/17/2027</td> </tr> </tbody> </table>	Simulator	Serial #	Lot#/Exp	0.050	MP5088	202406K 06/19/2026	0.080	MP5089	202406L 06/19/2026	0.200	MP5090	202406N 06/20/2026	0.080 DGS	N/A	AG510701 04/17/2027	Maintenance By: _____ Date: _____ <input type="checkbox"/> Battery Replacement <input type="checkbox"/> Dry Gas Regulator Replacement <input type="checkbox"/> Tank Sensor Tare <input type="checkbox"/> Breath Tube Replacement <input type="checkbox"/> Other:
Simulator	Serial #	Lot#/Exp															
0.050	MP5088	202406K 06/19/2026															
0.080	MP5089	202406L 06/19/2026															
0.200	MP5090	202406N 06/20/2026															
0.080 DGS	N/A	AG510701 04/17/2027															

Optical Bench Adjustment By: _____ **Department Inspection** By: WKP
 Barometric Pressure Gauge: _____ ID#: _____ Barometric Pressure ID#: 28662

Simulator	Serial #	Lot #	Expiration	Gauge: <u>1015</u> Instrument: <u>1011</u>
0.000		N/A	N/A	Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>09/25/2027</u>
0.040				Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>09/22/2027</u>
0.100				Simulator Serial Number
0.200				0.000 MP6289
0.300				Interferent MP6290
0.080 DGS	N/A			0.050 MP5088

Post Optical Bench Adjustment Stability Checks
 Simulator Expiration
 0.050
 0.080
 0.200
 0.080 DGS N/A

Gauge ID #: _____ Gauge: _____ Instrument: _____	Attachments <input checked="" type="checkbox"/> Form 41 <input checked="" type="checkbox"/> Stability Checks <input checked="" type="checkbox"/> Calibration Certificate <input type="checkbox"/> Optical Bench Adjustment * <input type="checkbox"/> Post-Stability Checks <input type="checkbox"/> Flow Adjustment <input type="checkbox"/> Form 40 <input checked="" type="checkbox"/> Other: Dry Control Test
---	--

Notes/Suggested Service:
 * Tech Correction: Added Dry Control Test to attachments. WKP 1/27/2026

Instrument Complies with Chapter 11D-8, FAC
 Instrument Does Not Comply with Chapter 11D-8, FAC
 Return to/Place into Evidentiary Use
 Remain Out of Evidentiary Use
 Conduct an Agency Inspection Before Evidentiary Use

Taylor Gutschow <small>Digitally signed by Taylor Gutschow Date: 2026.01.27 15:17:13 -05'00'</small>	LeAndra Higginbotham <small>Digitally signed by LeAndra Higginbotham Date: 2026.01.28 12:34:35 -05'00'</small>
Tech Review	Admin Review

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																																																																
0.047 to 0.053 <input checked="" type="checkbox"/>	0.077 to 0.083 <input checked="" type="checkbox"/>	0.194 to 0.206 <input checked="" type="checkbox"/>	0.077 to 0.083 <input checked="" type="checkbox"/> ≤0.003 of Wet <input checked="" type="checkbox"/>																																																																																																																																																
<p>JEFFERSON COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-100954 01/08/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:44</td></tr> <tr><td>Control Test</td><td>0.050</td><td>12:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:45</td></tr> <tr><td>Control Test</td><td>0.049</td><td>12:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:46</td></tr> <tr><td>Control Test</td><td>0.050</td><td>12:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:47</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0497</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.1625</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>menp</i></p>	Test	g/210L	Time	Air Blank	0.000	12:44	Control Test	0.050	12:44	Air Blank	0.000	12:45	Control Test	0.049	12:46	Air Blank	0.000	12:46	Control Test	0.050	12:47	Air Blank	0.000	12:47	Control Test Stats			Average	0.0497		Std Dev	0.0006		Rel Std Dev(%)	1.1625		<p>JEFFERSON COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-100954 01/08/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:26</td></tr> <tr><td>Control Test</td><td>0.080</td><td>13:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:27</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:29</td></tr> <tr><td>Control Test</td><td>0.079</td><td>13:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:30</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0005</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>menp</i></p>	Test	g/210L	Time	Air Blank	0.000	13:26	Control Test	0.080	13:27	Air Blank	0.000	13:27	Control Test	0.079	13:28	Air Blank	0.000	13:29	Control Test	0.079	13:29	Air Blank	0.000	13:30	Control Test Stats			Average	0.0793		Std Dev	0.0005		Rel Std Dev(%)	0.7277		<p>JEFFERSON COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-100954 01/08/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>13:31</td></tr> <tr><td>Control Test</td><td>0.199</td><td>13:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:33</td></tr> <tr><td>Control Test</td><td>0.197</td><td>13:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:34</td></tr> <tr><td>Control Test</td><td>0.197</td><td>13:35</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>13:35</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1977</td><td></td></tr> <tr><td>Std Dev</td><td>0.0012</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.5842</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>menp</i></p>	Test	g/210L	Time	Air Blank	0.000	13:31	Control Test	0.199	13:32	Air Blank	0.000	13:33	Control Test	0.197	13:33	Air Blank	0.000	13:34	Control Test	0.197	13:35	Air Blank	0.000	13:35	Control Test Stats			Average	0.1977		Std Dev	0.0012		Rel Std Dev(%)	0.5842		<p>JEFFERSON COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-100954 01/08/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>12:22</td></tr> <tr><td>Control Test</td><td>0.082</td><td>12:22</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:23</td></tr> <tr><td>Control Test</td><td>0.081</td><td>12:23</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:23</td></tr> <tr><td>Control Test</td><td>0.080</td><td>12:24</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>12:24</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0810</td><td></td></tr> <tr><td>Std Dev</td><td>0.0010</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>1.2346</td><td></td></tr> </tbody> </table> <p>Operator's Signature: <i>menp</i></p>	Test	g/210L	Time	Air Blank	0.000	12:22	Control Test	0.082	12:22	Air Blank	0.000	12:23	Control Test	0.081	12:23	Air Blank	0.000	12:23	Control Test	0.080	12:24	Air Blank	0.000	12:24	Control Test Stats			Average	0.0810		Std Dev	0.0010		Rel Std Dev(%)	1.2346	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:44																																																																																																																																																	
Control Test	0.050	12:44																																																																																																																																																	
Air Blank	0.000	12:45																																																																																																																																																	
Control Test	0.049	12:46																																																																																																																																																	
Air Blank	0.000	12:46																																																																																																																																																	
Control Test	0.050	12:47																																																																																																																																																	
Air Blank	0.000	12:47																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0497																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.1625																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:26																																																																																																																																																	
Control Test	0.080	13:27																																																																																																																																																	
Air Blank	0.000	13:27																																																																																																																																																	
Control Test	0.079	13:28																																																																																																																																																	
Air Blank	0.000	13:29																																																																																																																																																	
Control Test	0.079	13:29																																																																																																																																																	
Air Blank	0.000	13:30																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0005																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:31																																																																																																																																																	
Control Test	0.199	13:32																																																																																																																																																	
Air Blank	0.000	13:33																																																																																																																																																	
Control Test	0.197	13:33																																																																																																																																																	
Air Blank	0.000	13:34																																																																																																																																																	
Control Test	0.197	13:35																																																																																																																																																	
Air Blank	0.000	13:35																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1977																																																																																																																																																		
Std Dev	0.0012																																																																																																																																																		
Rel Std Dev(%)	0.5842																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	12:22																																																																																																																																																	
Control Test	0.082	12:22																																																																																																																																																	
Air Blank	0.000	12:23																																																																																																																																																	
Control Test	0.081	12:23																																																																																																																																																	
Air Blank	0.000	12:23																																																																																																																																																	
Control Test	0.080	12:24																																																																																																																																																	
Air Blank	0.000	12:24																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0810																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel Std Dev(%)	1.2346																																																																																																																																																		

0.08g/210L wet

JEFFERSON COUNTY ISD
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000954
01/08/2026
Software: 8100.27

: DRY CONTROL TEST :

Test	g/210L	Time
Air Blank	ABT*	13:25
Air Blank	0.000	13:25

*Sequence Aborted

WKP

Operator's Signature

Inadvertently performed
a dry control test when
trying to conduct stability
check. aborted sequence
and selected the correct
menu option for stabilities.

WKP 01/08/2026

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: JEFFERSON COUNTY SO
Time of Inspection: 15:24

Date of Inspection: 01/08/2026

Serial Number: 80-000954
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG510701 Exp: 04/17/2027
0.000	0.049	0.079	0.197	0.080
0.000	0.049	0.079	0.198	0.080
0.000	0.049	0.079	0.198	0.081
0.000	0.050	0.079	0.198	0.081
0.000	0.049	0.079	0.198	0.081
0.000	0.049	0.078	0.198	0.080
0.000	0.050	0.079	0.197	0.081
0.000	0.050	0.079	0.198	0.080
0.000	0.050	0.079	0.199	0.080
0.000	0.049	0.079	0.199	0.081


Standard Deviations	0.0005	0.0003	0.0006	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



WEN-CHI K PIERSON

Signature and Printed Name

01/08/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000954 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000954</u>	UNCERTAINTY* ±	
Owning Agency:	<u>JEFFERSON COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>01/08/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>15:24</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

01/08/2026

Date

Wen-Chi
Pierson

WEN-CHI K PIERSON,
Department Inspector

Digitally signed by Wen-Chi Pierson
Date: 2026.01.26 10:53:40 -05'00'

FDLE/ATP Form 69 January 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality