

Alcohol Testing Program - Instrument Processing Sheet

Agency: GULFPORT PD

Instrument Serial Number: 80-001061

Date In: 6/1/2026

DI Completion Date: 6/11/26

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>SLH</u> Date: <u>6/1/2026</u>		Quality Checks By: <u>IAS</u> Date: <u>6/5/2026</u>		Flow Adjustment By: _____																											
☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes:		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>230</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP105</u> 32 mm <u>.160</u> (.139-.169) 36 mm <u>.179</u> (.156-.190) 53 mm <u>.250</u> (.228-.278) 103 mm <u>.500</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>28662</u> Gauge: <u>1016</u> Instrument: <u>1015</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)																											
		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot#/Exp</th></tr></thead><tbody><tr><td>0.050</td><td>MP6291</td><td>202603A 3/3/2028</td></tr><tr><td>0.080</td><td>MP6292</td><td>202603B 3/3/2028</td></tr><tr><td>0.200</td><td>MP6293</td><td>202406N 6/20/2026</td></tr><tr><td>0.080 DGS</td><td>N/A</td><td>23825080A1 10/5/2027</td></tr></tbody></table>		Simulator	Serial #	Lot#/Exp	0.050	MP6291	202603A 3/3/2028	0.080	MP6292	202603B 3/3/2028	0.200	MP6293	202406N 6/20/2026	0.080 DGS	N/A	23825080A1 10/5/2027	Maintenance By: _____ Date: _____ ☐ Battery Replacement ☐ Dry Gas Regulator Replacement ☐ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other:												
Simulator	Serial #	Lot#/Exp																													
0.050	MP6291	202603A 3/3/2028																													
0.080	MP6292	202603B 3/3/2028																													
0.200	MP6293	202406N 6/20/2026																													
0.080 DGS	N/A	23825080A1 10/5/2027																													
Optical Bench Adjustment By: _____		Department Inspection By: <u>KTS</u>																													
Barometric Pressure Gauge: _____ ID#: _____		Barometric Pressure ID#: <u>28427</u>																													
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>		Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A			Gauge: <u>1011</u> Instrument: <u>1011</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>9/25/27</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>9/22/27</u>	
Simulator	Serial #	Lot #	Expiration																												
0.000		N/A	N/A																												
0.040																															
0.100																															
0.200																															
0.300																															
0.080 DGS	N/A																														
☐ Post Optical Bench Adjustment Stability Checks		<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP5086</td></tr><tr><td>Interferent</td><td>MP5087</td></tr><tr><td>0.050</td><td>MP5088</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></tbody></table>		Simulator	Serial Number	0.000	MP5086	Interferent	MP5087	0.050	MP5088	0.080	MP5089	0.200	MP5090	Attachments															
Simulator	Serial Number																														
0.000	MP5086																														
Interferent	MP5087																														
0.050	MP5088																														
0.080	MP5089																														
0.200	MP5090																														
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>		Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A			☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment									
Simulator	Serial #	Lot #	Expiration																												
0.050																															
0.080																															
0.200																															
0.080 DGS	N/A																														
Gauge ID #: _____ Gauge: _____ Instrument: _____		☐ Post-Stability Checks ☐ Flow Adjustment ☐ Form 40 ☐ Other:																													
Notes/Suggested Service:		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																													
		Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.06.19 10:44:47 -04'00' Taylor Gutschow Digitally signed by Taylor Gutschow Date: 2026.07.27 12:55:25 -04'00'																													
		Tech Review Admin Review																													

Stability Checks

0.050 g/210L	0.080 g/210L	0.200 g/210L	DGS 0.080 g/210L																																																																																																																																																												
0.047 to 0.053 g/210L	0.077 to 0.083 g/210L	0.194 to 0.206 g/210L	0.077 to 0.083 g/210L 50.003 g/210L of Wet																																																																																																																																																												
11:28 06/05/2026 Intoxilyzer - Alcohol Analyzer Model: 8000 06/05/2026 Software: 8100.27 Test <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.010</td><td>13:25</td></tr><tr><td>Control Test</td><td>0.051</td><td>13:26</td></tr><tr><td>Air Blank</td><td>0.010</td><td>13:27</td></tr><tr><td>Control Test</td><td>0.052</td><td>13:27</td></tr><tr><td>Air Blank</td><td>0.010</td><td>13:28</td></tr><tr><td>Control Test</td><td>0.052</td><td>13:28</td></tr><tr><td>Air Blank</td><td>0.010</td><td>13:29</td></tr><tr><td>Control Test</td><td>0.053</td><td>13:29</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0517</td><td></td></tr><tr><td>Std Dev</td><td>0.0116</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.1175</td><td></td></tr></tbody></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.010	13:25	Control Test	0.051	13:26	Air Blank	0.010	13:27	Control Test	0.052	13:27	Air Blank	0.010	13:28	Control Test	0.052	13:28	Air Blank	0.010	13:29	Control Test	0.053	13:29	Control Test Stats			Average	0.0517		Std Dev	0.0116		Rel Std Dev(%)	1.1175		Intoxilyzer - Alcohol Analyzer Model: 8000 06/05/2026 Software: 8100.27 Test <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.011</td><td>13:19</td></tr><tr><td>Control Test</td><td>0.082</td><td>13:20</td></tr><tr><td>Air Blank</td><td>0.010</td><td>13:21</td></tr><tr><td>Control Test</td><td>0.081</td><td>13:21</td></tr><tr><td>Air Blank</td><td>0.010</td><td>13:22</td></tr><tr><td>Control Test</td><td>0.081</td><td>13:22</td></tr><tr><td>Air Blank</td><td>0.010</td><td>13:23</td></tr><tr><td>Control Test</td><td>0.083</td><td>13:23</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0813</td><td></td></tr><tr><td>Std Dev</td><td>0.0116</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7199</td><td></td></tr></tbody></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.011	13:19	Control Test	0.082	13:20	Air Blank	0.010	13:21	Control Test	0.081	13:21	Air Blank	0.010	13:22	Control Test	0.081	13:22	Air Blank	0.010	13:23	Control Test	0.083	13:23	Control Test Stats			Average	0.0813		Std Dev	0.0116		Rel Std Dev(%)	0.7199		Intoxilyzer - Alcohol Analyzer Model: 8000 06/05/2026 Software: 8100.27 Test <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:14</td></tr><tr><td>Control Test</td><td>0.214</td><td>13:15</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:16</td></tr><tr><td>Control Test</td><td>0.213</td><td>13:16</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr><tr><td>Control Test</td><td>0.213</td><td>13:17</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:18</td></tr><tr><td>Control Test</td><td>0.213</td><td>13:18</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.2133</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.2839</td><td></td></tr></tbody></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	13:14	Control Test	0.214	13:15	Air Blank	0.000	13:16	Control Test	0.213	13:16	Air Blank	0.000	13:17	Control Test	0.213	13:17	Air Blank	0.000	13:18	Control Test	0.213	13:18	Control Test Stats			Average	0.2133		Std Dev	0.0006		Rel Std Dev(%)	0.2839		Intoxilyzer - Alcohol Analyzer Model: 8000 06/05/2026 Software: 8100.27 Test <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>12:56</td></tr><tr><td>Control Test</td><td>0.082</td><td>12:56</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:57</td></tr><tr><td>Control Test</td><td>0.083</td><td>12:57</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:58</td></tr><tr><td>Control Test</td><td>0.083</td><td>12:58</td></tr><tr><td>Air Blank</td><td>0.000</td><td>12:59</td></tr><tr><td>Control Test</td><td>0.0827</td><td>12:59</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0827</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.6984</td><td></td></tr></tbody></table> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	12:56	Control Test	0.082	12:56	Air Blank	0.000	12:57	Control Test	0.083	12:57	Air Blank	0.000	12:58	Control Test	0.083	12:58	Air Blank	0.000	12:59	Control Test	0.0827	12:59	Control Test Stats			Average	0.0827		Std Dev	0.0006		Rel Std Dev(%)	0.6984	
Test	g/210L	Time																																																																																																																																																													
Air Blank	0.010	13:25																																																																																																																																																													
Control Test	0.051	13:26																																																																																																																																																													
Air Blank	0.010	13:27																																																																																																																																																													
Control Test	0.052	13:27																																																																																																																																																													
Air Blank	0.010	13:28																																																																																																																																																													
Control Test	0.052	13:28																																																																																																																																																													
Air Blank	0.010	13:29																																																																																																																																																													
Control Test	0.053	13:29																																																																																																																																																													
Control Test Stats																																																																																																																																																															
Average	0.0517																																																																																																																																																														
Std Dev	0.0116																																																																																																																																																														
Rel Std Dev(%)	1.1175																																																																																																																																																														
Test	g/210L	Time																																																																																																																																																													
Air Blank	0.011	13:19																																																																																																																																																													
Control Test	0.082	13:20																																																																																																																																																													
Air Blank	0.010	13:21																																																																																																																																																													
Control Test	0.081	13:21																																																																																																																																																													
Air Blank	0.010	13:22																																																																																																																																																													
Control Test	0.081	13:22																																																																																																																																																													
Air Blank	0.010	13:23																																																																																																																																																													
Control Test	0.083	13:23																																																																																																																																																													
Control Test Stats																																																																																																																																																															
Average	0.0813																																																																																																																																																														
Std Dev	0.0116																																																																																																																																																														
Rel Std Dev(%)	0.7199																																																																																																																																																														
Test	g/210L	Time																																																																																																																																																													
Air Blank	0.000	13:14																																																																																																																																																													
Control Test	0.214	13:15																																																																																																																																																													
Air Blank	0.000	13:16																																																																																																																																																													
Control Test	0.213	13:16																																																																																																																																																													
Air Blank	0.000	13:17																																																																																																																																																													
Control Test	0.213	13:17																																																																																																																																																													
Air Blank	0.000	13:18																																																																																																																																																													
Control Test	0.213	13:18																																																																																																																																																													
Control Test Stats																																																																																																																																																															
Average	0.2133																																																																																																																																																														
Std Dev	0.0006																																																																																																																																																														
Rel Std Dev(%)	0.2839																																																																																																																																																														
Test	g/210L	Time																																																																																																																																																													
Air Blank	0.000	12:56																																																																																																																																																													
Control Test	0.082	12:56																																																																																																																																																													
Air Blank	0.000	12:57																																																																																																																																																													
Control Test	0.083	12:57																																																																																																																																																													
Air Blank	0.000	12:58																																																																																																																																																													
Control Test	0.083	12:58																																																																																																																																																													
Air Blank	0.000	12:59																																																																																																																																																													
Control Test	0.0827	12:59																																																																																																																																																													
Control Test Stats																																																																																																																																																															
Average	0.0827																																																																																																																																																														
Std Dev	0.0006																																																																																																																																																														
Rel Std Dev(%)	0.6984																																																																																																																																																														

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: GULFPORT PD
Time of Inspection: 12:46

Date of Inspection: 06/11/2026

Serial Number: 80-001061
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.052	0.080	0.199	0.082
0.000	0.052	0.081	0.202	0.082
0.000	0.053	0.081	0.202	0.082
0.000	0.053	0.080	0.202	0.081
0.000	0.053	0.081	0.201	0.082
0.000	0.053	0.081	0.201	0.081
0.000	0.054	0.082	0.202	0.082
0.000	0.054	0.081	0.202	0.082
0.000	0.053	0.082	0.203	0.081
0.000	0.054	0.081	0.203	0.081

Standard Deviations	0.0007	0.0006	0.0011	0.0005
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0007 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



KATIE T SPEARIN
Signature and Printed Name

06/11/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001061 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001061</u>	UNCERTAINTY* $\pm$
Owning Agency:	<u>GULFPORT PD</u>	0.050 g/ 210 L 0.004
Calibration Date:	<u>06/11/2026</u>	0.080 g/ 210 L 0.004
Calibration Time:	<u>12:46</u>	0.200 g/ 210 L 0.008
		0.080 g/ 210 L Dry Gas Control 0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

06/11/2026

Date

Katie T Spearin

Department Inspector

FDLE/ATP Form 69 January 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality