

Stability Checks

80-000744
SUA 9/3/2025

0.050 g/210L	0.080 g/210L	0.200 g/210L	DGS 0.080 g/210L																																																																																																																																																
0.047 to 0.053 g/210L Performed Root Case Analysis	0.077 to 0.083 g/210L Performed Root Case Analysis	0.194 to 0.206 g/210L Performed Root Case Analysis	0.077 to 0.083 g/210L ±0.003 g/210L of Wet Performed Root Case Analysis																																																																																																																																																
ESCAMBIA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/03/2025 Software: 8100.27 SN 80-000744 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>14:14</td></tr> <tr><td>Control Test</td><td>0.049</td><td>14:14</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:15</td></tr> <tr><td>Control Test</td><td>0.049</td><td>14:15</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:16</td></tr> <tr><td>Control Test</td><td>0.049</td><td>14:17</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:17</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0490</td><td></td></tr> <tr><td>Std Dev</td><td>0.0100</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0100</td><td></td></tr> </table>	Air Blank	0.000	14:14	Control Test	0.049	14:14	Air Blank	0.000	14:15	Control Test	0.049	14:15	Air Blank	0.000	14:16	Control Test	0.049	14:17	Air Blank	0.000	14:17	Control Test Stats			Average	0.0490		Std Dev	0.0100		Rel Std Dev(%)	0.0100		ESCAMBIA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/03/2025 Software: 8100.27 SN 80-000744 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>14:14</td></tr> <tr><td>Control Test</td><td>0.080</td><td>14:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:46</td></tr> <tr><td>Control Test</td><td>0.079</td><td>14:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:47</td></tr> <tr><td>Control Test</td><td>0.080</td><td>14:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:48</td></tr> <tr><td>Control Test</td><td>0.080</td><td>14:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:49</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0797</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0747</td><td></td></tr> </table>	Air Blank	0.000	14:14	Control Test	0.080	14:46	Air Blank	0.000	14:46	Control Test	0.079	14:47	Air Blank	0.000	14:47	Control Test	0.080	14:48	Air Blank	0.000	14:48	Control Test	0.080	14:48	Air Blank	0.000	14:49	Control Test Stats			Average	0.0797		Std Dev	0.0006		Rel Std Dev(%)	0.0747		ESCAMBIA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/03/2025 Software: 8100.27 SN 80-000744 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>14:27</td></tr> <tr><td>Control Test</td><td>0.201</td><td>14:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:28</td></tr> <tr><td>Control Test</td><td>0.200</td><td>14:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:29</td></tr> <tr><td>Control Test</td><td>0.200</td><td>14:30</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:30</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2013</td><td></td></tr> <tr><td>Std Dev</td><td>0.0016</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2882</td><td></td></tr> </table>	Air Blank	0.000	14:27	Control Test	0.201	14:27	Air Blank	0.000	14:28	Control Test	0.200	14:28	Air Blank	0.000	14:29	Control Test	0.200	14:30	Air Blank	0.000	14:30	Control Test Stats			Average	0.2013		Std Dev	0.0016		Rel Std Dev(%)	0.2882		ESCAMBIA COUNTY SO Intoxilyzer - Alcohol Analyzer Model 8000 09/03/2025 Software: 8100.27 SN 80-000744 Test g/210L Time <table border="1"> <tr><td>Air Blank</td><td>0.000</td><td>14:27</td></tr> <tr><td>Control Test</td><td>0.080</td><td>14:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:46</td></tr> <tr><td>Control Test</td><td>0.079</td><td>14:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:47</td></tr> <tr><td>Control Test</td><td>0.080</td><td>14:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:48</td></tr> <tr><td>Control Test</td><td>0.080</td><td>14:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>14:49</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0797</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0747</td><td></td></tr> </table>	Air Blank	0.000	14:27	Control Test	0.080	14:46	Air Blank	0.000	14:46	Control Test	0.079	14:47	Air Blank	0.000	14:47	Control Test	0.080	14:48	Air Blank	0.000	14:48	Control Test	0.080	14:48	Air Blank	0.000	14:49	Control Test Stats			Average	0.0797		Std Dev	0.0006		Rel Std Dev(%)	0.0747	
Air Blank	0.000	14:14																																																																																																																																																	
Control Test	0.049	14:14																																																																																																																																																	
Air Blank	0.000	14:15																																																																																																																																																	
Control Test	0.049	14:15																																																																																																																																																	
Air Blank	0.000	14:16																																																																																																																																																	
Control Test	0.049	14:17																																																																																																																																																	
Air Blank	0.000	14:17																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0490																																																																																																																																																		
Std Dev	0.0100																																																																																																																																																		
Rel Std Dev(%)	0.0100																																																																																																																																																		
Air Blank	0.000	14:14																																																																																																																																																	
Control Test	0.080	14:46																																																																																																																																																	
Air Blank	0.000	14:46																																																																																																																																																	
Control Test	0.079	14:47																																																																																																																																																	
Air Blank	0.000	14:47																																																																																																																																																	
Control Test	0.080	14:48																																																																																																																																																	
Air Blank	0.000	14:48																																																																																																																																																	
Control Test	0.080	14:48																																																																																																																																																	
Air Blank	0.000	14:49																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0797																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.0747																																																																																																																																																		
Air Blank	0.000	14:27																																																																																																																																																	
Control Test	0.201	14:27																																																																																																																																																	
Air Blank	0.000	14:28																																																																																																																																																	
Control Test	0.200	14:28																																																																																																																																																	
Air Blank	0.000	14:29																																																																																																																																																	
Control Test	0.200	14:30																																																																																																																																																	
Air Blank	0.000	14:30																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.2013																																																																																																																																																		
Std Dev	0.0016																																																																																																																																																		
Rel Std Dev(%)	0.2882																																																																																																																																																		
Air Blank	0.000	14:27																																																																																																																																																	
Control Test	0.080	14:46																																																																																																																																																	
Air Blank	0.000	14:46																																																																																																																																																	
Control Test	0.079	14:47																																																																																																																																																	
Air Blank	0.000	14:47																																																																																																																																																	
Control Test	0.080	14:48																																																																																																																																																	
Air Blank	0.000	14:48																																																																																																																																																	
Control Test	0.080	14:48																																																																																																																																																	
Air Blank	0.000	14:49																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0797																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.0747																																																																																																																																																		
Operator's Signature	Operator's Signature	Operator's Signature	Operator's Signature																																																																																																																																																

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: ESCAMBIA COUNTY SO
Time of Inspection: 13:19

Date of Inspection: 09/04/2025

Serial Number: 80-000744
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	


Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.049	0.078	0.200	0.080
0.000	0.048	0.078	0.200	0.079
0.000	0.048	0.078	0.200	0.079
0.000	0.048	0.079	0.200	0.079
0.000	0.048	0.078	0.200	0.079
0.000	0.048	0.079	0.200	0.079
0.000	0.048	0.078	0.200	0.079
0.000	0.048	0.078	0.199	0.079
0.000	0.049	0.078	0.200	0.079
0.000	0.049	0.078	0.200	0.079
Standard Deviations	0.0004	0.0004	0.0003	0.0003

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.



I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



LEANDRA HIGGINBOTHAM

Signature and Printed Name

09/04/2025
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000744, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000744</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>ESCAMBIA COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>09/04/2025</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>13:19</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$)

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

FDLE/ATP Form 69 October 2024
Issuing Authority: Alcohol Testing Program


LEANDRA HIGGINBOTHAM,
Department Inspector

09/04/2025
Date

Service • Integrity • Respect • Quality



Agency Escambia County SO

S/N 80-000744

Date In 02/07/2025 DI Completion Date 02/13/2025

☐ Ship ☐ P/U ☐ H/D ☒ CMI ☐ EE

Calibration Adjustment

By _____

☐ Post Calibration Adjustment Stability Checks

Notes/Suggested Service: Modem port on instrument is pushed inside of the instrument so I am unable to upload using the modem port. I uploaded using the direct connection port prior to sending to repair.DA 02/13/2025

By DA

Tech Review / Date

Admin Review / Date 12:31:28 -05'00'

Stability Checks 80-000744 DA 2/12/25

ESCAMBIA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000744
02/12/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:24
Control Test	0.048	12:25
Air Blank	0.000	12:25
Control Test	0.048	12:26
Air Blank	0.000	12:27
Control Test	0.047	12:27
Air Blank	0.000	12:28
Control Test Stats		
Average	0.0477	
Std Dev	0.0006	
Rel Std Dev(%)	1.2112	


DA

Operator's Signature

ESCAMBIA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000744
02/12/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:38
Control Test	0.078	12:39
Air Blank	0.000	12:39
Control Test	0.078	12:40
Air Blank	0.000	12:41
Control Test	0.079	12:41
Air Blank	0.000	12:42
Control Test Stats		
Average	0.0783	
Std Dev	0.0006	
Rel Std Dev(%)	0.7370	

Wet



Operator's Signature

ESCAMBIA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000744
02/12/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:29
Control Test	0.201	12:29
Air Blank	0.000	12:30
Control Test	0.200	12:31
Air Blank	0.000	12:31
Control Test	0.200	12:32
Air Blank	0.000	12:33
Control Test Stats		
Average	0.2003	
Std Dev	0.0006	
Rel Std Dev(%)	0.2882	



Operator's Signature

ESCAMBIA COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000744
02/12/2025
Software: 8100.27

Test	g/210L	Time
Air Blank	0.000	12:43
Control Test	0.079	12:44
Air Blank	0.000	12:44
Control Test	0.079	12:44
Air Blank	0.000	12:45
Control Test	0.079	12:45
Air Blank	0.000	12:46
Control Test Stats		
Average	0.0790	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

DGS



Operator's Signature

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: ESCAMBIA COUNTY SO
Time of Inspection: 10:08

Date of Inspection: 02/13/2025

Serial Number: 80-000744
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.048	0.078	0.202	0.079
0.000	0.049	0.078	0.202	0.079
0.000	0.049	0.078	0.202	0.079
0.000	0.049	0.078	0.202	0.079
0.000	0.049	0.078	0.202	0.079
0.000	0.049	0.078	0.202	0.079
0.000	0.048	0.078	0.202	0.079
0.000	0.049	0.078	0.202	0.079
0.000	0.049	0.078	0.202	0.079
0.000	0.049	0.079	0.202	0.079

Standard Deviations	0.0004	0.0003	0.0000	0.0000
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.



I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



DESTINEE N ARMSTRONG

Signature and Printed Name

02/13/2025
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000744, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000744</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>ESCAMBIA COUNTY SO</u>	0.050 g/210 L	0.004
Calibration Date:	<u>02/13/2025</u>	0.080 g/210 L	0.004
Calibration Time:	<u>10:08</u>	0.200 g/210 L	0.007
		0.080 g/210 L Dry Gas Control	0.005

All results are reported in g/210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

02/13/2025

Date

DESTINEE N ARMSTRONG,
Department Inspector

FDLE/ATP Form 69 October 2024

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Return Material Authorization

Ship to: ☒ CMI, Inc.

☐ Enforcement Electronics

Shipment to repair facility authorized by: Samuel Shelley on 02/13/2025

Items Returned: Instrument ☒ Supplies ☐ Other ☐ Describe: _____

Instrument Model: Intoxilyzer 8000 Serial Number: 80-000744

Bill To Address:

Escambia CSO

ATTN: Samuel Shelley

Ship to Address:

FDLE Off-Site Mail Facility

c/o Florida Department of Law Enforcemen

Alcohol Testing Program

813 B Lake Bradford Rd

Tallahassee, FL 32304

Reason for Return:

Modem port pushed inside instrument.

Please choose one of the following options:

☐ 1. I _____, authorize all repairs.

☐ 2. I _____, authorize repairs up to \$_____.

☒ 3. I require an estimate **BEFORE** any repairs will be authorized and/ or conducted.

Please contact: Name: Samuel Shelley

Phone #: 850-384-2906 Email: sshelley@escambiaso.com

ATP Contact Name: Destinee Armstrong ATP Email: destinee.armstrong@fdle.state.fl.us