



Agency Polk County Sheriff's Office

S/N 80-001055

Date In 08/06/2025 DI Completion Date 09/23/2025

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By TDG Date 08/22/2025

- ☒ Annual
- ☐ Registration
- ☐ Return from CMI / EE

- Case
- Keyboard
- Feet
- Ports
- Handle
- Dry Gas Shelf
- Breath Tube
- Screws Tight

- ☐ Power cord
- ☐ Printer Cable
- ☐ Static Bag
- ☐ 12V DC Cable

Notes:

Quality Checks By TDG Date 09/22/2025

- Breath Tube Screen
- Replace External O-Rings
- Instrument Set Up Verified
- R-Value 183
- Flow Verification (L/s)

Flow Column #	<u>ATP106</u>	
32 mm	<u>0.148</u>	(.139 - .169)
36 mm	<u>0.167</u>	(.156 - .190)
53 mm	<u>0.246</u>	(.228 - .278)
103 mm	<u>0.511</u>	(.447 - .547)

■ Barometric Pressure Check
Gauge ID # 28199

Stability Checks

Simulator	Serial #	Lot #/Exp
0.050	MP5099	202406K 06/19/2026
0.080	MP5100	202406L 06/19/2026
0.200	MP5101	202406N 06/20/2026
0.080 DGS	N/A	AG429602 10/22/2026

Flow Calibration By_____ Date_____

- ☐ 5L/min – 17mm
- ☐ 15L/min – 53mm
- ☐ 30L/min – 103mm

☐ R-Value _____

☐ Post Calibration Verification (L/s)

Flow Column # _____	
32 mm _____	(.139 - .169)
36 mm _____	(.156 - .190)
53 mm _____	(.228 - .278)
103 mm _____	(.447 - .547)

Maintenance By_____Date_____

☐ Battery Replacement

☐ Dry Gas Regulator Replacement

☐ Breath Tube Replacement

☐ Other _____

By _____

Barometric Pressure Gauge _____ ID #

Simulator	Serial #	Lot #	Expiration
0.000		N/A	N/A
0.040			
0.100			
0.200			
0.300			
0.080 DGS	N/A		

☐ Post Calibration Adjustment Stability Checks

Simulator	Serial #	Lot #	Expiration
0.050			
0.080			
0.200			
0.080 DGS	N/A		

Notes/Suggested Service:

By TDG

Barometric Pressure ID# 28199Gauge 1017 Instrument 1013Mouth Alcohol Solution Lot # 2024-A

Acetone Stock Solution Lot # 2024-B

Simulator	Serial Number
0.000	MP5097
Interferent	MP5098
0.050	MP5099
0.080	MP5100
0.200	MP5101

Attachments

☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Calibration Adjustment	☐ Post-Stability Checks ☐ Flow Calibration ☒ Form 40 ☐ Other _____
---	--

Instrument Complies with Chapter 11D-8, FAC

☐ Instrument Does Not Comply with Chapter 11D-8, FAC

Return to/Place into Evidentiary Use

☐ **Remain Out of Evidentiary Use**

■ Conduct an Agency Inspection Before Evidentiary Use

Digitally signed by

Phil
Nicodemo

Shayla Platt Shayla Platt
Date: 2025.10.15

Tech Review / Date

Admin Review / Date

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: POLK COUNTY SO
Time of Inspection: 13:08

Date of Inspection: 09/22/2025

Serial Number: 80-001055
Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#: Exp:	0.08g/210L Test (g/210L) Lot#: Exp:	0.20g/210L Test (g/210L) Lot#: Exp:	0.08 g/210L Dry Gas Std Test (g/210L) Lot#: Exp:

Number of Simulators Used: _____

Remarks:

AI NOT CONDUCTED. COMPLIANCE NOT DETERMINED.

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

09/22/2025
Date

Stability Checks

0.05g/210L	0.08g/210L	0.20g/210L	DGS 0.08g/210L																																																																																																												
0.047 to 0.053	0.077 to 0.083	0.194 to 0.206	0.077 to 0.083																																																																																																												
POLK COUNTY SC Intoxilyzer - Alcohol Analyzer Model: 8000 09/22/2025 Software: 8100.27 <table><thead><tr><th>Test</th><th>9/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:27</td></tr><tr><td>Control Test</td><td>0.051</td><td>13:27</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:28</td></tr><tr><td>Control Test</td><td>0.050</td><td>13:29</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:29</td></tr><tr><td>Control Test</td><td>0.051</td><td>13:30</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:30</td></tr><tr><td>Control Test</td><td>0.050</td><td>13:30</td></tr><tr><td>Average</td><td>0.0507</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.1355</td><td></td></tr></tbody></table> ML Operator's Signature	Test	9/210L	Time	Air Blank	0.000	13:27	Control Test	0.051	13:27	Air Blank	0.000	13:28	Control Test	0.050	13:29	Air Blank	0.000	13:29	Control Test	0.051	13:30	Air Blank	0.000	13:30	Control Test	0.050	13:30	Average	0.0507		Std Dev	0.0006		Rel Std Dev(%)	1.1355		POLK COUNTY SC Intoxilyzer - Alcohol Analyzer Model: 8000 09/22/2025 Software: 8100.27 <table><thead><tr><th>Test</th><th>9/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:40</td></tr><tr><td>Control Test</td><td>0.081</td><td>13:41</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:41</td></tr><tr><td>Control Test</td><td>0.081</td><td>13:42</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:42</td></tr><tr><td>Control Test</td><td>0.081</td><td>13:43</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:44</td></tr><tr><td>Control Test</td><td>0.080</td><td>13:44</td></tr><tr><td>Average</td><td>0.0810</td><td></td></tr><tr><td>Std Dev</td><td>0.0000</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr></tbody></table> ML Operator's Signature	Test	9/210L	Time	Air Blank	0.000	13:40	Control Test	0.081	13:41	Air Blank	0.000	13:41	Control Test	0.081	13:42	Air Blank	0.000	13:42	Control Test	0.081	13:43	Air Blank	0.000	13:44	Control Test	0.080	13:44	Average	0.0810		Std Dev	0.0000		Rel Std Dev(%)	0.0000		POLK COUNTY SC Intoxilyzer - Alcohol Analyzer Model: 8000 09/22/2025 Software: 8100.27 <table><thead><tr><th>Test</th><th>9/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:19</td></tr><tr><td>Control Test</td><td>0.201</td><td>13:20</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:20</td></tr><tr><td>Control Test</td><td>0.199</td><td>13:21</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:22</td></tr><tr><td>Control Test</td><td>0.200</td><td>13:22</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:22</td></tr><tr><td>Control Test</td><td>0.000</td><td>13:23</td></tr><tr><td>Average</td><td>0.2000</td><td></td></tr><tr><td>Std Dev</td><td>0.0010</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.5000</td><td></td></tr></tbody></table> ML Operator's Signature	Test	9/210L	Time	Air Blank	0.000	13:19	Control Test	0.201	13:20	Air Blank	0.000	13:20	Control Test	0.199	13:21	Air Blank	0.000	13:22	Control Test	0.200	13:22	Air Blank	0.000	13:22	Control Test	0.000	13:23	Average	0.2000		Std Dev	0.0010		Rel Std Dev(%)	0.5000		Printed to external printer and attached. ML 9/22/25
Test	9/210L	Time																																																																																																													
Air Blank	0.000	13:27																																																																																																													
Control Test	0.051	13:27																																																																																																													
Air Blank	0.000	13:28																																																																																																													
Control Test	0.050	13:29																																																																																																													
Air Blank	0.000	13:29																																																																																																													
Control Test	0.051	13:30																																																																																																													
Air Blank	0.000	13:30																																																																																																													
Control Test	0.050	13:30																																																																																																													
Average	0.0507																																																																																																														
Std Dev	0.0006																																																																																																														
Rel Std Dev(%)	1.1355																																																																																																														
Test	9/210L	Time																																																																																																													
Air Blank	0.000	13:40																																																																																																													
Control Test	0.081	13:41																																																																																																													
Air Blank	0.000	13:41																																																																																																													
Control Test	0.081	13:42																																																																																																													
Air Blank	0.000	13:42																																																																																																													
Control Test	0.081	13:43																																																																																																													
Air Blank	0.000	13:44																																																																																																													
Control Test	0.080	13:44																																																																																																													
Average	0.0810																																																																																																														
Std Dev	0.0000																																																																																																														
Rel Std Dev(%)	0.0000																																																																																																														
Test	9/210L	Time																																																																																																													
Air Blank	0.000	13:19																																																																																																													
Control Test	0.201	13:20																																																																																																													
Air Blank	0.000	13:20																																																																																																													
Control Test	0.199	13:21																																																																																																													
Air Blank	0.000	13:22																																																																																																													
Control Test	0.200	13:22																																																																																																													
Air Blank	0.000	13:22																																																																																																													
Control Test	0.000	13:23																																																																																																													
Average	0.2000																																																																																																														
Std Dev	0.0010																																																																																																														
Rel Std Dev(%)	0.5000																																																																																																														

POLK COUNTY SO
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-001055
09/22/2025
Software: 8100.27

0.08
0.65

Test	g/210L	Time
Air Blank	0.000	13:14
Control Test	0.078	13:14
Air Blank	0.000	13:14
Control Test	0.079	13:15
Air Blank	0.000	13:15
Control Test	0.079	13:16
Air Blank	0.000	13:16
Control Test Stats		
Average	0.0787	
Std Dev	0.0006	
Rel Std Dev(%)	0.7339	


Operator's Signature

Florida Department of Law Enforcement

Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: POLK COUNTY SO
Time of Inspection: 12:06

Date of Inspection: 09/23/2025

Serial Number: 80-001055
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG429602 Exp: 10/22/2026
0.000	0.049	0.079	0.198	0.078
0.000	0.049	0.079	0.198	0.078
0.000	0.050	0.080	0.199	0.078
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.079	0.199	0.078
0.000	0.050	0.080	0.199	0.077
0.000	0.050	0.080	0.199	0.078
0.000	0.050	0.080	0.198	0.078
0.000	0.050	0.080	0.199	0.078
0.000	0.050	0.080	0.199	0.078

Standard Deviations	0.0004	0.0005	0.0004	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0004 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



TAYLOR D GUTSCHOW

Signature and Printed Name

09/23/2025
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
4700 Terminal Drive, Suite 1
Ft. Myers, FL 33907

This is to certify the calibration of Intoxilyzer 8000 serial number 80-001055 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-001055</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>POLK COUNTY SO</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>09/23/2025</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>12:06</u>	0.200 g/ 210 L	0.007
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.
*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.
This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

Taylor
Gutschow
Digitally signed by Taylor
Gutschow
Date: 2025.09.23 13:07:02
-04'00'

09/23/2025

Date

TAYLOR D GUTSCHOW,
Department Inspector

FDLE/ATP Form 69 December 2021

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality