

Stability Checks

0.05g/210L 0.047 to 0.053	0.08g/210L 0.077 to 0.083	0.20g/210L 0.194 to 0.206	DGS 0.08g/210L 0.077 to 0.083 <input checked="" type="checkbox"/> ≤0.003 of Wet <input checked="" type="checkbox"/>																																																																																																																																																
<p>FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007457 01/27/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:39</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:40</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:41</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:41</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:42</td></tr> <tr><td>Control Test</td><td>0.049</td><td>15:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:43</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0490</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p><i>Operator's Signature</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	15:39	Control Test	0.049	15:40	Air Blank	0.000	15:41	Control Test	0.049	15:41	Air Blank	0.000	15:42	Control Test	0.049	15:43	Air Blank	0.000	15:43	Control Test Stats			Average	0.0490		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007457 01/27/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:44</td></tr> <tr><td>Control Test</td><td>0.080</td><td>15:45</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:45</td></tr> <tr><td>Control Test</td><td>0.080</td><td>15:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:46</td></tr> <tr><td>Control Test</td><td>0.080</td><td>15:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:48</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0800</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p><i>Operator's Signature</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	15:44	Control Test	0.080	15:45	Air Blank	0.000	15:45	Control Test	0.080	15:46	Air Blank	0.000	15:46	Control Test	0.080	15:47	Air Blank	0.000	15:48	Control Test Stats			Average	0.0800		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007457 01/27/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:48</td></tr> <tr><td>Control Test</td><td>0.202</td><td>15:49</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:50</td></tr> <tr><td>Control Test</td><td>0.202</td><td>15:50</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:51</td></tr> <tr><td>Control Test</td><td>0.202</td><td>15:52</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:52</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.2020</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <p><i>Operator's Signature</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	15:48	Control Test	0.202	15:49	Air Blank	0.000	15:50	Control Test	0.202	15:50	Air Blank	0.000	15:51	Control Test	0.202	15:52	Air Blank	0.000	15:52	Control Test Stats			Average	0.2020		Std Dev	0.0000		Rel Std Dev(%)	0.0000		<p>FL HIGHWAY PATROL Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-007457 01/27/2026 Software: 8100.27</p> <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>15:54</td></tr> <tr><td>Control Test</td><td>0.078</td><td>15:54</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:54</td></tr> <tr><td>Control Test</td><td>0.079</td><td>15:55</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:55</td></tr> <tr><td>Control Test</td><td>0.079</td><td>15:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>15:56</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0787</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr> </tbody> </table> <p><i>Operator's Signature</i> Operator's Signature</p>	Test	g/210L	Time	Air Blank	0.000	15:54	Control Test	0.078	15:54	Air Blank	0.000	15:54	Control Test	0.079	15:55	Air Blank	0.000	15:55	Control Test	0.079	15:56	Air Blank	0.000	15:56	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:39																																																																																																																																																	
Control Test	0.049	15:40																																																																																																																																																	
Air Blank	0.000	15:41																																																																																																																																																	
Control Test	0.049	15:41																																																																																																																																																	
Air Blank	0.000	15:42																																																																																																																																																	
Control Test	0.049	15:43																																																																																																																																																	
Air Blank	0.000	15:43																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0490																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:44																																																																																																																																																	
Control Test	0.080	15:45																																																																																																																																																	
Air Blank	0.000	15:45																																																																																																																																																	
Control Test	0.080	15:46																																																																																																																																																	
Air Blank	0.000	15:46																																																																																																																																																	
Control Test	0.080	15:47																																																																																																																																																	
Air Blank	0.000	15:48																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0800																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:48																																																																																																																																																	
Control Test	0.202	15:49																																																																																																																																																	
Air Blank	0.000	15:50																																																																																																																																																	
Control Test	0.202	15:50																																																																																																																																																	
Air Blank	0.000	15:51																																																																																																																																																	
Control Test	0.202	15:52																																																																																																																																																	
Air Blank	0.000	15:52																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.2020																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	15:54																																																																																																																																																	
Control Test	0.078	15:54																																																																																																																																																	
Air Blank	0.000	15:54																																																																																																																																																	
Control Test	0.079	15:55																																																																																																																																																	
Air Blank	0.000	15:55																																																																																																																																																	
Control Test	0.079	15:56																																																																																																																																																	
Air Blank	0.000	15:56																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: FL HIGHWAY PATROL
Time of Inspection: 13:22

Date of Inspection: 01/28/2026

Serial Number: 80-007457
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202406L Exp: 06/19/2026	0.20g/210L Test (g/210L) Lot#:202406N Exp: 04/17/2027 ^{WKP 1/28/2026} 06/20/2026	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG510701 Exp: 04/17/2027
0.000	0.048	0.080	0.200	0.079
0.000	0.048	0.080	0.200	0.080
0.000	0.048	0.080	0.200	0.079
0.000	0.048	0.080	0.200	0.079
0.000	0.048	0.080	0.200	0.079
0.000	0.048	0.080	0.200	0.079
0.000	0.048	0.080	0.200	0.079
0.000	0.048	0.080	0.200	0.079
0.000	0.048	0.080	0.201	0.079
0.000	0.048	0.080	0.200	0.079

Standard Deviations	0.0000	0.0000	0.0003	0.0003
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5

Remarks:

Corrected 0.20g/210L expiration date. WKP 1/28/2026

The above instrument complies () does not comply () with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.

Wen-Chi K Pierson _____
Signature and Printed Name

01/28/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-007457 , manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-007457</u>	UNCERTAINTY* ±	
Owning Agency:	<u>FL HIGHWAY PATROL</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>01/28/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>13:22</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

01/28/2026

Date

Wen-Chi
Pierson

Digitally signed by Wen-Chi Pierson
Date: 2026.01.28 15:01:15 -05'00'

WEN-CHI K PIERSON,
Department Inspector

FDLE/ATP Form 69 January 2026

Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality