

Alcohol Testing Program - Instrument Processing Sheet

Agency: NEW SMYRNA BEACH PD

Instrument Serial Number: 80-002231

Date In: 7/13/2026

DI Completion Date: 7/31/2026

☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>WKP</u> Date: <u>7/13/2026</u>		Quality Checks By: <u>SLH</u> Date: <u>7/24/2026</u>		Flow Adjustment By: _____																												
☒ Annual ☐ Dropped Off ☐ Registration ☒ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☒ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes:		☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>204</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP 105</u> 32 mm <u>0.156</u> (.139-.169) 36 mm <u>0.171</u> (.156-.190) 53 mm <u>0.242</u> (.228-.278) 103 mm <u>0.511</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1011</u> Instrument: <u>1006</u> ☒ Stability Checks		Flow Column #: _____ ☐ 5L/min – 17mm ☐ 15L/min – 53mm ☐ 30L/min – 103mm ☐ R-Value: _____ ☐ Post Adjustment Verification (L/S) Flow Column #: _____ 32 mm _____ (.139-.169) 36 mm _____ (.156-.190) 53 mm _____ (.228-.278) 103 mm _____ (.447-.547)																												
		<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot#/Exp</th></tr></thead><tbody><tr><td rowspan="2">0.050</td><td rowspan="2">MP5088</td><td>202603A</td></tr><tr><td>03/03/2028</td></tr><tr><td rowspan="2">0.080</td><td rowspan="2">MP5089</td><td>202603B</td></tr><tr><td>03/03/2028</td></tr><tr><td rowspan="2">0.200</td><td rowspan="2">MP5090</td><td>202603D</td></tr><tr><td>03/04/2028</td></tr><tr><td rowspan="2">0.080 DGS</td><td rowspan="2">N/A</td><td>23825080A1</td></tr><tr><td>10/5/2027</td></tr></tbody></table>		Simulator	Serial #	Lot#/Exp	0.050	MP5088	202603A	03/03/2028	0.080	MP5089	202603B	03/03/2028	0.200	MP5090	202603D	03/04/2028	0.080 DGS	N/A	23825080A1	10/5/2027	Maintenance By: <u>SLH</u> Date: <u>7/24/2026</u> ☒ Battery Replacement ☐ Dry Gas Regulator Replacement ☒ Tank Sensor Tare ☐ Breath Tube Replacement ☐ Other:									
Simulator	Serial #	Lot#/Exp																														
0.050	MP5088	202603A																														
		03/03/2028																														
0.080	MP5089	202603B																														
		03/03/2028																														
0.200	MP5090	202603D																														
		03/04/2028																														
0.080 DGS	N/A	23825080A1																														
		10/5/2027																														
Optical Bench Adjustment By: _____		Department Inspection By: <u>SLH</u>																														
Barometric Pressure Gauge: _____ ID#: _____		Barometric Pressure ID#: <u>28427</u>																														
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.000</td><td></td><td>N/A</td><td>N/A</td></tr><tr><td>0.040</td><td></td><td></td><td></td></tr><tr><td>0.100</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.300</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>	Simulator	Serial #	Lot #	Expiration	0.000		N/A	N/A	0.040				0.100				0.200				0.300				0.080 DGS	N/A				Gauge: <u>1010</u> Instrument: <u>1006</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>09/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>09/22/2027</u>		
Simulator	Serial #	Lot #	Expiration																													
0.000		N/A	N/A																													
0.040																																
0.100																																
0.200																																
0.300																																
0.080 DGS	N/A																															
☐ Post Optical Bench Adjustment Stability Checks				<table border="1"><thead><tr><th>Simulator</th><th>Serial Number</th></tr></thead><tbody><tr><td>0.000</td><td>MP5086</td></tr><tr><td>Interferent</td><td>MP5087</td></tr><tr><td>0.050</td><td>MP5088</td></tr><tr><td>0.080</td><td>MP5089</td></tr><tr><td>0.200</td><td>MP5090</td></tr></tbody></table>		Simulator	Serial Number	0.000	MP5086	Interferent	MP5087	0.050	MP5088	0.080	MP5089	0.200	MP5090															
Simulator	Serial Number																															
0.000	MP5086																															
Interferent	MP5087																															
0.050	MP5088																															
0.080	MP5089																															
0.200	MP5090																															
<table border="1"><thead><tr><th>Simulator</th><th>Serial #</th><th>Lot #</th><th>Expiration</th></tr></thead><tbody><tr><td>0.050</td><td></td><td></td><td></td></tr><tr><td>0.080</td><td></td><td></td><td></td></tr><tr><td>0.200</td><td></td><td></td><td></td></tr><tr><td>0.080 DGS</td><td>N/A</td><td></td><td></td></tr></tbody></table>	Simulator	Serial #	Lot #	Expiration	0.050				0.080				0.200				0.080 DGS	N/A				Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☐ Optical Bench Adjustment ☐ Post-Stability Checks ☐ Flow Adjustment ☒ Form 40 ☐ Other:										
Simulator	Serial #	Lot #	Expiration																													
0.050																																
0.080																																
0.200																																
0.080 DGS	N/A																															
Gauge ID #: _____ Gauge: _____ Instrument: _____																																
Notes/Suggested Service: Discretionary Tank Sensor tare performed on 7/24/26. The flow verification was performed 7/31/2026. SLH 7/31/2026		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																														
		Wen-Chi Pierson Digitally signed by Wen-Chi Pierson Date: 2026.08.11 14:31:18 -04'00' Kaitlyn Spearin Digitally signed by Kaitlyn Spearin Date: 2026.08.12 08:11:36 -04'00'																														
		Tech Review Admin Review																														

Florida Department of Law Enforcement Alcohol Testing Program

AGENCY INSPECTION REPORT - INTOXILYZER 8000

Agency: NEW SMYRNA BEACH PD

Time of Inspection: 17:23

Date of Inspection: 07/24/2026

Serial Number: 80-002231

Software: 8100.27

Check or Test	YES	NO
Date and/or Time Adjusted		No
Diagnostic Check (Pre-Inspection): OK		No
Alcohol Free Subject Test: 0.000		No
Mouth Alcohol Test: Slope Not Met		No
Interferent Detect Test: Interferent Detect		No
Diagnostic Check (Post-Inspection): OK		No

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08g/210L Test (g/210L) Lot#:_____ Exp:_____	0.20g/210L Test (g/210L) Lot#:_____ Exp:_____	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:_____ Exp:_____

Number of Simulators Used: _____

Remarks:

BYPASS AI FOR OPERATION, COMPLIANCE UNDETERMINED

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I hold a valid Florida Department of Law Enforcement Agency Inspector Permit and that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



LEANDRA HIGGINBOTHAM

07/24/2026
Date

Stability Checks

80-00 2231

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L ≤0.003 g/210L of Wet																																																																																																																																																
NEW SMYRNA BEACH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-002231 07/24/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:41</td></tr> <tr><td>Control Test</td><td>0.048</td><td>17:42</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:42</td></tr> <tr><td>Control Test</td><td>0.048</td><td>17:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:44</td></tr> <tr><td>Control Test</td><td>0.048</td><td>17:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:45</td></tr> <tr><td colspan="3">Control Test Stats</td></tr> <tr><td>Average</td><td>0.0480</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>M. H. H. H.</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	17:41	Control Test	0.048	17:42	Air Blank	0.000	17:42	Control Test	0.048	17:43	Air Blank	0.000	17:44	Control Test	0.048	17:44	Air Blank	0.000	17:45	Control Test Stats			Average	0.0480		Std Dev	0.0000		Rel Std Dev(%)	0.0000		NEW SMYRNA BEACH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-002231 07/24/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:30</td></tr> <tr><td>Control Test</td><td>0.077</td><td>17:31</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:32</td></tr> <tr><td>Control Test</td><td>0.077</td><td>17:32</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:33</td></tr> <tr><td>Control Test</td><td>0.077</td><td>17:33</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:34</td></tr> <tr><td colspan="3">Control Test Stats</td></tr> <tr><td>Average</td><td>0.0770</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>M. H. H. H.</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	17:30	Control Test	0.077	17:31	Air Blank	0.000	17:32	Control Test	0.077	17:32	Air Blank	0.000	17:33	Control Test	0.077	17:33	Air Blank	0.000	17:34	Control Test Stats			Average	0.0770		Std Dev	0.0000		Rel Std Dev(%)	0.0000		NEW SMYRNA BEACH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-002231 07/24/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:26</td></tr> <tr><td>Control Test</td><td>0.195</td><td>17:27</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:27</td></tr> <tr><td>Control Test</td><td>0.195</td><td>17:28</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:28</td></tr> <tr><td>Control Test</td><td>0.195</td><td>17:29</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:30</td></tr> <tr><td colspan="3">Control Test Stats</td></tr> <tr><td>Average</td><td>0.1950</td><td></td></tr> <tr><td>Std Dev</td><td>0.0000</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.0000</td><td></td></tr> </tbody> </table> <i>M. H. H. H.</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	17:26	Control Test	0.195	17:27	Air Blank	0.000	17:27	Control Test	0.195	17:28	Air Blank	0.000	17:28	Control Test	0.195	17:29	Air Blank	0.000	17:30	Control Test Stats			Average	0.1950		Std Dev	0.0000		Rel Std Dev(%)	0.0000		NEW SMYRNA BEACH PD Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-002231 07/24/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:46</td></tr> <tr><td>Control Test</td><td>0.079</td><td>17:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:47</td></tr> <tr><td>Control Test</td><td>0.080</td><td>17:47</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:48</td></tr> <tr><td>Control Test</td><td>0.080</td><td>17:48</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:49</td></tr> <tr><td colspan="3">Control Test Stats</td></tr> <tr><td>Average</td><td>0.0797</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7247</td><td></td></tr> </tbody> </table> <i>M. H. H. H.</i> Operator's Signature	Test	g/210L	Time	Air Blank	0.000	17:46	Control Test	0.079	17:46	Air Blank	0.000	17:47	Control Test	0.080	17:47	Air Blank	0.000	17:48	Control Test	0.080	17:48	Air Blank	0.000	17:49	Control Test Stats			Average	0.0797		Std Dev	0.0006		Rel Std Dev(%)	0.7247	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:41																																																																																																																																																	
Control Test	0.048	17:42																																																																																																																																																	
Air Blank	0.000	17:42																																																																																																																																																	
Control Test	0.048	17:43																																																																																																																																																	
Air Blank	0.000	17:44																																																																																																																																																	
Control Test	0.048	17:44																																																																																																																																																	
Air Blank	0.000	17:45																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0480																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:30																																																																																																																																																	
Control Test	0.077	17:31																																																																																																																																																	
Air Blank	0.000	17:32																																																																																																																																																	
Control Test	0.077	17:32																																																																																																																																																	
Air Blank	0.000	17:33																																																																																																																																																	
Control Test	0.077	17:33																																																																																																																																																	
Air Blank	0.000	17:34																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0770																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:26																																																																																																																																																	
Control Test	0.195	17:27																																																																																																																																																	
Air Blank	0.000	17:27																																																																																																																																																	
Control Test	0.195	17:28																																																																																																																																																	
Air Blank	0.000	17:28																																																																																																																																																	
Control Test	0.195	17:29																																																																																																																																																	
Air Blank	0.000	17:30																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1950																																																																																																																																																		
Std Dev	0.0000																																																																																																																																																		
Rel Std Dev(%)	0.0000																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:46																																																																																																																																																	
Control Test	0.079	17:46																																																																																																																																																	
Air Blank	0.000	17:47																																																																																																																																																	
Control Test	0.080	17:47																																																																																																																																																	
Air Blank	0.000	17:48																																																																																																																																																	
Control Test	0.080	17:48																																																																																																																																																	
Air Blank	0.000	17:49																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0797																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7247																																																																																																																																																		

Verified instrument was able to read gas pressure. ☒

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: NEW SMYRNA BEACH PD
Time of Inspection: 16:20

Date of Inspection: 07/31/2026

Serial Number: 80-002231
Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202603A Exp: 03/03/2028	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:23825080A1 Exp: 10/05/2027
0.000	0.048	0.077	0.196	0.079
0.000	0.048	0.077	0.196	0.079
0.000	0.048	0.076	0.196	0.079
0.000	0.048	0.077	0.196	0.079
0.000	0.049	0.077	0.196	0.079
0.000	0.048	0.077	0.196	0.079
0.000	0.048	0.077	0.196	0.079
0.000	0.049	0.077	0.196	0.079
0.000	0.049	0.077	0.196	0.079
0.000	0.048	0.077	0.196	0.079


Standard Deviations	0.0004	0.0003	0.0000	0.0000
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0001 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.



LEANDRA HIGGINBOTHAM

Signature and Printed Name

07/31/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-002231, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-002231</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>NEW SMYRNA BEACH PD</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>07/31/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>16:20</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence (k=3).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.


Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

07/31/2026

Date


LEANDRA HIGGINBOTHAM,
Department Inspector

FDLE/ATP Form 69 January 2026
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1