

Alcohol Testing Program - Instrument Processing Sheet

Agency: Osceola Corrections Instrument Serial Number: 80-000968

Date In: 4/28/2026 DI Completion Date: 05/01/2026 ☒ Ship ☐ P/U ☐ H/D ☐ CMI ☐ EE

Intake By: <u>IAS</u> Date: <u>4/28/2026</u> ☒ Annual ☐ Dropped Off ☐ Registration ☐ Return from CMI / EE ☐ Training Instrument Visual Inspection ☒ Case ☒ Handle ☒ Keyboard ☒ Dry Gas Shelf ☒ Feet ☒ Breath Tube ☒ Ports ☒ Screws Tight Other Equipment/Accessories ☐ Power Cord ☐ Printer Cable ☒ Static Bag ☐ 12V DC Cable Notes: Breath tube missing some covering near entrance. IAS 4/28/26		Quality Checks By: <u>SLH</u> Date: <u>04/30/2026</u> ☒ Breath Tube Screen ☒ Replace External O-Rings ☒ Instrument Set Up Verified ☒ R-Value: <u>139</u> ☒ Flow Verification (L/s) Flow Column #: <u>ATP 103</u> 32 mm <u>0.140</u> (.139-.169) 36 mm <u>0.152</u> (.156-.190) 53 mm <u>0.214</u> (.228-.278) 103 mm <u>0.480</u> (.447-.547) ☒ Barometric Pressure Check Gauge ID #: <u>28427</u> Gauge: <u>1009</u> Instrument: <u>1007</u> ☒ Stability Checks		Flow Adjustment By: <u>SLH</u> Flow Column #: <u>ATP 102</u> ☒ 5L/min – 17mm ☒ 15L/min – 53mm ☒ 30L/min – 103mm ☒ R-Value: <u>138</u> ☒ Post Adjustment Verification (L/S) Flow Column #: <u>ATP 103</u> 32 mm <u>0.140</u> (.139-.169) 36 mm <u>0.160</u> (.156-.190) 53 mm <u>0.230</u> (.228-.278) 103 mm <u>0.496</u> (.447-.547)																																							
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot#/Exp</th> </tr> </thead> <tbody> <tr> <td rowspan="2">0.050</td> <td rowspan="2">MP6291</td> <td>202406K</td> </tr> <tr> <td>06/19/2026</td> </tr> <tr> <td rowspan="2">0.080</td> <td rowspan="2">MP6292</td> <td>202603B</td> </tr> <tr> <td>03/03/2028</td> </tr> <tr> <td rowspan="2">0.200</td> <td rowspan="2">MP6293</td> <td>202406N</td> </tr> <tr> <td>06/20/2026</td> </tr> <tr> <td rowspan="2">0.080 DGS</td> <td rowspan="2">N/A</td> <td>AG510701</td> </tr> <tr> <td>04/17/2027</td> </tr> </tbody> </table>		Simulator	Serial #	Lot#/Exp	0.050	MP6291	202406K	06/19/2026	0.080	MP6292	202603B	03/03/2028	0.200	MP6293	202406N	06/20/2026	0.080 DGS	N/A	AG510701	04/17/2027																					
Simulator	Serial #	Lot#/Exp																																									
0.050	MP6291	202406K																																									
		06/19/2026																																									
0.080	MP6292	202603B																																									
		03/03/2028																																									
0.200	MP6293	202406N																																									
		06/20/2026																																									
0.080 DGS	N/A	AG510701																																									
		04/17/2027																																									
Optical Bench Adjustment By: <u>SLH</u> Barometric Pressure Gauge: <u>1006</u> ID#: <u>34419</u>		Department Inspection By: <u>SLH</u> Barometric Pressure ID#: <u>28427</u> Gauge: <u>1007</u> Instrument: <u>1009</u> Mouth Alcohol Solution Lot #: <u>2025-D</u> Exp: <u>09/25/2027</u> Acetone Stock Solution Lot #: <u>2025-B</u> Exp: <u>09/22/2027</u>																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP6289</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>0.040</td> <td>MP5088</td> <td>25090</td> <td>03/11/2027</td> </tr> <tr> <td>0.100</td> <td>MP5089</td> <td>25282</td> <td>08/12/2027</td> </tr> <tr> <td>0.200</td> <td>MP5090</td> <td>25020</td> <td>01/14/2027</td> </tr> <tr> <td>0.300</td> <td>MP5087</td> <td>25150</td> <td>05/06/2027</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>23825080A1</td> <td>10/05/2027</td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.000	MP6289	N/A	N/A	0.040	MP5088	25090	03/11/2027	0.100	MP5089	25282	08/12/2027	0.200	MP5090	25020	01/14/2027	0.300	MP5087	25150	05/06/2027	0.080 DGS	N/A	23825080A1	10/05/2027	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial Number</th> </tr> </thead> <tbody> <tr> <td>0.000</td> <td>MP5086</td> </tr> <tr> <td>Interferent</td> <td>MP6290</td> </tr> <tr> <td>0.050</td> <td>MP6291</td> </tr> <tr> <td>0.080</td> <td>MP6292</td> </tr> <tr> <td>0.200</td> <td>MP6293</td> </tr> </tbody> </table>		Simulator	Serial Number	0.000	MP5086	Interferent	MP6290	0.050	MP6291	0.080	MP6292	0.200	MP6293
Simulator	Serial #	Lot #	Expiration																																								
0.000	MP6289	N/A	N/A																																								
0.040	MP5088	25090	03/11/2027																																								
0.100	MP5089	25282	08/12/2027																																								
0.200	MP5090	25020	01/14/2027																																								
0.300	MP5087	25150	05/06/2027																																								
0.080 DGS	N/A	23825080A1	10/05/2027																																								
Simulator	Serial Number																																										
0.000	MP5086																																										
Interferent	MP6290																																										
0.050	MP6291																																										
0.080	MP6292																																										
0.200	MP6293																																										
☒ Post Optical Bench Adjustment Stability Checks <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Simulator</th> <th>Serial #</th> <th>Lot #</th> <th>Expiration</th> </tr> </thead> <tbody> <tr> <td>0.050</td> <td>MP6291</td> <td>202406K</td> <td>06/19/2026</td> </tr> <tr> <td>0.080</td> <td>MP6292</td> <td>202603B</td> <td>03/03/2028</td> </tr> <tr> <td>0.200</td> <td>MP6293</td> <td>202406N</td> <td>06/20/2026</td> </tr> <tr> <td>0.080 DGS</td> <td>N/A</td> <td>AG510701</td> <td>04/17/2027</td> </tr> </tbody> </table>		Simulator	Serial #	Lot #	Expiration	0.050	MP6291	202406K	06/19/2026	0.080	MP6292	202603B	03/03/2028	0.200	MP6293	202406N	06/20/2026	0.080 DGS	N/A	AG510701	04/17/2027	Attachments ☒ Form 41 ☒ Stability Checks ☒ Calibration Certificate ☒ Optical Bench Adjustment ☒ Post-Stability Checks ☒ Flow Adjustment ☐ Form 40 ☐ Other:																					
Simulator	Serial #	Lot #	Expiration																																								
0.050	MP6291	202406K	06/19/2026																																								
0.080	MP6292	202603B	03/03/2028																																								
0.200	MP6293	202406N	06/20/2026																																								
0.080 DGS	N/A	AG510701	04/17/2027																																								
Gauge ID #: <u>28662</u> Gauge: <u>1009</u> Instrument: <u>1009</u>		☒ Instrument Complies with Chapter 11D-8, FAC ☐ Instrument Does Not Comply with Chapter 11D-8, FAC ☒ Return to/Place into Evidentiary Use ☐ Remain Out of Evidentiary Use ☒ Conduct an Agency Inspection Before Evidentiary Use																																									
Notes/Suggested Service: Performed post-optical bench adjustment barometric check and verified instrument was able to read gas pressure on 5/1/26. SLH 5/1/2026		Digitally signed by Taylor Gutschow Date: 2026.06.01 13:46:11 -04'00' Digitally signed by Kaitlyn Spearin Date: 2026.06.04 14:22:44 -04'00'																																									
		Tech Review Admin Review																																									

OSCEOLA CORRECTIONS

Intoxilyzer - Alcohol Analyzer

Model 8000

SN 80-000968

04/30/2026

Software: 8100.27

Flow Rate Calibration*****

1: Rate (Liters/min) = 5

SQRT(Diff)) = 6.402

2: Rate (Liters/min) = 15

SQRT(Diff)) = 11.746

3: Rate (Liters/min) = 30

SQRT(Diff)) = 20.855

Dependent Data Scale Factor = 100000 L/min

Independent Data Scale Factor = 256

Rounded Slope = 672

Rounded Intercept = -570644

Correlation = 0.99941

Set

4/30/2026

optical bench adjustment will be performed ^{Sut}

Stability Checks

80-000968 ^{Sut}
4/30/2026

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L ≤0.003 g/210L of Wet																																																																																																																																																
OSCEOLA CORRECTIONS Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000968 04/30/2026 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:07</td></tr><tr><td>Control Test</td><td>0.047</td><td>13:08</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:09</td></tr><tr><td>Control Test</td><td>0.047</td><td>13:09</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:10</td></tr><tr><td>Control Test</td><td>0.048</td><td>13:11</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:11</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0473</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>1.2198</td><td></td></tr></tbody></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	13:07	Control Test	0.047	13:08	Air Blank	0.000	13:09	Control Test	0.047	13:09	Air Blank	0.000	13:10	Control Test	0.048	13:11	Air Blank	0.000	13:11	Control Test Stats			Average	0.0473		Std Dev	0.0006		Rel Std Dev(%)	1.2198		no equipment or user error ^{Sut} OSCEOLA CORRECTIONS Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000968 04/30/2026 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:15</td></tr><tr><td>Control Test</td><td>0.077</td><td>13:16</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:16</td></tr><tr><td>Control Test</td><td>0.076</td><td>13:17</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:17</td></tr><tr><td>Control Test</td><td>0.076</td><td>13:18</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:19</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0763</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7564</td><td></td></tr></tbody></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	13:15	Control Test	0.077	13:16	Air Blank	0.000	13:16	Control Test	0.076	13:17	Air Blank	0.000	13:17	Control Test	0.076	13:18	Air Blank	0.000	13:19	Control Test Stats			Average	0.0763		Std Dev	0.0006		Rel Std Dev(%)	0.7564		OSCEOLA CORRECTIONS Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000968 04/30/2026 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:31</td></tr><tr><td>Control Test</td><td>0.196</td><td>13:31</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:32</td></tr><tr><td>Control Test</td><td>0.195</td><td>13:33</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:33</td></tr><tr><td>Control Test</td><td>0.194</td><td>13:34</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:34</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.1950</td><td></td></tr><tr><td>Std Dev</td><td>0.0010</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.5128</td><td></td></tr></tbody></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	13:31	Control Test	0.196	13:31	Air Blank	0.000	13:32	Control Test	0.195	13:33	Air Blank	0.000	13:33	Control Test	0.194	13:34	Air Blank	0.000	13:34	Control Test Stats			Average	0.1950		Std Dev	0.0010		Rel Std Dev(%)	0.5128		DGS OSCEOLA CORRECTIONS Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000968 04/30/2026 Software: 8100.27 <table><thead><tr><th>Test</th><th>g/210L</th><th>Time</th></tr></thead><tbody><tr><td>Air Blank</td><td>0.000</td><td>13:27</td></tr><tr><td>Control Test</td><td>0.079</td><td>13:27</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:27</td></tr><tr><td>Control Test</td><td>0.078</td><td>13:28</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:28</td></tr><tr><td>Control Test</td><td>0.079</td><td>13:29</td></tr><tr><td>Air Blank</td><td>0.000</td><td>13:29</td></tr><tr><td>Control Test Stats</td><td></td><td></td></tr><tr><td>Average</td><td>0.0787</td><td></td></tr><tr><td>Std Dev</td><td>0.0006</td><td></td></tr><tr><td>Rel Std Dev(%)</td><td>0.7339</td><td></td></tr></tbody></table>  Operator's Signature	Test	g/210L	Time	Air Blank	0.000	13:27	Control Test	0.079	13:27	Air Blank	0.000	13:27	Control Test	0.078	13:28	Air Blank	0.000	13:28	Control Test	0.079	13:29	Air Blank	0.000	13:29	Control Test Stats			Average	0.0787		Std Dev	0.0006		Rel Std Dev(%)	0.7339	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:07																																																																																																																																																	
Control Test	0.047	13:08																																																																																																																																																	
Air Blank	0.000	13:09																																																																																																																																																	
Control Test	0.047	13:09																																																																																																																																																	
Air Blank	0.000	13:10																																																																																																																																																	
Control Test	0.048	13:11																																																																																																																																																	
Air Blank	0.000	13:11																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0473																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	1.2198																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:15																																																																																																																																																	
Control Test	0.077	13:16																																																																																																																																																	
Air Blank	0.000	13:16																																																																																																																																																	
Control Test	0.076	13:17																																																																																																																																																	
Air Blank	0.000	13:17																																																																																																																																																	
Control Test	0.076	13:18																																																																																																																																																	
Air Blank	0.000	13:19																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0763																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7564																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:31																																																																																																																																																	
Control Test	0.196	13:31																																																																																																																																																	
Air Blank	0.000	13:32																																																																																																																																																	
Control Test	0.195	13:33																																																																																																																																																	
Air Blank	0.000	13:33																																																																																																																																																	
Control Test	0.194	13:34																																																																																																																																																	
Air Blank	0.000	13:34																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1950																																																																																																																																																		
Std Dev	0.0010																																																																																																																																																		
Rel Std Dev(%)	0.5128																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	13:27																																																																																																																																																	
Control Test	0.079	13:27																																																																																																																																																	
Air Blank	0.000	13:27																																																																																																																																																	
Control Test	0.078	13:28																																																																																																																																																	
Air Blank	0.000	13:28																																																																																																																																																	
Control Test	0.079	13:29																																																																																																																																																	
Air Blank	0.000	13:29																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0787																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7339																																																																																																																																																		

OSCEOLA CORRECTIONS
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-000968
04/30/2026 16:27:43

Auto Calibration
Max Power Res Value = 105
Auto Range Res Value = 72

Sol Value = 0.000 g/210L ***
Fit value = 0.0000 mg/l %%%
Samples Taken = 4, Discarded = 1
3um Io = 12551, 9um Io = 13102

***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.1110 (0.0000)
Sample #2 = 0.0970 (0.0060)
Sample #3 = 0.0950 (0.0210)
Sample #4 = 0.0860 (0.0540)
Avg % Abs = 0.0927 (0.0270)
STD DEV = 0.0059 (0.0246)
REL STD DEV = 6.323 (90.948)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.1030 (-0.0270)
Sample #2 = 0.0880 (-0.0330)
Sample #3 = 0.0760 (-0.0180)
Sample #4 = 0.0960 (-0.0200)
Avg % Abs = 0.0867 (-0.0237)
STD DEV = 0.0101 (0.0081)
REL STD DEV = 11.615 (34.413)

Sol Value = 0.040 g/210L ***
Fit value = 0.1905 mg/l %%%
Samples Taken = 4, Discarded = 1
3um Io = 12546, 9um Io = 13107
***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 0.8500 (-0.0140)
Sample #2 = 0.8500 (-0.0370)
Sample #3 = 0.8420 (-0.0450)
Sample #4 = 0.8420 (-0.0220)
Avg % Abs = 0.8447 (-0.0347)
STD DEV = 0.0046 (0.0117)
REL STD DEV = 0.547 (33.681)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 1.4920 (-0.0030)
Sample #2 = 1.5070 (-0.0180)
Sample #3 = 1.5110 (-0.0140)
Sample #4 = 1.5020 (0.0010)
Avg % Abs = 1.5067 (-0.0103)
STD DEV = 0.0045 (0.0100)
REL STD DEV = 0.299 (96.935)

Sol Value = 0.100 g/210L ***
Fit value = 0.4762 mg/l %%%
Samples Taken = 4, Discarded = 1
3um Io = 12549, 9um Io = 13106

***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 1.9500 (-0.0300)
Sample #2 = 1.9600 (-0.0080)
Sample #3 = 1.9280 (-0.0080)
Sample #4 = 1.9380 (-0.0100)
Avg % Abs = 1.9420 (-0.0087)
STD DEV = 0.0164 (0.0012)
REL STD DEV = 0.843 (13.323)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.5400 (-0.0210)
Sample #2 = 3.5850 (-0.0220)
Sample #3 = 3.5430 (-0.0130)
Sample #4 = 3.5440 (-0.0100)
Avg % Abs = 3.5573 (-0.0150)
STD DEV = 0.0240 (0.0062)
REL STD DEV = 0.674 (41.633)

Sol Value = 0.200 g/210L ***
Fit value = 0.9524 mg/l %%%
Samples Taken = 4, Discarded = 1
3um Io = 12552, 9um Io = 13107

***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 3.7880 (-0.0020)
Sample #2 = 3.7810 (-0.0050)
Sample #3 = 3.7620 (0.0000)
Sample #4 = 3.7960 (-0.0040)
Avg % Abs = 3.7797 (-0.0030)
STD DEV = 0.0170 (0.0026)
REL STD DEV = 0.451 (88.192)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 6.8900 (-0.0010)
Sample #2 = 6.8470 (0.0060)
Sample #3 = 6.8490 (0.0010)
Sample #4 = 6.8680 (0.0130)
Avg % Abs = 6.8547 (0.0067)
STD DEV = 0.0116 (0.0060)
REL STD DEV = 0.169 (90.416)

Sol Value = 0.300 g/210L ***
Fit value = 1.4286 mg/l %%%
Samples Taken = 4, Discarded = 1
3um Io = 12558, 9um Io = 13109

***** CHANNEL 1 *****
Sample % Abs (% Abs Ref)
Sample #1 = 5.5200 (-0.0050)
Sample #2 = 5.5280 (-0.0100)
Sample #3 = 5.4910 (0.0270)
Sample #4 = 5.5480 (0.0340)
Avg % Abs = 5.5223 (0.0170)
STD DEV = 0.0289 (0.0236)
REL STD DEV = 0.524 (139.078)

***** CHANNEL 2 *****
Sample % Abs (% Abs Ref)
Sample #1 = 9.9750 (-0.0110)
Sample #2 = 9.9620 (-0.0150)
Sample #3 = 9.9480 (-0.0070)
Sample #4 = 10.0070 (-0.0070)
Avg % Abs = 9.9723 (-0.0097)
STD DEV = 0.0308 (0.0046)
REL STD DEV = 0.309 (47.781)

***** AUTO CAL DATA *****
***** CHANNEL 1 *****
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.093
Std Dev = 0.01 Rel Std Dev = 6.32
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 0.845
Std Dev = 0.00 Rel Std Dev = 0.55
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 1.942
Std Dev = 0.02 Rel Std Dev = 0.84
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 3.780
Std Dev = 0.02 Rel Std Dev = 0.45
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 5.522
Std Dev = 0.03 Rel Std Dev = 0.52
Zero Order Coef = -223.86
First Order Coef = 2507.41
Second Order Coef = 21.34
Standard Deviation = 26.028568

***** CHANNEL 2 *****
Sol Val = 0.0000 mg/l or 0.000 g/210L
% Abs = 0.087
Std Dev = 0.01 Rel Std Dev = 11.62
Sol Val = 0.1905 mg/l or 0.040 g/210L
% Abs = 1.507
Std Dev = 0.00 Rel Std Dev = 0.30
Sol Val = 0.4762 mg/l or 0.100 g/210L
% Abs = 3.557
Std Dev = 0.02 Rel Std Dev = 0.67
Sol Val = 0.9524 mg/l or 0.200 g/210L
% Abs = 6.855
Std Dev = 0.01 Rel Std Dev = 0.17
Sol Val = 1.4286 mg/l or 0.300 g/210L
% Abs = 9.972
Std Dev = 0.03 Rel Std Dev = 0.31
Zero Order Coef = -115.62
First Order Coef = 1326.68
Second Order Coef = 11.75
Standard Deviation = 6.438949

Solution Stats Quadratic Fit Chan 1
Act Fit Residual
g/210L g/210L g/210L
0.000 0.000 -0.0002
0.040 0.040 -0.0001
0.100 0.099 0.0008
0.200 0.201 -0.0007
0.300 0.300 0.0003

Solution Stats Quadratic Fit Chan 2
Act Fit Residual
g/210L g/210L g/210L
0.000 -0.000 0.0000
0.040 0.040 -0.0001
0.100 0.100 0.0002
0.200 0.200 -0.0001
0.300 0.300 0.0001

Sol Value = 0.080 g/210L ***
Fit value = 0.3810 mg/l %%%
Samples Taken = 4, Discarded = 1
***** CHANNEL 1 *****
Sample #1 = 3284.00
Sample #2 = 3208.00
Sample #3 = 3182.00
Sample #4 = 3194.00
Average Result = 3194.6667
STD DEV = 13.0128
REL STD DEV = 0.407

***** CHANNEL 2 *****
Sample #1 = 3560.00
Sample #2 = 3550.00
Sample #3 = 3575.00
Sample #4 = 3548.00
Average Result = 3557.6667
STD DEV = 15.0444
REL STD DEV = 0.423

Dry Gas H2O Adjust Results *****
Barometric Pressure = 1005
3 um H2O Adjust (mg/l*10,000) = 615
9 um H2O Adjust (mg/l*10,000) = 252
**** AUTO CAL PASS

80-000 968

Sub

Post Optical Bench Adjustment Stability Checks

0.050 g/210L 0.047 to 0.053 g/210L	0.080 g/210L 0.077 to 0.083 g/210L	0.200 g/210L 0.194 to 0.206 g/210L	DGS 0.080 g/210L 0.077 to 0.083 g/210L ≤0.003 g/210L of Wet																																																																																																																																																
OSCEOLA CORRECTIONS Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000968 04/30/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>18:06</td></tr> <tr><td>Control Test</td><td>0.050</td><td>18:07</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>18:07</td></tr> <tr><td>Control Test</td><td>0.048</td><td>18:08</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>18:08</td></tr> <tr><td>Control Test</td><td>0.050</td><td>18:09</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>18:09</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0493</td><td></td></tr> <tr><td>Std Dev</td><td>0.0012</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>2.3406</td><td></td></tr> </tbody> </table> Operator's Signature: <i>Whizlote</i>	Test	g/210L	Time	Air Blank	0.000	18:06	Control Test	0.050	18:07	Air Blank	0.000	18:07	Control Test	0.048	18:08	Air Blank	0.000	18:08	Control Test	0.050	18:09	Air Blank	0.000	18:09	Control Test Stats			Average	0.0493		Std Dev	0.0012		Rel Std Dev(%)	2.3406		OSCEOLA CORRECTIONS Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000968 04/30/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:42</td></tr> <tr><td>Control Test</td><td>0.079</td><td>17:43</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:44</td></tr> <tr><td>Control Test</td><td>0.079</td><td>17:44</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:45</td></tr> <tr><td>Control Test</td><td>0.080</td><td>17:46</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:46</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> Operator's Signature: <i>Whizlote</i>	Test	g/210L	Time	Air Blank	0.000	17:42	Control Test	0.079	17:43	Air Blank	0.000	17:44	Control Test	0.079	17:44	Air Blank	0.000	17:45	Control Test	0.080	17:46	Air Blank	0.000	17:46	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277		OSCEOLA CORRECTIONS Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000968 04/30/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>17:54</td></tr> <tr><td>Control Test</td><td>0.200</td><td>17:54</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:55</td></tr> <tr><td>Control Test</td><td>0.200</td><td>17:56</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:56</td></tr> <tr><td>Control Test</td><td>0.199</td><td>17:57</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>17:57</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.1997</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.2892</td><td></td></tr> </tbody> </table> Operator's Signature: <i>Whizlote</i>	Test	g/210L	Time	Air Blank	0.000	17:54	Control Test	0.200	17:54	Air Blank	0.000	17:55	Control Test	0.200	17:56	Air Blank	0.000	17:56	Control Test	0.199	17:57	Air Blank	0.000	17:57	Control Test Stats			Average	0.1997		Std Dev	0.0006		Rel Std Dev(%)	0.2892		DGS OSCEOLA CORRECTIONS Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-000968 04/30/2026 Software: 8100.27 <table border="1"> <thead> <tr> <th>Test</th> <th>g/210L</th> <th>Time</th> </tr> </thead> <tbody> <tr><td>Air Blank</td><td>0.000</td><td>18:01</td></tr> <tr><td>Control Test</td><td>0.079</td><td>18:02</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>18:02</td></tr> <tr><td>Control Test</td><td>0.080</td><td>18:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>18:03</td></tr> <tr><td>Control Test</td><td>0.079</td><td>18:03</td></tr> <tr><td>Air Blank</td><td>0.000</td><td>18:04</td></tr> <tr><td>Control Test Stats</td><td></td><td></td></tr> <tr><td>Average</td><td>0.0793</td><td></td></tr> <tr><td>Std Dev</td><td>0.0006</td><td></td></tr> <tr><td>Rel Std Dev(%)</td><td>0.7277</td><td></td></tr> </tbody> </table> Operator's Signature: <i>Whizlote</i>	Test	g/210L	Time	Air Blank	0.000	18:01	Control Test	0.079	18:02	Air Blank	0.000	18:02	Control Test	0.080	18:03	Air Blank	0.000	18:03	Control Test	0.079	18:03	Air Blank	0.000	18:04	Control Test Stats			Average	0.0793		Std Dev	0.0006		Rel Std Dev(%)	0.7277	
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	18:06																																																																																																																																																	
Control Test	0.050	18:07																																																																																																																																																	
Air Blank	0.000	18:07																																																																																																																																																	
Control Test	0.048	18:08																																																																																																																																																	
Air Blank	0.000	18:08																																																																																																																																																	
Control Test	0.050	18:09																																																																																																																																																	
Air Blank	0.000	18:09																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0493																																																																																																																																																		
Std Dev	0.0012																																																																																																																																																		
Rel Std Dev(%)	2.3406																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:42																																																																																																																																																	
Control Test	0.079	17:43																																																																																																																																																	
Air Blank	0.000	17:44																																																																																																																																																	
Control Test	0.079	17:44																																																																																																																																																	
Air Blank	0.000	17:45																																																																																																																																																	
Control Test	0.080	17:46																																																																																																																																																	
Air Blank	0.000	17:46																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	17:54																																																																																																																																																	
Control Test	0.200	17:54																																																																																																																																																	
Air Blank	0.000	17:55																																																																																																																																																	
Control Test	0.200	17:56																																																																																																																																																	
Air Blank	0.000	17:56																																																																																																																																																	
Control Test	0.199	17:57																																																																																																																																																	
Air Blank	0.000	17:57																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.1997																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.2892																																																																																																																																																		
Test	g/210L	Time																																																																																																																																																	
Air Blank	0.000	18:01																																																																																																																																																	
Control Test	0.079	18:02																																																																																																																																																	
Air Blank	0.000	18:02																																																																																																																																																	
Control Test	0.080	18:03																																																																																																																																																	
Air Blank	0.000	18:03																																																																																																																																																	
Control Test	0.079	18:03																																																																																																																																																	
Air Blank	0.000	18:04																																																																																																																																																	
Control Test Stats																																																																																																																																																			
Average	0.0793																																																																																																																																																		
Std Dev	0.0006																																																																																																																																																		
Rel Std Dev(%)	0.7277																																																																																																																																																		

Florida Department of Law Enforcement Alcohol Testing Program

DEPARTMENT INSPECTION REPORT - INTOXILYZER 8000

Agency: OSCEOLA CORRECTIONS

Time of Inspection: 13:40

Date of Inspection: 05/01/2026

Serial Number: 80-000968

Software: 8100.27

Check or Test	YES	NO	Check or Test	YES	NO
Diagnostic Check (Pre-Inspection): OK	Yes		Date and/or Time Adjusted		No
Minimum Sample Volume Check: OK	Yes		Barometric Pressure Sensor Check: OK	Yes	
Alcohol Free Subject Test: 0.000	Yes		Mouth Alcohol Test: Slope Not Met	Yes	
Interferent Detect Test: Interferent Detect	Yes		Diagnostic Check (Post-Inspection): OK	Yes	

Alcohol Free Test (g/210L)	0.05g/210L Test (g/210L) Lot#:202406K Exp: 06/19/2026	0.08g/210L Test (g/210L) Lot#:202603B Exp: 03/03/2028	0.20g/210L Test (g/210L) Lot#:202603D Exp: 03/04/2028	0.08 g/210L Dry Gas Std Test (g/210L) Lot#:AG510701 Exp: 04/17/2027
0.000	0.049	0.080	0.200	0.080
0.000	0.049	0.080	0.200	0.079
0.000	0.049	0.080	0.201	0.079
0.000	0.049	0.080	0.200	0.079
0.000	0.049	0.081	0.200	0.080
0.000	0.049	0.080	0.200	0.079
0.000	0.049	0.080	0.200	0.079
0.000	0.049	0.080	0.200	0.080
0.000	0.048	0.080	0.200	0.079
0.000	0.048	0.080	0.200	0.079


Standard Deviations	0.0004	0.0003	0.0003	0.0004
---------------------	--------	--------	--------	--------

Average Standard Deviation of 0.05, 0.08 and 0.20 g/210L Tests: 0.0003 Number of Simulators Used: 5

Remarks:

The above instrument complies (☒) does not comply (☐) with Chapter 11D-8, FAC.

I certify that I performed this inspection in accordance with the provisions of Chapter 11D-8, FAC.


LEANDRA HIGGINBOTHAM
Signature and Printed Name

05/01/2026
Date



Calibration Certificate

Florida Department of Law Enforcement
Alcohol Testing Program
2331 Phillips Road
Tallahassee, FL 32308

This is to certify the calibration of Intoxilyzer 8000 serial number 80-000968, manufactured by CMI, Inc. was calibrated in accordance with FDLE/ATP Form 36 - Department Inspection Procedures - Intoxilyzer 8000.

Serial Number:	<u>80-000968</u>	UNCERTAINTY* $\pm$	
Owning Agency:	<u>OSCEOLA CORRECTIONS</u>	0.050 g/ 210 L	0.004
Calibration Date:	<u>05/01/2026</u>	0.080 g/ 210 L	0.004
Calibration Time:	<u>13:40</u>	0.200 g/ 210 L	0.008
		0.080 g/ 210 L Dry Gas Control	0.005

All results are reported in g/ 210 L.

Bias is limited by calibration acceptance criteria. All calibration results must be within ± 0.005 or 5%, whichever is greater, of the target alcohol concentration.

*Uncertainty is based on fleet-wide data and is expressed to a 99.73% level of confidence ($k=3$).

The instrument results before and after any adjustment are found in the associated pre and post stability checks.

TRACEABILITY INFORMATION

This instrument was calibrated using solutions prepared by Alcohol Countermeasure Systems, Inc. (ACS). ACS prepared and certified these CRMs in accordance with ISO 17034 and ISO/ IEC 17025 Standards.

Simulator temperatures are traceable to NIST. Simulator temperatures are checked with NIST traceable digital thermometers calibrated by Precision Metrology in accordance with ISO/ IEC 17025 standards.

Dry gas control measurements are traceable to NIST through the use of CRMs supplied by an accredited CRM supplier. The supplier of dry gas standard controls prepared and certified the CRMs in accordance with ISO Guide 34 and ISO/ IEC 17025 standards.

This document shall not be reproduced except in full, without written approval of the Florida Department of Law Enforcement Alcohol Testing Program.

05/01/2026

Date


LEANDRA HIGGINBOTHAM,
Department Inspector

FDLE/ATP Form 69 January 2026
Issuing Authority: Alcohol Testing Program

Service • Integrity • Respect • Quality

Page 1 of 1